

Always Good Times



Rental
Ski Catalog
23/24

elan™
alpina

Rental

Color Coding

Efficiency with Ease

Elan's Element Rental features Groove Technology for proven performance and a better user experience, while offering color coding for easy identification and enhanced adjustment efficiency in busy rental shops.



ONLY FOUR SOLE SIZES

The Discovery DSS boot is available in 12 different full sizes and 24 half sizes, but, uses **only four boot sole lengths** for the entire Adult series. Fewer boot sole lengths mean faster adjustments and fewer mistakes.

HIGH VISIBILITY COLOR CODED SIZING

The DSS boot sole lengths are easily identifiable using a color coding system on all sides of the boot including the bottom: Orange, Purple, Blue, and Green.

COLOR CODE
TYROLIA
BINDINGS
POSITION



DSS G
290 mm

SOLE
LENGTH

Alpina
mondo
Size run

23.5
24.5
25.5



DSS O
320 mm

26.5
27.5
28.5



DSS V
350 mm

29.5
30.5
31.5



DSS 1
370 mm

32.5
33.5
34.5





DISCOVERY Speed System

DSS RENTAL JUNIOR BOOTS COLLECTION

COLOR CODE



SOLE LENGTH

Alpina
mondo
Size run

DSS z
194 mm

14.5
15.5

DSS f
219 mm

16.5
17.5
18.5

DSS n
245 mm


19.5
20.5
21.5

DSS c
272 mm

22.5
23.5
24.5

DSS G
290 mm

25.5
26.5



All Mountain

Rental



RIPSTICK 88 RNT POWER SHIFT

CODE	ADDJUF22
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass
GEOMETRY	130 88 105
LENGTH RADIUS	148(13.0), 156(13.7), 164(14.2), 172(15.4), 180(17.0), 188(18.9)
SYSTEM/PLATE	Power Shift
BINDING	ELX 11.0 GW SHIFT BLK/BLK

RIPSTICK 88 W RNT POWER SHIFT

CODE	ADFJUF22
PROFILE	Amphibio
TECHNOLOGY	Carbon Line Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Fibreglass
GEOMETRY	130 88 105
LENGTH RADIUS	146(13.0), 154(13.7), 162(14.2), 170(15.4), 178(17.0)
SYSTEM/PLATE	Power Shift
BINDING	ELX 11.0 GW SHIFT BLK/BLK

SLING SHOT DEMO TRACK

CODE	ADRJUF22
PROFILE	JIB Rocker
TECHNOLOGY	Monoblock, Laminated Woodcore, Fibreglass
GEOMETRY	118 86 113
LENGTH RADIUS	149(11.9), 156(12.9), 161(14.0), 166(15.2), 171(16.3), 176(17.5)
SYSTEM/PLATE	Track
BINDING	ESP 10.0 GW Track PM

EXPLORE 80 POWER SHIFT

CODE	ABHKNK23
PROFILE	Early Rise Rocker
TECHNOLOGY	Full Power Cap, Mono Woodcore, Fibreglass
GEOMETRY	128 80 105
LENGTH RADIUS	144(11.1), 152(12.5), 160(14.2), 168(15.8), 176(17.5)
SYSTEM/PLATE	Power Shift
BINDING	EL 10.0 GW SHIFT BLK/GRN

EXPLORE 80 W LIGHT SHIFT

CODE	ABHKMG23
PROFILE	Early Rise Rocker
TECHNOLOGY	Full Power Cap, Mono Woodcore, Fibreglass
GEOMETRY	128 80 105
LENGTH RADIUS	144(11.1), 152(12.5), 160(14.2), 168(15.8), 176(17.5)
SYSTEM/PLATE	Light Shift
BINDING	EL 9.0 GW SHIFT BLK/BLK



EXPLORE

CODE	RBJR0114 (1), RBJR0214 (2)
TECHNOLOGY	U-Flex™, Volume Control Plate
CONSTRUCTION	Cabrio Construction
SHELL	Polypropylene
LINER	Thermo insulating, Junior comfort, Junior last
SIZE RANGE	165, 175, 185, 195 (Explore 1) - 205, 215, 225 (Explore 2)
BUCKLES	1 nylon buckle (165 - 195), 2 nylon buckles (205 - 225)
BENEFITS	Color coding - Easy skiing - Warm feet - Easy entry
COLOR	Smoke/Green



COLOR
CODE



NEW
DESIGN



NEW
DESIGN



NEW
DESIGN



NEW
DESIGN



COLOR
CODE

COLOR
CODE



ELEMENT 76 RS LIGHT SHIFT/TRACK

CODE	AGCKMK23, AGCKML23 (Track)
PROFILE	Parabolic Rocker
TECHNOLOGY	Groove Technology, HD Power Shell, Dual Woodcore, Fibreglass
GEOMETRY	127 76 102
LENGTH RADIUS	120(7.4), 130(8.9), 140(10.6), 150(12.0), 160(13.5), 170(15.2), 175(16.9)
SYSTEM/PLATE	Light Shift, Track
BINDING	EL 10.0 GW SHIFT BLK/BLK ESP 10.0 GW Track PM

ELEMENT 76 LIGHT SHIFT/TRACK

CODE	AGDKRS23, AGDKRT23 (track)
PROFILE	Parabolic Rocker
TECHNOLOGY	Groove Technology, HD Power Shell, Dual Woodcore, Fibreglass
GEOMETRY	127 76 102
LENGTH RADIUS	120(7.4), 130(8.9), 140(10.6), 150(12.0), 160(13.5), 170(15.2), 175(16.9)
SYSTEM/PLATE	Light Shift, Track
BINDING	EL 10.0 GW SHIFT BLK/BLK ESP 10.0 GW Track PM

EXPLORE 74 LIGHT SHIFT

CODE	AGFKMM23
PROFILE	Parabolic Rocker
TECHNOLOGY	GrooveTip Technology, Full Power Cap, Mono Woodcore
GEOMETRY	122 74 103
LENGTH RADIUS	140(10.3), 146(11.3), 152(12.4), 160(13.9), 168(15.4), 176(17.1)
SYSTEM/PLATE	Light Shift, Flat
BINDING	EL 10.0 GW SHIFT BLK/BLK

EXPLORE 74 RS LIGHT SHIFT

CODE	AGEKKY23
PROFILE	Parabolic Rocker
TECHNOLOGY	GrooveTip Technology, Full Power Cap, Dual Woodcore, Carbon
GEOMETRY	122 74 103
LENGTH RADIUS	152(12.3), 160(13.9), 168(15.4), 176(17.2)
SYSTEM/PLATE	Light Shift, Flat
BINDING	EL 10.0 GW SHIFT BLK/BLK

FREELINE BLUE QUICK SHIFT/TRACK

CODE	AGHHKG20, AGHJCE21 (track)
PROFILE	W
TECHNOLOGY	Full Power Cap, Synflex, Fibreglass
GEOMETRY	115 76 105
LENGTH RADIUS	099(7.7), 125(8.5), 135(10.3)
SYSTEM/PLATE	EL 10.0 GW SHIFT BLK/BLK, ESP 10.0 GW Track
BINDING	

EXPLORE PRO JRS

CODE	AGKJUQ22
PROFILE	EarlyRise Rocker
TECHNOLOGY	U-Flex Technology, Full Power Cap, Synflex, Fibreglass
GEOMETRY	101 67 91
LENGTH RADIUS	70(2.5), 80(3.5), 90(4.8), 100(6.3), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
SYSTEM/PLATE	Junior Shift screw BLK Color Coded
BINDING	EL 4.5 7.5 GW CA JRS BLK

Snowboard



COLOR
CODE



COLOR
CODE



COLOR
CODE

U-FLEX
TECHNOLOGY

EXPLORE R

CODE	BRC80418
PROFILE	Jib Rocker
TECHNOLOGY	Control Woodcore
GEOMETRY	272.5/233/272.5, 280/240/280, 283.5/243/283.5, 291.5/247/291.5, 295/252/295, 299/255/299
LENGTH RADIUS	135(6.1), 140(6.3), 145(6.5), 150(6.7), 155(7.4), 160(7.5)

EXPLORE PLUS R

CODE	BRD80618
PROFILE	All Terrain Rocker
TECHNOLOGY	Response Woodcore
GEOMETRY	290/248/290, 292.5/250/292.5, 294.5/252.5/294.5, 297/255/297, 310/265/305, 320/275/313, 326/285/320
LENGTH RADIUS	135(6.6), 145(7.2), 150(7.5), 155(7.6), 160(7.8), 165(7.9), 170(9.1)

EXPLORE JR U-FLEX

CODE	BRE81018 (75, 85, 95)
PROFILE	All Terrain Rocker
TECHNOLOGY	Response Woodcore
GEOMETRY	195/179/195, 200/182/200, 205/183/205
LENGTH RADIUS	75(4.3), 85(5.0), 95(5.5)

EXPLORE JR

CODE	BRE80818 (105, 115, 125)
PROFILE	All Terrain Rocker
TECHNOLOGY	Response Woodcore
GEOMETRY	210/186/210, 215/189/215, 258/225/258
LENGTH RADIUS	105(6.0), 115(6.4), 125(6.7)



RENTAL FASTEC IC

CODE_ CA969022

SIZE_ SM, ML, L, XL

MATERIAL_ PA+PU+EVA

PLATFORM_ INTERCHANGER with FT Multientry

STRAPS_ PU

PADDING_ EVA

FIXATION_ 4x4/3D



RENTAL ACC BASIC

CODE_ CA963016

SIZE_ SM, ML

MATERIAL_ PA+EVA

PLATFORM_ ACC base + Compact High Back

STRAPS_ Elliptical

PADDING_ Standard

FIXATION_ Quick Rental



RENTAL ACC JUNIOR

CODE_ CA963216

SIZE_ S

MATERIAL_ PA+EVA

PLATFORM_ ACC base + Compact Lite High Back

STRAPS_ Elliptical

PADDING_ Standard

FIXATION_ Quick Rental



RADON MICRO

CODE_ CA862216

SIZE_ XS

MATERIAL_ PC+EVA

PLATFORM_ Base + High Back

STRAPS_ Traditional

PADDING_ Standard

FIXATION_ Traditional



RENTAL BOOT

CODE_ KR965616

SIZE_ 2-15

MATERIAL_ Rubber + Nylon

LINER_ L1 Liner + Tongue pull strap

OUT SOLE_ Rubber + Cushion pads + Tongue pull strap

LACE_ Flex Window + Laceless Liner

Elan Rental Helmets & Poles

Enhanced safety and peace of mind



**COLOR
CODE**

SPECTER RENTAL

CODE_ CE583818

CONSTRUCTION_ ABS

FIT SYSTEM_ Adjustable 180 System

SIZES_ 51-55 (S), 56-59 (M), 60-62 (L)

FEATURES_ ABS Construction / Passive Air-stream / AirFlow Liner / Removable Earpads / Designed in the Slovenian Alps

COLOR_ Black



TWIST

CODE_ (XS 49-53) (S 53-56)

CE403020 (Green), CE403220 (Pink),
CE403420 (White), CE403620 (Blue),
CE504420 (Black)


CONSTRUCTION_ PC - Inmold

FIT SYSTEM_ Jr. fit system

SIZES_ 49-53 (XS), 53-56 (S)

FEATURES_ Inmold Construction /
Passive Airstream / Anti-Bacterial
Liner / Stealth Strap Design /
Removable Earpads / Designed in the
Slovenian Alps

COLOR_ Green, Pink, White, Blue,
Black



**COLOR
CODE**



135
110



125



120



115



130
105

RENTALROD

CODE_ CD924022

TYPE_ Adult

LENGTH (CM)_ 110-135

SHAFT_ Alu 7075

TUBE_ Ø mm

COULEUR_ Color Coded

GRIP_ Bulwark SIC Rental

STRAP_ Fixed Strap

BASKET_ Basket 55mm

Parts & Binding Certification



SEARCHING FOR SPARE PARTS IS AS SIMPLE AS POSSIBLE

The new OMS Spare part Management offers all relevant information about ski bindings and their (spare) parts at a glance – and just one click away. Extensive information is available via the new OMS spare part system: Starting with the appropriate drill template right up to screws and spare parts related to a specific binding model; for example different brake types – plus, all parts can be directly identified by model. Pictures and coloured marks provide simple navigation tools and easy recognition of selected parts.

LOGIN

Run your browser, type in address field <https://oms.head.com> and you are ready to go... Pages are protected! To access type:

User name: **spare_ELAN**

Password: **omsnew**

You can download complete User manual from web page <http://b2b.elanskis.com/>

TWO DIFFERENT MODES

You may navigate through the Spare Parts OMS via two different modes: **1** Product view mode **2** Spare Part view mode

With the product view, all existing spare parts related to a specific binding model can be identified. In the spare part view, all spare parts are listed with their designated use.



SPARE PARTS VIEWER

The Spare Part Viewer explains all spare parts in detail (text and pictures) and shows the appropriate article number, description and order quantity. Colored bars and marks of the requested part make navigation extremely simple and easy.

TECHNICAL DATA

In the "product view" mode, technical data is available as additional information. You may access this data by clicking on the spanner symbol. You will find this symbol in the spread-sheet between the picture preview symbol and the symbol which opens the spare part viewer (the toothed wheel symbol). You can access the technical data sheet of one specific binding model or open the technical data catalogue for all models per line and season. Technical Data for all ELAN lines from season 2009/2010 up to the current line is available online.




ONLINE HELP

A HELP Document is also available online. You will find it in the OMS in the top right corner.

ELAN BINDING CERTIFICATION

FOR MORE INFORMATION
PLEASE CHECK ELAN TECH MANUAL
AND B2B.ELANSKIS.COM





ELAN SPORTS USA

93 Etna road
Lebanon, NH 03766
T +1 603 448 3101

info@alpinasports.com
info@elansports.com

elanskis.com
alpinasports.com

NEW ENGLAND ME, NH, MA, CT, RI, VT

Peter Kidd
c: 802-598-4573
peter@peaksales.us

Ben Maguire
c: 774-991-0460
ben.maguire@peaksales.us

MID ATLANTIC NY, NJ, PA, DE

Rick Cherashore
c: 610-573-6084
rickcherashore@gmail.com

SOUTH EAST MD to FL

Dennis Naughton
c: 410-251-4657
dennisnaughton5@gmail.com

EAST GREAT LAKES IN, MI, OH, IL

Ray Skelton
c: 517-290-0571
rayskelton@sbcglobal.net

WEST GREAT LAKES MN, WI, IA, ND, SD, MO

Bill Ehmke
c: 952-936-0272
billehmke@comcast.net

Mason Rickert
c: 612-819-0022
masonskr@hotmail.com

ROCKIES CO, NM, East WY

Marc Lee
c: 970-390-2824
mshash2@me.com

Rob Ruhl
c: 303-594-5890
robbruhl@hotmail.com

ROCKIES West WY, UT, ID, AZ

Ryan McMullin
c: 801-884-9105
ryanmcmullinremgroup@gmail.com

Ryan Brooks
c: 801-897-6002
ryan@glacieroutdoorgroup.com

NORTH WEST WA, OR, ID, MT, AK

Nate Pickens
c: 970-819-0965
nate@redstonewest.com
redstonewest.com

Darren Stone
c: 503-804-2674
darren@redstonewest.com

WEST CA, NV

Adam Selby
c: 530-414-5550
adam@coldstreamsales.com

Kenzie Bathurst
c: 530-330-4302
kenzie@coldstreamsales.com

ELAN in word & shape, Always Good Times, We Rule, ACE, SLX, GSX, SCX, AMPHIBIO, VOYAGER, Wingman, Wildcat, CONNECT TECHNOLOGY, FUSION, EARLY RISE, Waveflex, « are trademarks of Elan, d.o.o., registered in the U.S. Patent and Trade Mark Office. For "Primetime, Playmaker" the registration is pending.

elanskis.com