

Page 1 of 7

#### SITE OBSERVATION REPORT

**PROJECT No.:** 170381202

CLIENT:

LLC

Wednesday, December 13,

2023

PROJECT:

250 Water Street

**WEATHER:** 

Sunny: 30 – 40 °F

Wind: NE @ 0.2 – 2.2 mph

LOCATION:

New York, NY

TIME:

DATE:

6:00am - 4:15pm

**BCP SITE ID:** 

C231127

**MONITOR** 

Gabriella DeGennaro

**EQUIPMENT:** 

CAT 335 Excavator CAT 328 Excavator Komatsu PC210 Excavator Jerome J505 Mercury Vapor Analyzer RKI GX-6000 Photoionization Detector (PID) Aeroqual ASQ1 Air Monitoring Station

PRESENT AT SITE:

250 Seaport District,

**Hughes Corporation** 

c/o The Howard

Day 269 Langan (Environmental) Gabriella DeGennaro, Olivia O'Donnell, Mat

Frankel

Suffolk Construction (Suffolk) (General Contractor) Anthony Galu,

Wvatt Favia

East Coast Drilling, Inc. (ECD) (Foundation Contractor) Mike Brosnan

**New York State Department of Environmental Conservation** 

(NYSDEC) Rafi Alam

Earth Efficient (Soil Broker) Yinette Batista

# **OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:**

Langan was present to document remediation activities in accordance with the NYSDEC-approved November 2021 Remedial Action Work Plan (RAWP) at the 250 Water Street site (NYSDEC Brownfield Cleanup Program [BCP] Site No C231127).

#### **Site Activities**

- ECD graded soil/fill in an about 40-foot-long by 60-foot-wide area in the central part of the site to create a level grade for future placement of imported stone.
  - o Graded soil/fill was screened for odors, staining, organic vapors, and mercury vapor using a handheld photoionization detector (PID) and handheld Jerome® J505 mercury vapor analyzer, respectively. Evidence of impacts was not observed.
- ECD used previously imported fill to backfill an about 40-foot-long by 60-foot-wide area from about 15 feet below sidewalk grade (bsg) to 14.5 feet bsg in the central part of the site.
- ECD placed an about 6-inch-thick layer of previously imported 0.75-inch stone in an about 110-foot-long by 45-foot-wide area in the central part of the site. The backfill was placed above a demarcation layer consisting of geotextile fabric.
- ECD continued demobilizing equipment from the site.

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Gabriella DeGennaro
	S. Simpson		LANGAN



Page 2 of 7

### SITE OBSERVATION REPORT

# **Material Tracking**

- ECD exported three truckloads (about 60 cubic yards [CY]) of C&D debris for off-site disposal at the Earth Efficient MSM facility located in East Stroudsburg, PA.
- ECD imported 21 truckloads (about 520.17 tons) of 0.75-inch stone from the Stone Industries Inc. Facility, located in Haledon, NJ.

	Material Import Summary									
Facility Name Location Type of Material  Stone Industries, Inc. Haledon, NJ 1.5/2.5-inch Virgin Stone		Stone Industries, Inc. Haledon, NJ 0.75-inch Virgin Stone		Impact Reuse & Recovery Center or Impact Materials Jersey City, Lyndhurst/Jersey City, NJ 1.5-inch Clean Bluestone		Impact Reuse & Recovery Center, Lyndhurst, NJ General Fill		XRDS Recycling LLC Wayne, NJ Clean Screened Fill		
Quantities	No. of Loads	Approx. Volume (Tons)	No. of Loads	Approx. Volume (Tons)	No. of Loads	Approx. Volume (Tons)	No. of Loads	Approx. Volume (Tons)	No. of Loads	Approx Volume (CY)
Today	0	0	21	520.17	0	0	0	0	0	0
Project Total	16	382.13	46	1,137.35	15	339.65	374	9,158.05	105	2,100
NYSDEC Approved:	5,400 tons*			720 tons*		19,500 tons*		4,50	0 tons*	

\*0.75-inch, 1.5-inch, and 2.5-inch virgin stone from the Stone Industries, Inc. facility and 1.5-inch clean bluestone from the Impact Reuse & Recovery Center (IRRC) facility were approved for import of 3,000 cubic yards (CY) and 400 CY, respectively. Assuming a conversion factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets. General fill from the IRRC and XRDS facilities were approved for import of 13,000 CY and 3,000 CY, respectively, and a conversion factor of 1.5 is applied.

	Material Export Summary (1 of 3)								
Facility Name Location Type of Material	Allocco Recycling Brooklyn, NY Construction & Demolition (C&D) Debris		IRRC Lyndhurst, NJ C&D Debris		Earth Efficient MSM East Stroudsburg, PA C&D Debris		Clean Earth of North Jersey Kearny, NJ Hazardous Lead-Impacted Soil/Fill		
Quantities	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	
Today	0	0	0	0	3	60	0	0	
Project Total	5	85	42	840	306	6,120	142	2,840	

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Gabriella DeGennaro
	S. Simpson		LANGAN



Page 3 of 7

# **SITE OBSERVATION REPORT**

Material Export Summary (2 of 3)								
Facility Name Location Type of Material	Middlesex County Landfill East Brunswick, NJ Non-hazardous Soil/Fill		Kea	oil Management sbey, NJ mpacted Soil/Fill	Clean Earth of Carteret, NJ Carteret, NJ Non-hazardous Soil/Fill			
Quantities	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)		
Today	0	0	0	0	0	0		
Project Total	548	10,980	267	5,340	66	1,320		

	Material Export Summary (3 of 3)								
Facility Name Location Type of Material	Je Kea	rth of North ersey rny, NJ dous Soil/Fill	Cycle Chem, Inc. Elizabeth, NJ Hazardous Lead-Impacted Soil/Fill		Harmony Foul Rift (HFR) Belvidere, NJ Non-hazardous Soil/Fill		XRDS Recycling LLC Wayne, NJ Non-hazardous Soil/Fill		
Quantities	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	
Today	0	0	0	0	0	0	0	0	
Project Total	201	4,020	17	340	137	2,740	28	560	

# **Sampling**

• No samples were collected.

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Gabriella DeGennaro
	S. Simpson		LANGAN



Page 4 of 7

### SITE OBSERVATION REPORT

### **CAMP Activities**

Langan performed air monitoring at the perimeter of the site, at the northern sidewalk of Pearl Street, at the western sidewalk of Beekman Street, at the eastern sidewalk of Peck Slip, and at the southern sidewalk of Water Street at eight total locations for mercury vapor, volatile organic compounds (VOCs), and particulate matter less than 10 microns in diameter (PM10) from about 6:15am to 3:57pm. There were no fifteen-minute average concentrations for mercury vapor, VOCs or PM10 that approached or exceeded the action levels established by the CAMP (1.00  $\mu$ g/m³, 5.0 ppm, or 0.100 mg/m³, respectively).

#### **Background Concentrations**

Prior to implementation of CAMP, instantaneous background concentrations of mercury vapor and VOCs were recorded using a handheld Jerome<sup>®</sup> J505 mercury vapor analyzer and a handheld PID, respectively.

- Background concentrations of mercury vapor at each CAMP station were recorded at 0.00 μg/m³.
- Background concentrations of VOCs at each CAMP station were recorded at 0.0 ppm.

# Perimeter and Work Zone Concentrations

# **Daily Average Concentrations**

Station ID	Particulate (mg/m³)	Organic Vapor (ppm)	Mercury Vapor (µg/m³)
PM-1	0.006	0.00	0.02
PM-2	0.006	0.00	0.01
PM-3	0.006	0.00	0.00
PM-4	0.007	0.00	0.02
WZ-1	0.006	0.00	0.00
WZ-2	0.006	0.00	0.00
WZ-3	0.006	0.00	0.01
WZ-4	0.006	0.01	0.01

### **Maximum 15-Minute-Average Concentrations**

Station ID	Particulate (mg/m³)	Organic Vapor (ppm)	Mercury Vapor (µg/m³)
PM-1	0.009	0.01	0.05
PM-2	0.009	0.01	0.04
PM-3	0.010	0.02	0.01
PM-4	0.013	0.01	0.05
WZ-1	0.008	0.00	0.01
WZ-2	0.012	0.00	0.01
WZ-3	0.009	0.02	0.03
WZ-4	0.009	0.06	0.02

•mg/m³ = milligrams per cubic meter •ppm = parts per million •µg/m³ = micrograms per cubic meter

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Gabriella DeGennaro
	S. Simpson		LANGAN



Page 5 of 7

### SITE OBSERVATION REPORT

#### Ambient Air (Handheld Jerome® J505 and Handheld PID)

- The dedicated mobile monitor (Langan) used a handheld Jerome® J505 mercury vapor analyzer to monitor ambient air conditions at various heights throughout the site. Instantaneous mercury vapor concentrations throughout the site ranged from 0.00 µg/m³ to 0.06 µg/m³.
- The dedicated mobile monitor (Langan) used a handheld PID to monitor VOC concentrations throughout the site. Instantaneous VOC concentrations were not detected above background concentrations throughout the workday.

#### Off-site CAMP Stations

- CAMP station WZ-1 was placed on the western sidewalk of Beekman Street from about 6:14am to 2:40pm.
- CAMP station WZ-2 was placed on the southern sidewalk of Water Street from about 6:32am to 3:07pm.
- CAMP station WZ-3 was placed on the eastern sidewalk of Peck Slip from about 6:25am to 2:58pm.
- CAMP station WZ-4 was placed on the northern sidewalk of Pearl Street from about 6:19am to 2:51pm.

#### Prior to CAMP Shutdown

Prior to discontinuing CAMP, mercury vapor and VOC concentrations were confirmed to return to background conditions at each perimeter station using the handheld Jerome® J505 mercury vapor analyzer and handheld PID, respectively. Perimeter CAMP stations were discontinued sequentially between 3:43pm and 3:57pm.

- Background concentrations of mercury vapor at each CAMP station were recorded at 0.00 μg/m³.
- Background concentrations of VOCs at each CAMP station were recorded at 0.0 ppm.

#### **Anticipated Activities**


- ECD will continue importing virgin stone for installation of a temporary cover across the site.
- ECD will continue to demobilize equipment from the site.
- Langan will demobilize the off-site CAMP stations and the Jerome® J505 mercury vapor analyzers, pending approval from the NYSDEC.

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Gabriella DeGennaro
	S. Simpson		LANGAN



Page 6 of 7

### SITE OBSERVATION REPORT





Page 7 of 7

# **SITE OBSERVATION REPORT**

# **Select Site Photographs:**




Photo 1: ECD importing 0.75-inch virgin stone for installation of a temporary site cover (facing west)



**Photo 2:** ECD backfilling the central part of site with imported 0.75-inch stone for installation of a temporary site cover (facing southwest)

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Gabriella DeGennaro
	S. Simpson		LANGAN