



Doctor's Name _____ Patient's First Name _____

Address _____ Patient's Last Name _____

City, State, Zip _____ Phone _____

Order Date _____ Due by 5:00 p.m. on _____

FOR LAB USE ONLY

Metal Free Crown

- Katana® STML Solid Zirconia
- CERCON HT Solid Zirconia
- CERCON® Layered Zirconia
- 3M™ Lava™ Esthetic
- BruxZir®
- IPS e.max® Veneer Inlay
- PMMA temporary crown
- Diagnostic Wax Up

Implant

- Custom Zirconia Abutment
- Custom Titanium Abutment
- Cement on Implant Crown
- Screw Retained Implant Crown
- Parts enclosed Please Order

Type: _____

Diameter: _____

- 3D Printed surgical Guide

PFM

- NP NP(Nickel Free) SP
- WHN YHN

Post

- NP Post SP Post

Full Cast Crown

- NP NP(Nickel Free) SP
- High Noble Yellow 64%

Tooth # _____

Shade (Crown) _____

Shade (Tissue) _____

Occlusal Staining

- None Light Medium Heavy

Cervical Staining

- None Light Medium Heavy

Buccal Margin

- Metal Margin on Buccal (____ mm)

- Porcelain Margin 180 # _____

- Porcelain Margin 360 # _____

Lingual/occlusal Design


- Lingual Collar(0.5mm height) _____ mm height # _____

- Metal Lingual(Anterior tooth) # _____

- Mtl Occl.Excl.Occl.Cusp(3/4 Metal Occlusal) # _____

- Mtl Occl.Incl.occ.Cusp(Full Metal Occlusal) # _____

Pontic Design



Proximal Contact

- Light
- Medium
- Heavy

Gingival Embrassure


- Natural
- Closed
- Open

Occlusal Contact

- Out Off Occlusion (.5mm)
- Light Occlusion (0.3mm)
- Full Occlusion

Die Spacer

- X1 X2 X3



Removable:

- Metal RPD CoCr
- Metal PRD Vitallium
- Valplast
- Valplast + Frame Combo
- Full Denture
- Immediate Denture
extract teeth# _____
- All Acrylic Treatment Partial
- Stayplate (4-7 teeth)
- Flipper (1-3 teeth)
- Bite Block
- Custom Tray
- Lab Hard Reline
- Repair

Stage:

- Frame Only
- Teeth in Wax Try-in
- Finish Processing
- One Step (No Try-in)

Other:

- Hard Night Guard
- Soft Night Guard
- Talen Night Guard

24 hr RUSH **48hr RUSH** **72hr RUSH**
ALL RUSH SERVICES MUST BE PRE-APPROVED



Doctor's Signature : _____ License# _____