



Quartz Collection



MARBLE SERIES




CALACATTA GOLD




STATUARIO **NEW**



STATUARIO DIVINO AMT7103




VAGLI AMT3006




SUPER WHITE - AMT7013



WHITE ALABASTER **NEW**




CONCRETE WHITE




CEMENTO LINE


QUARTZ COLLECTION



CALACATTA **NEW**




WHITE MACOBAS - AMT7040




BIANCO CARRARA **NEW**


PLAIN SERIES



JET BLACK



EX - DOVE WHITE



WHITE

QUARTZ COLLECTION

SLAB SIZES AVAILABLE
SLAB STANDARD THICKNESS: 2 cm, 3 cm / 20 mm, 30 mm
STANDARD SLAB PRODUCTION SIZES: MM 1600*3200 CMS 160*320 INCHES 63*126 METERS 1.6
CONTAINER SIZES
CONTAINER MAX LOAD 21.5 MTS.: 1600*3200*20mm (85 Slabs) 1600*3200*30mm (57 Slabs)
CONTAINER MAX LOAD 26.5 MTS.: 1600*3200*20mm (105 Slabs) 1600*3200*30mm (70 Slabs)

MARBLE SERIES



CALACATTA BELO







MARBLE SERIES




CALACATTA BROGONI **NEW**




DIAMOND SERIES




DIAMOND WHITE




DIAMOND GREY




DIAMOND BLACK




DIAMOND AVORIYO



DIAMOND YELLOW




DIAMOND BLUE



DIAMOND RED



DIAMOND BRONZE



TARRAZZO WHITE

QUARTZ COLLECTION


CRYSTAL SERIES



CRYSTAL WHITE



CRYSTAL GRIS



CRYSTAL RED



CRYSTAL BEIGE



CRYSTAL MARRONI



CRYSTAL TROPICA

QUARTZ COLLECTION

ITEM	STANDARD ENGINEERED QUARTZ STONE	OUR QUARTZ
Water Absorption	< 0.2%	0.004 %
Moh's Hardness	≥ Class 5	Class 7
Abrasion Resistance	≤ 300 mm3	156mm3
Stain Resistance	Sum of Stain Index : ≤ 64, Max Depth of Stain : ≤ 0.12 mm	Sum of Stain Index: 38 Max Depth of Stain: 0.06mm
Chemical Resistance	No obvious damage after test, slight damage should be erased by 600 mesh sandpaper, damage will not affect the performance of products and should be easily recovered	No obvious damage
Radionuclide (A Class)	Internal Exposure Index IRa ≤ 1.0 External Exposure Index Ir ≤ 1.3	0.01 0.01
Density		2.44 g/cm3

PROPERTIES	OUR QUARTZ	GRANITE	LAMINATE	SOLID SURFACE
Scratch Resistant	✓	✓		
Stain Resistant	✓		✓	✓
Heat Resistant	✓	✓		
Crack Resistant	✓			✓
Nonabsorbent Nonporous	✓			✓
Resistant to Common Household Cleaners	✓			✓
Mold and Mildew Resistant	✓			✓
Low Maintenance	✓			
Color Consistency	✓		✓	✓



Ametrine[®]
SURFACES

