

Official Compliance: Colorado CERTIFICATE OF ANALYSIS

Prepared for:

EVG.G4.PG.22255

EVG EXTRACTS

Batch ID or Lot Number: EVG.G4.PG.22255	Test: Potency	Reported: 9/20/22	Location: 35715 HWY 40 #D203 EVERGREEN, CO 80439		
Matrix:	Test ID:	Started:	USDA License:		
Unit	T000221584	9/19/22	N/A		
Status:	Method:	Received:	Sampler ID:		
Active	TM14 (HPLC-DAD): Potency –	09/15/2022 @ 08:54 AM	N/A		

CANNABINOID PROFILE

Compound	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.556	1.897	ND	ND	Notes
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.628	2.141	5.717	1.76	# of Servings = 1
Cannabidiolic acid (CBDA)	0.789	2.259	ND	ND	Sample Weight=3.2
Cannabidiol (CBD)	0.770	2.203	28.390	8.72	
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.691	2.358	<loq< td=""><td>0.54</td><td></td></loq<>	0.54	
Cannabinolic Acid (CBNA)	0.396	1.350	ND	ND	
Cannabinol (CBN)	0.181	0.618	<loq< td=""><td>0.12</td><td></td></loq<>	0.12	
Cannabigerolic acid (CBGA)	0.580	1.979	ND	ND	
Cannabigerol (CBG)	0.139	0.473	2.457	0.75	
Tetrahydrocannabivarinic Acid (THCVA)	0.491	1.673	ND	ND	
Tetrahydrocannabivarin (THCV)	0.126	0.431	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.329	0.943	ND	ND	
Cannabidivarin (CBDV)	0.182	0.521	<loq< td=""><td>0.14</td><td></td></loq<>	0.14	
Cannabichromenic Acid (CBCA)	0.224	0.763	ND	ND	
Cannabichromene (CBC)	0.245	0.834	2.677	0.82	
Total Cannabinoids			41.831	12.85	
Total Potential THC**			5.717	1.76	

Standard Cannabinoid Analysis

254g

Daniel Werdenson

Total Potential CBD**

Daniel Weidensaul 20-Sep-22 3:43 PM

Jacob Miller 20-Sep-22 3:46 PM

8.72

28.390

PREPARED BY / DATE

APPROVED BY / DATE

Definitions

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa *(0.877)) and

Total CBD = CBD + (CBDa *(0.877))

Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

ND = None Detected (Defined by Dynamic Range of the method)

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01









Certificate #4329.02