

BARIL

STYLE X FUNCTION

CANADA | ENGLISH

39

EDITION



BARILDESIGN.COM
1 800 463.3871

BARIL

STYLE x FUNCTION

At BARIL, we're less about faucets. Ok, we're a lot about faucets. But we're more about you, your life and the role we play in it. Understanding the bigger picture; from your grand vision to your day-to-day rituals. Feeding your imagination with style inspiration and improving your life through product innovation. Creating the spaces that you're proud to live in and crafting the little details you can't live without. Faucets designed to please your eyes in an instant and engineered to withstand your touch for a lifetime. Experience innovation driven by consumer benefit and service delivered with unparalleled consideration for your needs.

The Baril Family: *Robinetier** by love of the craft

Driven by its passion for the avant-garde, the family-owned business excels in the design, manufacture and distribution of unique faucets.

*Robinetier: (From french) Master craftsman in the art faucets making.

Designed by BARIL in Montréal

Before being assembled in Canada, all BARIL faucets begin in the minds of our designers who, as their city, bring a European sensibility to the North American market.

Quality and Reliability since 1986

Relying on expertise finely developed over 35 years, our team focuses on research and constant improvement to craft durable, flawless faucets.

Lifetime Warranty on Products and Service

We proudly warranty all our products for life against manufacturing defects and we also provide professional, fast and personalized after-sales service. Just call us!

OWNED AND OPERATED IN

CANADA



Welcome

BARIL

Summary

CAD Price List

Introduction

3-42

Legend	10
Selection of Finishes	12
BARIL Features	17
Our Story	39

Electronic

43-46

Touchless Sensor	44
------------------	----

Kitchen

47-66

Kitchen Faucets	47
Kitchen Parts	61

Bathroom

67-298

Bathroom Faucets	67
Bathroom Accessories	281
Bathroom Parts	295

Shower

299-362

Shower Valves
Shower Components

299
325

Information & Forms

363-370

General Information
Care Instructions
Warranty
Customer Service Policies
FAQ

363
364
365
368
369

Price Index

371-434

BARILDESIGN.COM

1 800 463.3871
1 877 693.3005 [fax]
info@barildesign.com

MONTREAL | DESIGN STUDIO

5394, blvd. St-Laurent
Montreal (Quebec)
Canada H2T 1S1

TROIS-RIVIERES | HEAD OFFICE

579, blvd. Ste-Madeleine
Trois-Rivieres (Quebec)
Canada G8T 9J8

Overview

Kitchen Faucets

VISION Family



VILLA Family



ANGLE



Industrial Style



Overview

Kitchen Faucets

ARTE Family



ARTE H19
56



ARTE H16
56



ARTE H13
56



ARTE
55



ARTE
58



ARTE
59

UNICK Family



UNICK II
50



UNICK II
50



UNICK
58



UNICK
59



UNICK
60

TUBE Family



TUBE H15
57



TUBE H13
57



TUBE II
57

Overview

Bathroom Collections



B04 PETITE
67



B05 REC
85



B16 NAUTICA
99



B18 RALPH
99



B20 BEAUMONT
107



B35 MARIE
125



B45 SENS
133



B46 PROFILE
149

Overview

Bathroom Collections



B47 FLORA
165



B51 MA
177



B56 ACCENT
183



B66 ZIP
193



B71 EVA
215



B72 TRADITION
215



B74 VICTOIRE
223



B80 AIR
231



Legend Faucets

__: Double Underscores

Collection's number

X: Capital Letters

The X included in the product code indicates that additional options are offered with the product. For example, a choice of regular or pressure balanced version for a tub faucet.

xx: Finish

The xx included at the end of the product code indicates that you must choose the desired finish.

CEC

This icon indicates that the flow rate of this faucet meets the California Energy Commission requirements.

Touchless Sensor

This icon indicates that the faucet is compatible with the Touchless Sensor.



Order sensor ELE-1001-01-xx




Order sensor ELE-2001-01-xx

B__-8009-XXL-xx



Promo Price
The Essentials



The Essentials

Products that are part of The Essentials booklet are identified by this icon. These are our bestsellers, available at promotional prices and fast shipping.

Product Features

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy to clean adjustable silicone aerator
- Push-button drain with overflow included

Ecological options

Codes	Reduced flow rates
B04-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

Measurements

Ecological Options

This table shows the ecological options available and the equivalent reduced flow rates.

Legend Shower Kits

One code for your complete shower kit

In order to facilitate the options, BARIL offers already assembled shower kits which include all the components necessary for the proper performance of your water accessories. Thereby, you only have to order one product code with a single price for the whole shower kit. The shower kits that include a rain head are offered with a wall-mounted arm (PRO) or with a ceiling-mounted arm (PRR). Alternatively, you can also purchase the rough(s) and the trim kit (TRO or TRR for ceiling-mounted shower heads) separately, according to the step of your project. The pressure balanced and thermostatic pressure balanced roughs are offered in two versions: with PEX connections or with 1/2" male NPT or welded copper connections. When relevant, the option to choose a shower kit without a shared position is offered.

Your customer wants to be unique?

Customize your shower kit with the BARIL collection; there are thousands of custom shower kit possibilities with a complete selection of shower components. In each collection, we suggest a selection of shower components that harmoniously fit with the shower valves of the collection and a selection of ecological shower components on the following page.

You can either put together your own shower kit with the products from the shower section, or by modifying one or more products of an already assembled PRO/PRR shower kit! All you need to do is calculate the price difference. We also encourage you to visit our online shower configurator at barildesign.com

Complete product code

Price

Products that are part of The Essentials booklet are identified by this icon. These are our bestsellers, available at promotional prices and fast shipping.

Complete thermostatic pressure balanced shower kit		CC	KK	LL	BB	NN/YY	VV/TT	KM	GG						
PRO-4205-04-xx PRR-4205-04-xx*															
		48h Promo Price The Essentials Features - 2 accessories kit - Max: 2 gpm - 80 psi (per accessory) - 3-spray hand shower - 2 accessories can work together Includes B04-9521-00-xx Complete type TP shower valve with 2-way diverter TET-0815-01-xx 8" rounded square shower head BRA-1612-66-xx 16" shower arm DGL-2584-53-xx 3-spray sliding shower bar RAC-9001-16-xx Wall-mount supply elbow Ecological options CEC <table border="1"> <thead> <tr> <th>Codes</th> <th>Features are the same, except:</th> </tr> </thead> <tbody> <tr> <td>PRO-4205-04-xx-NS</td> <td>- Max: 1.75 gpm - 80 psi (per accessory)</td> </tr> <tr> <td>TRO-4205-04-xx-NS + RVA-9521-00-NS-B</td> <td>- 1 accessory works at a time</td> </tr> </tbody> </table>								Codes	Features are the same, except:	PRO-4205-04-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory)	TRO-4205-04-xx-NS + RVA-9521-00-NS-B	- 1 accessory works at a time
Codes	Features are the same, except:														
PRO-4205-04-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory)														
TRO-4205-04-xx-NS + RVA-9521-00-NS-B	- 1 accessory works at a time														
TRIM ONLY TRO-4205-04-xx TRR-4205-04-xx*		CC	KK	LL	BB	NN/YY	VV/TT	KM	GG						
ROUGH VALVES Please order one of the following rough valves to complete the trim: RVA-9521-00-B 2-way type TP rough - 1/2" male NPT or welded copper connections RVA-9521-PO-B 2-way type TP rough - PEX connections															

Trim kit code: includes valve trims and shower components (sliding shower bar, wall-mount supply elbow, shower arm, rain head, etc.)

Rough(s) to order to complete the trim (TRO/TRR).

Product codes to order for a non-shared version of the shower kit.

Components

BARIL's Finishes

Because we are convinced that you want access to the very best options, BARIL offers a large variety of finishes for all of its collections. Chrome (CC) and stainless steel (SS) finishes are in stock with a 48-hour shipping time. A selection of products in matte black (KK), white (BB), satin brass (LL), brushed nickel (NN) and warm gold (MM) finishes are also kept in inventory for shipment within 48 hours. All of our other finishes are generally available with fast shipping of 4 weeks or less.

Take advantage of this wide range of colors and have fun with all these possibilities.

* Some finishes are exclusive to certain collections.

Fast Delivery Finishes



CC
Chrome
(shipping within 48h)



SS
Stainless Steel
(shipping within 48h)




KK
Matte Black
(shipping within 48h or 4 weeks depending on model)



BB
White
(shipping within 48h or 4 weeks depending on model)



LL
Satin Brass
(shipping within 48h or 4 to 12 weeks depending on model)



NN
Brushed Nickel
(shipping within 48h or 4 weeks depending on model)



***MM**
Warm gold
(shipping within 48h)




***KM**
Black Titanium
(shipping within 48h)



***CB**
Chrome White
(shipping within 48h)



***CF**
Smokey Chrome
(shipping within 48h)



***E**
Glossy Black
(shipping within 48h)



***H** Blush
(shipping within 48h)



***I / II**
Mist
(shipping within 48h)




***J / JJ**
French Gold
(shipping within 48h)


Special Finishes



YY
Polished Nickel
(shipping within 2 weeks)




VV
Satin Copper
(shipping within 4 to 12 weeks)



TT
Venetian Bronze
(shipping within 4 to 12 weeks)

Premium Finish



GG
Gold
(shipping within 4 weeks)

BARIL's Finishes

Solid Finishes



—•— Chrome (CC)



—•— Matte Black (KK)



—•— White (BB)



—•— Satin Brass (LL)



—•— Brushed Nickel (NN)



—•— Polished Nickel (YY)



—•— Satin Copper (VV)



—•— Venetian Bronze (TT)



—•— Black Titanium (KM)



—•— Warm gold (MM)



—•— Gold (GG)

BARIL's Finishes

Two-tone Finishes



→ Chrome and
Matte Black (CK)



→ Matte Black and
Satin Brass (KL)

Featured product: CUI-9249-22L-CK

Featured product: CUI-9249-32L-KL




→ Stainless Steel and
Matte Black (SK)



→ Satin Brass and
Matte Black (LK)

Featured product: CUI-9250-22L-SK

Featured product: CUI-9250-32L-LK



→ Chrome
White (CB)



→ Smokey
Chrome (CF)

Featured product: B56-1010-00L-xx

Marketing Tools

The Displays

With its contemporary shades and its integrated lighting, the BARIL presentation wall has an attractive impact on the customer and brings a sophisticated touch to your showroom. Each faucet is installed on a plate and is simply placed on a shelf; it can thereby be moved as you wish. Podiums are also available to highlight BARIL kitchen faucets and floor-mounted tub faucets.



The Brochures

To help you get to know our collections, and to inspire you, our brochures are available on our website at all times and in hard copy on demand.



The Essentials Booklet

Ask your representative for your color

Three modern faucets are displayed on cylindrical pedestals. The central faucet is chrome with a high-arc spout. The left faucet is black with a low, horizontal spout. The right faucet is gold with a curved spout. A color selection bar at the bottom shows five options: chrome, black, gold, brushed nickel, and satin nickel.

B04-8009-00L-xx

CEC

48h

Promo Price
The Essentials

CC

KK

LL

BB

NN/YY

VV/TT

KM

GG

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi

- Easy to clean adjustable silicone aerator

- Push-button drain with overflow included

Ecological options

Codes	Reduced flow rates
B04-8009-00L-xx-100	3.7 l/min (1.0 gpm) - 60 psi
B04-8009-00L-xx-050	1.9 l/min (0.5 gpm) - 60 psi

Our Features

BARIL

BARIL in Short

STYLE x FUNCTION

At BARIL, we're less about faucets. Ok, we're a lot about faucets. But we're more about you, your life and the role we play in it. Understanding the bigger picture; from your grand vision to your day-to-day rituals. Feeding your imagination with style inspiration and improving your life through product innovation. Creating the spaces that you're proud to live in and crafting the little details you can't live without. Faucets are designed to please your eyes in an instant and engineered to withstand your touch for a lifetime.

The BARIL Family: *Robinetier** by love of the craft

Driven by its passion for the avant-garde, the family-owned business excels in the design, manufacture and distribution of unique faucets.

*Robinetier: (from french) master craftsman in the art of faucets making.

Designed by BARIL in Montreal

Before being assembled in Canada, all BARIL faucets begin in the minds of our designers who, as their city, bring a European sensibility to the North American market.

Quality and Reliability since 1986

Relying on expertise finely developed over more than 35 years, our team focuses on research and constant improvement to craft durable, flawless faucets. BARIL faucets are robust, built with high-quality materials and advanced technical components. All products are carefully controlled and tested by our quality department at each step of manufacturing.

Lifetime Warranty on Products and Service

We proudly warranty all our products for life against manufacturing defects, and we also provide professional, fast and personalized after-sales service. Just call us at 1.800.461.3871 or write to us at info@barildesign.com, and it will be our pleasure to answer any question on products or installation. Our sales representatives and customer service professionals are trained by our product experts. They know how to support you in case of any problem you might encounter, and replacement parts are available during the whole product's life.

Shipping Within 48 Hours

There is a sales office and a warehouse in Trois-Rivieres that will ship you orders in less than 48 hours. When you order at BARIL, we can answer your demands right away because your order is directly linked to our stock managing system, less than 20 meters away. In less than 48 hours, the majority of your orders will be ready to be delivered to your doorstep.

Certifications

All BARIL products are compliant with the following standards:

ASME A112.18.1/CSA B125.1

Standard governing guarantee relating to the product's mechanisms and durability of its finish

NSF 372

Standard governing water quality for lavatory and sink faucets

NSF/ANSI 61

Standard governing materials that come into contact with drinking water

ASSE 1016

Standard governing water temperature control in shower systems

BARIL FAUCETS ARE COMPLIANT WITH ALL FEDERAL AND STATE DRINKING WATER LEGISLATION.

FOR SPECIFIC MASSACHUSETTS LEGISLATION, A LIST OF COMPLIANT SKUs IS AVAILABLE UPON REQUEST.

BARIL products are certified by at least one of the following organizations:



ADA CERTIFICATION

All products displaying the ADA logo comply with applicable ADA requirements as specified in the American with Disabilities Act as follows: lever and handle faucets displaying the ADA symbol comply with the actuation force Accessibility Guidelines, Section 309 Operation, of the Act.



WATERSENSE CERTIFICATION

All items with the WaterSense logo meet or exceed the certification criteria as of the EPA's WaterSense Program.

WaterSense labelled bathroom sink faucets use a maximum of 1.5 gallons per minute (5.7 l/min), reducing a faucet's water flow by 30 percent or more from the standard flow of 2.2 gallons per minute (8.3 l/min), without sacrificing performance. Same for hand shower and shower head, for which the flow rate has been reduced to 1.75 gpm (6.6 l/min) instead of the industry standard of 2.5 gpm (9.5 l/min). WATERSENSE® is a registered mark of the U.S. Environmental Protection Agency.



CEC CERTIFICATIONS

All items with the CEC logo feature an option that meets the California Energy Commission requirements. To be CEC-listed, lavatory faucet must use a maximum of 1.2 gallons per minute (4.5 l/min), kitchen faucet and shower head must not exceed 1.8 gallons per minute (6.8 l/min) and shower valve must be without shared position. These measures ensure significant water saving and can be applied to many BARIL products.



CALGREEN CERTIFICATION

Many BARIL faucets and shower components comply with the California Green Building Standard Code (known as CALGreen). A faucet with a 20% reduction or over of the water flow meets the CALGreen certification criteria.



Flow Rates

Faucet Flow Rate

BARIL offers faucets adapted to most North American standards. BARIL's regular product flow rates are:

Kitchen Faucets

Max: 1.8 gpm to 2.2 gpm (6.8 to 8.3 l/min)
depending on the model - 60 psi

Lavatory Faucets

Max: 1.2 gpm (4.5 l/min) - 60 psi

Tub Faucets

Max: 5.3 gpm to 9.2 gpm (20 to 35 l/min)
depending on the model - 60 psi

Shower Components (hand shower, shower head, etc.)

Max: 2 gpm to 2.5 gpm (7.6 to 9.5 l/min)
depending on the model - 80 psi

Shower Valves

Max: 5 gpm to 16 gpm (19 l/min to 60 l/min)
depending on the model - 60 psi

The thermostatic valves and T/P valves offer the best flow rates on the market with performances up to 16 gpm (60 l/min) - 60 psi.

* See specific products in the catalog to confirm their exact flow rate.

Ecological Options

BARIL faucets offer different options to help you obtain LEED certification or comply with your local regulations. Add the ecological option of your choice for free.

Kitchen Faucets

Regular
Option 1

Flow Rate

Max: 1.8 gpm (6.8 l/min) - 60 psi
Max: 1.5 gpm (5.7 l/min) - 60 psi

How to Order

use regular code
add -150 at the end of the code

Lavatory Faucets

Regular
Option 1
Option 2

Flow Rate

Max: 1.2 gpm (4.5 l/min) - 60 psi
Max: 1.0 gpm (3.7 l/min) - 60 psi
Max: 0.5 gpm (1.9 l/min) - 60 psi

How to Order

use regular code
add -100 at the end of the code
add -050 at the end of the code

Shower Components

Regular
Option 1
Option 2

Flow Rate

Max: 2.0 gpm (7.6 l/min) - 80 psi
Max: 1.75 gpm (6.6 l/min) - 80 psi
Max: 1.5 gpm (5.7 l/min) - 80 psi

How to Order

use regular code
add -175 at the end of the code
add -150 at the end of the code

High-End Components

Quality Faucets

BARIL faucets are all **forged of solid brass** and comply with the highest quality certifications and manufacturing standards, including low lead content and material thickness above standards. These advantages **lower the risks of manufacturing defects**.



Cartridges

BARIL uses **high-quality ceramic disk cartridges** made in Europe. The ceramic disk cartridges use a pair of ceramic disks that lie against each other to control water flow. Being an extremely strong material, ceramic **resists cracking and withstands extreme temperatures**. Because the disks are polished to a near-perfect flatness, the seal between them is watertight. This technology eliminates wear on rubber seals and extends the cartridge's service life.




High-End Components

Leak-proof and Anti-twist Water Inlet Hoses

At BARIL, we care about conceiving smart products. Therefore, we think about facilitating our products' installation, and we ensure to minimize leaking risks. At BARIL, your kitchen and single hole lavatory faucet water inlet hoses are **made of polyamide/PEX**, a material that doesn't rust and doesn't react to chemicals*. The kitchen and single hole faucet hoses, in addition to being **corrosion-resistant**, are directly connected to the faucet's brass body, **reducing leaking risks** compared to faucets with a copper pipe extension. This assembly also ensures **an easier installation** and facilitates tightening with fewer connections.

These BARIL's inlet hoses, developed in collaboration with Neoperl, a leading manufacturer in this field, are **robust, flexible, lightweight and glide smoothly** thanks to their special braiding. The inner hose is made of Softpex (cross-linked polyethylene), a material proven millions of times in the market with a **0% failure rate**. BARIL's inlet hoses are **torsion-resistant** thanks to their quality material and are also designed with swivel connection nuts at the water inlets, avoiding torsion when tightening them.

* Please note that it's important to warn users to store corrosive products in a secure space, and away from corrodible parts, such as older faucets or products from other manufacturers. It is strongly recommended to verify your faucets' connections every six (6) months.



High-End Components

Aerators



The perfect stream with BARIL

While some faucet aerators serve only to control the flow rate, BARIL's faucet aerators do much more: they also **control the stream straightness, reduce splash** by aerating the stream and eliminating side spray, **save water and reduce energy costs**, help to **reduce lime build-up** and meet North American plumbing codes and standards. BARIL uses Neoperl® aerators, a Swiss-German, family-owned company (like BARIL!) renowned for making some of the world's best aerators.

BARIL offers complementary options on some faucet models, such as adjustable aerators, low-flow aerators for your most demanding energy-saving projects, design stream aerators such as waterfall streams, and much more.



Adjustable Aerator

Sometimes, when a faucet is installed with a wash basin, the faucet stream's direction isn't optimal (water splashing, difficulty rinsing hands, etc.). BARIL solves this problem by offering this aerator to **allow adjustments in the water stream's direction** on most of its faucets, to ease the choice of wash basin and to improve user comfort. The angle of the water stream can be adjusted directly at the aerator, simply by moving the adjustable tilting plate with your finger (**± 6° up to ± 10°, depending on the aerator model**).

This benefit is integrated in some lavatory faucets of the following bathroom collections:

B51 MA / B56 ACCENT / B04 PETITE / B05 REC /
B16 NAUTICA / B18 RALPH / B20 BEAUMONT /
B35 MARIE / B45 SENS / B46 PROFILE /
B47 FLORA / B66 ZIP / B71 EVA /
B72 TRADITION / B74 VICTOIRE / B80 AIR


See all available products in the corresponding collections!

Kitchen Faucets Advantages



360° Swivel Spout

Allows to reach all areas of the sink.



Good Faucets' Ergonomics

Convenient to fill large pots and tall pitchers.




Easy-to-handle Hand Spray Hose

Glide without noise, lightweight and flexible.



Super Swivel Hand Spray

The integrated ball joint of the hand spray hose makes it very easy to rotate.




Comfort of Use Even in Tight Spaces

The handle rotates towards the back of only 15° to avoid knocking against the backsplash area.




Cool Start

Kitchen faucets open on cold water when the handle is in the upward position, allowing energy savings and avoiding risks of burns.



Automatic Docking

The automatic docking ensures the spray will return to its place after each use, and that it will firmly stay in place.



Thick Counter

Installation tube of 2-1/2" to allow fitting on very thick counters (max. 2").



Easy Installation

Very steady and simple installation of faucets thanks to our threaded nut with 3 screws easily reachable, even in a tight location.




Solid Installation

Included spacer and assembly triangle with all kitchen faucets to be used under the sink in order to solidify installation on a very thin sink.



Hand Spray Return Strength

The strength of return of the hand spray is adjustable according to the user's wish when using the included weight.




Quick Connection

The connection facilitates the hand spray hose's connection to the water supply. Complete the connection with a simple click, no tools are required.


Shower Products Advantages

External Thermostatic Shower Column

1. Temperature's handle is on the hot water inlet side, allowing the surface's temperature never to exceed the shower's water temperature.




Water distribution with temperature handle on the HOT water inlet side.



Water distribution with temperature handle on the COLD water inlet side.

2. Accessory indicator on top of the diverter handle. This diverter handle can turn 360° in either direction.



3. With the external thermostatic valves on BARIL shower columns, your two water accessories can work individually or simultaneously.



No water flow



Water flow through the hand shower only





Water flow through both hand shower and shower head simultaneously



Water flow through the shower head only

4. The shower head arm can be adjusted up to 20" in height to allow maximum comfort in your shower.

5. Security: the temperature on our valve is set at 38 °C / 100° F and can be raised by pressing the button and turning the handle counterclockwise.



Shower Products Advantages

Shower Valves

BARIL specialized in shower faucets since our beginnings more than 35 years ago. BARIL has always integrated the best shower valve technologies, such as European technologies with thermostatic valves and North American technologies with pressure balanced valves. BARIL uses the highest water flow valves on the market in their respective categories.

Here is a summary of the large selection of valves offered by BARIL, each of them responding to different and/or complementary needs:

Pressure Balanced (Type P valve)

- Pressure balanced valve
- Pressure balanced valve with 2-way diverter (available with shared or non-shared position)
- Pressure balanced valve with 3-way diverter (available with shared or non-shared position)

Thermostatic (Type T valve)


- External thermostatic valve
- 3/4" thermostatic valve
- With several options of volume control valves or diverters with off (available with shared or non-shared position)

Thermostatic Pressure Balanced (Type TP valve)

- 1-way thermostatic pressure balanced valve
- 2-way thermostatic pressure balanced valve (available with shared or non-shared position)
- 3-way thermostatic pressure balanced valve (available with shared or non-shared position)

Compact valves with shared position and non-shared position

Some of our pressure balanced, thermostatic or thermostatic pressure balanced shower kits are equipped with a built-in diverter valve that allows the use of 2 or 3 accessories individually, and 2 accessories simultaneously. Alternatively, you can choose those same shower kits with a non-shared position, allowing only one accessory to work at a time.



High quality trim and ease of installation

We thought about your decor and your clients: BARIL shower valves plates are without visible screws. Furthermore, we offer easy installation with flat back rough-ins and depth-adjustable trims.

Shower Products Advantages

Shower Valve Cartridge Types



Pressure Balanced Valve

Shower valve allows to balance the pressure fluctuations caused by the water use in the house. A piston or diaphragm system reacts to cold or hot water pressure variations and will compensate by allowing more or less water to go through on the opposite side. This valve ensures a stable water temperature and no risk of burns.

Pressure Balanced Cartridge Operation

The pressure balanced cartridge works only on the water pressure and not on the temperature itself. It balances the cold water pressure with the hot water pressure. By keeping the same pressure on both sides, the water temperature stays almost the same.



Thermostatic Valve

The thermostatic valve is mostly used in the shower and its purpose is to ensure temperature stability. The thermostatic technology allows great water flow and the possibility of using two water outlets at the same time. The thermostatic valve cartridges react to the slightest water temperature variation, which allows a precise temperature. This valve is safe with its 38 °C / 100 °F stop button (available in most collections). On a thermostatic valve, temperature selection isn't required at each use. The thermostatic valve must be installed with a diverter or a volume control valve for each accessory it supplies.

Thermostatic Cartridge Operation

A thermostatic component (paraffin) contracts or dilates depending on the mixed water temperature, thereby activating cold and hot water inlets' opening or closure in order to adjust the exit water temperature. This mechanism allows to maintain the set temperature at the exit.



Thermostatic Pressure Balanced Valve

This valve combines the benefits of pressure balanced and thermostatic valves in terms of temperature regulation, with an intermediate flow between both valve types. The cartridge regulates the temperature to a precise temperature, which can be pre-selected, by reacting to the slightest temperature variations. Therefore, the exit water temperature remains unchanged, regardless of the temperature and pressure variations of the hot and cold water inlets. Finally, this valve is safe with its 38 °C / 100 °F stop button (available in most collections). The T/P valve meets the most strict performance criteria in terms of temperature and pressure variations, as defined by the ASSE 1016 - 2011 standard.

Thermostatic Pressure Balanced Cartridge Operation

This cartridge is a high-performance thermostatic cartridge (high flow, very low temperature fluctuations), whose thermostatic mechanism is developed and manufactured in Europe by the world leader in cartridge manufacturers.

Rough-in Valves Advantages

Pressure Balanced Valve

RVA-9020-00-B

RVA-9020-PO-B



1/2" male NPT or
welded copper connections



PEX inlets and 1/2" male NPT or
welded copper outlets connections

- Type P faucet
- Built-in check-stop valves accessible from the front of the rough-in
- Flow rate of 6 gpm - 60 psi

- Volume control with temperature memory
- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Ceramic disk cartridge made from high-strength, high-density materials allowing a longer life span
- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1/2"
- Wall mounting anchor points molded in the rough-in valve
- Lifetime warranty against manufacturing defects

Rough-in Valves Advantages

Pressure Balanced Valve with 2-way Diverter

RVA-9181-00-B
RVA-9181-00-NS-B

RVA-9181-PO-B
RVA-9181-PO-NS-B



1/2" male NPT or
welded copper connections



PEX connections

- Type P faucet
- RVA-9181-xx-B: 2-way diverter, shared ports
- RVA-9181-xx-NS-B: 2-way diverter, non-shared ports
- Built-in check-stop valves accessible from the front of the rough-in
- Water flow of 5 gpm - 60 psi

- Volume control with temperature memory
- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Ceramic disk cartridge made from high-strength, high-density materials allowing a longer life span
- Cartridges included with the rough-in
- Front access, easy-to-change cartridges
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1/2"
- Wall mounting anchor points molded in the rough-in valve
- Lifetime warranty against manufacturing defects

Pressure Balanced Valve with 3-way Diverter

RVA-9191-00-B
RVA-9191-00-NS-B

RVA-9191-PO-B
RVA-9191-PO-NS-B



1/2" male NPT or
welded copper connections



PEX connections

- Type P faucet
- RVA-9191-xx-B: 3-way diverter, shared ports
- RVA-9191-xx-NS-B: 3-way diverter, non-shared ports
- Built-in check-stop valves accessible from the front of the rough-in
- Water flow of 5 gpm - 60 psi

- Volume control with temperature memory
- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Ceramic disk cartridge made from high-strength, high-density materials allowing a longer life span
- Cartridges included with the rough-in
- Front access, easy-to-change cartridges
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1/2"
- Wall mounting anchor points molded in the rough-in valve
- Lifetime warranty against manufacturing defects

Rough-in Valves Advantages

Thermostatic / Pressure balanced with 1-way diverter

RVA-9511-00-B



1/2" male NPT or
welded copper connections

RVA-9511-PO-B



PEX connections

- Type TP faucet
- Built-in check-stop valves accessible from the front of the rough-in
- Flow rate 1 outlet: 7.1 gpm – 60 psi

- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Reversible check / non-return valves in case of water supply inversion
- 2 manually adjustable temperature limiting rings included (43 °C / 109 °F and 49 °C / 120 °F)
- Safety temperature stop preset at 38 °C / 100 °F
- Thermostatic/pressure balanced cartridge
- Cartridges included with the rough-in
- Front access, easy-to-change cartridges
- Thicker brass compared to competitors
- Trim installation with a clip plate system (brass plate clipped on a plastic plate)
- Trim depth adjustment range of 1"
- 3 anchor points molded in the rough-in valve for wall mounting
- Included template for easy installation
- Flat back for easy installation
- Lifetime warranty against manufacturing defects

Rough-in Valves Advantages

Thermostatic / Pressure balanced with 2-way diverter

RVA-9521-00-B
RVA-9521-00-NS-B



1/2" male NPT or
welded copper connections

RVA-9521-PO-B
RVA-9521-PO-NS-B



PEX connections

- Type TP faucet
- RVA-9521-xx-B: 2-way diverter, shared ports
- RVA-9521-xx-NS-B: 2-way diverter, non-shared ports
- Built-in check-stop valves accessible from the front of the rough-in
- Flow rate 1 outlet: 7.1 gpm - 60 psi,
2 outlets: 3.6 gpm - 60 psi

- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Reversible check / non-return valves in case of water supply inversion
- 2 manually adjustable temperature limiting rings included (43 °C / 109 °F and 49 °C / 120 °F)
- Safety temperature stop preset at 38 °C / 100 °F
- Thermostatic/pressure balanced cartridge
- Cartridges included with the rough-in
- Front access, easy-to-change cartridges
- Thicker brass compared to competitors
- Trim installation with a clip plate system (brass plate clipped on a plastic plate)
- Trim depth adjustment range of 1"
- 3 anchor points molded in the rough-in valve for wall mounting
- Included template for easy installation
- Flat back for easy installation
- Lifetime warranty against manufacturing defects

Thermostatic / Pressure balanced with 3-way diverter

RVA-9531-00-B
RVA-9531-00-NS-B



1/2" male NPT or
welded copper connections

RVA-9531-PO-B
RVA-9531-PO-NS-B



PEX connections

- Type TP faucet
- RVA-9531-xx-B: 3-way diverter, shared ports
- RVA-9531-xx-NS-B: 3-way diverter, non-shared ports
- Built-in check-stop valves accessible from the front of the rough-in
- Flow rate 1 outlet: 7.1 gpm - 60 psi,
2 outlets: 3.6 gpm - 60 psi

- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Reversible check / non-return valves in case of water supply inversion
- 2 manually adjustable temperature limiting rings included (43 °C / 109 °F and 49 °C / 120 °F)
- Safety temperature stop preset at 38 °C / 100 °F
- Thermostatic/pressure balanced cartridge
- Cartridges included with the rough-in
- Front access, easy-to-change cartridges
- Thicker brass compared to competitors
- Trim installation with a clip plate system (brass plate clipped on a plastic plate)
- Trim depth adjustment range of 1"
- 3 anchor points molded in the rough-in valve for wall mounting
- Included template for easy installation
- Flat back for easy installation
- Lifetime warranty against manufacturing defects

Rough-in Valves Advantages

3/4" Thermostatic Valve

RVA-3404-00-B



- Type T faucet
- Built-in check valves
- Built-in reversible check-stop valves with filters accessible from the front of the rough-in
- Water flow of 16 gpm if direct connection on 3/4" copper - 60 psi

- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Thermostatic cartridge
- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1"
- Wall mounting anchor points molded in the rough-in valve
- Can easily supply 3 accessories
- 3/4" female NPT connections
- Safety temperature stop, preset at 38 °C / 100 °F
- Must use with separate stop/volume control
- Lifetime warranty against manufacturing defects

3/4" Thermostatic Valve

RVA-3453-00-B



- Type T faucet
- Built-in check valves
- Built-in reversible check-stop valves with filters accessible from the front of the rough-in
- Water flow of 9 gpm if direct connection on 3/4" copper - 60 psi

- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Thermostatic cartridge
- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1"
- Wall mounting anchor points molded in the rough-in valve
- Can easily supply 3 accessories
- 3/4" female NPT connections
- Must use with separate stop/volume control
- Lifetime warranty against manufacturing defects

The thermostatic shower valve must be installed with a volume control valve for each accessory it supplies.

The thermostatic valve can also be used with a 2-port or 3-port diverter with off.

Rough-in Valves Advantages

2-port Diverter Rough Valve with Off

RVA-9562-00-B / RVA-9562-00-NS-B



- Can replace 2 volume control valves
- RVA-9562-xx-B: 2-way diverter, shared ports
- RVA-9562-xx-NS-B: 2-way diverter, non-shared ports
- Extra long cartridge for maximum adjustment
- Water flow of 10.5 gpm - 60 psi

- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Flat back for easy installation
- 2 anchor points molded in the rough-in valve for wall-mounting
- Lifetime warranty against manufacturing defects

3-port Diverter Rough Valve with Off

RVA-9563-00-B / RVA-9563-00-NS-B



- Can replace 3 volume control valves
- RVA-9563-xx-B: 3-way diverter, shared ports
- RVA-9563-xx-NS-B: 3-way diverter, non-shared ports
- Extra long cartridge for maximum adjustment
- Water flow of 9.7 gpm - 60 psi

- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Flat back for easy installation
- 4 anchor points molded in the rough-in valve (2 on each side) for wall mounting
- Lifetime warranty against manufacturing defects

Rough-in Valves Advantages

FEATURES AND BENEFITS	PRESSURE BALANCED	THERMOSTATIC	THERMOSTATIC / PRESSURE BALANCED
Allows temperature limitation at 49 °C	×	×	×
Stabilizes water temperature if the pressure drops by up to 50%	×		×
Stabilizes water temperature if the pressure drops by up to 20%	×	×	×
Presetting of temperature		×	×
Does not require a direct water connection to the water heater	×		×
Flow rate @ 60 psi	5 to 6 gpm	9 to 16 gpm	7.1 gpm
Allows connection of 3 accessories	×	×	×
Allows connection of more than 3 accessories		×	
Allows the use of 2 accessories at the same time	×	×	×
Allows the use of more than 2 accessories at the same time		×	

Avantages des bruts de valve

VALVE TYPE	PRESSURE BALANCED	PRESSURE BALANCED + 2-WAY DIVERTER	PRESSURE BALANCED + 3-WAY DIVERTER
ABBREVIATION	REGULAR PB	2-WAY PB	3-WAY PB
Photo			
Code	B66-9120-00-CC	B66-9181-00-CC	B66-9190-00-CC
High flow	+	+	+
Available flow - 60 psi	6 gpm	5 gpm	5 gpm
Collection handle	×	×	×
Connection of 2 accessories	×	×	×
Connection of 3 accessories			×
Connection of tub spout possible	×	×	×
Allows the use of 2 accessories at the same time		×	×
Presetting of temperature			
Easy installation	×	×	×

Rough-in Valves Advantages

VALVE TYPE	THERMOSTATIC / PRESSURE BALANCED + 1-WAY DIVERTER	THERMOSTATIC / PRESSURE BALANCED + 2-WAY DIVERTER	THERMOSTATIC / PRESSURE BALANCED + 3-WAY DIVERTER
ABBREVIATION	1-WAY TP	2-WAY TP	3-WAY TP
Photo			
Code	B66-9511-00-CC	B66-9521-00-CC	B66-9531-00-CC
High flow	++	++	++
Available flow - 60 psi	7.1 gpm	7.1 gpm	7.1 gpm
Collection handle	×	×	×
Connection of 2 accessories		×	×
Connection of 3 accessories			×
Connection of tub spout possible	×	×	×
Allows the use of 2 accessories at the same time		×	×
Presetting of temperature	×	×	×
Easy installation	×	×	×

Rough-in Valves Advantages

3/4" THERMOSTATIC + VOLUME CONTROL VALVE OR DIVERTER	3/4" THERMOSTATIC + VOLUME CONTROL VALVE OR DIVERTER
3/4" THERMO	3/4" THERMO
	
B66-9404-00-CC	B66-9453-00-CC
+++	+++
16 gpm	9 gpm
×	×
×	×
×	×
×	×
×	×
×	×

39 years of craftsmanship

Established in 1986, BARIL is still run by the Baril family and thrives to answer your every need in faucet material. Our collections are created with originality, audacity and great quality.

BARILDESIGN.COM

Our Story

1986

Foundation of JL Baril Inc.

JL for the two founders:
J for Jacques Baril
L for Louise Thibeault

JL Baril now offers high-quality products
on the Canadian market.



Les distributions
JL baril inc.



1992

Head office

moves to Trois-Rivieres.



1997

Thermostatic valve

JLB was one of the first companies
to integrate thermostatic valves in
the North American market.



1989

Exclusive association and launching of the Michel Robichaud Collection

The first faucet collection
signed by a famous designer.



1996



Set up of the assembly line at the Trois-Rivieres factory

Distributions JL Baril becomes
manufacturer: JL Baril.



2009

Marie-Eve & Jean-Sebastien Baril become the new managers.



2012

BARIL has new premises

A new location in Montreal — a showroom and a design studio — opens its doors in the heart of the action right on Saint-Laurent Boulevard.



2017

ANGLE

Launch of the ANGLE kitchen faucet. An immediate favorite in the design world, it won a Grands Prix du Design.



2022

BARIL turns 35 and celebrates with the MARIE B35 collection


This partnership was born from the encounter between Marie-Eve Baril and Marie Saint Pierre joined forces to create a collection that pushes the boundaries of creativity and design and was awarded several times.



2014

BARIL grows

Expansion of the assembly plant in Trois-Rivières.



2021

FLORA B47

This collection distinguishes itself by the multiple installation options, as well as the customizable handles, offering over 100 finish combinations. Entirely designed in Quebec, FLORA stands out and wins several Design awards locally and internationally.



2023

AIR B80

AIR offers a variety of shapes and plenty of finishes to choose from to create your very own faucets. Have fun trying out different combinations to find the one that's right for you!



Electronic


BARIL

TOUCHLESS SENSOR

ELE-1001-01-xx



CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
685	856	856	856	856	833	891	856	915

Touchless infrared sensor to turn on and off the water flow of your BARIL faucet with a simple hand movement

- Separate mounting for optimal compatibility with the BARIL product line
- Installation kits included for both countertop mounting (max 2" countertop thickness) and wall mounting (max 2" wall thickness)
- Fast response
- 15° detection angle
- Adjustable detection range between 2" and 9-7/8" (preset at 2")
- Automatic shut-off after 3 minutes
- Electronic control valve is concealed in a ready-to-use housing that can be easily installed under the counter
- 5-year warranty*
- Batteries included (6 x AA)

Compatible with:

ATTENTION!

Two options available:



ELE-1001-01-xx (p. 44)



ELE-2001-01-xx (p. 45)

Look for these icons in the catalog to identify the compatible option for the selected product.

KITCHEN FAUCET
CUI-1940-02L-xx
CUI-2040-02L-xx
CUI-2040-35L-xx
CUI-9245-02L-xx
CUI-9246-02L-xx
CUI-9247-02L-xx
CUI-9248-02L-xx
CUI-9249-X2L-xx
CUI-9250-X2L-xx
CUI-9335-02L-xx
CUI-9340-02L-xx
CUI-9345-02L-xx
CUI-9350-02L-xx
CUI-9352-02L-xx
CUI-9355-02L-xx
CUI-9540-35L-xx

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, KM = black titanium, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, SS = stainless steel

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


TOUCHLESS SENSOR

ELECTRONIC

ELE-2001-01-xx



CC	SS	KK	LL/MM	BB	NN/YY	VV/TT	KM	II	JJ	EE	HH	GG
799	972	972	972	972	945	1007	972	972	972	972	972	1029



Touchless infrared sensor to turn on and off the water flow of your BARIL faucet with a simple hand movement

- Separate mounting for optimal compatibility with the BARIL product line
- Installation kits included for both countertop mounting (max 2" countertop thickness) and wall mounting (max 2" wall thickness)
- Fast response
- 15° detection angle
- Adjustable detection range between 2" and 9-7/8" (preset at 2")
- Automatic shut-off after 3 minutes
- Electronic control valve is concealed in a ready-to-use housing that can be easily installed under the counter
- 5-year warranty*
- Batteries included (6 x AA)



Compatible with:

LAVATORY FAUCET

KITCHEN FAUCET	SINGLE-HOLE	WALL-MOUNTED	DECK-MOUNTED
CUI-9181-47L-xx	B04-1005-XXL-xx	B04-8041-00L-xx	
CUI-3020-02L-xx	B04-1020-00L-xx	B04-8100-00L-xx	B04-8009-00L-xx
CUI-3040-02L-xx	B05-1005-XXL-xx	B04-8120-00L-xx	B05-8009-00L-xx
CUI-3045-02L-xx	B05-1010-XXL-xx	B05-8100-00L-xx	B16-8001-01L-xx
CUI-9220-02L-xx	B05-1020-00L-xx	B16-8041-00L-xx	B18-8001-00L-xx
CUI-9225-02L-xx	B20-1012-XXL-xx	B18-8041-00L-xx	B20-8012-00L-xx
CUI-9320-02L-xx	B20-1014-XXL-xx	B20-8042-00L-xx	B20-8014-00L-xx
	B20-1022-00L-xx	B20-8044-00L-xx	B20-8022-00L-xx
	B20-1024-00L-xx	B20-8102-04L-xx	B20-8024-00L-xx
	B45-1005-XXL-xx	B20-8104-04L-xx	B35-1020-00L-xKx
	B45-1010-XXL-xx	B35-8100-00L-xxxx	B35-8009-00L-xxxx
	B45-1020-00L-xx	B45-8041-00L-xx	B45-8009-00L-xx
	B46-1010-XXL-xx	B45-8100-04L-xx	B46-8009-00L-xx
	B46-1020-00L-xx	B46-8041-00L-xx	B47-1080-00L-xx
	B46-1030-XXL-xx	B46-8100-04L-xx	B47-8009-00L-xx
	B46-1035-00L-xx	B47-8041-00L-xx	B56-8009-00L-xx
	B46-1040-00L-xx	B47-8100-00L-xx	B66-8009-00L-xx
	B51-1010-XXL-xx	B51-8100-00L-xx	B66-8029-00L-xx
	B56-1010-XXL-xx	B66-8041-00L-xx	B71-8001-01L-xx
	B66-1005-XXL-xx	B66-8100-04L-xx	B72-8001-01L-xx
	B66-1010-XXL-xx	B66-8120-04L-xx	B80-8001-1PL-xx
	B66-1020-00L-xx	B71-8041-00L-xx	B80-8002-1PL-xx
	B66-1030-00L-xx	B72-8041-00L-xx	B80-8003-1PL-xx
	B80-1031-XXL-xx	B80-8042-00L-xx	
	B80-1032-XXL-xx	B80-8102-00L-xx	
	MON-2600-00L-xx		

Finishes:

CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, KM = black titanium, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, SS = stainless steel, EE = glossy black, II = mist, JJ = french gold, HH = blush

*More details in the complete warranty.

Kitchen

BARIL

KITCHEN

Compatible with the Touchless Sensor
Order ELE-1001-01-xx (p. 44)
or ELE-2001-01-xx (p. 45)



BARIL

KITCHEN

CUI-1940-02L-xx

ADA


CEC



CC	SS	KK
904	1175	1266



GRANDS
PRIX
DU DESIGN



ANGLE

Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-1940-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi


CUI-2040-02L-xx

ADA

CEC



CC	SS	KK
474	617	663



UNICK II

Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function spray
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-2040-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi


CUI-2040-35L-xx

ADA

CEC



CC	SS	KK	LL	BB	YY	VV/TT	GG
527	686	686	949	1054	949	1160	1318



UNICK II

Single-hole bar / prep kitchen faucet with 2-function pull-down spray


- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-2040-35L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

CUI-3020-02L-xx



CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
1150	1495	1552	1840	2185	1667	2300	2510

VILLA


Bridge kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-3020-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-3040-02L-xx



CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
890	1154	1168	1384	1644	1254	1730	1910

VILLA


High single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-3040-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-3045-02L-xx



CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
867	1125	1141	1352	1606	1225	1690	1817

VILLA

Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option


Code	Reduced Flow Rate
CUI-3045-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

KITCHEN

CUI-9181-47L-xx



CC	SS
691	898



TECH IV

Industrial style single-hole kitchen faucet with 2-function spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone spray
- Swivel spout allowing to reach all areas of the sink


Ecological Option

Code	Reduced Flow Rate
CUI-9181-47L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9220-02L-xx



CC	SS	KK	LL	BB	YY	VV/TT	GG
1095	1424	1478	1752	2081	1588	2190	2390



VISION III

Bridge kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink


Ecological Option

Code	Reduced Flow Rate
CUI-9220-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9225-02L-xx



CC	SS	KK	LL	BB	YY	VV/TT	GG
1095	1424	1478	1752	2081	1588	2190	2390



VISION IV

Bridge kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option


Code	Reduced Flow Rate
CUI-9225-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

CUI-9245-02L-xx



Promo Price
The Essentials



CC	SS	KK	LL	BB	YY	VV/TT	GG
848	1099	1120	1279	1524	1160	1492	1860

VISION-H15


Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-9245-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9246-02L-xx



KL	LK	SK
1179	1179	1110

VISION II-H15


Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink
- Two-tone finishes: faucet body in KK, LL or SS, handle stick and spray in KK or LL

Ecological Option

Code	Reduced Flow Rate
CUI-9246-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9247-02L-xx



CC	SS	KK	LL	BB	YY	VV/TT	GG
809	1025	1029	1210	1350	1102	1387	1790

VISION-H13

Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option


Code	Reduced Flow Rate
CUI-9247-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

KITCHEN

CUI-9248-02L-xx



KL	SK
1152	1027



VISION II-H13

Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink
- Two-tone finishes: faucet body in KK or SS, handle stick and spray in KK or LL

Ecological Option

Code	Reduced Flow Rate
CUI-9248-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9249-X2L-xx



CUI-9249-22L-xx



CC	SS	KK	LL
938	1220	1313	1501

CUI-9249-22L-KL



KL
1313

CUI-9249-22L-xK



CK	LK	SK
985	1501	1220

CUI-9249-32L-xx



CC	SS	KK	LL
867	1128	1214	1388

CUI-9249-32L-KL




KL
1214

CUI-9249-32L-xK



CK	LK	SK
912	1388	1128



VISION III

Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-9249-X2L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

CUI-9250-X2L-xx



CUI-9250-22L-xx



CC	SS	KK	LL
938	1220	1313	1501

CUI-9250-22L-KL



KL
1313

CUI-9250-22L-xK



CK	LK	SK
985	1501	1220

CUI-9250-32L-xx



CC	SS	KK	LL
867	1128	1214	1388

CUI-9250-32L-KL




KL
1214

CUI-9250-32L-xK



CK	LK	SK
912	1388	1128



VISION IV

Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink


Ecological Option

Code	Reduced Flow Rate
CUI-9250-X2L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9320-02L-xx



CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
1095	1424	1478	1752	2081	1588	2190	1971	2390



ARTE

Bridge kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink


Ecological Option

Code	Reduced Flow Rate
CUI-9320-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

Finishes: CC = chrome, KK = matte black, LL = satin brass, BB = white, KM = black titanium, MM = warm gold, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, SS = stainless steel, KL = matte black and satin brass, SK = stainless steel and matte black, CK = chrome and matte black, LK = satin brass and matte black

KITCHEN

CUI-9335-02L-xx



CC	SS	KK	LL	BB	YY	VV/TT	KM	GG
916	1192	1282	1466	1832	1374	1790	1557	1999

ARTE-H19

High single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink


Ecological Option

Code	Reduced Flow Rate
CUI-9335-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9340-02L-xx



Promo Price
The Essentials



CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
869	1099	974	1125	1392	1109	1441	1380	1800

ARTE-H16

High single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink


Ecological Option

Code	Reduced Flow Rate
CUI-9340-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9345-02L-xx



Promo Price
The Essentials



CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
844	1072	946	1055	1287	1085	1350	1275	1750

ARTE-H13

Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option


Code	Reduced Flow Rate
CUI-9345-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

CUI-9350-02L-xx



Promo Price
The Essentials



CC	SS	KK	LL	BB	YY	VV/TT	GG
890	1160	1222	1405	1662	1247	1662	1919

TUBE-H15


Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-9350-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9352-02L-xx



CC	SS	KK	LL	BB	YY	VV/TT	GG
820	1042	1122	1283	1604	1203	1604	1853

TUBE-H13


Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-9352-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9355-02L-xx



CC	SS	KK	LL	BB	YY	VV/TT	GG
962	1252	1346	1539	1924	1443	1880	2116

TUBE II

Single-hole kitchen faucet with 2-function pull-down spray


- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-9355-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

KITCHEN

CUI-9540-35L-xx



CC	SS	KK	LL	BB	YY	VV/TT	GG
587	763	763	990	1174	1057	1292	1468

UNICK


Modern single-hole kitchen faucet with single lever and 2-function pull-down spray

- Max: 1.8 gpm - 60 psi
- 2-function anti-limestone brass spray
- Swivel spout allowing to reach all areas of the sink

Ecological Option

Code	Reduced Flow Rate
CUI-9540-35L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-4030-00L-xx




CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
293	388	407	543	615	519	719	865

VILLA

Single-hole faucet for water filtration system

- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet

CUI-4093-00L-xx



CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
279	369	388	517	586	494	685	549	824

ARTE


Single-hole faucet for water filtration system

- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

CUI-4095-00L-xx

ADA




CC	SS	KK	LL	BB	YY	VV/TT	GG
279	369	388	517	586	494	685	824

UNICK

Single-hole faucet for water filtration system

- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet

CUI-4230-00L-xx



CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
1016	1322	1218	1626	1628	1358	1838	2090

VILLA

Single-hole wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-5/8" (575 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only


Ecological Option

Code	Reduced Flow Rate
CUI-4230-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

CUI-4293-00L-xx

ADA

48h Promo Price
The Essentials



CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
968	1259	1160	1549	1550	1293	1750	1615	1990

ARTE

Single-hole wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-5/8" (575 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only

Ecological Option

Code	Reduced Flow Rate
CUI-4293-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

Finishes: CC = chrome, KK = matte black, LL = satin brass, BB = white, KM = black titanium, MM = warm gold, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, SS = stainless steel, KL = matte black and satin brass, SK = stainless steel and matte black, CK = chrome and matte black, LK = satin brass and matte black

KITCHEN

CUI-4295-00L-xx



CC	SS	KK	LL	BB	YY	VV/TT	GG
968	1259	1160	1549	1550	1293	1750	1990


UNICK

Single-hole wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-5/8" (575 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only

Ecological Option

Code	Reduced Flow Rate
CUI-4295-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi



Parts

BARIL


PARTS

DIS-9030-00-xx

48h

Promo Price
The Essentials


CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
179	212	215	234	254	224	294	267	326



- Modern soap dispenser
- Custom designed to match BARIL faucets
 - Made of solid brass, plastic bottle
 - 4" spout reach
 - Swivels 360°
 - 325 ml bottle that fills up from the top
 - Fits 1-1/8" to 1-3/8" hole
 - For counter up to 2" thickness

DIS-9035-00-xx


CC	SS	KK	LL	BB	YY	VV/TT	GG
179	212	215	234	254	224	294	326



- Modern soap dispenser
- Custom designed to match BARIL faucets
 - Made of solid brass, plastic bottle
 - 4" spout reach
 - Swivels 360°
 - 325 ml bottle that fills up from the top
 - Fits 1-1/8" to 1-3/8" hole
 - For counter up to 2-1/8" thickness

DIS-9040-00-xx


CC	SS	KK	LL	BB	YY	VV/TT	KM	GG
138	170	174	190	193	185	259	232	286



- Modern soap dispenser
- Custom designed to match BARIL faucets
 - Made of solid brass, plastic bottle
 - 2-3/8" spout reach
 - Swivels 360°
 - 325 ml bottle that fills up from the top
 - Fits 1-1/8" to 1-3/8" hole
 - For counter up to 2-1/8" thickness

DIS-9050-00-xx


CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
188	246	226	280	267	235	309	342



- Traditional soap dispenser
- Custom designed to match BARIL faucets
 - Made of solid brass, plastic bottle
 - 4" spout reach
 - Swivels 360°
 - 325 ml bottle that fills up from the top
 - Fits 1-1/8" to 1-3/8" hole
 - For counter up to 1-1/2" thickness

CAC-6023-01-xx


CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
40	91	82	91	56	62	91	96	99



- Hole cover
- For counter up to 2-3/8" thickness

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PLA-0813-01-xx




CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
69	112	96	211	228	143	228	112	265

8" c/c faucet hole cover plate

- Metal plate

DOU-6030-M2-xx




CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
151	211	211	242	242	205	285	242	297

Brass 2-spray hand shower

- 2-function anti-limestone hand shower

DOU-6033-02-xx




CC	SS	KK	LL	BB	YY	VV/TT	GG
162	222	222	265	253	216	297	308

Brass 2-spray hand shower

- 2-function anti-limestone hand shower

DOU-6033-M2-xx




CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
162	222	222	265	253	216	297	253	308

Brass 2-spray hand shower

- 2-function anti-limestone hand shower

DOU-6035-02-xx



CC	SS	KK	LL	BB	YY	VV/TT	GG
151	211	211	242	242	205	285	297

Brass 2-spray hand shower

- 2-function anti-limestone hand shower


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, KM = black titanium, MM = warm gold, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, SS = stainless steel

PARTS

DOU-6037-02-xx


CC	SS	KK	LL	BB	YY	VV/TT	GG
228	302	302	347	337	294	347	378



Brass 2-spray hand shower
- 2-function anti-limestone hand shower

DOU-6038-M2-xx


CC	SS	KK	LL
208	291	291	334



Brass 2-spray hand shower
- 2-function anti-limestone hand shower

DOU-6043-M2-xx


CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
228	302	302	347	337	294	347	378



Brass 2-spray hand shower
- 2-function anti-limestone hand shower

DOU-6047-03-xx


CC	SS	KK	LL	BB	YY	VV/TT	GG
71	109	138	238	159	106	238	244



2-spray hand shower
- 2-function anti-limestone hand shower

DOU-6071-02-xx


CC	SS	KK	LL	BB	YY	VV/TT	GG
71	109	138	238	159	106	238	244



2-spray hand shower
- 2-function hand shower

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

GAP-3050-00-xx




CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
75	95	90	95	115	95	125	150

VILLA dishwasher air gap

- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

GAP-9235-00-xx




CC	SS	KK	LL	BB	YY	VV/TT	GG
75	95	90	95	115	95	125	150

UNICK dishwasher air gap

- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

GAP-9330-00-xx




CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
85	105	100	105	120	105	135	110	160

ARTE dishwasher air gap

- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

INA-9030-02-xx




CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
339	418	418	418	443	418	459	418	478

ARTE air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-7/8" thickness

INA-9035-02-xx



CC	SS	KK	LL	BB	YY	VV/TT	GG
339	418	418	418	443	418	459	478

UNICK air switch


- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-7/8" thickness

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, KM = black titanium, MM = warm gold, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, SS = stainless steel

PARTS

INA-9050-02-xx




CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
359	438	438	438	463	438	479	498

VILLA air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-7/8" thickness

REN-6035-01-xx



CC	SS	KK	LL	MM	KM
79	109	119	149	179	149

Kitchen sink drain with strainer

- High-quality basket strainer prevents food particles and residue from clogging the drain
- Removable deep wastebasket
- Sink strainer fits perfectly in any sink with a 3-1/2" (8.9 cm) opening
- All stainless steel construction

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

Bathroom

BARIL

PETITE B04

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



PETITE B04

B04-1005-1PL-xx



DRAIN INCLUDED

WaterSense

48h

Promo Price
The Essentials

ADA

CEC



153 mm
6"

152 mm
6"

112 mm
4-3/8"

111 mm
4-3/8"

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi

- Easy-to-clean adjustable silicone aerator

- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B04-1005-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-1005-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
431	538	668	783	646	797	705	1096

B04-1005-00L-xx



DRAIN NOT INCLUDED

Order your lavatory drain (pages 297-298)

DRAIN NOT INCLUDED

Order your lavatory drain (pages 297-298)

WaterSense

48h

Promo Price
The Essentials

ADA

CEC



188 mm
7-3/8"

253 mm
10"

147 mm
5-3/4"

215 mm
8-1/2"

High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi

- Easy-to-clean adjustable silicone aerator

- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B04-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
396	488	613	723	601	727	645	1006

B04-8009-00L-xx



DRAIN INCLUDED

WaterSense

48h

Promo Price
The Essentials

CEC



153 mm
6"

129 mm
5"

112 mm
4-1/2"

108 mm
4-1/4"

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi

- Easy-to-clean adjustable silicone aerator

- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B04-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
718	914	1074	1318	899	1318	1185	1647

70

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


PETITE B04

PETITE B04

B04-8041-00L-xx

COMPLETE FAUCET

CEC



CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
825	1098	1259	1650	1115	1683	1485	2063

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)


Ecological Options

Codes	Reduced Flow Rates
B04-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T04-8041-00L-xx

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
393	666	827	1218	683	1251	1053	1631



ROUGH Please order the following rough to complete the trim:

ROU-8041-00-B

Two handles wall-mounted lavatory rough - 1/2" female NPT

432


B04-8100-00L-xx

COMPLETE FAUCET

48h Promo Price
The Essentials



CEC



CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
567	678	790	1124	790	1124	924	1403

Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B04-8100-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8100-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T04-8100-00L-xx

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
285	396	508	842	508	842	642	1121



ROUGH Please order the following rough to complete the trim:

ROU-8100-04-B

Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold


PETITE B04

B04-8120-00L-xx

COMPLETE FAUCET



CEC



Single lever wall-mounted lavatory faucet, drain not included


- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough with wall plate for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B04-8120-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8120-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T04-8120-00L-xx



ROUGH Please order the following rough to complete the trim:

ROU-8100-04-B

Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
355	480	646	983	594	983	756	1297


B04-1100-00-xx

COMPLETE FAUCET

ADA

CEC

Promo Price
48h The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
1884	2542	2942	3425	2604	3425	3767	4795

Floor-mounted tub filler with hand shower

- Bath spout: 7.1 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Option

Code	Reduced Flow Rate
B04-1100-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

TRIM ONLY

T04-1100-00-xx



MOUNTING KIT Please order the following kit to complete the trim:

FIX-1100-00-B

Floor mounting kit for floor-mounted tub filler with hand shower


117

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
1767	2425	2825	3308	2487	3308	3650	4678

B04-1249-00-xx

CEC

Promo Price
48h The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
903	1171	1325	1672	1168	1672	1504	2090

2-piece tub filler with hand shower

- Bath spout: 7.3 gpm - 60 psi
- Tub spout with integrated diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Easy-to-clean anti-limestone hand shower

Ecological Option

Code	Reduced Flow Rate
B04-1249-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PETITE B04

PETITE B04

B04-9100-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
456	648	745	860	611	860	956

Complete pressure balanced shower control valve


- 6 gpm - 60 psi
- Volume control valve
- Thin brass plate
- Rough valve RVA-9020-00-B included

TRIM ONLY

T04-9139-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
192	384	481	596	347	596	692

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:



RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections

264

RVA-9020-P0-B


Type P rough - PEX connections

264

B04-9180-00-xx

ROUGH & TRIM PACKAGE

48h Promo Price
The Essentials



Complete pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Rough valve RVA-9181-00-B included

Ecological Options CEC


Codes	Features
B04-9180-00-xx-NS	Non-shared port 1 accessory works at a time
T04-9180-00-xx + RVA-9181-00-NS-B	
T04-9180-00-xx + RVA-9181-P0-NS-B	

TRIM ONLY

T04-9180-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
286	453	583	786	495	862	602	913

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:



RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-P0-B

2-way type P rough - PEX connections

434

Finishes:


CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

PETITE B04

B04-9190-00-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
730	897	1027	1230	939	1306	1357



Complete pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Rough valve RVA-9191-00-B included

Ecological Options CEC

Codes	Features
B04-9190-00-xx-NS	Non-shared port
T04-9190-00-xx + RVA-9191-00-NS-B	1 accessory works at a time
T04-9190-00-xx + RVA-9191-PO-NS-B	

TRIM ONLY

T04-9190-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
286	453	583	786	495	862	913

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B


3-way type P rough - 1/2" male NPT or welded copper connections

444

RVA-9191-PO-B

3-way type P rough - PEX connections

444




B04-9404-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
860	1101	1222	1368	1053	1368	1488



Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included

TRIM ONLY

T04-9404-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
242	483	604	750	435	750	870

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections


618



B04-9453-00-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
920	1094	1266	1266	1059	1543	1612



Complete 3/4" thermostatic valve

- 9 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-3453-00-B included

TRIM ONLY

T04-9453-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
346	520	692	692	485	969	1038

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574




PETITE B04

PETITE B04

B04-9511-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
983	1221	1291	1614	1192	1646	1409	1710

Complete thermostatic pressure balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9511-00-B included

TRIM ONLY

T04-9511-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
339	577	647	970	548	1002	765	1066

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B


1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections


644



B04-9521-00-xx

ROUGH & TRIM PACKAGE

48h Promo Price
The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
958	1196	1266	1589	1167	1621	1384	1685

Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Ecological Options **CEC**

Codes	Features
B04-9521-00-xx-NS	Non-shared port
T04-9521-00-xx + RVA-9521-00-NS-B	1 accessory works at a time
T04-9521-00-xx + RVA-9521-PO-NS-B	

TRIM ONLY

T04-9521-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
339	577	647	970	548	1002	765	1066

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B


2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619



Finishes:


CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

PETITE B04

B04-9531-00-xx

ROUGH & TRIM PACKAGE 48h Promo Price The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
983	1221	1291	1614	1192	1646	1409	1710



Complete thermostatic pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9531-00-B included


Ecological Options CEC

Codes	Features
B04-9531-00-xx-NS	Non-shared port 1 accessory works at a time
T04-9531-00-xx + RVA-9531-00-NS-B	
T04-9531-00-xx + RVA-9531-P0-NS-B	

TRIM ONLY

T04-9531-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
	339	577	647	970	548	1002	765	1066

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:




RVA-9531-00-B	3-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9531-P0-B	3-way TP rough - PEX connections	644

B04-9560-02-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
433	544	587	693	487	693	745



Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9562-00-B included

Ecological Options CEC

Codes	Features
B04-9560-02-xx-NS	Non-shared port 1 accessory works at a time
T04-9560-02-xx + RVA-9562-00-NS-B	

TRIM ONLY

T04-9560-02-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	157	268	311	417	211	417	469

ROUGH VALVE Please order the following rough valve to complete the trim:



RVA-9562-00-B	2-port diverter rough - 1/2" male NPT or welded copper connections	276
---------------	--	-----


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PETITE B04

PETITE B04

B04-9560-03-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
456	567	610	716	510	716	768

Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options CEC

Codes	Features
B04-9560-03-xx-NS	Non-shared port
T04-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time

TRIM ONLY

T04-9560-03-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
157	268	311	417	211	417	469

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9563-00-B

3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

B04-9649-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
374	485	528	634	428	634	686

Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

TRIM ONLY

T04-9649-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
157	268	311	417	211	417	469

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217




Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

PETITE B04

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0815-01-xx 8" rounded square shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>287</td><td>403</td><td>498</td><td>576</td></tr></table>	CC	KK	LL	BB	287	403	498	576	BRA-1409-02-xx 15" L-shaped shower arm  <table><tr><td>CC</td><td>KK</td><td>BB</td><td>NN</td></tr><tr><td>230</td><td>445</td><td>504</td><td>359</td></tr></table>	CC	KK	BB	NN	230	445	504	359	BRA-1612-66-xx 16" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>116</td><td>175</td><td>328</td><td>262</td></tr></table> BRA-1815-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>225</td><td>395</td><td>458</td><td>448</td></tr></table>	CC	KK	LL	BB	116	175	328	262	CC	KK	LL	BB	225	395	458	448										
CC	KK	LL	BB																																									
287	403	498	576																																									
CC	KK	BB	NN																																									
230	445	504	359																																									
CC	KK	LL	BB																																									
116	175	328	262																																									
CC	KK	LL	BB																																									
225	395	458	448																																									
TET-0814-01-xx 8" square shower head  <table><tr><td>CC</td></tr><tr><td>259</td></tr></table>	CC	259	TET-1014-01-xx 10" square shower head  <table><tr><td>CC</td></tr><tr><td>329</td></tr></table>	CC	329	TET-1208-01-xx 12" x 18" rectangular shower head  <table><tr><td>CC</td><td>KK</td></tr><tr><td>322</td><td>418</td></tr></table>	CC	KK	322	418	TET-2012-01-xx 20" x 12" rectangular shower head  <table><tr><td>CC</td></tr><tr><td>673</td></tr></table>	CC	673																															
CC																																												
259																																												
CC																																												
329																																												
CC	KK																																											
322	418																																											
CC																																												
673																																												
DGL-2584-53-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>342</td><td>489</td><td>617</td><td>918</td></tr></table>	CC	KK	LL	BB	342	489	617	918	DGL-3080-83-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>546</td><td>765</td><td>1050</td><td>1198</td></tr></table>	CC	KK	LL	BB	546	765	1050	1198	DSP-2604-19-xx Hand shower on wall-mounted supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>339</td><td>453</td><td>651</td><td>640</td></tr></table>	CC	KK	LL	BB	339	453	651	640	RAC-0618-02-xx 6" ceiling mount shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>49</td><td>126</td><td>143</td><td>122</td></tr></table> RAC-9001-16-xx 1/2"F wall-mount supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>99</td><td>129</td><td>138</td><td>140</td></tr></table>	CC	KK	LL	BB	49	126	143	122	CC	KK	LL	BB	99	129	138	140	
CC	KK	LL	BB																																									
342	489	617	918																																									
CC	KK	LL	BB																																									
546	765	1050	1198																																									
CC	KK	LL	BB																																									
339	453	651	640																																									
CC	KK	LL	BB																																									
49	126	143	122																																									
CC	KK	LL	BB																																									
99	129	138	140																																									
BEC-0520-46-xx PROFILE tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>356</td><td>481</td><td>586</td><td>713</td></tr></table>	CC	KK	LL	BB	356	481	586	713	BEC-0520-73-xx 7" round tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>96</td><td>124</td><td>263</td><td>276</td></tr></table>	CC	KK	LL	BB	96	124	263	276	BEC-0520-74-xx 7" round tub spout with diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>113</td><td>147</td><td>296</td><td>286</td></tr></table>	CC	KK	LL	BB	113	147	296	286	BEC-0520-83-xx 7" square tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>125</td><td>154</td><td>327</td><td>342</td></tr></table>	CC	KK	LL	BB	125	154	327	342	BEC-0520-84-xx 7" square tub spout with diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>143</td><td>173</td><td>366</td><td>366</td></tr></table>	CC	KK	LL	BB	143	173	366	366
CC	KK	LL	BB																																									
356	481	586	713																																									
CC	KK	LL	BB																																									
96	124	263	276																																									
CC	KK	LL	BB																																									
113	147	296	286																																									
CC	KK	LL	BB																																									
125	154	327	342																																									
CC	KK	LL	BB																																									
143	173	366	366																																									

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

COMPLETE SHOWER KITS

PRO-1104-53-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1448	2028	2831	2896	2172	3186	3620

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" rounded square shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code	Features are the same, except:
PRO-1104-53-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

PRO-2100-04-xx



Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
807	1126	1438	1605	1326	1851	2081

Features

- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B04-9100-00-xx** Complete pressure balanced valve
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes	Features are the same, except:
PRO-2100-04-xx-175	- Max: 1.75 gpm - 80 psi (hand shower)
TRO-2100-04-xx-175 + RVA-9020-00-B	

TRIM ONLY

TRO-2100-04-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	543	862	1174	1341	1062	1587	1817

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B	Type P rough - 1/2" male NPT or welded copper connections	264
RVA-9020-P0-B	Type P rough - PEX connections	264

PRO-2200-04-xx



Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
891	1245	1687	1775	1466	2042	2351

Features

- 2 accessories kit
- 6 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (hand shower)
- 3-spray hand shower
- 1 accessory works at a time

Includes

- B04-9100-00-xx** Complete pressure balanced valve
- BEC-0520-74-xx** 7" round tub spout with diverter
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes	Features are the same, except:
PRO-2200-04-xx-175	- Max: 1.75 gpm - 80 psi (hand shower)
TRO-2200-04-xx-175 + RVA-9020-00-B	

TRIM ONLY

TRO-2200-04-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	627	981	1423	1511	1202	1778	2087

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B	Type P rough - 1/2" male NPT or welded copper connections	264
RVA-9020-P0-B	Type P rough - PEX connections	264

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

PETITE B04

PRO-2805-04-xx PRR-2805-04-xx*



Complete pressure balanced shower kit

48h Promo Price
The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
1394	1676	2370	2580	2132	2976	2588	3221

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B04-9180-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-0815-01-xx** 8" rounded square shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options **CEC**

Codes

PRO-2805-04-xx-NS
TRO-2805-04-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2805-04-xx
TRR-2805-04-xx*

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
960	1242	1936	2146	1698	2542	2154	2787

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B	2-way type P rough - 1/2" male NPT or welded copper connections	434
RVA-9181-PO-B	2-way type P rough - PEX connections	434

PRO-2815-04-xx PRR-2815-04-xx*



Complete pressure balanced shower kit

CC	KK
1266	1764

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B04-9180-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-1208-01-xx** 12" x 8" rectangular shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options **CEC**

Codes

PRO-2815-04-xx-NS
TRO-2815-04-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2815-04-xx
TRR-2815-04-xx*

CC	KK
832	1330

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B	2-way type P rough - 1/2" male NPT or welded copper connections	434
RVA-9181-PO-B	2-way type P rough - PEX connections	434

PRO-2915-04-xx PRR-2915-04-xx*



Complete pressure balanced shower kit

CC	KK
1331	1800

Features

- 3 accessories kit
- 5 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B04-9190-00-xx** Complete pressure balanced valve with 3-way diverter
- BEC-0520-73-xx** 7" round tub spout without diverter
- TET-1208-01-xx** 12" x 8" rectangular shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options **CEC**

Codes

PRO-2915-04-xx-NS
TRO-2915-04-xx-NS + RVA-9191-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-2915-04-xx
TRR-2915-04-xx*

CC	KK
887	1356

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B	3-way type P rough - 1/2" male NPT or welded copper connections	444
RVA-9191-PO-B	3-way type P rough - PEX connections	444

PETITE B04

PETITE B04

PRO-3405-04-xx PRR-3405-04-xx*



Complete thermostatic shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1974	2749	3176	3798	2872	4234	4885

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B04-9404-00-xx** Complete 3/4" thermostatic valve
- B04-9560-02-xx** Complete 2-port diverter with stop
- TET-0815-01-xx** 8" rounded square shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-3405-04-xx-NS
TRO-3405-04-xx-NS + RVA-3404-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3405-04-xx TRR-3405-04-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1080	1855	2282	2904	1978	3340	3991

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

PRO-3950-04-xx PRR-3950-04-xx*



Complete thermostatic shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
3627	4978	5684	6771	5007	7163	8051

Features

- 3 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 6.0 gpm for 3 body jets
- 3-spray hand shower
- 3 accessories can work together

Includes

- B04-9404-00-xx** Complete 3/4" thermostatic valve
- B04-9649-00-xx** Complete 3/4" shut-off valve (3)
- TET-0815-01-xx** 8" rounded square shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow
- BOD-5004-02-xx** Built-in body jet (3)

TRIM ONLY

TRO-3950-04-xx TRR-3950-04-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
2358	3709	4415	5502	3738	5894	6782

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

1x RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618

3x RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217

PRO-4150-04-xx



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
1261	1579	1768	2266	1755	2539	1990	3002

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B04-9511-00-xx** Complete type TP shower valve with 1-way diverter
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4150-04-xx-175
TRO-4150-04-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4150-04-xx

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
617	935	1124	1622	1111	1895	1346	2358

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

PETITE B04

PRO-4205-04-xx PRR-4205-04-xx*



Complete thermostatic pressure balanced shower kit

Promo Price
48h The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
1603	1898	2367	3029	2291	3480	2467	3846

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B04-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-0815-01-xx** 8" rounded square shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options

CEC

Codes

PRO-4205-04-xx-NS
TRO-4205-04-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4205-04-xx TRR-4205-04-xx*

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
984	1279	1748	2410	1672	2861	1848	3227

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4215-04-xx PRR-4215-04-xx*



Complete thermostatic pressure balanced shower kit

CC	KK
1379	1788

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B04-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1208-01-xx** 12" x 8" rectangular shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options

CEC

Codes

PRO-4215-04-xx-NS
TRO-4215-04-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4215-04-xx TRR-4215-04-xx*

CC	KK
760	1169

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4296-04-xx PRR-4296-04-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1536	2071	2529	2851	2122	3159	3409

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B04-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-0815-01-xx** 8" rounded square shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2584-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options

CEC

Codes

PRO-4296-04-xx-NS
TRO-4296-04-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4296-04-xx TRR-4296-04-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
917	1452	1910	2232	1503	2540	2790

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PETITE B04

PETITE B04

PRO-4305-04-xx PRR-4305-04-xx*



Complete thermostatic pressure balanced shower kit

48h Promo Price
The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
1888	2193	2794	3719	2794	4142	3039	4842

Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B04-9531-00-xx** Complete TP shower control valve with 3-way diverter
- BEC-0520-46-xx** Profile tub spout without diverter
- TET-0815-01-xx** 8" rounded square shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options **CEC**

Codes

PRO-4305-04-xx-NS
TRO-4305-04-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4305-04-xx TRR-4305-04-xx*

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
1244	1549	2150	3075	2150	3498	2395	4198

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-P0-B

3-way TP rough - PEX connections

644

PRO-4316-04-xx PRR-4316-04-xx*



Complete thermostatic pressure balanced shower kit

CC	KK
1801	2158

Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B04-9531-00-xx** Complete TP shower control valve with 3-way diverter
- BEC-0520-46-xx** Profile tub spout without diverter
- TET-1208-01-xx** 12" x 8" rectangular shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options **CEC**

Codes

PRO-4316-04-xx-NS
TRO-4316-04-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4316-04-xx TRR-4316-04-xx*

CC	KK
1157	1514

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-P0-B

3-way TP rough - PEX connections

644

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

PETITE B04

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 281-294).

A04-1029-00-xx

PETITE

Wall-mounted toilet paper holder



48h

The Essentials

CC	KK	LL	BB	NN	YY	KM
102	122	163	184	107	154	184

A04-1069-00-xx

PETITE

Bathrobe holder



48h

The Essentials

CC	KK	LL	BB	NN	YY	KM
53	64	86	96	56	78	96

A04-6012-00-xx

PETITE

12" single towel bar



48h

The Essentials

CC	KK	LL	BB	NN	YY	KM
128	154	205	231	135	187	231

A04-6018-00-xx

PETITE

18" single towel bar



CC	KK	LL	BB	NN	YY	KM
151	181	241	271	158	220	271

A04-6024-00-xx

PETITE

24" single towel bar



48h

The Essentials

CC	KK	LL	BB	NN	YY	KM
170	204	272	306	179	248	306

A04-6030-00-xx

PETITE

30" single towel bar



CC	KK	LL	BB	NN	YY	KM
204	245	327	367	214	298	367

A85-3179-00-xx

Shower squeegee



CC

117

A85-9077-00-xx

Corner basket



CC

200

REC B05

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)




BARIL

REC B05

B05-1005-1PL-xx

DRAIN INCLUDED



Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B05-1005-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B05-1005-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED


B05-1005-00L-xx

Order your lavatory drain (pages 297-298)

CC	KK	LL	BB	NN/YY	VV/TT	GG
448	627	808	897	610	897	1256

B05-1010-1PL-xx

DRAIN INCLUDED



Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B05-1010-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B05-1010-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi


DRAIN NOT INCLUDED

B05-1010-01L-xx

Order your lavatory drain (pages 297-298)

CC	KK	LL	BB	NN/YY	VV/TT	GG
541	838	973	1081	736	1081	1514

B05-1020-00L-xx



High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Order your lavatory drain (pages 297-298)


Ecological Options

Codes	Reduced Flow Rates
B05-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B05-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B05-8009-00L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
977	1368	1662	1856	1236	1956	1956



8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Push-button drain with overflow included

Ecological Options


Codes	Reduced Flow Rates
B05-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B05-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B05-8100-00L-xx

COMPLETE FAUCET



CC	KK	LL	BB	NN/YY	VV/TT	GG
656	886	1039	1294	894	1294	1614



Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Slip-on spout for easier adjustment
- One-piece rough with wall plate for easy installation
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B05-8100-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B05-8100-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T05-8100-00L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
374	604	757	1012	612	1012	1332

ROUGH Please order the following rough to complete the trim:

ROU-8100-06-B


Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282

B05-1269-00-xx

CEC

CC	KK	LL	BB	NN/YY	VV/TT	GG
911	1298	1445	1731	1229	1822	2279



2-piece tub filler with hand shower

- Bath spout: 7.9 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Double-walled faucet limiting heat conduction
- Hand shower: max : 1.75 gpm - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean anti-limestone hand shower


Ecological Option

Code	Reduced Flow Rate
B05-1269-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

B05-1331-07-xx

CEC

CC	KK	LL	BB	NN/YY	VV/TT	GG
1086	1736	1720	2171	1464	2171	2714



3-piece tub filler with hand shower

- Bath spout: 5.8 gpm - 60 psi
- Tub spout with integrated diverter
- Hand shower: max : 1.75 gpm - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean anti-limestone hand shower

Ecological Option

Code	Reduced Flow Rate
B05-1331-07-xx-150	1.5 gpm (5.7 l/min) - 80 psi



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

REC B05

B05-1600-00-xx

COMPLETE FAUCET



CC	KK	LL	BB	NN/YY	VV/TT	GG
706	994	1113	1328	956	1396	1534

Wall-mounted tub faucet

- 8.5 gpm - 60 psi
- Slip-on spout for easier adjustment
- One-piece rough with wall plate for easy installation

TRIM ONLY

T05-1600-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
424	712	831	1046	674	1114	1252

ROUGH VALVE Please order the following rough to complete the trim:

ROU-1600-06-B


Wall-mounted tub faucet rough - 1/2" male NPT or welded copper connections

282



B05-9100-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
464	665	764	884	614	884	984

Complete pressure balanced shower control valve

- 6 gpm - 60 psi
- Volume control valve
- Rough valve RVA-9020-00-B included

TRIM ONLY

T05-9139-01-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
200	401	500	620	350	620	720

ROUGH VALVES Please order one of the following rough valves to complete the trim:

RVA-9020-00-B


Type P rough - 1/2" male NPT or welded copper connections

264

RVA-9020-P0-B


Type P rough - PEX connections

264



B05-9181-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
730	899	1064	1283	939	1365	1420

Complete pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Rough valve RVA-9181-00-B included

Ecological Options CEC

Codes	Features
B05-9181-00-xx-NS	Non-shared port
T05-9181-00-xx + RVA-9181-00-NS-B	1 accessory works at a time
T05-9181-00-xx + RVA-9181-P0-NS-B	

TRIM ONLY

T05-9181-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
296	465	630	849	505	931	986

ROUGH VALVES Please order one of the following rough valves to complete the trim:

RVA-9181-00-B


2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-P0-B


2-way type P rough - PEX connections

434



B05-9404-00-xx

ROUGH & TRIM PACKAGE



TRIM ONLY

T05-9404-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
870	1120	1246	1396	1056	1396	1521

Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included



ROUGH VALVE Please order the following rough valve to complete the trim:


RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618

B05-9511-00-xx

ROUGH & TRIM PACKAGE




TRIM ONLY

T05-9511-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
970	1199	1297	1624	1184	1656	1722

Complete thermostatic pressure balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9511-00-B included



ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644


RVA-9511-PO-B

1-way TP rough - PEX connections

644

B05-9521-00-xx

ROUGH & TRIM PACKAGE



TRIM ONLY

T05-9521-00-xx


CC	KK	LL	BB	NN/YY	VV/TT	GG
945	1174	1272	1599	1159	1631	1697

Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Ecological Options CEC

Codes	Features
B05-9521-00-xx-NS	Non-shared port
T05-9521-00-xx + RVA-9521-00-NS-B	1 accessory works at a time
T05-9521-00-xx + RVA-9521-PO-NS-B	



ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

Finishes:


CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

REC B05

B05-9531-00-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
970	1199	1297	1624	1184	1656	1722



Complete thermostatic pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9531-00-B included

Ecological Options CEC

Codes	Features
B05-9531-00-xx-NS	Non-shared port
T05-9531-00-xx + RVA-9531-00-NS-B	1 accessory works at a time
T05-9531-00-xx + RVA-9531-P0-NS-B	

TRIM ONLY

T05-9531-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
326	555	653	980	540	1012	1078

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B


3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-P0-B

3-way TP rough - PEX connections


644



B05-9560-02-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
465	573	625	783	521	730	800



Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9562-00-B included

Ecological Options CEC

Codes	Features
B05-9560-02-xx-NS	Non-shared port
T05-9560-02-xx + RVA-9562-00-NS-B	1 accessory works at a time

TRIM ONLY

T05-9560-02-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
189	297	349	507	245	454	524

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276



B05-9560-03-xx

ROUGH & TRIM PACKAGE

SHARED PORT

NON-SHARED PORT

TRIM ONLY

T05-9560-03-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
488	596	648	806	544	753	823

Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm – 60 psi
- 2 outlets: 5.2 gpm – 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options

CEC

Codes	Features
B05-9560-03-xx-NS	Non-shared port
T05-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time

CC	KK	LL	BB	NN/YY	VV/TT	GG
189	297	349	507	245	454	524

RVA-9563-00-B

3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

B05-9649-00-xx

ROUGH & TRIM PACKAGE

TRIM ONLY

T05-9649-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
406	514	566	724	462	671	741

Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

CC	KK	LL	BB	NN/YY	VV/TT	GG
189	297	349	507	245	454	524

RVA-2719-34-B



Volume control valve rough - 3/4" female NPT connections

217

REC B05

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0811-02-xx 8" square shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>314</td><td>427</td><td>654</td><td>579</td></tr></table>	CC	KK	LL	BB	314	427	654	579	TET-1011-01-xx 10" square shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>499</td><td>685</td><td>880</td><td>977</td></tr></table>	CC	KK	LL	BB	499	685	880	977	BRA-1812-14-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>126</td><td>177</td><td>317</td><td>308</td></tr></table>	CC	KK	LL	BB	126	177	317	308	BRA-1612-44-xx 16" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>130</td><td>202</td><td>379</td><td>303</td></tr></table>	CC	KK	LL	BB	130	202	379	303
CC	KK	LL	BB																																
314	427	654	579																																
CC	KK	LL	BB																																
499	685	880	977																																
CC	KK	LL	BB																																
126	177	317	308																																
CC	KK	LL	BB																																
130	202	379	303																																
		BRA-1614-04-xx 16" rectangular shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>212</td><td>317</td><td>377</td><td>401</td></tr></table>	CC	KK	LL	BB	212	317	377	401	RAC-0618-14-xx 6" ceiling mount shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>71</td><td>140</td><td>187</td><td>156</td></tr></table>	CC	KK	LL	BB	71	140	187	156																
CC	KK	LL	BB																																
212	317	377	401																																
CC	KK	LL	BB																																
71	140	187	156																																
TET-0814-01-xx 8" square shower head  <table><tr><td>CC</td></tr><tr><td>259</td></tr></table>	CC	259	TET-1014-01-xx 10" square shower head  <table><tr><td>CC</td></tr><tr><td>329</td></tr></table>	CC	329	TET-1208-01-xx 12" x 18" rectangular shower head  <table><tr><td>CC</td><td>KK</td></tr><tr><td>322</td><td>418</td></tr></table>	CC	KK	322	418	TET-2012-01-xx 20" x 12" rectangular shower head  <table><tr><td>CC</td></tr><tr><td>673</td></tr></table>	CC	673																						
CC																																			
259																																			
CC																																			
329																																			
CC	KK																																		
322	418																																		
CC																																			
673																																			
DGL-1670-03-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>546</td><td>765</td><td>1217</td><td>1198</td></tr></table>	CC	KK	LL	BB	546	765	1217	1198	DGL-3070-53-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>430</td><td>603</td><td>975</td><td>1059</td></tr></table>	CC	KK	LL	BB	430	603	975	1059	DSP-2555-20-xx Hand shower on wall-mounted supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>296</td><td>515</td><td>760</td><td>656</td></tr></table>	CC	KK	LL	BB	296	515	760	656	RAC-9001-18-xx 1/2"F square wall-mount supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>124</td><td>154</td><td>163</td><td>199</td></tr></table>	CC	KK	LL	BB	124	154	163	199
CC	KK	LL	BB																																
546	765	1217	1198																																
CC	KK	LL	BB																																
430	603	975	1059																																
CC	KK	LL	BB																																
296	515	760	656																																
CC	KK	LL	BB																																
124	154	163	199																																
			RAC-9402-14-xx 1/2"F square wall-mount supply elbow with integrated volume control  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>198</td><td>336</td><td>356</td><td>395</td></tr></table>	CC	KK	LL	BB	198	336	356	395																								
CC	KK	LL	BB																																
198	336	356	395																																
BEC-0520-83-xx 7" square tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>125</td><td>154</td><td>327</td><td>342</td></tr></table>	CC	KK	LL	BB	125	154	327	342	BEC-0520-84-xx 7" square tub spout with diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>143</td><td>173</td><td>366</td><td>366</td></tr></table>	CC	KK	LL	BB	143	173	366	366	BOD-5004-02-xx Square lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>328</td><td>459</td><td>525</td><td>590</td></tr></table>	CC	KK	LL	BB	328	459	525	590	BOD-5006-01-xx Square built-in lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>299</td><td>419</td><td>478</td><td>538</td></tr></table>	CC	KK	LL	BB	299	419	478	538
CC	KK	LL	BB																																
125	154	327	342																																
CC	KK	LL	BB																																
143	173	366	366																																
CC	KK	LL	BB																																
328	459	525	590																																
CC	KK	LL	BB																																
299	419	478	538																																

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

COMPLETE SHOWER KITS

PRO-1401-03-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1869	2617	3552	3738	2998	4112	4673

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" square shower head
- 3-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height

Ecological Option **CEC**

Code	Features are the same, except:
PRO-1401-03-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

PRO-2175-95-xx



Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
858	1200	1629	1714	1258	1886	2143

Features

- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B05-9100-00-xx** Complete pressure balanced valve
DGL-3070-53-xx 3-spray sliding shower bar
RAC-9001-18-xx Wall-mount supply elbow

Ecological Options **CEC**

Codes	Features are the same, except:
PRO-2175-95-xx-175	- Max: 1.75 gpm - 80 psi (hand shower)
TRO-2175-95-xx-175 + RVA-9020-00-B	

TRIM ONLY

TRO-2175-95-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	594	936	1365	1450	994	1622	1879

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B	Type P rough - 1/2" male NPT or welded copper connections	264
RVA-9020-P0-B	Type P rough - PEX connections	264

PRO-2805-95-xx

PRR-2805-95-xx*



Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1554	2173	2947	3102	2200	3410	3933

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B05-9181-00-xx** Complete type P valve with 2-way diverter
TET-0811-02-xx 8" square shower head
BRA-1612-44-xx 16" shower arm
DGL-3070-53-xx 3-spray sliding shower bar
RAC-9001-18-xx Wall-mount supply elbow

Ecological Options **CEC**

Codes	Features are the same, except:
PRO-2805-95-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time
TRO-2805-95-xx-NS + RVA-9181-00-NS-B	

TRIM ONLY

TRO-2805-95-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
TRR-2805-95-xx*	1120	1739	2513	2668	1766	2976	3499

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B	2-way type P rough - 1/2" male NPT or welded copper connections	434
RVA-9181-P0-B	2-way type P rough - PEX connections	434

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel,
 TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

REC B05

PRO-2815-95-xx PRR-2815-95-xx*



Complete pressure balanced shower kit

CC

1257

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B05-9181-00-xx** Complete type P valve with 2-way diverter
- TET-0814-01-xx** 8" square shower head
- BRA-1612-44-xx** 16" shower arm
- DGL-3070-53-xx** 3-spray sliding shower bar
- RAC-9001-28-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2815-95-xx-NS
TRO-2815-95-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2815-95-xx
TRR-2815-95-xx*

823

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

PRO-4150-05-xx



Complete thermostatic pressure balanced shower kit

CC

KK

LL

BB

NN/YY

VV/TT

GG

1398

1769

2179

2563

1912

2658

3227

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B04-9511-00-xx** Complete type TP shower valve with 1-way diverter
- DGL-3070-53-xx** 3-spray sliding shower bar
- RAC-9001-18-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4150-05-xx-175
TRO-4150-05-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4150-05-xx

CC

KK

LL

BB

NN/YY

VV/TT

GG

754

1125

1535

1919

1268

2014

2583

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644

PRO-4206-05-xx PRR-4206-05-xx*



Complete thermostatic pressure balanced shower kit

CC

KK

LL

BB

NN/YY

VV/TT

GG

1667

2031

3251

3443

2361

3787

4303

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B05-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-0811-02-xx** 8" square shower head
- BRA-1612-44-xx** 16" shower arm
- DGL-3070-53-xx** 3-spray sliding shower bar
- RAC-9001-18-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4206-05-xx-NS
TRO-4206-05-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4206-05-xx
TRR-4206-05-xx*

CC

KK

LL

BB

NN/YY

VV/TT

GG

1048

1412

2632

2824

1742

3168

3684

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4216-05-xx

PRR-4216-05-xx*



Complete thermostatic pressure balanced shower kit

CC	KK
1505	2105

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B05-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1208-01-xx** 12" x 8" rectangular shower head
- BRA-1612-44-xx** 16" shower arm
- DGL-3070-53-xx** 3-spray sliding shower bar
- RAC-9001-28-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4216-05-xx-NS
TRO-4216-05-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4216-05-xx
TRR-4216-05-xx*

CC	KK
886	1486

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4296-05-xx

PRR-4296-05-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1723	2395	3099	3388	2437	3702	4087

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B05-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1011-01-xx** 10" square shower head
- BRA-1612-44-xx** 16" shower arm
- DSP-2555-20-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-4296-05-xx-NS
TRO-4296-05-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4296-05-xx
TRR-4296-05-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1104	1776	2480	2769	1818	3083	3468

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4307-05-xx

PRR-4307-05-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
2034	2677	3603	3959	2863	4306	5112

Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B05-9531-00-xx** Complete TP shower control valve with 3-way diverter
- BEC-0520-83-xx** Square modern tub spout without diverter
- TET-0811-02-xx** 8" square shower head
- BRA-1612-44-xx** 16" shower arm
- DGL-3070-53-xx** 3-spray sliding shower bar
- RAC-9001-18-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4307-05-xx-NS
TRO-4307-05-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4307-05-xx
TRR-4307-05-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1390	2033	2959	3315	2219	3662	4468

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-B

3-way TP rough - PEX connections

644

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

REC B05

PRO-4395-05-xx PRR-4395-05-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
3065	4158	5077	5785	4279	6101	7068

Features	Includes
- 3 accessories kit - Max: 2 gpm - 80 psi (per accessory) - 4.5 gpm for 3 body jets - 3-spray hand shower - 2 accessories can work together	B05-9531-00-xx Complete TP shower control valve with 3-way diverter TET-1011-01-xx 10" square shower head BRA-1614-04-xx 16" shower arm DGL-3070-53-xx 3-spray sliding shower bar RAC-9001-18-xx Wall-mount supply elbow BOD-5004-02-xx Square lateral body jet (3)

TRIM ONLY

TRO-4395-05-xx TRR-4395-05-xx*	CC	KK	LL	BB	NN/YY	VV/TT	GG
	2421	3514	4433	5141	3635	5457	6424

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B	3-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9531-PO-B	3-way TP rough - PEX connections	644

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

* With 6" ceiling mount shower arm

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 281-294).

A44-1029-00-xx

Square wall-mounted toilet paper holder



CC	KK	LL	BB	NN	YY	VV/TT
113	136	181	204	119	165	227

A44-1069-00-xx

FLAT
Square bathrobe holder



CC	KK	LL	BB	NN	YY	VV/TT
78	93	124	140	82	113	156

A44-6027-00-xx

FLAT
Square double towel bar



CC	KK	LL	BB	NN	YY	VV/TT
238	285	380	428	249	347	475

A85-2009-40-xx

Towel holder on stand



CC
378

A85-3179-00-xx

Shower squeegee



CC
117

REC B05

NAUTICA B16 B18

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



BARIL

NAUTICA B16 B18

B1X-8001-XXL-xx


DRAIN INCLUDED

CEC



B16-8001-01L-xx


NAUTICA



CC	KK	LL	BB	NN/YY	VV/TT	GG
650	1040	1170	1299	916	1299	1624

B18-8001-00L-xx

RALPH



CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
650	1040	1170	1299	916	1299	1624

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Drain included

Ecological Options

Codes	Reduced Flow Rates
B1X-8001-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B1X-8001-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B1X-8041-00L-xx

COMPLETE FAUCET

CEC



B16-8041-00L-xx

NAUTICA



CC	KK	LL	BB	NN/YY	VV/TT	GG
825	1236	1391	1650	1115	1683	2063

B18-8041-00L-xx

RALPH



CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
825	1236	1391	1650	1115	1683	2063

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B1X-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B1X-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T16-8041-00L-xx

T18-8041-00L-xx

ROUGH Please order the following rough to complete the trim:

ROU-8041-00-B

Two handles wall-mounted lavatory rough - 1/2" female NPT



CC	KK	LL	BB	NN/YY	VV/TT	GG
393	804	959	1218	683	1251	1631

CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
393	804	959	1218	683	1251	1631

432


NAUTICA B16 B18

B1X-1201-01-xx

CEC

B16-1201-01-xx


NAUTICA



CC	KK	LL	BB	NN/YY	VV/TT	GG
996	1560	1739	1950	1362	1950	2492

B18-1201-01-xx

RALPH



CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
996	1560	1739	1950	1362	1950	2492

NAUTICA
B16 B18

Wall-mounted tub faucet with hand shower


- Bath spout: 6 gpm - 60 psi
- Vertical closed position of the handles
- Hand shower: max : 1.75 gpm- 80 psi
- Metal hand shower
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

Ecological Option

Code	Reduced Flow Rate
B1X-1201-01-xx-150	1.5 gpm (5,7 l/min) - 80 psi

OPTIONAL COMPONENTS

COL-3004-03-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
798	1373	1565	1588	1107	1565	1866

Pair of 30" freestanding pillar legs

- Can be connected in:
3/4" F / 3/4" M / 1/2" F / 1/2" M
- Installs from the top for easy installation
by one person

EXC-6014-02-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
137	285	312	315	233	312	370

Pair of eccentric adapters

- Can be used to install a wall-mounted tub faucet
- For holes from 2" c/c to 10" c/c

REN-2018-27-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
407	933	998	1023	779	1048	1680

Brass bath waste and overflow drain

- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Push-button pop-up

Finishes :

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper, GB = gold white


NAUTICA B16 B18

B1X-9404-00-xx

ROUGH & TRIM PACKAGE **ADA**

B16-9404-00-xx


NAUTICA



CC	KK	LL	BB	NN/YY	VV/TT	GG
909	1155	1343	1517	1126	1517	1661

B18-9404-00-xx

RALPH



CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
909	1155	1343	1517	1126	1517	1661

Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included

TRIM ONLY

T16-9404-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	291	537	725	899	508	899	1043
T18-9404-00-xx	CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
	291	537	725	899	508	899	1043

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3404-00-B	Type T rough - 3/4" female NPT connections	618
---------------	--	-----




B1X-9560-02-xx

ROUGH & TRIM PACKAGE

B16-9560-02-xx


NAUTICA



CC	KK	LL	BB	NN/YY	VV/TT	GG
472	609	667	801	542	801	863

B18-9560-02-xx

RALPH



CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
472	609	667	801	542	801	863

Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9562-00-B included

Ecological Options **CEC**

Codes	Features
B1X-9560-02-xx-NS	Non-shared port
T1X-9560-02-xx + RVA-9562-00-NS-B	1 accessory works at a time

TRIM ONLY

T16-9560-02-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	196	333	391	525	266	525	587
T18-9560-02-xx	CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
	196	333	391	525	266	525	587

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B	2-port diverter rough - 1/2" male NPT or welded copper connections	276
---------------	--	-----



NAUTICA B16 B18

B1X-9560-03-xx

ROUGH & TRIM PACKAGE

B16-9560-03-xx

NAUTICA



Diagram showing 360° rotation with options 1+2, 2, 2+3, 1, and 3. OFF position is indicated. Port size: Ø 70mm 2 3/4".

CC	KK	LL	BB	NN/YY	VV/TT	GG
495	632	690	824	565	824	886

B18-9560-03-xx

RALPH



Diagram showing 360° rotation with options 1+2, 2, 2+3, 1, and 3. OFF position is indicated. Port size: Ø 70mm 2 3/4".

CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
495	632	690	824	565	824	886

NAUTICA
B16 B18

Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options CEC

Codes	Features
B1X-9560-03-xx-NS	Non-shared port
T1X-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time

TRIM ONLY



T16-9560-03-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	196	333	391	525	266	525	587
T18-9560-03-xx	CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
	196	333	391	525	266	525	587

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9563-00-B 3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

B1X-9641-00-xx

ROUGH & TRIM PACKAGE

B16-9641-00-xx

NAUTICA



Diagram showing 90° rotation. ON position is indicated. Port size: Ø 73 mm 2-7/8".

CC	KK	LL	BB	NN/YY	VV/TT	GG
413	550	608	742	483	742	804

B18-9641-00-xx

RALPH



Diagram showing 90° rotation. ON position is indicated. Port size: Ø 73 mm 2-7/8".

CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
413	550	608	742	483	742	804

Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

TRIM ONLY



T16-9641-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	196	333	391	525	266	525	587
T18-9641-00-xx	CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
	196	333	391	525	266	525	587

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B Volume control valve rough - 3/4" female NPT connections

217

Finishes :

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper, GB = gold white

NAUTICA B16 B18

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0810-01-xx


8" round shower head



CC	KK	LL	BB
278	372	408	392

TET-1210-01-xx

12" round shower head



CC	KK	LL	BB
569	797	1202	1138

BRA-1812-02-xx

18" shower arm



CC	KK	LL	BB
104	139	276	285

RAC-0618-02-xx

6" ceiling mount shower arm



CC	KK	LL	BB
49	126	143	122

TET-1616-01-xx

16" round shower head



CC	KK	LL	BB
915	1280	1646	1828

TET-0812-03-xx

8" sunflower shower head



CC	KK	LL	BB
339	561	746	678

RAC-9001-13-xx

1/2"F wall-mount supply elbow



CC	KK	LL	BB
68	83	127	95

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL	BB
99	129	138	140

DGL-2160-04-xx

4-spray sliding shower bar



CC	KK	LL	BB
569	1145	1361	1255

BOD-5001-00-xx

Lateral body jet



CC	KK	LL	BB
109	225	248	218

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL	BB
282	394	454	517

COMPLETE SHOWER KITS

PRO-1100-16-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1719	2407	3268	3439	2508	3783	4299

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" shower head
- 3-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code	Features are the same, except:
PRO-1100-16-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

PRO-3420-16-xx

PRR-3420-16-xx*



Complete thermostatic shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1925	2641	3205	3789	2728	4223	4799

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B16-9404-00-xx** Complete 3/4" thermostatic valve
- B16-9560-02-xx** Complete 2-port diverter with stop
- TET-0810-01-xx** 8" shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2170-63-xx** 3-spray sliding shower bar
- RAC-9001-13-xx** Wall-mount supply elbow

Ecological Options CEC

Codes	Features are the same, except:
PRO-3420-16-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time
TRO-3420-16-xx-NS + RVA-3404-00-B +	
RVA-9562-00-NS-B	

TRIM ONLY

TRO-3420-16-xx

TRR-3420-16-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1031	1747	2311	2895	1834	3329	3905

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

Finishes :

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper, GB = gold white

* With 6" ceiling mount shower arm

NAUTICA B16 B18

PRO-3420-18-xx

PRR-3420-18-xx*



Complete thermostatic shower kit

CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
1925	2641	3205	3789	2728	4223	4799

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B18-9404-00-xx** Complete 3/4" thermostatic valve
- B18-9560-02-xx** Complete 2-port diverter with stop
- TET-0810-01-xx** 8" shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2170-63-xx** 3-spray sliding shower bar
- RAC-9001-13-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

- PRO-3420-18-xx-NS
- TRO-3420-18-xx-NS + RVA-3404-00-B +
- RVA-9562-00-NS-B

Features are the same, **except:**

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3420-18-xx

TRR-3420-18-xx*

CC/CB	KK/KB	LL/LB	BB	NN/NB YY/YB	VV/VB TT/TB	GG/GB
1031	1747	2311	2895	1834	3329	3905

ROUGH VALVES

Please order **all** of the following rough valves to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618


RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

BEAUMONT B20

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)




BARIL

BEAUMONT B20

B20-101X-1PL-xx


DRAIN INCLUDED 

B20-1012-1PL-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
675	897	968	1283	897	1350	1642

B20-1014-1PL-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
675	897	968	1283	897	1350	1642

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Laminar stream
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B20-101X-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-101X-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B20-1012-00L-xx Order your lavatory drain (pages 297-298)

CC	KK	LL /MM	BB	NN/YY	VV/TT	GG
640	847	913	1223	852	1280	1552


B20-1014-00L-xx Order your lavatory drain (pages 297-298)

CC	KK	LL /MM	BB	NN/YY	VV/TT	GG
640	847	913	1223	852	1280	1552

B20-102X-00L-xx


CEC 

B20-1022-00L-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
775	1046	1240	1473	1124	1550	2131

B20-1024-00L-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
775	1046	1240	1473	1124	1550	2131

High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Laminar stream
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B20-102X-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-102X-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

BEAUMONT B20


BEAUMONT
B20

B20-801X-1PL-xx

DRAIN INCLUDED CEC



B20-8012-1PL-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1045	1411	1672	1986	1515	2090	2874

B20-8014-1PL-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1045	1411	1672	1986	1515	2090	2874

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Laminar stream
- Push-button drain with overflow included

Ecological Options


Codes	Reduced Flow Rates
B20-801X-1PL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-801X-1PL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B20-802X-1PL-xx

DRAIN INCLUDED CEC




B20-8022-1PL-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1045	1411	1672	1986	1515	2090	2874

B20-8024-1PL-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1045	1411	1672	1986	1515	2090	2874

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Laminar stream
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B20-802X-1PL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-802X-1PL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

BEAUMONT B20


B20-804X-00L-xx

COMPLETE FAUCET

CEC




B20-8042-00L-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1075	1438	1704	2024	1544	2130	2929

B20-8044-00L-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1075	1438	1704	2024	1544	2130	2929

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B20-804X-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-804X-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T20-8042-00L-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
643	1006	1272	1592	1112	1698	2497

T20-8044-00L-xx


CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
643	1006	1272	1592	1112	1698	2497

ROUGH Please order the following rough to complete the trim:

ROU-8041-00-B

Two handles wall-mounted lavatory rough - 1/2" female NPT

432




B20-810X-04L-xx

COMPLETE FAUCET

CEC




B20-8102-04L-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
825	1114	1320	1568	1196	1650	2269

B20-8104-04L-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
825	1114	1320	1568	1196	1650	2269

Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B20-810X-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-810X-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T20-8102-00L-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
543	832	1038	1286	914	1368	1987

T20-8104-00L-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
543	832	1038	1286	914	1368	1987

ROUGH Please order the following rough to complete the trim:

ROU-8100-04-B

Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


BEAUMONT B20

BEAUMONT
B20

B20-110X-00-xx


COMPLETE FAUCET CEC

B20-1102-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2201	3081	3599	4401	3184	4401	6160

B20-1104-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2201	3081	3599	4401	3184	4401	6160

Floor-mounted tub filler with hand shower

- Bath spout: 10.5 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

Ecological Option

Code	Reduced Flow Rate
B20-110X-00-xx-150	1.5 gpm (5,7 l/min) - 80 psi

TRIM ONLY

T20-1102-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2084	2964	3482	4284	3067	4284	6043

T20-1104-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2084	2964	3482	4284	3067	4284	6043

MOUNTING KIT Please order the following kit to complete the trim:



FIX-1100-00-B


Floor mounting kit for floor-mounted tub filler with hand shower

117

B20-910X-00-xx


ROUGH & TRIM PACKAGE

B20-9102-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
599	716	800	1001	750	1051	1185

B20-9104-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
599	716	800	1001	750	1051	1185

Complete pressure balanced shower control valve

- 6 gpm - 60 psi
- Volume control valve
- Rough valve RVA-9020-00-B included

TRIM ONLY

T20-9102-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
335	452	536	737	486	787	921

T20-9104-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
335	452	536	737	486	787	921

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B


Type P rough - 1/2" male NPT or welded copper connections

264

RVA-9020-P0-B

Type P rough - PEX connections

264



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

BEAUMONT B20


B20-918X-00-xx

ROUGH & TRIM PACKAGE


B20-9182-00-xx



SHARED PORT



NON-SHARED PORT




CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
949	1129	1258	1521	1181	1627	1850


B20-9184-00-xx



SHARED PORT



NON-SHARED PORT



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
949	1129	1258	1521	1181	1627	1850

Complete pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Rough valve RVA-9181-00-B included

Ecological Options CEC

Codes	Features
B20-918X-00-xx-NS	Non-shared port 1 accessory works at a time
T20-918X-00-xx + RVA-9181-00-NS-B	
T20-918X-00-xx + RVA-9181-PO-NS-B	

TRIM ONLY

T20-9182-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
515	695	824	1087	747	1193	1416

T20-9184-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
515	695	824	1087	747	1193	1416

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B


2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434




B20-919X-00-xx

ROUGH & TRIM PACKAGE


B20-9192-00-xx



SHARED PORT



NON-SHARED PORT




CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
959	1139	1268	1531	1191	1637	1860


B20-9194-00-xx



SHARED PORT



NON-SHARED PORT



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
959	1139	1268	1531	1191	1637	1860

Complete pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Rough valve RVA-9191-00-B included

Ecological Options CEC

Codes	Features
B20-919X-00-xx-NS	Non-shared port 1 accessory works at a time
T20-919X-00-xx + RVA-9191-00-NS-B	
T20-919X-00-xx + RVA-9191-PO-NS-B	

TRIM ONLY

T20-9192-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
515	695	824	1087	747	1193	1416

T20-9194-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
515	695	824	1087	747	1193	1416

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B


3-way type P rough - 1/2" male NPT or welded copper connections

444

RVA-9191-PO-B

3-way type P rough - PEX connections

444




BEAUMONT B20

BEAUMONT
B20

B20-940X-00-xx


ROUGH & TRIM PACKAGE

B20-9402-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1018	1164	1258	1568	1182	1568	1749

B20-9404-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1018	1164	1258	1568	1182	1568	1749

Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included

TRIM ONLY

T20-9402-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
400	546	640	950	564	950	1131

T20-9404-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
400	546	640	950	564	950	1131

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections


618



B20-945X-00-xx


ROUGH & TRIM PACKAGE

B20-9452-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
955	1131	1307	1307	1096	1588	1658

B20-9454-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
955	1131	1307	1307	1096	1588	1658

Complete 3/4" thermostatic valve

- 9 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-3453-00-B included

TRIM ONLY

T20-9452-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
381	557	733	733	522	1014	1084

T20-9454-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
381	557	733	733	522	1014	1084

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574



Finishes:


CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

BEAUMONT B20

B20-951X-00-xx


ROUGH & TRIM PACKAGE

B20-9512-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1243	1453	1602	1782	1513	1842	2291

B20-9514-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1243	1453	1602	1782	1513	1842	2291


Complete thermostatic pressure balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm - 60 psi
- You can use one accessory
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9511-00-B included

TRIM ONLY

T20-9512-00-xx	CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
	599	809	958	1138	869	1198	1647
T20-9514-00-xx	CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
	599	809	958	1138	869	1198	1647

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:




RVA-9511-00-B	1-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9511-PO-B	1-way TP rough - PEX connections	644

B20-952X-00-xx


ROUGH & TRIM PACKAGE

B20-9522-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1218	1428	1577	1757	1488	1817	2266

B20-9524-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1218	1428	1577	1757	1488	1817	2266

Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included


Ecological Options CEC

Codes	Features
B20-952X-00-xx-NS	Non-shared port 1 accessory works at a time
T20-952X-00-xx + RVA-9521-00-NS-B	
T20-952X-00-xx + RVA-9521-PO-NS-B	

TRIM ONLY

T20-9522-00-xx	CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
	599	809	958	1138	869	1198	1647
T20-9524-00-xx	CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
	599	809	958	1138	869	1198	1647

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:




RVA-9521-00-B	2-way TP rough - 1/2" male NPT or welded copper connections	619
RVA-9521-PO-B	2-way TP rough - PEX connections	619

BEAUMONT B20

B20-953X-00-xx


ROUGH & TRIM PACKAGE

B20-9532-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1243	1453	1602	1782	1513	1842	2291

B20-9534-00-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1243	1453	1602	1782	1513	1842	2291

Complete thermostatic pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9531-00-B included

Ecological Options CEC

Codes	Features
B20-953X-00-xx-NS	Non-shared port 1 accessory works at a time
T20-953X-00-xx + RVA-9531-00-NS-B	
T20-953X-00-xx + RVA-9531-PO-NS-B	

TRIM ONLY

T20-9532-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
599	809	958	1138	869	1198	1647

T20-9534-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
599	809	958	1138	869	1198	1647

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B


3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-B

3-way TP rough - PEX connections


644



B20-9560-X2-xx


ROUGH & TRIM PACKAGE

B20-9560-22-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
492	629	687	821	562	821	883

B20-9560-42-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
492	629	687	821	562	821	883

Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9562-00-B included

Ecological Options CEC

Codes	Features
B20-9560-X2-xx-NS	Non-shared port 1 accessory works at a time
T20-9600-X0-xx + RVA-9562-00-NS-B	

TRIM ONLY

T20-9600-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
216	353	411	545	286	545	607

T20-9600-40-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
216	353	411	545	286	545	607

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


BEAUMONT B20

B20-9560-X3-xx


ROUGH & TRIM PACKAGE

B20-9560-23-xx

SHARED PORT




NON-SHARED PORT




CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
515	652	710	844	585	844	906

B20-9560-43-xx

SHARED PORT



NON-SHARED PORT



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
515	652	710	844	585	844	906

Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options CEC

Codes	Features
B20-9560-X3-xx-NS	Non-shared port
T20-9600-X0-xx + RVA-9563-00-NS-B	1 accessory works at a time

TRIM ONLY



T20-9600-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
216	353	411	545	286	545	607

T20-9600-40-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
216	353	411	545	286	545	607

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9563-00-B


3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

B20-9649-X0-xx


ROUGH & TRIM PACKAGE

B20-9649-20-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
433	570	628	762	503	762	824

B20-9649-40-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
433	570	628	762	503	762	824

Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

TRIM ONLY



T20-9600-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
216	353	411	545	286	545	607

T20-9600-40-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
216	353	411	545	286	545	607

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217

BEAUMONT B20

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0620-05-xx

Round 6" 5-spray anti-limestone shower head



CC	KK	LL/MM	BB
99	134	158	218

TET-1020-01-xx

10" round shower head



CC	KK	LL/MM	BB
460	645	690	828

BRA-1012-20-xx


10" shower arm



CC	KK	LL/MM	BB
125	169	200	238

BRA-1812-20-xx

18" shower arm



CC	KK	LL/MM	BB
145	232	344	267

BRA-1212-20-xx

12" shower arm



CC	KK	LL/MM	BB
125	212	324	247

RAC-0318-20-xx

3" ceiling mount shower arm



CC	KK	LL	BB
73	138	183	150

RAC-0618-20-xx

6" ceiling mount shower arm



CC	KK	LL/MM	BB
110	179	226	195

RAC-0918-20-xx

9" ceiling mount shower arm



CC	KK	LL/MM	BB
115	227	285	240

RAC-1218-20-xx

12" ceiling mount shower arm



CC	KK	LL	BB
125	261	334	274

DGL-2068-53-xx

4-spray sliding shower bar



CC	KK	LL/MM	BB
535	722	973	1064

DSP-2620-29-xx

Hand shower on wall-mounted supply elbow



CC	KK	LL/MM	BB
392	578	666	757

RAC-9001-29-xx

1/2"F wall-mount supply elbow with integrated volume control



CC	KK	LL/MM	BB
160	190	215	220

RAC-9001-49-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
135	175	195	225

BEC-0520-20-xx

Beaumont tub spout without diverter



CC	KK	LL/MM	BB
275	371	440	476

BOD-5001-00-xx

Lateral body jet



CC	KK	LL	BB
109	225	248	218

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL	BB
282	394	454	517

COMPLETE SHOWER KITS

PRO-2102-20-xx

Complete pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1219	1536	1767	2116	1620	2280	2817

Features

- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B20-9102-00-xx** Complete pressure balanced valve
- DGL-2068-53-xx** 3-spray sliding shower bar
- RAC-9001-49-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2102-20-xx-175
TRO-2102-20-xx-175 + RVA-9020-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-2102-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
955	1272	1503	1852	1356	2016	2553

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections

264

RVA-9020-P0-B

Type P rough - PEX connections

264

PRO-2104-20-xx

Complete pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1219	1536	1767	2116	1620	2280	2817

Features

- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B20-9104-00-xx** Complete pressure balanced valve
- DGL-2068-53-xx** 3-spray sliding shower bar
- RAC-9001-49-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2104-20-xx-175
TRO-2104-20-xx-175 + RVA-9020-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-2104-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
955	1272	1503	1852	1356	2016	2553

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections

264

RVA-9020-P0-B

Type P rough - PEX connections

264

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

BEAUMONT B20

PRO-2802-20-xx PRR-2802-20-xx*



Complete pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2189	2813	3188	3786	2887	4227	5069

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B20-9182-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-1020-01-xx** 10" round shower head
- BRA-1812-20-xx** 18" shower arm
- DGL-2068-53-xx** 3-spray sliding shower bar
- RAC-9001-49-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2802-20-xx-NS
TRO-2802-20-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2802-20-xx TRR-2802-20-xx*

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1755	2379	2754	3352	2453	3793	4635

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B	2-way type P rough - 1/2" male NPT or welded copper connections	434
RVA-9181-PO-B	2-way type P rough - PEX connections	434

PRO-2804-20-xx PRR-2804-20-xx*



Complete pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2189	2813	3188	3786	2887	4227	5069

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B20-9184-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-1020-01-xx** 10" round shower head
- BRA-1812-20-xx** 18" shower arm
- DGL-2068-53-xx** 3-spray sliding shower bar
- RAC-9001-49-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2804-20-xx-NS
TRO-2804-20-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2804-20-xx TRR-2804-20-xx*

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1755	2379	2754	3352	2453	3793	4635

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B	2-way type P rough - 1/2" male NPT or welded copper connections	434
RVA-9181-PO-B	2-way type P rough - PEX connections	434

PRO-3302-20-xx PRR-3302-20-xx*



Complete thermostatic shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2409	3162	3576	3908	3046	4507	5122

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

- B20-9452-00-xx** Complete 3/4" thermostatic valve
- B20-9560-22-xx** Complete 2-port diverter with off
- TET-1020-01-xx** 10" round shower head
- BRA-1812-20-xx** 18" shower arm
- DSP-2620-29-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-3302-20-xx-NS
TRO-3302-20-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3302-20-xx TRR-3302-20-xx*

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1559	2312	2726	3058	2196	3657	4272

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B	Type T rough - 3/4" female NPT connections	574
RVA-9562-00-B	2-port diverter rough - 1/2" male NPT or welded copper connections	276

BEAUMONT B20

BEAUMONT
B20

PRO-3304-20-xx

PRR-3304-20-xx*



Complete thermostatic shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2409	3162	3576	3908	3046	4507	5122

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

- B20-9454-00-xx** Complete 3/4" thermostatic valve
- B20-9560-42-xx** Complete 2-port diverter with off
- TET-1020-01-xx** 10" round shower head
- BRA-1812-20-xx** 18" shower arm
- DSP-2620-29-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-3304-20-xx-NS
TRO-3304-20-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3304-20-xx

TRR-3304-20-xx*

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1559	2312	2726	3058	2196	3657	4272

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

PRO-4152-20-xx



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1733	2098	2363	2659	2196	2816	3570

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B20-9512-00-xx** Complete type TP shower valve with 1-way diverter
- DGL-2068-53-xx** 3-spray sliding shower bar
- RAC-9001-49-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4152-20-xx-175
TRO-4152-20-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4152-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1089	1454	1719	2015	1552	2172	2926

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644

PRO-4154-20-xx



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1733	2098	2363	2659	2196	2816	3570

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B20-9514-00-xx** Complete type TP shower valve with 1-way diverter
- DGL-2068-53-xx** 3-spray sliding shower bar
- RAC-9001-49-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4154-20-xx-175
TRO-4154-20-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4154-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1089	1454	1719	2015	1552	2172	2926

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

BEAUMONT B20

PRO-4162-20-xx



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1350	1597	1773	2010	1667	2167	2670

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 5-spray shower head

Includes

- B20-9512-00-xx** Complete type TP shower valve with 1-way diverter
- TET-0620-05-xx** 6" round shower head
- BRA-1012-20-xx** 10" shower arm

Ecological Options CEC

Codes

PRO-4162-20-xx-175
TRO-4162-20-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower head)

TRIM ONLY

TRO-4162-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
706	953	1129	1366	1023	1523	2026

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644

PRO-4164-20-xx



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1350	1597	1773	2010	1667	2167	2670

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 5-spray shower head

Includes

- B20-9514-00-xx** Complete type TP shower valve with 1-way diverter
- TET-0620-05-xx** 6" round shower head
- BRA-1012-20-xx** 10" shower arm

Ecological Options CEC

Codes

PRO-4164-20-xx-175
TRO-4164-20-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower head)

TRIM ONLY

TRO-4164-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
706	953	1129	1366	1023	1523	2026

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644

PRO-4202-20-xx PRR-4202-20-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2458	3149	3544	4022	3233	4417	5540

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B20-9522-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1020-01-xx** 10" round shower head
- BRA-1812-20-xx** 18" shower arm
- DGL-2068-53-xx** 3-spray sliding shower bar
- RAC-9001-49-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4202-20-xx-NS
TRO-4202-20-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4202-20-xx TRR-4202-20-xx*

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1839	2530	2925	3403	2614	3798	4921

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

BEAUMONT B20

BEAUMONT
B20

PRO-4204-20-xx PRR-4204-20-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2458	3149	3544	4022	3233	4417	5540

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B20-9524-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1020-01-xx** 10" round shower head
- BRA-1812-20-xx** 18" shower arm
- DGL-2068-53-xx** 3-spray sliding shower bar
- RAC-9001-49-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4204-20-xx-NS
TRO-4204-20-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4204-20-xx TRR-4204-20-xx*

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
1839	2530	2925	3403	2614	3798	4921

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4302-20-xx PRR-4302-20-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2758	3495	3956	4523	3603	4992	6239

Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B20-9532-00-xx** Complete TP shower control valve with 3-way diverter
- BEC-0520-20-xx** Beaumont tub spout without diverter
- TET-1020-01-xx** 10" round shower head
- BRA-1812-20-xx** 18" shower arm
- DGL-2068-53-xx** 3-spray sliding shower bar
- RAC-9001-49-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4302-20-xx-NS
TRO-4302-20-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max : 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4302-20-xx TRR-4302-20-xx*

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2114	2851	3312	3879	2959	4348	5595

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-B

3-way TP rough - PEX connections

644

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

BEAUMONT B20

PRO-4304-20-xx PRR-4304-20-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
2758	3495	3956	4523	3603	4992	6239

Features - 3 accessories kit - 7.1 gpm - 60 psi (bath spout) - Max: 2 gpm - 80 psi (shower accessories) - 3-spray hand shower - 2 accessories can work together	Includes B20-9534-00-xx Complete TP shower control valve with 3-way diverter BEC-0520-20-xx Beaumont tub spout without diverter TET-1020-01-xx 10" round shower head BRA-1812-20-xx 18" shower arm DGL-2068-53-xx 3-spray sliding shower bar RAC-9001-49-xx Wall-mount supply elbow						
Ecological Options CEC	<table><tr><th>Codes</th><th>Features are the same, except:</th></tr><tr><td>PRO-4304-20-xx-NS</td><td>- Max : 1.75 gpm - 80 psi (shower accessories)</td></tr><tr><td>TRO-4304-20-xx-NS + RVA-9531-00-NS-B</td><td>- 1 accessory works at a time</td></tr></table>	Codes	Features are the same, except:	PRO-4304-20-xx-NS	- Max : 1.75 gpm - 80 psi (shower accessories)	TRO-4304-20-xx-NS + RVA-9531-00-NS-B	- 1 accessory works at a time
Codes	Features are the same, except:						
PRO-4304-20-xx-NS	- Max : 1.75 gpm - 80 psi (shower accessories)						
TRO-4304-20-xx-NS + RVA-9531-00-NS-B	- 1 accessory works at a time						

TRIM ONLY

TRO-4304-20-xx TRR-4304-20-xx*	CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
	2114	2851	3312	3879	2959	4348	5595

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:


RVA-9531-00-B	3-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9531-PO-B	3-way TP rough - PEX connections	644

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

MARIE B35

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



BARIL

MARIE B35

LEGEND

Finishes

The MARIE collection has 6 finishes.

C = chrome
E = glossy black
H = blush

I = mist
J = french gold
K = matte black

The choice of finishes must be made for each component of the faucet according to the legend.

Price

Lavatory Faucet:


The price is determined by the spout finish.

Shower/bath Valve:

The price is determined by the wall plate finish.

B35-8009-00L-xxxx

CEC



To Order

The 4 letters of finishes must be replaced by the desired finishes for each of the components.

The order of the components is indicated in the image as well as in the features.

For example, the faucet above includes:

- Spout in mist finish (I)
- Flange in matte black finish (K)
- Handle 1 (large, flow rate) in matte black finish (K)
- Handle 2 (small, temperature) in mist finish (I)

The product code is therefore: B35-8009-00L-IKKI

Spout - Chrome

1157

Spout - Other finishes

1293

Two-handle deck-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Custom installation: please refer to the installation manual and spec sheet
- Optional under handle flange: order ROS-4717-03-xx
- Order your lavatory drain in chrome, matte black, mist or french gold finish (pages 297-298)

Choose your finishes


- 1st x: Spout** Chrome (C), mist (I), french gold (J), matte black (K)
- 2nd x: Flange** Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)
- 3rd x: Handle 1** Chrome (C), glossy black (E), mist (I), french gold (J), matte black (K)
- 4th x: Handle 2** Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)

Ecological Options

Codes	Reduced Flow Rates
B35-8009-00L-xxxx-100	1.0 gpm (3.7 l/min) - 60 psi
B35-8009-00L-xxxx-050	0.5 gpm (1.9 l/min) - 60 psi

B35-1020-00L-xKx

CEC



Spout - Chrome

1096

Spout - Other finishes

1260

Single handle vessel lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Custom installation: please refer to the installation manual and spec sheet
- Optional under handle flange: order ROS-4717-03-xx
- Order your lavatory drain in chrome, matte black, mist or french gold finish (pages 297-298)

Choose your finishes

- 1st x: Spout** Chrome (C), mist (I), french gold (J), matte black (K)
- 2nd x: Flange** Matte black (K)
- 3rd x: Handle** Glossy black (E), mist (I), french gold (J), matte black (K)

Ecological Options

Codes	Reduced Flow Rates
B35-1020-00L-xKx-100	1.0 gpm (3.7 l/min) - 60 psi
B35-1020-00L-xKx-050	0.5 gpm (1.9 l/min) - 60 psi


MARIE B35

B35-8009-00L-xxxx

CEC



red dot winner 2020
best of the best



Spout - Chrome

Spout - Other finishes

1157

1293

Two-handle deck-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Custom installation: please refer to the installation manual and spec sheet
- Optional under handle flange: order ROS-4717-03-xx
- Order your lavatory drain in chrome, matte black, mist or french gold finish (pages 297-298)

Choose your finishes

- 1st x: Spout** Chrome (C), mist (I), french gold (J), matte black (K)
- 2nd x: Flange** Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)
- 3rd x: Handle 1** Chrome (C), glossy black (E), mist (I), french gold (J), matte black (K)
- 4th x: Handle 2** Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)

Ecological Options



Codes	Reduced Flow Rates
B35-8009-00L-xxxx-100	1.0 gpm (3.7 l/min) - 60 psi
B35-8009-00L-xxxx-050	0.5 gpm (1.9 l/min) - 60 psi

B35-8100-00L-xxxx

CEC



red dot winner 2020
best of the best



Spout - Chrome

Spout - Other finishes

1157

1293

Wall-mounted lavatory faucet spout with deck-mounted handles, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Custom installation: please refer to the installation manual and spec sheet
- Optional under handle flange: order ROS-4717-03-xx
- Order your lavatory drain in chrome, matte black, mist or french gold finish (pages 297-298)



Choose your finishes

- 1st x: Spout** Chrome (C), mist (I), french gold (J), matte black (K)
- 2nd x: Flange** Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)
- 3rd x: Handle 1** Chrome (C), glossy black (E), mist (I), french gold (J), matte black (K)
- 4th x: Handle 2** Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)

Ecological Options

Codes	Reduced Flow Rates
B35-8100-00L-xxxx-100	1.0 gpm (3.7 l/min) - 60 psi
B35-8100-00L-xxxx-050	0.5 gpm (1.9 l/min) - 60 psi

ROS-4717-03-xx



CC - Chrome

KK - Matte Black

25

35

Oversized under handle flange Ø 1-3/4" (47 mm)

- 1-3/4" outer diameter cover plate
- Required for installation over pre-drilled sinks or to cover countertop gaps, holes and damage

Finishes:

C = chrome, E = glossy black, H = blush, I = mist, J = french gold, K = matte black. For more details, please refer to page 126.



MARIE B35

B35-1100-00-KE



KE

1378



Floor-mounted tub spout

- This tub spout is a freestanding piece that does not include a control valve
- To control the water flow and temperature, it must be combined with a bath/shower valve without a spout

Finishes

- 1st letter: Spout Matte black (K)
2nd letter: Flange Glossy black (E)

OPTION 1

FLOOR-MOUNTED TUB SPOUT + COMPLETE THERMOSTATIC VALVE WITH 2-WAY DIVERTER (HAND SHOWER + SPOUT)



Floor-mounted tub spout + complete thermostatic valve with 2-way diverter (hand shower + spout)

- Spout code: B35-1100-00-KE
- Valve code: B35-9320-00-xxx
- For more details on the features and finishes of the tub spout or the valve, refer to their respective codes
- Total price: \$4802

FLOOR-MOUNTED TUB SPOUT

B35-1100-00-KE

KE

1378

COMPLETE THERMOSTATIC VALVE WITH 2-WAY DIVERTER

B35-9320-00-xxx

All finishes

3424

OPTION 2

FLOOR-MOUNTED TUB SPOUT + COMPLETE THERMOSTATIC SHOWER CONTROL VALVE WITH 2-WAY DIVERTER + HAND SHOWER ON WALL-MOUNTED HOLDER WITH SUPPLY ELBOW



Floor-mounted tub spout + complete thermostatic valve with 2-way diverter + hand shower on wall-mounted holder with supply elbow

- Spout code: B35-1100-00-KE
- Valve code: B35-9521-00-xx
- Hand shower code: RAC-9001-35-xx
- For more details on the features and finishes of the tub spout, valve or hand shower, refer to their respective codes
- Total price: Plate (chrome) : \$3582-\$3639
Plate (other finishes) : \$3766-\$3823

FLOOR-MOUNTED TUB SPOUT

B35-1100-00-KE

KE

1378

COMPLETE THERMOSTATIC SHOWER CONTROL VALVE WITH 2-WAY DIVERTER

B35-9521-00-xx

Plate - Chrome

1405

Plate - Other finishes

1589

HAND SHOWER ON WALL-MOUNTED HOLDER WITH SUPPLY ELBOW

RAC-9001-35-xx

KK - Matte Black

799

II - Mist

856



MARIE B35

B35-9320-00-xxx

ROUGH & TRIM PACKAGE

All finishes

3424



Complete thermostatic valve with 2-way diverter (hand shower + tub spout or shower head)

- 8 gpm (30 l/min) - 60 psi
- Easy to install one-piece rough
- Solid brass plate
- Reversible check / non-return valves in case of water supply inversion
- Hand shower: max : 2 gpm - 80 psi
- 2 positions shower holder
- Hand shower with 59" brass hose
- Rough valve RVA-34B2-00-B included

Choose your finishes

- 1st x: Plate** Mist (I), matte black (K)
2nd x: Handles Mist (I), french gold (J), matte black (K)
3rd x: Hand shower Mist (I), matte black (K)

Ecological Options

Codes	Reduced Flow Rates
B35-9320-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi
B35-9320-00-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TRIM ONLY

T35-9320-00-xx

All finishes


1605

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-34B2-00-B

Type T rough with 2-way diverter - inlet: 3/4" F NPT - outlets: 1/2" F NPT

1819



B35-9511-00-xx

ROUGH & TRIM PACKAGE





Plate - Chrome

1430

Plate - Other finishes

1614

Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared ports)

- 1 outlet: 7.1 gpm - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9511-00-B included

Choose your finishes

- 1st x: Plate** Chrome (C), mist (I), matte black (K)
2nd x: Handles Mist (I), french gold (J), matte black (K)

TRIM ONLY

T35-9511-00-xx

Plate - Chrome

786

Plate - Other finishes

970

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B


1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644



Finishes:


C = chrome, E = glossy black, H = blush, I = mist, J = french gold, K = matte black. For more details, please refer to page 126.

MARIE B35

MARIE B35

B35-9521-00-xx

ROUGH & TRIM PACKAGE



SHARED POSITION

NON-SHARED POSITION





Plate - Chrome

Plate - Other finishes

1405

1589

Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Choose your finishes

- 1st x: Plate Chrome (C), mist (I), matte black (K)
2nd x: Handles Mist (I), french gold (J), matte black (K)

Ecological Options CEC

Codes	Features
B35-9521-00-xx-NS	Non-shared ports 1 accessory works at a time
T35-9521-00-xx + RVA-9521-00-NS-B	
T35-9521-00-xx + RVA-9521-PO-NS-B	

TRIM ONLY

T35-9521-00-xx

Plate - Chrome

Plate - Other finishes

786

970

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B


2-way type TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way type TP rough - PEX connections

619



OPTION 1

SHOWER HEAD +
COMPLETE THERMOSTATIC VALVE WITH 2-WAY DIVERTER (HAND SHOWER + SHOWER HEAD)



Shower head + complete thermostatic valve with 2-way diverter (hand shower + shower head)

- Shower head code: TET-1210-35-xxx
- Valve code: B35-9320-00-xxx
- For more details on the features and finishes of the shower head or the valve, refer to their respective codes
- Total price: \$4856

SHOWER HEAD WITH WALL-MOUNTED SHOWER ARM

TET-1210-35-xxx

All finishes

1432

COMPLETE THERMOSTATIC VALVE WITH 2-WAY DIVERTER

B35-9320-00-xxx

All finishes

3424



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

OPTION 2

SHOWER HEAD + COMPLETE THERMOSTATIC PRESSURE BALANCED VALVE WITH 2-WAY DIVERTER + HAND SHOWER ON WALL-MOUNTED HOLDER WITH SUPPLY ELBOW



Shower head + complete thermostatic pressure balanced valve with 2-way diverter + hand shower on wall-mounted holder with supply elbow

- Shower head code: TET-1210-35-xxx
- Valve code: B35-9521-00-xx
- Hand shower code: RAC-9001-35-xx
- For more details on the features and finishes of the shower head, valve or hand shower, refer to their respective codes
- Total price: Plate (chrome) : \$3636-\$3693
Plate (other finishes) : \$3820-\$3877

SHOWER HEAD WITH WALL-MOUNTED SHOWER ARM

TET-1210-35-xxx

All finishes

1432

COMPLETE THERMOSTATIC PRESSURE BALANCED VALVE WITH 2-WAY DIVERTER

B35-9521-00-xx

Plate - Chrome

1405

Plate - Other finishes

1589

HAND SHOWER ON WALL-MOUNTED HOLDER WITH SUPPLY ELBOW

RAC-9001-35-xx

KK - Matte Black

799

II - Mist

856

MARIE B35

OPTION 3

COMPLETE THERMOSTATIC PRESSURE BALANCED SHOWER CONTROL VALVE WITH 1-WAY DIVERTER + 2-SPRAY SLIDING SHOWER BAR + WALL-MOUNT SUPPLY ELBOW



Complete thermostatic pressure balanced shower control valve with 1-way diverter + 2-spray sliding shower bar + Wall-mount supply elbow

- Valve code: B35-9511-00-xx
- Sliding shower bar code: DGL-2070-62-xx
- Wall-mount supply elbow code: RAC-9001-16-xx
- For more details on the features and finishes of the valve, sliding shower bar or wall-mount supply elbow, refer to their respective codes
- Total price: Plate (chrome) : \$2098-\$2421
Plate (other finishes) : \$2282-\$2605

COMPLETE THERMOSTATIC PRESSURE BALANCED VALVE WITH 1-WAY DIVERTER

B35-9511-00-xx

Plate - Chrome

1430

Plate - Other finishes

1614

2-SPRAY SLIDING SHOWER BAR

DGL-2070-62-xx

CC

569

CI

685

CK

685

KK

797

KI

849

WALL-MOUNT SUPPLY ELBOW

RAC-9001-16-xx

CC

99

KK

129

II

142



Finishes:

C = chrome, E = glossy black, H = blush, I = mist, J = french gold, K = matte black. For more details, please refer to page 126.

MARIE B35

TET-1210-35-xxx



All finishes

1432

Shower head with wall-mounted shower arm

- 2 gpm (7.6 l/min) - 80 psi
- 10" black anti-limestone shower head with 12" dome cover
- Install only with included wall mount straight shower arm


Choose your finishes

- 1st x: Head** Mist (I), french gold (J), matte black (K)
2nd x: Flange Mist (I), matte black (K)
3rd x: Arm Mist (I), matte black (K)

Ecological Option

Code	Reduced Flow Rate	
TET-1210-35-xxx-175	1.75 gpm (6.6 l/min) - 80 psi	CEC

RAC-9001-35-xx



KK - Matte Black

799

II - Mist

856

Hand shower on wall-mounted holder with supply elbow

- 2 gpm - 80 psi
- 2-spray anti-limestone hand shower
- 2-spray mechanism: rain, massage
- Easy-to-clean silicone nozzles
- 2 positions shower holder
- 59" (150 cm) double interlock brass flexible hose, rotating nut with 2 non-return valves

Ecological Options

Codes	Reduced Flow Rates	
RAC-9001-35-xx-150	1.5 gpm (5.7 l/min) - 80 psi	
RAC-9001-35-xx-175	1.75 gpm (6.6 l/min) - 80 psi	CEC

SENS B45

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



BARIL


SENS B45

B45-1005-1PL-xx



DRAIN INCLUDED

Promo Price
48h The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	GG
467	598	724	872	646	872	1220

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B45-1005-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-1005-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B45-1005-00L-xx

Order your lavatory drain (pages 297-298)


CC	KK	LL	BB	NN/YY	VV/TT	GG
432	548	669	812	601	802	1130

B45-1010-1PL-xx



DRAIN INCLUDED

Promo Price
48h The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	GG
507	633	781	948	695	948	1327

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B45-1010-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-1010-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi


DRAIN NOT INCLUDED

B45-1010-00L-xx

Order your lavatory drain (pages 297-298)

CC	KK	LL	BB	NN/YY	VV/TT	GG
472	583	726	888	650	878	1237

B45-1020-00L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
609	822	975	1219	860	1219	1524

High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Order your lavatory drain (pages 297-298)


Ecological Options

Codes	Reduced Flow Rates
B45-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B45-8009-00L-xx



Promo Price
48h The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	GG
791	999	1224	1529	1042	1529	1913

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B45-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

SENS B45

B45-8041-00L-xx

COMPLETE FAUCET

CEC



CC	KK	LL	BB	NN/YY	VV/TT	GG
860	1139	1316	1720	1161	1754	2150

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B45-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T45-8041-00L-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
428	707	884	1288	729	1322	1718



ROUGH Please order the following rough to complete the trim:

ROU-8041-00-B


Two handles wall-mounted lavatory rough - 1/2" female NPT

432

B45-8100-04L-xx

COMPLETE FAUCET

CEC



CC	KK	LL	BB	NN/YY	VV/TT	GG
620	868	992	1240	852	1240	1551

Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B45-8100-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-8100-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T45-8100-04L-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
338	586	710	958	570	958	1269



ROUGH Please order the following rough to complete the trim:

ROU-8100-04-B

Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282


B45-1100-00-xx

COMPLETE FAUCET

ADA

CEC

Promo Price
48h The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	GG
1945	2593	3030	3704	2681	3704	5186

Floor-mounted tub filler with hand shower

- Bath spout: 8.5 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm - 80 psi
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Option

Code	Reduced Flow Rate
B45-1100-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

TRIM ONLY

T45-1100-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
1828	2476	2913	3587	2564	3587	5069



MOUNTING KIT Please order the following kit to complete the trim:

FIX-1100-00-B

Floor mounting kit for floor-mounted tub filler with hand shower

117

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 135

SENS B45

B45-1269-00-xx



Promo Price
The Essentials


CC	KK	LL	BB	NN/YY	VV/TT	GG
892	1214	1334	1683	1198	1683	2105

2-piece tub filler with hand shower

- Bath spout: 9.2 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Double-walled faucet limiting heat conduction
- Hand shower: max : 1.75 gpm- 80 psi
- Easy-to-clean anti-limestone hand shower

Ecological Option

Code	Reduced Flow Rate
B45-1269-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi




B45-1600-00-xx

COMPLETE FAUCET

CC	KK	LL	BB	NN/YY	VV/TT	GG
769	1146	1214	1525	1042	1525	1675

Wall-mounted tub faucet

- 8.5 gpm - 60 psi
- Slip-on spout for easier adjustment
- One-piece rough with wall plate for easy installation



TRIM ONLY

T45-1600-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
487	864	932	1243	760	1243	1393

ROUGH Please order the following rough to complete the trim:

ROU-1600-06-B

Wall-mounted tub faucet rough - 1/2" male NPT or welded copper connections

282

B45-2002-00-xx

COMPLETE FAUCET



CC	KK	LL	BB	NN/YY	VV/TT	GG
1620	2267	2572	3239	2202	3239	3562

Wall-mounted tub faucet with hand shower

- Bath spout: 6.6 gpm- 60 psi
- Robust and easy-to-use push-button diverter
- Push-button can be locked in the engaged position
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm- 80 psi
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough

Ecological Option

Code	Reduced Flow Rate
B45-2002-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

TRIM ONLY

T45-2002-00-xx

Cartridge included with the trim



CC	KK	LL	BB	NN/YY	VV/TT	GG
1137	1784	2089	2756	1719	2756	3079

ROUGH Please order the following rough to complete the trim:

ROU-2000-99-B

Wall-mounted tub faucet rough (without cartridge) - 1/2" female NPT connections

483




Actual products may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

B45-9100-00-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
456	648	745	860	611	860	956



Complete pressure balanced shower control valve


- 6 gpm - 60 psi
- Volume control valve
- Rough valve RVA-9020-00-B included

TRIM ONLY

T45-9139-01-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
192	384	481	596	347	596	692

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:



RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections

264

RVA-9020-PO-B


Type P rough - PEX connections

264

B45-9180-00-xx

ROUGH & TRIM PACKAGE **Promo Price**
The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	GG
720	887	1017	1220	929	1296	1347



Complete pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Rough valve RVA-9181-00-B included

Ecological Options


Codes	Features
B45-9180-00-xx-NS	Non-shared port 1 accessory works at a time
T45-9180-01-xx + RVA-9181-00-NS-B	
T45-9180-01-xx + RVA-9181-PO-NS-B	

TRIM ONLY

T45-9180-01-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
286	453	583	786	495	862	913

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:



RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 137

SENS B45

B45-9190-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
730	897	1027	1230	939	1306	1357

Complete pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Rough valve RVA-9191-00-B included

Ecological Options CEC

Codes	Features
B45-9190-00-xx-NS	Non-shared port
T45-9190-01-xx + RVA-9191-00-NS-B	1 accessory works at a time
T45-9190-01-xx + RVA-9191-P0-NS-B	

TRIM ONLY

T45-9190-01-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
286	453	583	786	495	862	913

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B

3-way type P rough - 1/2" male NPT or welded copper connections

444

RVA-9191-P0-B

3-way type P rough - PEX connections

444

B45-9404-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
860	1101	1222	1368	1053	1368	1488

Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included

TRIM ONLY

T45-9404-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
242	483	604	750	435	750	870

ROUGH VALVE Please order the following rough valve to complete the trim:


RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618

B45-9453-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
920	1094	1266	1266	1059	1543	1612

Complete 3/4" thermostatic valve

- 9 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-3453-00-B included

TRIM ONLY

T45-9453-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
346	520	692	692	485	969	1038

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3453-00-B


Type T rough - 3/4" female NPT connections

574

B45-9511-00-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
983	1221	1291	1614	1192	1646	1710



Complete thermostatic pressure balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9511-00-B included

TRIM ONLY

T45-9511-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
339	577	647	970	548	1002	1066

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B


1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644





B45-9521-00-xx

ROUGH & TRIM PACKAGE

Promo Price
48h The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	GG
958	1196	1266	1589	1167	1621	1685



Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Ecological Options **CEC**

Codes	Features
B45-9521-00-xx-NS	Non-shared port
T45-9521-00-xx + RVA-9521-00-NS-B	1 accessory works at a time
T45-9521-00-xx + RVA-9521-PO-NS-B	

TRIM ONLY

T45-9521-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
339	577	647	970	548	1002	1066

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B


2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 139

SENS B45

B45-9531-00-xx

ROUGH & TRIM PACKAGE

Promo Price

48h

The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	GG
983	1221	1291	1614	1192	1646	1710



SHARED PORT

NON-SHARED PORT

Option 1+2

Option 2

Option 2+3

Option 1

Option 3

360°

Ø 195 mm

7-3/4"

Option 2

Option 1

Option 3

360°

Ø 195 mm

7-3/4"

Complete thermostatic pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi

- 2 outlets: 3.6 gpm - 60 psi

- Up to 2 accessories can be used at the same time

- Thin brass plate

- Reversible check / non-return valves in case of water supply inversion

- Large depth adjustment range

- Rough valve RVA-9531-00-B included

Ecological Options

CEC

Codes	Features
B45-9531-00-xx-NS	Non-shared port
T45-9531-00-xx + RVA-9531-00-NS-B	1 accessory works at a time
T45-9531-00-xx + RVA-9531-P0-NS-B	

TRIM ONLY

T45-9531-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	339	577	647	970	548	1002	1066

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B	3-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9531-P0-B	3-way TP rough - PEX connections	644

B45-9560-02-xx

ROUGH & TRIM PACKAGE

Promo Price

48h

The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	GG
433	544	587	693	487	693	745



SHARED PORT

NON-SHARED PORT

Option 1+2

Option 2

Option 1

360°

Ø 72 mm

2-7/8"

OFF

Option 2

Option 1

180°

Ø 72 mm

2-7/8"

OFF

Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi

- 2 outlets: 4 gpm - 60 psi

- Can replace 2 volume control valves

- Up to 2 accessories can be used at the same time

- Extra long cartridge for maximum adjustment, can be cut to required length

- Rough RVA-9562-00-B included

Ecological Options

CEC

Codes	Features
B45-9560-02-xx-NS	Non-shared port
T45-9560-02-xx + RVA-9562-00-NS-B	1 accessory works at a time

TRIM ONLY

T45-9560-02-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	157	268	311	417	211	417	469

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B	2-port diverter rough - 1/2" male NPT or welded copper connections	276
---------------	--	-----

140

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

B45-9560-03-xx

ROUGH & TRIM PACKAGE

SHARED PORT

NON-SHARED PORT

TRIM ONLY

T45-9560-03-xx

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9563-00-B

3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

CC	KK	LL	BB	NN/YY	VV/TT	GG
456	567	610	716	510	716	768

Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options **CEC**

Codes	Features
B45-9560-03-xx-NS	Non-shared port
T45-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time

B45-9649-00-xx

ROUGH & TRIM PACKAGE

TRIM ONLY

T45-9649-00-xx

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217

CC	KK	LL	BB	NN/YY	VV/TT	GG
374	485	528	634	428	634	686

Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included


Finishes:
CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

141

SENS B45

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0810-01-xx 8" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>278</td><td>372</td><td>408</td><td>392</td></tr></table>	CC	KK	LL	BB	278	372	408	392	TET-1010-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>403</td><td>564</td><td>725</td><td>806</td></tr></table>	CC	KK	LL	BB	403	564	725	806	BRA-1409-02-xx 15" L-shaped shower arm  <table><tr><td>CC</td><td>KK</td><td>BB</td><td>NN</td></tr><tr><td>230</td><td>445</td><td>504</td><td>359</td></tr></table>	CC	KK	BB	NN	230	445	504	359	BRA-1812-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>104</td><td>139</td><td>276</td><td>285</td></tr></table> BRA-1815-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>225</td><td>395</td><td>458</td><td>448</td></tr></table>	CC	KK	LL	BB	104	139	276	285	CC	KK	LL	BB	225	395	458	448	
CC	KK	LL	BB																																									
278	372	408	392																																									
CC	KK	LL	BB																																									
403	564	725	806																																									
CC	KK	BB	NN																																									
230	445	504	359																																									
CC	KK	LL	BB																																									
104	139	276	285																																									
CC	KK	LL	BB																																									
225	395	458	448																																									
TET-0813-01-xx 8" round shower head  <table><tr><td>CC</td></tr><tr><td>201</td></tr></table>	CC	201	TET-1013-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>NN</td></tr><tr><td>299</td><td>399</td><td>499</td><td>449</td></tr></table>	CC	KK	LL	NN	299	399	499	449	TET-1213-01-xx 12" round shower head  <table><tr><td>CC</td></tr><tr><td>396</td></tr></table>	CC	396	TET-1208-01-xx 12" x 8" rectangular shower head  <table><tr><td>CC</td><td>KK</td></tr><tr><td>322</td><td>418</td></tr></table>	CC	KK	322	418	TET-2012-01-xx 20" x 12" rectangular shower head  <table><tr><td>CC</td></tr><tr><td>673</td></tr></table>	CC	673																						
CC																																												
201																																												
CC	KK	LL	NN																																									
299	399	499	449																																									
CC																																												
396																																												
CC	KK																																											
322	418																																											
CC																																												
673																																												
DGL-2070-57-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>489</td><td>685</td><td>933</td><td>1024</td></tr></table>	CC	KK	LL	BB	489	685	933	1024	DGL-2580-53-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>342</td><td>489</td><td>617</td><td>918</td></tr></table>	CC	KK	LL	BB	342	489	617	918	DGL-3080-73-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>546</td><td>765</td><td>1050</td><td>1198</td></tr></table>	CC	KK	LL	BB	546	765	1050	1198	RAC-9001-16-xx 1/2"F wall-mount supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>99</td><td>129</td><td>138</td><td>140</td></tr></table> RAC-9201-02-xx 1/2"F wall-mount supply elbow with integrated volume control  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>144</td><td>245</td><td>259</td><td>287</td></tr></table>	CC	KK	LL	BB	99	129	138	140	CC	KK	LL	BB	144	245	259	287	
CC	KK	LL	BB																																									
489	685	933	1024																																									
CC	KK	LL	BB																																									
342	489	617	918																																									
CC	KK	LL	BB																																									
546	765	1050	1198																																									
CC	KK	LL	BB																																									
99	129	138	140																																									
CC	KK	LL	BB																																									
144	245	259	287																																									
BEC-0520-45-xx Sens tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>328</td><td>443</td><td>590</td><td>656</td></tr></table>	CC	KK	LL	BB	328	443	590	656	BEC-0520-73-xx 7" round tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>96</td><td>124</td><td>263</td><td>276</td></tr></table>	CC	KK	LL	BB	96	124	263	276	BEC-0520-74-xx 7" round tub spout with diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>113</td><td>147</td><td>296</td><td>286</td></tr></table>	CC	KK	LL	BB	113	147	296	286	BOD-5002-01-xx Cylindrical lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>144</td><td>259</td><td>283</td><td>287</td></tr></table>	CC	KK	LL	BB	144	259	283	287	BOD-5007-01-xx Round built-in lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>282</td><td>394</td><td>454</td><td>517</td></tr></table>	CC	KK	LL	BB	282	394	454	517
CC	KK	LL	BB																																									
328	443	590	656																																									
CC	KK	LL	BB																																									
96	124	263	276																																									
CC	KK	LL	BB																																									
113	147	296	286																																									
CC	KK	LL	BB																																									
144	259	283	287																																									
CC	KK	LL	BB																																									
282	394	454	517																																									

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

COMPLETE SHOWER KITS

PRO-1100-53-xx

Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1455	2037	2765	2910	2122	3201	3639

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option

Code	Features are the same, except:
PRO-1100-53-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

PRO-2105-45-xx

Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
800	1119	1438	1599	1291	1810	2060

Features

- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B45-9100-00-xx** Complete pressure balanced valve
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options

Codes	Features are the same, except:
PRO-2105-45-xx-175	- Max: 1.75 gpm - 80 psi (hand shower)
TRO-2105-45-xx-175 + RVA-9020-00-B	

TRIM ONLY

TRO-2105-45-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	536	855	1174	1335	1027	1546	1796

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B	Type P rough - 1/2" male NPT or welded copper connections	264
RVA-9020-PO-B	Type P rough - PEX connections	264

PRO-2805-45-xx

PRR-2805-45-xx*

Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1382	1932	2278	2720	2024	3081	3508

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B45-9180-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options

Codes	Features are the same, except:
PRO-2805-45-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time
TRO-2805-45-xx-NS + RVA-9181-00-NS-B	

TRIM ONLY

TRO-2805-45-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
TRR-2805-45-xx*	948	1498	1844	2286	1590	2647	3074

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B	2-way type P rough - 1/2" male NPT or welded copper connections	434
RVA-9181-PO-B	2-way type P rough - PEX connections	434

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

SENS B45

PRO-2815-45-xx PRR-2815-45-xx*



Complete pressure balanced shower kit Promo Price The Essentials

CC	KK
1394	1732

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B45-9180-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-1013-01-xx** 10" round shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options

Codes

PRO-2815-45-xx-NS
TRO-2815-45-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2815-45-xx
TRR-2815-45-xx*

CC	KK
960	1298

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

PRO-2915-45-xx PRR-2915-45-xx*



Complete pressure balanced shower kit

CC	KK
1390	1902

Features

- 3 accessories kit
- 5 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B45-9190-00-xx** Complete pressure balanced valve with 3-way diverter
- BEC-0520-73-xx** 7" round tub spout without diverter
- TET-1013-01-xx** 10" round shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options

Codes

PRO-2915-45-xx-NS
TRO-2915-45-xx-NS + RVA-9191-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-2915-45-xx
TRR-2915-45-xx*

CC	KK
946	1458

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B

3-way type P rough - 1/2" male NPT or welded copper connections

444

RVA-9191-PO-B

3-way type P rough - PEX connections

444

PRO-3302-45-xx PRR-3302-45-xx*



Complete thermostatic shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
2202	3033	3557	3746	2933	4305	4848

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

- B45-9453-00-xx** Complete 3/4" thermostatic valve
- B45-9560-02-xx** Complete 2-port diverter with off
- TET-1010-01-xx** 10" round shower head
- BRA-1812-02-xx** 18" shower arm
- DSP-2604-21-xx** Hand shower on wall-mounted supply elbow

Ecological Options

Codes

PRO-3302-45-xx-NS
TRO-3302-45-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3302-45-xx
TRR-3302-45-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1352	2183	2707	2896	2083	3455	3998

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

PRO-4150-45-xx

Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1300	1646	1846	2383	1807	2659	3130

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B45-9511-00-xx** Complete type TP shower valve with 1-way diverter
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4150-45-xx-175
TRO-4150-45-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4150-45-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
656	1002	1202	1739	1163	2015	2486

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644



PRO-4206-45-xx

PRR-4206-45-xx*

Complete thermostatic pressure balanced shower kit

48h Promo Price
The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	GG
1595	2116	2467	3006	2407	3357	3816

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B45-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4206-45-xx-NS
TRO-4206-45-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4206-45-xx

TRR-4206-45-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
976	1497	1848	2387	1788	2738	3197

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619



PRO-4216-45-xx

PRR-4216-45-xx*

Complete thermostatic pressure balanced shower kit

CC	KK
1470	2056

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B45-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1013-01-xx** 10" round shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4216-45-xx-NS
TRO-4216-45-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4216-45-xx

TRR-4216-45-xx*

CC	KK
851	1437

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

SENS B45

PRO-4297-45-xx PRR-4297-45-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1556	2123	2495	2790	2119	3247	3571

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B45-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1812-02-xx** 18" shower arm
- DSP-2574-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-4297-45-xx-NS
TRO-4297-45-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4297-45-xx TRR-4297-45-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
937	1504	1876	2171	1500	2628	2952

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4306-45-xx PRR-4306-45-xx*



Complete thermostatic pressure balanced shower kit

48h Promo Price
The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	GG
2042	2542	2899	3816	2835	4251	4931

Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B45-9531-00-xx** Complete TP shower control valve with 3-way diverter
- BEC-0520-45-xx** Sens tub spout without diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4306-45-xx-NS
TRO-4306-45-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4306-45-xx TRR-4306-45-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1398	1898	2255	3172	2191	3607	4287

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-B

3-way TP rough - PEX connections

644

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 281-294).

A46-1029-00-xx

PROFILE
Wall-mounted toilet paper holder



CC	KK	LL	BB	NN	YY	VV/TT
124	149	199	224	130	181	248

A46-1069-00-xx

PROFILE
Bathrobe holder



CC	KK	LL	BB	NN	YY	VV/TT
78	93	124	140	82	113	156

A46-6012-00-xx

PROFILE
12" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
193	232	309	348	203	282	387

A46-6018-00-xx

PROFILE
18" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
216	259	346	389	227	315	432

A46-6024-00-xx

PROFILE
24" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
238	285	380	428	249	347	475

A46-6030-00-xx

PROFILE
30" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
281	337	449	505	295	410	562

A85-9077-00-xx

Panier de coin



CC
200

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

PROFILE B46

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)




BARIL

PROFILE B46

B46-1010-1PL-xx

DRAIN INCLUDED



CC	KK	LL	BB	NN/YY	VV/TT	GG
524	717	843	1047	742	1054	1317

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B46-1010-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1010-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi


DRAIN NOT INCLUDED

B46-1010-00L-xx

Order your lavatory drain (pages 297-298)

CC	KK	LL	BB	NN/YY	VV/TT	GG
489	667	788	987	697	984	1227

B46-1020-00L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
626	845	1003	1198	883	1254	1568

High single-hole lavatory faucet, drain not included


- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B46-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B46-1030-1PL-xx

DRAIN INCLUDED



CC	KK	LL	BB	NN/YY	VV/TT	GG
587	781	892	1087	786	1116	1395

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Side handle
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B46-1030-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1030-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED


B46-1030-00L-xx

Order your lavatory drain (pages 297-298)

CC	KK	LL	BB	NN/YY	VV/TT	GG
552	731	837	1027	741	1046	1305

B46-1035-1PL-xx

DRAIN INCLUDED



CC	KK	LL	BB	NN/YY	VV/TT	GG
685	949	1083	1355	956	1355	1695

Medium single-hole lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- For semi-recessed sink with high rim
- Side handle
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B46-1035-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1035-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B46-1035-00L-xx


Order your lavatory drain (pages 297-298)

CC	KK	LL	BB	NN/YY	VV/TT	GG
650	899	1028	1295	911	1285	1605

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PROFILE B46

B46-1040-00L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
661	926	1058	1368	932	1323	1653


High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Side handle
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B46-1040-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1040-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B46-8009-00L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
834	1085	1390	1737	1182	1737	2172

8" c/c lavatory faucet, drain included


- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B46-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B46-8041-00L-xx

COMPLETE FAUCET



CC	KK	LL	BB	NN/YY	VV/TT	GG
860	1139	1316	1720	1161	1754	2150

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B46-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T46-8041-00L-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
428	707	884	1288	729	1322	1718

ROUGH Please order the following rough to complete the trim:

ROU-8041-00-B

Two handles wall-mounted lavatory rough - 1/2" female NPT

432




Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 151

PROFILE B46

B46-8100-04L-xx

COMPLETE FAUCET



CC	KK	LL	BB	NN/YY	VV/TT	GG
661	926	1059	1323	908	1323	1655

Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B46-8100-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-8100-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T46-8100-04L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
379	644	777	1041	626	1041	1373

ROUGH Please order the following rough to complete the trim:


ROU-8100-04-B

Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282

B46-1100-00-xx

COMPLETE FAUCET



Floor-mounted tub filler with hand shower

- Bath spout: 7.1 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Option

Code	Reduced Flow Rate
B46-1100-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

TRIM ONLY

T46-1100-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
2084	2964	3482	4284	3067	4284	6043


MOUNTING KIT Please order the following kit to complete the trim:

FIX-1100-00-B

Floor mounting kit for floor-mounted tub filler with hand shower

117

B46-1249-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
946	1324	1500	1892	1322	1892	2365

2-piece tub filler with hand shower

- Bath spout: 7.1 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Easy-to-clean anti-limestone hand shower


Ecological Option

Code	Reduced Flow Rate
B46-1249-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

PROFILE B46

B46-2001-00-xx

COMPLETE FAUCET CEC



CC	KK	LL	BB	NN/YY	VV/TT	GG
1721	2583	2734	3443	2339	3443	3788

Wall-mounted tub faucet with hand shower

- Bath spout: 6.6 gpm - 60 psi
- Robust and easy-to-use push-button diverter
- Push-button can be locked in the engaged position
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough

Ecological Option

Code	Reduced Flow Rate
B46-2001-00-xx-150	1.5 gpm (5,7 l/min) - 80 psi


TRIM ONLY

T46-2001-00-xx

Cartridge included with the trim

CC	KK	LL	BB	NN/YY	VV/TT	GG
1238	2100	2251	2960	1856	2960	3305

ROUGH Please order the following rough to complete the trim:




ROU-2000-99-B

Wall-mounted tub faucet rough (without cartridge) - 1/2" female NPT connections

483

B46-9100-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
464	665	764	884	614	884	984

Complete pressure balanced shower control valve


- 6 gpm - 60 psi
- Volume control valve
- Rough valve RVA-9020-00-B included

TRIM ONLY

T46-9139-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
200	401	500	620	350	620	720

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:



RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections

264



RVA-9020-P0-B

Type P rough - PEX connections

264

B46-9180-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
748	939	1107	1333	982	1433	1503

Complete pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Rough valve RVA-9181-00-B included

Ecological Options CEC


Codes	Features
B46-9180-00-xx-NS	Non-shared port
T46-9180-00-xx + RVA-9181-00-NS-B	1 accessory works at a time
T46-9180-00-xx + RVA-9181-P0-NS-B	

TRIM ONLY

T46-9180-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
314	505	673	899	548	999	1069

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:



RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-P0-B

2-way type P rough - PEX connections

434


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 153

PROFILE B46

B46-9404-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
866	1115	1239	1389	1053	1389	1513

Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included

TRIM ONLY

T46-9404-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
248	497	621	771	435	771	895

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3404-00-B


Type T rough - 3/4" female NPT connections

618



B46-9453-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
925	1101	1277	1277	1066	1558	1628

Complete 3/4" thermostatic valve

- 9 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-3453-00-B included

TRIM ONLY

T46-9453-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
351	527	703	703	492	984	1054

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3453-00-B


Type T rough - 3/4" female NPT connections

574



B46-9511-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
994	1239	1344	1693	1223	1727	1797

Complete thermostatic pressure balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9511-00-B included

TRIM ONLY

T46-9511-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
350	595	700	1049	579	1083	1153

ROUGH VALVES Please order one of the following rough valves to complete the trim:

RVA-9511-00-B


1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644




PROFILE B46

B46-9521-00-xx


ROUGH & TRIM PACKAGE



SHARED PORT



NON-SHARED PORT



CC	KK	LL	BB	NN/YY	VV/TT	GG
969	1214	1319	1668	1198	1702	1772

Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Ecological Options CEC

Codes	Features
B46-9521-00-xx-NS	Non-shared port 1 accessory works at a time
T46-9521-00-xx + RVA-9521-00-NS-B	
T46-9521-00-xx + RVA-9521-PO-NS-B	


TRIM ONLY

T46-9521-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
350	595	700	1049	579	1083	1153

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B	2-way TP rough - 1/2" male NPT or welded copper connections	619
RVA-9521-PO-B	2-way TP rough - PEX connections	619




B46-9531-00-xx


ROUGH & TRIM PACKAGE



SHARED PORT



NON-SHARED PORT



CC	KK	LL	BB	NN/YY	VV/TT	GG
994	1239	1344	1693	1223	1727	1797

Complete thermostatic pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9531-00-B included

Ecological Options CEC

Codes	Features
B46-9531-00-xx-NS	Non-shared port 1 accessory works at a time
T46-9531-00-xx + RVA-9531-00-NS-B	
T46-9531-00-xx + RVA-9531-PO-NS-B	


TRIM ONLY

T46-9531-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
350	595	700	1049	579	1083	1153

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B	3-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9531-PO-B	3-way TP rough - PEX connections	644



Finishes:



CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 155

PROFILE B46

B46-9560-02-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
449	560	603	709	503	709	761



Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9562-00-B included

Ecological Options CEC

Codes	Features
B46-9560-02-xx-NS	Non-shared port
T46-9560-02-xx + RVA-9562-00-NS-B	1 accessory works at a time

TRIM ONLY

T46-9560-02-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
173	284	327	433	227	433	485

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections



276



B46-9560-03-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
472	583	626	732	526	732	784



Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options CEC

Codes	Features
B46-9560-03-xx-NS	Non-shared port
T46-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time

TRIM ONLY

T46-9560-03-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
173	284	327	433	227	433	485

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9563-00-B

3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT


299



B46-9649-00-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
390	501	544	650	444	650	702



Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

TRIM ONLY

T46-9649-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
173	284	327	433	227	433	485

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections


217



PROFILE B46

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0810-01-xx 8" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>278</td><td>372</td><td>408</td><td>392</td></tr></table>	CC	KK	LL	BB	278	372	408	392	TET-1010-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>403</td><td>564</td><td>725</td><td>806</td></tr></table>	CC	KK	LL	BB	403	564	725	806	BRA-1409-02-xx 15" L-shaped shower arm  <table><tr><td>CC</td><td>KK</td><td>BB</td><td>NN</td></tr><tr><td>230</td><td>445</td><td>504</td><td>359</td></tr></table>	CC	KK	BB	NN	230	445	504	359	BRA-1612-66-xx 16" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>116</td><td>175</td><td>328</td><td>262</td></tr></table>	CC	KK	LL	BB	116	175	328	262	BRA-1815-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>225</td><td>395</td><td>458</td><td>448</td></tr></table>	CC	KK	LL	BB	225	395	458	448
CC	KK	LL	BB																																									
278	372	408	392																																									
CC	KK	LL	BB																																									
403	564	725	806																																									
CC	KK	BB	NN																																									
230	445	504	359																																									
CC	KK	LL	BB																																									
116	175	328	262																																									
CC	KK	LL	BB																																									
225	395	458	448																																									
TET-0813-01-xx 8" round shower head  <table><tr><td>CC</td></tr><tr><td>201</td></tr></table>	CC	201	TET-1013-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>NN</td></tr><tr><td>299</td><td>399</td><td>499</td><td>449</td></tr></table>	CC	KK	LL	NN	299	399	499	449	TET-1213-01-xx 12" round shower head  <table><tr><td>CC</td></tr><tr><td>396</td></tr></table>	CC	396	TET-1208-01-xx 12" x 8" rectangular shower head  <table><tr><td>CC</td><td>KK</td></tr><tr><td>322</td><td>418</td></tr></table>	CC	KK	322	418	TET-2012-01-xx 20" x 12" rectangular shower head  <table><tr><td>CC</td></tr><tr><td>673</td></tr></table>	CC	673																						
CC																																												
201																																												
CC	KK	LL	NN																																									
299	399	499	449																																									
CC																																												
396																																												
CC	KK																																											
322	418																																											
CC																																												
673																																												
DGL-2070-57-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>489</td><td>685</td><td>933</td><td>1024</td></tr></table>	CC	KK	LL	BB	489	685	933	1024	DGL-2580-53-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>342</td><td>489</td><td>617</td><td>918</td></tr></table>	CC	KK	LL	BB	342	489	617	918	DGL-3080-73-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>546</td><td>765</td><td>1050</td><td>1198</td></tr></table>	CC	KK	LL	BB	546	765	1050	1198	RAC-0618-02-xx 6" ceiling mount shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>49</td><td>126</td><td>143</td><td>122</td></tr></table>	CC	KK	LL	BB	49	126	143	122	RAC-9001-16-xx 1/2"F wall-mount supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>99</td><td>129</td><td>138</td><td>140</td></tr></table>	CC	KK	LL	BB	99	129	138	140
CC	KK	LL	BB																																									
489	685	933	1024																																									
CC	KK	LL	BB																																									
342	489	617	918																																									
CC	KK	LL	BB																																									
546	765	1050	1198																																									
CC	KK	LL	BB																																									
49	126	143	122																																									
CC	KK	LL	BB																																									
99	129	138	140																																									
BEC-0520-45-xx Sens tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>328</td><td>443</td><td>590</td><td>656</td></tr></table>	CC	KK	LL	BB	328	443	590	656	BEC-0520-73-xx 7" round tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>96</td><td>124</td><td>263</td><td>276</td></tr></table>	CC	KK	LL	BB	96	124	263	276	BEC-0520-74-xx 7" round tub spout with diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>113</td><td>147</td><td>296</td><td>286</td></tr></table>	CC	KK	LL	BB	113	147	296	286	BOD-5002-01-xx Cylindrical lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>144</td><td>259</td><td>283</td><td>287</td></tr></table>	CC	KK	LL	BB	144	259	283	287	BOD-5007-01-xx Round built-in lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>282</td><td>394</td><td>454</td><td>517</td></tr></table>	CC	KK	LL	BB	282	394	454	517
CC	KK	LL	BB																																									
328	443	590	656																																									
CC	KK	LL	BB																																									
96	124	263	276																																									
CC	KK	LL	BB																																									
113	147	296	286																																									
CC	KK	LL	BB																																									
144	259	283	287																																									
CC	KK	LL	BB																																									
282	394	454	517																																									

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

COMPLETE SHOWER KITS

PRO-1100-53-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1455	2037	2765	2910	2122	3201	3639

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code

PRO-1100-53-xx-NS

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

PRO-2815-46-xx

PRR-2815-46-xx*



Complete pressure balanced shower kit

CC	KK
1382	1932

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B46-9180-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-1013-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2815-46-xx-NS

TRO-2815-46-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2815-46-xx

TRR-2815-46-xx*

CC	KK
948	1498

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

PRO-2896-46-xx

PRR-2896-46-xx*



Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1395	1890	2309	2487	1966	3044	3415

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

- B46-9180-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2604-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-2896-46-xx-NS

TRO-2896-46-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2896-46-xx

TRR-2896-46-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
961	1456	1875	2053	1532	2610	2981

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

PROFILE B46

PRO-3950-46-xx PRR-3950-46-xx*



Complete thermostatic shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
3860	5356	6273	7156	5179	7431	8598

Features

- 3 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 6 gpm for 3 body jets
- 3-spray hand shower
- 59" PVC hose in CC and KK finishes or brass for other finishes
- 3 accessories can work together

Includes

- B46-9404-00-xx** Complete 3/4" thermostatic valve
- B46-9649-00-xx** Complete 3/4" shut-off valve (3)
- TET-1010-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-3080-73-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow
- BOD-5007-01-xx** Round built-in lateral body jet (3)

TRIM ONLY

TRO-3950-46-xx TRR-3950-46-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
2591	4087	5004	5887	3910	6162	7329

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

1x RVA-3404-00-B	Type T rough - 3/4" female NPT connections	618
3x RVA-2719-34-B	Volume control valve rough - 3/4" female NPT connections	217

PRO-4150-46-xx



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1321	1683	1891	2451	1845	2729	3205

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B46-9511-00-xx** Complete type TP shower valve with 1-way diverter
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options **CEC**

Codes

PRO-4150-46-xx-175
TRO-4150-46-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4150-46-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
677	1039	1247	1807	1201	2085	2561

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B	1-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9511-PO-B	1-way TP rough - PEX connections	644

PRO-4206-46-xx PRR-4206-46-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1838	2572	3046	3494	2632	4020	4617

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 59" PVC hose in CC and KK finishes or brass for other finishes
- 2 accessories can work together

Includes

- B46-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-3080-73-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options **CEC**

Codes

PRO-4206-46-xx-NS
TRO-4206-46-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4206-46-xx TRR-4206-46-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1219	1953	2427	2875	2013	3401	3998

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B	2-way TP rough - 1/2" male NPT or welded copper connections	619
RVA-9521-PO-B	2-way TP rough - PEX connections	619

PROFILE B46

PRO-4216-46-xx PRR-4216-46-xx*



Complete thermostatic pressure balanced shower kit

CC
1643

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B46-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1213-01-xx** 12" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4216-46-xx-NS
TRO-4216-46-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4216-46-xx
TRR-4216-46-xx*

CC
1024

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4226-46-xx PRR-4226-46-xx*



Complete thermostatic pressure balanced shower kit

CC KK BB NN/YY
2065 2797 3934 2865

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 59" PVC hose in CC and KK finishes or brass for other finishes
- 2 accessories can work together

Includes

- B46-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1010-01-xx** 10" round shower head
- BRA-1409-02-xx** 15" L-shaped shower arm
- DGL-3080-73-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4226-46-xx-NS
TRO-4226-46-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4226-46-xx
TRR-4226-46-xx*

CC KK BB NN/YY
1446 2178 3315 2246

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4296-46-xx PRR-4296-46-xx*



Complete thermostatic pressure balanced shower kit

CC KK LL BB NN/YY VV/TT GG
1760 2357 2838 3236 2396 3556 3996

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

- B46-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1010-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2604-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-4296-46-xx-NS
TRO-4296-46-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4296-46-xx
TRR-4296-46-xx*

CC KK LL BB NN/YY VV/TT GG
1141 1738 2219 2617 1777 2937 3377

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

PROFILE B46

PRO-4306-46-xx
PRR-4306-46-xx*

**Complete thermostatic
pressure balanced shower kit**

CC	KK	LL	BB	NN/YY	VV/TT	GG
2180	3020	3669	4232	3163	4745	5392



Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 59" PVC hose in CC and KK finishes or brass for other finishes
- 2 accessories can work together

Includes

B46-9531-00-xx	Complete TP shower control valve with 3-way diverter
BEC-0520-46-xx	Profile tub spout without diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DGL-3080-73-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Ecological Options **CEC**

Codes	Features are the same, except:
PRO-4306-46-xx-NS	- Max: 1.75 gpm - 80 psi (shower accessories)
TRO-4306-46-xx-NS + RVA-9531-00-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-4306-46-xx TRR-4306-46-xx*	CC	KK	LL	BB	NN/YY	VV/TT	GG
	1536	2376	3025	3588	2519	4101	4748

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B	3-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9531-P0-B	3-way TP rough - PEX connections	644

PROFILE B46

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 281-294).

A46-1029-00-xx

PROFILE
Wall-mounted toilet paper holder



CC	KK	LL	BB	NN	YY	VV/TT
124	149	199	224	130	181	248

A46-1069-00-xx

PROFILE
Bathrobe holder



CC	KK	LL	BB	NN	YY	VV/TT
78	93	124	140	82	113	156

A46-6012-00-xx

PROFILE
12" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
193	232	309	348	203	282	387

A46-6018-00-xx

PROFILE
18" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
216	259	346	389	227	315	432

A46-6024-00-xx

PROFILE
24" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
238	285	380	428	249	347	475

A46-6030-00-xx

PROFILE
30" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
281	337	449	505	295	410	562

A85-3179-00-xx

Shower squeegee



CC
117

A85-9077-00-xx

Corner basket



CC
200

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

FLORA B47

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



reddot winner 2022



2022

Gold
GRANDS PRIX
DU DESIGN



BARIL

FLORA B47

LEGEND

xx: Finish

The first x is the main finish of the faucet, including the handle cover and the spout — chrome in this example.

The second x is the color accent — smokey grey in this example.

The finish of this example is therefore CF: smokey chrome.

Order

The first letter designates the main finish. The x designates the color accent.

Prices vary depending on the main finish only.

B47-1349-00-xx

CEC



Main Finish

Complete list at the bottom of the page.

C= Chrome
K= Matte Black
L= Satin Brass
B= White
N= Brushed Nickel
Y= Polished Nickel
V= Satin Copper
T= Venetian Bronze
G= Gold

Color Accent

Complete list at the bottom of the page.

A= Matte Silver
B= White
C= Chrome
F= Smokey
N= Brushed nickel
K= Matte Black
Q= Marble
L= Satin Brass
T= Venetian Bronze
V= Satin Copper
Y= Polished Nickel
G= Gold
W= Wood

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
1271	1906	2141	2034	1715	2288	2542


3-piece tub filler with hand shower

- Bath spout: 7.4 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Easy-to-clean anti-limestone hand shower

B47-1080-1PL-xx

DRAIN INCLUDED

CEC



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
867	1302	1475	1390	1182	1563	1737

Single handle 2-piece lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Remote mixer controls temperature and flow
- Adjustable widespread installation: 4" to 12" c/c
- Spout flange included is optional
- Push-button drain with overflow included

Ecological Options



Codes	Reduced Flow Rates
B47-1080-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B47-1080-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

FLORA B47

B47-8009-00L-xx

CEC



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
1093	1639	1858	1749	1487	1967	2186

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Spout flange included is optional
- Push-button drain with overflow included


Ecological Options

Codes	Reduced Flow Rates
B47-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B47-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B47-8041-00L-xx

COMPLETE FAUCET

CEC



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
1145	1715	1927	1830	1543	2059	2287

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B47-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B47-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T47-8041-00L-xx

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
713	1283	1495	1398	1111	1627	1855

ROUGH Please order the following rough to complete the trim:

ROU-8041-00-B


Two handles wall-mounted lavatory rough - 1/2" female NPT

432

B47-8100-00L-xx

COMPLETE FAUCET

CEC



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
794	1190	1349	1270	1088	1429	1588

Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B47-8100-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B47-8100-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T47-8100-00L-xx

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
512	908	1067	988	806	1147	1306

ROUGH Please order the following rough to complete the trim:

ROU-8147-04-B

Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282

MAIN FINISHES (faucet body, flanges and handle covers):

C= chrome, N= brushed nickel, K= matte black, L= satin brass, B = white, Y= polished nickel T= venetian bronze, V= satin copper, G= gold

SECONDARY FINISHES (color accent):


A= matte silver, B= white, C= chrome, F= smokey, G= gold, N= brushed nickel, K= matte black, Q= marble, W= wood, L= satin brass, T= venetian bronze, V= satin copper, Y= polished nickel

The products in this section are shown in smokey chrome (CF).

FLORA B47

B47-1100-00-xx

COMPLETE FAUCET CEC



TRIM ONLY

T47-1100-00-xx

MOUNTING KIT Please order the following kit to complete the trim:

FIX-1100-00-B

Floor mounting kit for floor-mounted tub filler with hand shower

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
3013	4521	5076	4820	4068	5423	6026

Floor-mounted tub filler with hand shower

- Bath spout: 7.1 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
B47-1100-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi


Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
2896	4404	4959	4703	3951	5306	5909



117

B47-1349-00-xx

CEC



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
1271	1906	2141	2034	1715	2288	2542

3-piece tub filler with hand shower


- Bath spout: 7.4 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Easy-to-clean anti-limestone hand shower

Ecological Options

Codes	Reduced Flow Rates
B47-1349-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

B47-9453-00-xx

ROUGH & TRIM PACKAGE



TRIM ONLY

T47-9453-00-xx

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
1063	1332	1633	1633	1262	1834	2036

Complete 3/4" thermostatic valve

- 9 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Extra large Ø 3-1/2" round wall flange available; order ROS-9453-47-xx
- Rough valve RVA-3453-00-B included

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
489	758	1059	1059	688	1260	1462

574





FLORA B47

B47-9560-02-xx

ROUGH & TRIM PACKAGE

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
566	743	919	919	701	1038	1155



Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Extra large Ø 3-1/2" round wall flange available; order ROS-9453-47-xx
- Rough RVA-9562-00-B included

Ecological Options CEC

Codes	Features
B47-9560-02-xx-NS	Non-shared port
T47-9560-02-xx + RVA-9562-00-NS-B	1 accessory works at a time

TRIM ONLY

T47-9560-02-xx

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
290	467	643	643	425	762	879

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections



276



B47-9560-03-xx

ROUGH & TRIM PACKAGE

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
589	766	942	942	724	1061	1178



Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Extra large Ø 3-1/2" round wall flange available; order ROS-9453-47-xx
- Rough RVA-9563-00-B included

Ecological Options CEC

Codes	Features
B47-9560-03-xx-NS	Non-shared port
T47-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time

TRIM ONLY

T47-9560-03-xx

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
290	467	643	643	425	762	879

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9563-00-B

3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299



FLORA B47

MAIN FINISHES (faucet body, flanges and handle covers):

C= chrome, N= brushed nickel, K= matte black, L= satin brass, B= white, Y= polished nickel T= venetian bronze, V= satin copper, G= gold

SECONDARY FINISHES (color accent):

A= matte silver, B= white, C= chrome, F= smokey, G= gold, N= brushed nickel, K= matte black, Q= marble, W= wood, L= satin brass, T= venetian bronze, V= satin copper, Y= polished nickel


The products in this section are shown in smokey chrome (CF).

FLORA B47

B47-9649-00-xx

ROUGH & TRIM PACKAGE

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
507	684	860	860	642	979	1096



Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Extra large Ø 3-1/2" round wall flange available; order ROS-9453-47-xx
- Rough valve RVA-2719-34-B included

TRIM ONLY

T47-9649-00-xx

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
290	467	643	643	425	762	879



ROUGH VALVE Please order the following rough valve to complete the trim:


RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217

ROS-9453-47-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
42	69	98	76	53	108	129



Extra large round wall flange Ø 3-1/2"


- 3-1/2" outer diameter flange
- Extra large diameter to cover gaps, holes and damage on wall

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

FLORA B47

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-1010-47-xx 10" Flora round shower head  <table><tr><td>Cx</td><td>Kx</td><td>Lx</td><td>Bx</td></tr><tr><td>799</td><td>1334</td><td>1439</td><td>1598</td></tr></table>	Cx	Kx	Lx	Bx	799	1334	1439	1598	TET-1010-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>403</td><td>564</td><td>725</td><td>806</td></tr></table>	CC	KK	LL	BB	403	564	725	806	BRA-1608-00-xx 17" L-shaped shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>342</td><td>565</td><td>596</td><td>619</td></tr></table>	CC	KK	LL	BB	342	565	596	619	BRA-1812-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>104</td><td>139</td><td>276</td><td>285</td></tr></table> BRA-1815-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>225</td><td>395</td><td>458</td><td>448</td></tr></table>	CC	KK	LL	BB	104	139	276	285	CC	KK	LL	BB	225	395	458	448									
Cx	Kx	Lx	Bx																																																	
799	1334	1439	1598																																																	
CC	KK	LL	BB																																																	
403	564	725	806																																																	
CC	KK	LL	BB																																																	
342	565	596	619																																																	
CC	KK	LL	BB																																																	
104	139	276	285																																																	
CC	KK	LL	BB																																																	
225	395	458	448																																																	
TET-0813-01-xx 8" round shower head  <table><tr><td>CC</td></tr><tr><td>201</td></tr></table>	CC	201	TET-1013-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>NN</td></tr><tr><td>299</td><td>399</td><td>499</td><td>449</td></tr></table>	CC	KK	LL	NN	299	399	499	449	TET-1213-01-xx 12" round shower head  <table><tr><td>CC</td></tr><tr><td>396</td></tr></table>	CC	396	TET-1208-01-xx 12" x 8" rectangular shower head  <table><tr><td>CC</td><td>KK</td></tr><tr><td>322</td><td>418</td></tr></table>	CC	KK	322	418	TET-2012-01-xx 20" x 12" rectangular shower head  <table><tr><td>CC</td></tr><tr><td>673</td></tr></table>	CC	673																														
CC																																																				
201																																																				
CC	KK	LL	NN																																																	
299	399	499	449																																																	
CC																																																				
396																																																				
CC	KK																																																			
322	418																																																			
CC																																																				
673																																																				
DGL-2070-53-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>455</td><td>636</td><td>864</td><td>989</td></tr></table>	CC	KK	LL	BB	455	636	864	989	DGL-2580-53-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>342</td><td>489</td><td>617</td><td>918</td></tr></table>	CC	KK	LL	BB	342	489	617	918	DGL-3080-73-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>546</td><td>765</td><td>1050</td><td>1198</td></tr></table>	CC	KK	LL	BB	546	765	1050	1198	DSP-2604-21-xx Hand shower on wall-mounted supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>517</td><td>705</td><td>836</td><td>859</td></tr></table>	CC	KK	LL	BB	517	705	836	859	RAC-9001-16-xx 1/2" wall-mount supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>99</td><td>129</td><td>138</td><td>140</td></tr></table> RAC-9201-02-xx 1/2" wall-mount supply elbow with integrated volume control  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>144</td><td>245</td><td>259</td><td>287</td></tr></table>	CC	KK	LL	BB	99	129	138	140	CC	KK	LL	BB	144	245	259	287
CC	KK	LL	BB																																																	
455	636	864	989																																																	
CC	KK	LL	BB																																																	
342	489	617	918																																																	
CC	KK	LL	BB																																																	
546	765	1050	1198																																																	
CC	KK	LL	BB																																																	
517	705	836	859																																																	
CC	KK	LL	BB																																																	
99	129	138	140																																																	
CC	KK	LL	BB																																																	
144	245	259	287																																																	
BEC-0520-37-xx Round modern tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>124</td><td>164</td><td>206</td><td>226</td></tr></table>	CC	KK	LL	BB	124	164	206	226	BEC-0520-73-xx 7" round tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>96</td><td>124</td><td>263</td><td>276</td></tr></table>	CC	KK	LL	BB	96	124	263	276	BOD-5007-01-xx Round built-in lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>282</td><td>394</td><td>454</td><td>517</td></tr></table>	CC	KK	LL	BB	282	394	454	517	RAC-9001-21-xx Wall-mount handshower holder and supply elbow  <table><tr><td>Cx</td><td>Kx</td><td>Lx</td><td>Bx</td></tr><tr><td>334</td><td>449</td><td>527</td><td>515</td></tr></table>	Cx	Kx	Lx	Bx	334	449	527	515																	
CC	KK	LL	BB																																																	
124	164	206	226																																																	
CC	KK	LL	BB																																																	
96	124	263	276																																																	
CC	KK	LL	BB																																																	
282	394	454	517																																																	
Cx	Kx	Lx	Bx																																																	
334	449	527	515																																																	

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

COMPLETE SHOWER KITS

PRO-3302-47-xx PRR-3302-47-xx*



Complete thermostatic shower kit

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
2869	4240	5014	5131	3851	5358	6546

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Double hook as part of the thermostatic valve trim

Includes

- B47-9453-00-xx** Complete 3/4" thermostatic valve
- B47-9560-02-xx** Complete 2-port diverter with off
- TET-1010-47-xx** 10" Flora round shower head
- BRA-1608-00-xx** 17" L-shaped shower arm
- DSP-2604-21-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-3302-47-xx-NS
TRO-3302-47-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3302-47-xx TRR-3302-47-xx*

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
2019	3390	4164	4281	3001	4508	5696

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections


574

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

PRO-3303-47-xx PRR-3303-47-xx*



Complete thermostatic shower kit

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
2971	4427	5199	5380	4055	5920	6959

Features

- 3 accessories kit
- 9.7 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 1-spray hand shower
- 2 accessories can work together
- Double hook as part of the thermostatic valve trim

Includes

- B47-9453-00-xx** Complete 3/4" thermostatic valve
- B47-9560-03-xx** Complete 3-port diverter with off
- BEC-0520-37-xx** Modern round tub spout without diverter
- TET-1010-47-xx** 10" Flora round shower head
- BRA-1608-00-xx** 17" L-shaped shower arm
- DSP-2604-21-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-3303-47-xx-NS
TRO-3303-47-xx-NS + RVA-3453-00-B +
RVA-9563-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-3303-47-xx TRR-3303-47-xx*

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
2098	3554	4326	4507	3182	5047	6086

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574

RVA-9563-00-B

3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

MAIN FINISHES (faucet body, flanges and handle covers):

C= chrome, N= brushed nickel, K= matte black, L= satin brass, B = white, Y= polished nickel T= venetian bronze, V= satin copper, G= gold

SECONDARY FINISHES (color accent):

A= matte silver, B= white, C= chrome, F= smokey, G= gold, N= brushed nickel, K= matte black, Q= marble, W= wood, L= satin brass, T= venetian bronze, V= satin copper, Y= polished nickel

The products in this section are shown in smokey chrome (CF).

* With 6" ceiling mount shower arm

FLORA B47

PRO-3304-47-xx



Complete thermostatic kit

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
2227	2881	3512	3553	2796	4085	4640

Features

- 2 accessories kit
- 9.7 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (hand shower)
- 1-spray hand shower
- 2 accessories can work together
- Double hook as part of the thermostatic valve trim

Includes

- B47-9453-00-xx** Complete 3/4" thermostatic valve
- B47-9560-02-xx** Complete 2-port diverter with off
- BEC-0520-37-xx** Modern round tub spout without diverter
- DSP-2604-21-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-3304-47-xx-NS
TRO-3304-47-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)
- 1 accessory works at a time

TRIM ONLY

TRO-3304-47-xx

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
1377	2031	2662	2703	1946	3235	3790

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

PRO-3352-47-xx

PRR-3352-47-xx*



Complete thermostatic shower kit

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
2878	4254	5125	5352	3991	5438	6721

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together
- Double hook as part of the thermostatic valve trim

Includes

- B47-9453-00-xx** Complete 3/4" thermostatic valve
- B47-9560-02-xx** Complete 2-port diverter with off
- TET-1010-47-xx** 10" Flora round shower head
- BRA-1608-00-xx** 17" L-shaped shower arm
- DGL-2070-53-xx** 3-spray sliding shower bar
- RAC-9001-13-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-3352-47-xx-NS
TRO-3352-47-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3352-47-xx

TRR-3352-47-xx*

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
2028	3404	4275	4502	3141	4588	5871

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 281-294).

A46-1029-00-xx

PROFILE

Wall-mounted toilet paper holder



CC/CF	KK	LL	BB	NN	YY	VV/TT
124	149	199	224	130	181	248

A47-1069-00-xx

FLORA

Bathrobe holder



Cx	Kx	Lx	Bx	Nx	Yx	Vx/Tx
184	220	294	330	193	214	312

A46-6012-00-xx

PROFILE

12" single towel bar



CC/CF	KK	LL	BB	NN	YY	VV/TT
193	232	309	348	203	282	387

A46-6018-00-xx

PROFILE

18" single towel bar



CC/CF	KK	LL	BB	NN	YY	VV/TT
216	259	346	389	227	315	432

A46-6024-00-xx

PROFILE

24" single towel bar



CC/CF	KK	LL	BB	NN	YY	VV/TT
238	285	380	428	249	347	475

A46-6030-00-xx

PROFILE

30" single towel bar



CC/CF	KK	LL	BB	NN	YY	VV/TT
281	337	449	505	295	410	562

MAIN FINISHES (faucet body, flanges and handle covers):

C= chrome, N= brushed nickel, K= matte black, L= satin brass, B= white, Y= polished nickel T= venetian bronze, V= satin copper, G= gold

SECONDARY FINISHES (color accent):

A= matte silver, B= white, C= chrome, F= smokey, G= gold, N= brushed nickel, K= matte black, Q= marble, W= wood, L= satin brass, T= venetian bronze, V= satin copper, Y= polished nickel

The products in this section are shown in smokey chrome (CF).

MA B51

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



BARIL

MA B51

B51-1010-1PL-xx


DRAIN INCLUDED



CC	CF
707	799



GRANDS PRIX DU DESIGN



156mm 6-1/8"
101mm 4"
125mm 4-7/8"
145mm 5-3/4"
51mm Ø 2"

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Progressive cartridge
- Push-button drain with overflow included

DRAIN NOT INCLUDED

B51-1010-00L-xx

Order your lavatory drain (pages 297-298)

CC	CF
672	764


B51-8009-00L-xx



CC	CF
967	1052



GRANDS PRIX DU DESIGN



157 mm 6-1/8"
141 mm 5-1/2"
101 mm 4"
125 mm 4-7/8"

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Push-button drain with overflow included


B51-8100-00L-xx



CC	CF
569	626



GRANDS PRIX DU DESIGN



90 mm 3-1/2"
220 mm 8-5/8"
54 mm Ø 2-1/8"

Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Progressive cartridge
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B51-8100-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B51-8100-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


B51-1469-00-xx



CC	CF
1294	1376



GRANDS PRIX DU DESIGN



231mm 9-1/8"
262mm 10-1/4"
130mm 5-1/8"
181mm 7-1/8"
84mm 3-1/4"
56 mm Ø 2-1/4"

4-piece tub filler with hand shower

- Bath spout: 8.2 gpm - 60 psi
- Hand shower: max : 1.75 gpm - 80 psi
- Non-conductive brass hand shower
- Hand shower - 2 choices of installation



Ecological Options

Codes	Reduced Flow Rates
B51-1469-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

B51-9521-00-xx

ROUGH & TRIM PACKAGE

CC	CF
1108	1154



Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Ecological Options CEC

Codes	Features
B51-9521-00-xx-NS	Non-shared port 1 accessory works at a time
T51-9521-00-xx + RVA-9521-00-NS-B	
T51-9521-00-xx + RVA-9521-PO-NS-B	

TRIM ONLY

T51-9521-00-xx

CC	CF
489	535


ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B 2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B 2-way TP rough - PEX connections



619



B51-9531-00-xx

ROUGH & TRIM PACKAGE

CC	CF
1133	1179



Complete thermostatic pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9531-00-B included

Ecological Options CEC

Codes	Features
B51-9531-00-xx-NS	Non-shared port 1 accessory works at a time
T51-9531-00-xx + RVA-9531-00-NS-B	
T51-9531-00-xx + RVA-9531-PO-NS-B	

TRIM ONLY

T51-9531-00-xx

CC	CF
489	535


ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B 3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-B 3-way TP rough - PEX connections

644



Finishes:


CC = chrome, CF = smokey chrome

The products in this section are shown in smokey chrome.

MA B51

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0810-01-xx 8" round shower head  CC 278	TET-0811-02-xx 8" round shower head  CC 314	BRA-1612-44-xx 16" shower arm  CC 130
		BRA-1612-66-xx 16" shower arm  CC 116
TET-1213-01-xx 12" round shower head  CC 396	TET-2012-01-xx 20" x 12" rectangular shower head  CC 673	BRA-1812-02-xx 18" shower arm  CC 104
		RAC-0618-02-xx 6" ceiling mount shower arm  CC 49
DGL-2070-51-xx 1-spray sliding shower bar  CC 529	DGL-2070-57-xx 3-spray sliding shower bar  CC 489	DSP-2604-19-xx Hand shower on wall-mounted supply elbow  CC 339
		DSP-2604-21-xx Hand shower on wall-mounted supply elbow  CC 517
		RAC-9001-16-xx 1/2"F wall-mount supply elbow  CC 99

COMPLETE SHOWER KITS

PRO-4216-51-xx PRR-4216-51-xx*

Complete thermostatic pressure balanced shower kit

CC	CF
2229	2279

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

B51-9521-00-xx	Complete type TP shower valve with 2-way diverter
TET-1011-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DGL-2070-57-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4216-51-xx-NS
TRO-4216-51-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4216-51-xx TRR-4216-51-xx*

CC	CF
1610	1660

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4291-51-xx PRR-4291-51-xx*

Complete thermostatic pressure balanced shower kit

CC	CF
2103	2160

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

B51-9521-00-xx	Complete type TP shower valve with 2-way diverter
TET-1011-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DSP-2604-21-xx	Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-4291-51-xx-NS
TRO-4291-51-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4291-51-xx TRR-4291-51-xx*

CC	CF
1484	1541

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

Finishes:

CC = chrome, CF = smokey chrome

The products in this section are shown in smokey chrome.

* With 6" ceiling mount shower arm

MA B51

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 281-294).

A46-1029-00-xx

PROFILE

Wall-mounted toilet paper holder



CC	CF
124	124

A46-1069-00-xx

PROFILE

Bathrobe holder



CC	CF
78	78

A46-6012-00-xx

PROFILE

12" single towel bar



CC	CF
193	193

A46-6018-00-xx

PROFILE

18" single towel bar



CC	CF
216	216

A46-6024-00-xx

PROFILE

24" single towel bar



CC	CF
238	238

A46-6030-00-xx

PROFILE

30" single towel bar



CC	CF
281	281

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

ACCENT B56

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)




BARIL

ACCENT B56

B56-1010-1PL-xx



CC	CB	CF
626	714	714



Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B56-1010-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B56-1010-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B56-1010-00L-xx


Order your lavatory drain (pages 297-298)

CC	CB	CF
591	679	679

B56-8009-00L-xx



CC	CB	CF
972	1052	1052



8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B56-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B56-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


B56-8009-00L-xx

CC	CB	CF
972	1052	1052

B56-1100-00-xx

COMPLETE FAUCET 

CC	CB	CF
2729	2961	2961



Floor-mounted tub filler with hand shower

- Bath spout: 7.9 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

Ecological Option

Code	Reduced Flow Rate
B56-1100-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

B56-1100-00-xx

CC	CB	CF
2729	2961	2961

TRIM ONLY

T56-1100-00-xx



CC	CB	CF
2612	2844	2844

MOUNTING KIT

Please order the following kit to complete the trim:

FIX-1100-00-B

Floor mounting kit for floor-mounted tub filler with hand shower


CC	CB	CF
		117

ACCENT B56

B56-1249-00-xx

CEC

CC	CB	CF
1248	1376	1376



2-piece tub filler with hand shower

- Bath spout: 7.1 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Easy-to-clean anti-limestone hand shower

Ecological Option


Code	Reduced Flow Rate
B56-1249-00-xx-150	1.5 gpm (5,7 l/min) - 80 psi

B56-9404-00-xx

ROUGH & TRIM PACKAGE

ADA

CC	CB	CF
866	885	885



Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included

TRIM ONLY

T56-9404-00-xx

CC	CB	CF
248	267	267

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections


618



B56-9511-00-xx

ROUGH & TRIM PACKAGE

CC	CB	CF
1075	1116	1116



Complete thermostatic pressure balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9511-00-B included

TRIM ONLY

T56-9511-00-xx

CC	CB	CF
431	472	472

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B


1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644



Finishes:

CC = chrome, CB = chrome white, CF = smokey chrome
The products in this section are shown in smokey chrome.


ACCENT B56

ACCENT B56

B56-9521-00-xx

ROUGH & TRIM PACKAGE

CC	CB	CF
1050	1091	1091



Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Ecological Options **CEC**

Codes	Features
B56-9521-00-xx-NS	Non-shared port 1 accessory works at a time
T56-9521-00-xx + RVA-9521-00-NS-B	
T56-9521-00-xx + RVA-9521-PO-NS-B	


TRIM ONLY

T56-9521-00-xx

CC	CB	CF
431	472	472

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:


RVA-9521-00-B	2-way TP rough - 1/2" male NPT or welded copper connections	619
RVA-9521-PO-B	2-way TP rough - PEX connections	619



B56-9531-00-xx

ROUGH & TRIM PACKAGE

CC	CB	CF
1075	1116	1116



Complete thermostatic pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9531-00-B included

Ecological Options **CEC**

Codes	Features
B56-9531-00-xx-NS	Non-shared port 1 accessory works at a time
T56-9531-00-xx + RVA-9531-00-NS-B	
T56-9531-00-xx + RVA-9531-PO-NS-B	


TRIM ONLY

T56-9531-00-xx

CC	CB	CF
431	472	472

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B	3-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9531-PO-B	3-way TP rough - PEX connections	644





Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

ACCENT B56

B56-9560-02-xx

ROUGH & TRIM PACKAGE

CC	CB	CF
455	472	472



Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9562-00-B included

Ecological Options CEC

Codes	Features
B56-9560-02-xx-NS	Non-shared port
T56-9560-02-xx + RVA-9562-00-NS-B	1 accessory works at a time

TRIM ONLY

T56-9560-02-xx

CC	CB	CF
179	196	196



ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B



2-port diverter rough - 1/2" male NPT or welded copper connections

276

B56-9560-03-xx

ROUGH & TRIM PACKAGE

CC	CB	CF
478	495	495



Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options CEC

Codes	Features
B56-9560-03-xx-NS	Non-shared port
T56-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time

TRIM ONLY

T56-9560-03-xx

CC	CB	CF
179	196	196



ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9563-00-B


3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

B56-9649-00-xx

ROUGH & TRIM PACKAGE

CC	CB	CF
396	413	413



Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

TRIM ONLY

T56-9649-00-xx

CC	CB	CF
179	196	196



ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217


Finishes:

CC = chrome, CB = chrome white, CF = smokey chrome
The products in this section are shown in smokey chrome.

ACCENT B56

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0813-01-xx 8" round shower head  <table><tr><td>CC</td></tr><tr><td>201</td></tr></table>	CC	201	TET-1013-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>NN</td></tr><tr><td>299</td><td>399</td><td>499</td><td>449</td></tr></table>	CC	KK	LL	NN	299	399	499	449	TET-1213-01-xx 12" round shower head  <table><tr><td>CC</td></tr><tr><td>396</td></tr></table>	CC	396																					
CC																																			
201																																			
CC	KK	LL	NN																																
299	399	499	449																																
CC																																			
396																																			
TET-1208-01-xx 12" x 8" rectangular shower head  <table><tr><td>CC</td><td>KK</td></tr><tr><td>322</td><td>418</td></tr></table>	CC	KK	322	418	TET-2012-01-xx 20" x 12" rectangular shower head  <table><tr><td>CC</td></tr><tr><td>673</td></tr></table>	CC	673	BRA-1409-02-xx 15" L-shaped shower arm  <table><tr><td>CC</td><td>KK</td><td>BB</td><td>NN</td></tr><tr><td>230</td><td>445</td><td>504</td><td>359</td></tr></table>	CC	KK	BB	NN	230	445	504	359	BRA-1612-66-xx 16" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>116</td><td>175</td><td>328</td><td>262</td></tr></table>	CC	KK	LL	BB	116	175	328	262										
CC	KK																																		
322	418																																		
CC																																			
673																																			
CC	KK	BB	NN																																
230	445	504	359																																
CC	KK	LL	BB																																
116	175	328	262																																
			BRA-1815-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>225</td><td>395</td><td>458</td><td>448</td></tr></table>	CC	KK	LL	BB	225	395	458	448																								
CC	KK	LL	BB																																
225	395	458	448																																
DGL-3080-83-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>546</td><td>765</td><td>1050</td><td>1198</td></tr></table>	CC	KK	LL	BB	546	765	1050	1198	DSP-2604-19-xx Hand shower on wall-mounted supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>339</td><td>453</td><td>651</td><td>640</td></tr></table>	CC	KK	LL	BB	339	453	651	640	RAC-9001-16-xx 1/2"F wall-mount supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>99</td><td>129</td><td>138</td><td>140</td></tr></table>	CC	KK	LL	BB	99	129	138	140	RAC-0618-02-xx 6" ceiling mount shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>49</td><td>126</td><td>143</td><td>122</td></tr></table>	CC	KK	LL	BB	49	126	143	122
CC	KK	LL	BB																																
546	765	1050	1198																																
CC	KK	LL	BB																																
339	453	651	640																																
CC	KK	LL	BB																																
99	129	138	140																																
CC	KK	LL	BB																																
49	126	143	122																																
BEC-0520-46-xx Profile tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>356</td><td>481</td><td>586</td><td>713</td></tr></table>	CC	KK	LL	BB	356	481	586	713																											
CC	KK	LL	BB																																
356	481	586	713																																

COMPLETE SHOWER KITS

PRO-4150-56-xx

Complete thermostatic pressure balanced shower kit

CC	CB	CF
1566	1566	1566

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B56-9511-00-xx** Complete type TP shower valve with 1-way diverter
- DGL-3080-83-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4150-56-xx-175
TRO-4150-56-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4150-56-xx

CC	CB	CF
922	922	922

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644



PRO-4226-56-Cx

PRR-4226-56-Cx*

Complete thermostatic pressure balanced shower kit

CC	CB	CF
2140	2181	2181

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 59" PVC hose
- 2 accessories can work together

Includes

- B56-9521-00-Cx** Complete type TP shower valve with 2-way diverter
- TET-1213-01-CC** 12" round shower head
- BRA-1815-02-CC** 18" shower arm
- DGL-3080-83-CC** 3-spray sliding shower bar
- RAC-9001-16-CC** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4226-56-Cx-NS
TRO-4226-56-Cx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4226-56-Cx

TRR-4226-56-Cx*

CC	CB	CF
1521	1562	1562

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619



Finishes:

CC = chrome, CB = chrome white, CF = smokey chrome
The products in this section are shown in smokey chrome.

* With 6" ceiling mount shower arm

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 281-294).

A56-1029-00-xx

ACCENT
Wall-mounted toilet paper holder



CC	KK	LL	BB	NN	YY	VV/TT
111	133	177	199	116	161	221

A56-1069-00-xx

ACCENT
Bathrobe holder



CC	KK	LL	BB	NN	YY	VV/TT
54	64	86	96	56	78	107

A56-6018-00-xx

ACCENT
18" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
147	176	235	264	154	214	294

A56-6024-00-xx

ACCENT
24" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
168	202	270	303	177	246	337

A56-6028-00-xx

ACCENT
28" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
212	254	339	381	222	309	423

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

ZIP B66

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



BARIL


ZIP B66

B66-1005-1PL-xx



DRAIN INCLUDED

48h Promo Price
The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	GG
391	494	586	553	508	737	1032

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B66-1005-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-1005-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

CC	KK	LL	BB	NN/YY	VV/TT	GG
356	444	531	493	463	667	942

DRAIN NOT INCLUDED

B66-1005-00L-xx


Order your lavatory drain (pages 297-298)

B66-1010-1PL-xx



DRAIN INCLUDED

48h Promo Price
The Essentials



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
437	546	676	625	587	809	729	1133

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B66-1010-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-1010-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
402	496	621	565	542	739	669	1043

DRAIN NOT INCLUDED

B66-1010-01L-xx


Order your lavatory drain (pages 297-298)

B66-1020-00L-xx



DRAIN NOT INCLUDED

48h Promo Price
The Essentials



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
464	620	672	644	627	843	759	1055

High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B66-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


CC	KK	LL	BB	NN/YY	VV/TT	GG
497	770	807	994	673	994	1391

B66-1030-1PL-xx



DRAIN INCLUDED

48h Promo Price
The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	GG
497	770	807	994	673	994	1391

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B66-1030-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-1030-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi


CC	KK	LL	BB	NN/YY	VV/TT	GG
462	720	752	934	628	924	1301

DRAIN NOT INCLUDED

B66-1030-00L-xx

Order your lavatory drain (pages 297-298)

B66-8009-00L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
698	937	1065	1137	893	1405	1673


8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Swivel spout
- Drain included

Ecological Options

Codes	Reduced Flow Rates
B66-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B66-8029-00L-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
792	1108	1260	1583	1029	1583	1426	1880


8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B66-8029-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8029-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B66-8041-00L-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
775	1046	1198	1550	1046	1598	1395	1938

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B66-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T66-8041-00L-xx	8" spout	CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
		343	614	766	1118	614	1166	963	1506

T66-8046-00L-xx	6" spout	CC	KK	LL	BB	NN/YY	VV/TT	GG
		426	619	814	1201	697	1201	1589

ROUGH Please order the following rough to complete the trim:

ROU-8041-00-B	Two handles wall-mounted lavatory rough - 1/2" female NPT	432
---------------	---	-----

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ZIP B66

B66-8100-04L-xx


48h Promo Price
The Essentials




COMPLETE FAUCET



T66-8100-04L-xx



T66-8106-04L-xx



TRIM ONLY

T66-8100-04L-xx 8" spout

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
557	669	793	796	752	1104	856	1327

Single lever wall-mounted lavatory faucet,
drain not included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Sleeve on the spout is optional:
2 choices of installation
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B66-8100-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8100-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi



T66-8106-04L-xx 6" spout

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
275	387	511	514	470	822	574	1045

CC	KK	LL	BB	NN/YY	VV/TT	GG
332	448	531	631	481	664	913

ROUGH Please order the following rough to complete the trim:

ROU-8100-04-B Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282


B66-8120-04L-xx




COMPLETE FAUCET



T66-8120-04L-xx



T66-8126-04L-xx



TRIM ONLY

T66-8120-04L-xx 8" spout

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
549	714	874	1098	779	1098	970	1373

Single lever wall-mounted lavatory faucet,
drain not included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Sleeve on the spout is optional:
2 choices of installation
- Slip-on spout for easier adjustment
- One-piece rough with wall plate for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B66-8120-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8120-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi



T66-8126-04L-xx 6" spout

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
267	432	592	816	497	816	688	1091

CC	KK	LL	BB	NN/YY	VV/TT	GG
349	515	675	899	580	899	1174

ROUGH Please order the following rough to complete the trim:

ROU-8100-04-B Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


B66-1100-02-xx

COMPLETE FAUCET

ADA

CEC

48h Promo Price
The Essentials



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
1733	2274	2650	2431	2502	3240	2916	4535

Floor-mounted tub filler with hand shower

- Bath spout: 6.3 gpm
- Tub spout with integrated push-button diverter
- Swivel spout
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Option

Code	Reduced Flow Rate
B66-1100-02-xx-150	1.5 gpm (5,7 l/min) - 80 psi

TRIM ONLY

T66-1100-02-xx



MOUNTING KIT

Please order the following kit to complete the trim:

FIX-1100-00-B

Floor mounting kit for floor-mounted tub filler with hand shower

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
1616	2157	2533	2314	2385	3123	2799	4418


117

B66-1249-00-xx

COMPLETE FAUCET

CEC

48h Promo Price
The Essentials



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
868	1087	1286	1218	1134	1623	1460	2030

2-piece tub filler with hand shower

- Bath spout: 8.4 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Easy-to-clean anti-limestone hand shower


Ecological Option

Code	Reduced Flow Rate
B66-1249-00-xx-150	1.5 gpm (5,7 l/min) - 80 psi

B66-1369-03-xx

COMPLETE FAUCET

CEC



CC	KK	LL	BB	NN/YY	VV/TT	GG
958	1533	1518	1915	1338	1915	2395

3-piece tub filler with hand shower

- Bath spout: 6.9 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Swivel spout
- Hand shower: max : 1.75 gpm- 80 psi
- Hand shower - 2 choices of installation
- Non-conductive brass hand shower
- Easy-to-clean anti-limestone hand shower

Ecological Option

Code	Reduced Flow Rate
B66-1369-03-xx-150	1.5 gpm (5,7 l/min) - 80 psi

Finishes:


CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ZIP B66

B66-1600-00-xx

COMPLETE FAUCET

48h Promo Price
The Essentials



Wall-mounted tub faucet

- 5.3 gpm - 60 psi
- Slip-on spout for easier adjustment
- One-piece rough with wall plate for easy installation

TRIM ONLY

T66-1600-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
631	836	945	1188	813	1188	1070	1481

ROUGH Please order the following rough to complete the trim:

ROU-1600-06-B


Wall-mounted tub faucet rough - 1/2" male NPT or welded copper connections

282

B66-2001-XX-xx

COMPLETE FAUCET

CEC



Wall-mounted tub faucet avec douchette

- Robust and easy-to-use push-button diverter
- Push-button can be locked in the engaged position
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough

Ecological Option

Code	Reduced Flow Rate
B66-2001-XX-xx-150	1.5 gpm (5,7 l/min) - 80 psi

REGULAR VERSION

B66-2001-00-xx

Bath spout: 6.6 gpm - 60 psi

CC	KK	LL	BB	NN/YY	VV/TT	GG
1538	2154	2443	3076	2093	3076	3383

TRIM ONLY

T66-2001-00-xx

Cartridge included with the trim

CC	KK	LL	BB	NN/YY	VV/TT	GG
1055	1671	1960	2593	1610	2593	2900

ROUGH VALVE

ROU-2000-99-B

Wall-mounted tub faucet rough (without cartridge) - 1/2" female NPT connections

483

PRESSURE BALANCED VERSION

B66-2001-PB-xx

Bath spout: 6.1 gpm - 60 psi

P-type faucet can be set to 120.2 °F

CC	KK	LL	BB	NN/YY	VV/TT	GG
1596	2235	2535	3193	2170	3193	3512

TRIM ONLY

T66-2001-PB-xx

Cartridge included with the trim

CC	KK	LL	BB	NN/YY	VV/TT	GG
1113	1752	2052	2710	1687	2710	3029

ROUGH VALVE

ROU-2000-99-B


Wall-mounted tub faucet rough (without cartridge) - 1/2" female NPT connections

483

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

B66-9120-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
436	607	690	795	561	795	881

Complete pressure balanced shower control valve


- 6 gpm - 60 psi
- Volume control valve
- Rough valve RVA-9020-00-B included

TRIM ONLY

T66-9139-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
172	343	426	531	297	531	617

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:



RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections

264

RVA-9020-PO-B



Type P rough - PEX connections

264

B66-9181-00-xx

ROUGH & TRIM PACKAGE

48h Promo Price
The Essentials



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
685	843	958	1145	854	1214	1014	1279

Complete pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Rough valve RVA-9181-00-B included

Ecological Options **CEC**


Codes	Features
B66-9181-00-xx-NS	Non-shared port 1 accessory works at a time
T66-9181-00-xx + RVA-9181-00-NS-B	
T66-9181-00-xx + RVA-9181-PO-NS-B	

TRIM ONLY

T66-9181-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
251	409	524	711	420	780	580	845

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:



RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

Finishes:


CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ZIP B66

B66-9190-00-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
695	853	968	1155	864	1224	1289



Complete pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Rough valve RVA-9191-00-B included

Ecological Options CEC

Codes	Features
B66-9190-00-xx-NS	Non-shared port
T66-9190-00-xx + RVA-9191-00-NS-B	1 accessory works at a time
T66-9190-00-xx + RVA-9191-P0-NS-B	

TRIM ONLY

T66-9190-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
251	409	524	711	420	780	845

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B


3-way type P rough - 1/2" male NPT or welded copper connections

444

RVA-9191-P0-B

3-way type P rough - PEX connections


444



B66-9404-00-xx

ROUGH & TRIM PACKAGE ADA

CC	KK	LL	BB	NN/YY	VV/TT	GG
835	1048	1150	1285	991	1285	1391



Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included

TRIM ONLY

T66-9404-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
217	430	532	667	373	667	773

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections


618



B66-9453-00-xx

ROUGH & TRIM PACKAGE

CC	KK	LL	BB	NN/YY	VV/TT	GG
917	1088	1252	1258	1036	1531	1600



Complete 3/4" thermostatic valve

- 9 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-3453-00-B included

TRIM ONLY

T66-9453-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
343	514	678	684	462	957	1026

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3453-00-B


Type T rough - 3/4" female NPT connections

574



B66-9511-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
936	1140	1222	1517	1122	1545	1353	1603

Complete thermostatic pressure balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9511-00-B included

TRIM ONLY

T66-9511-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
292	496	578	873	478	901	709	959

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B


1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644





B66-9521-00-xx

ROUGH & TRIM PACKAGE

48h Promo Price
The Essentials

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
911	1115	1197	1492	1097	1520	1328	1578



Complete thermostatic pressure balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Ecological Options **CEC**

Codes	Features
B66-9521-00-xx-NS	Non-shared port 1 accessory works at a time
T66-9521-00-xx + RVA-9521-00-NS-B	
T66-9521-00-xx + RVA-9521-PO-NS-B	

TRIM ONLY

T66-9521-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
292	496	578	873	478	901	709	959

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B


2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ZIP B66

B66-9531-00-xx

ROUGH & TRIM PACKAGE

Promo Price

48h

The Essentials

CC

KK

LL/MM

BB

NN/YY

VV/TT

KM

GG

936

1140

1222

1517

1122

1545

1353

1603

SHARED PORT

Option 1+2

Option 2

Option 2+3

Option 1

Option 3

360°

Ø 195 mm
7-3/4"

NON-SHARED PORT

Option 2

Option 1

Option 3

360°

Ø 195 mm
7-3/4"

Complete thermostatic pressure balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm - 60 psi

- 2 outlets: 3.6 gpm - 60 psi

- Up to 2 accessories can be used at the same time

- Thin brass plate

- Reversible check / non-return valves in case of water supply inversion

- Large depth adjustment range

- Rough valve RVA-9531-00-B included

Ecological Options

CEC

Codes

B66-9531-00-xx-NS

T66-9531-00-xx + RVA-9531-00-NS-B

T66-9531-00-xx + RVA-9531-PO-NS-B

Features

Non-shared port

1 accessory works at a time

TRIM ONLY

T66-9531-00-xx

CC

KK

LL/MM

BB

NN/YY

VV/TT

KM

GG

292

496

578

873

478

901

709

959

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-B

3-way TP rough - PEX connections

644

B66-9560-02-xx

ROUGH & TRIM PACKAGE

Promo Price

48h

The Essentials

CC

KK

LL

BB

NN/YY

VV/TT

GG

433

544

587

693

487

693

745

SHARED PORT

Option 1+2

Option 1

Option 2

360°

Ø 72 mm
2-7/8"

OFF

NON-SHARED PORT

Option 1

Option 2

180°

Ø 72 mm
2-7/8"

OFF

Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi

- 2 outlets: 4 gpm - 60 psi

- Can replace 2 volume control valves

- Up to 2 accessories can be used at the same time

- Extra long cartridge for maximum adjustment, can be cut to required length

- Rough RVA-9562-00-B included

Ecological Options

CEC

Codes

B66-9560-02-xx-NS

T66-9560-02-xx + RVA-9562-00-NS-B

Features

Non-shared port

1 accessory works at a time

TRIM ONLY

T66-9560-02-xx

CC

KK

LL

BB

NN/YY

VV/TT

GG

157

268

311

417

211

417

469

ROUGH VALVE

Please order the following rough valve to complete the trim:

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections


276

202

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

B66-9560-03-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
456	567	610	716	510	716	768

Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options CEC

Codes	Features
B66-9560-03-xx-NS	Non-shared port
T66-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time

TRIM ONLY



T66-9560-03-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
157	268	311	417	211	417	469

ROUGH VALVE Please order the following rough valve to complete the trim:


RVA-9563-00-B

3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

B66-9649-00-xx

ROUGH & TRIM PACKAGE



CC	KK	LL	BB	NN/YY	VV/TT	GG
374	485	528	634	428	634	686

Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

TRIM ONLY



T66-9649-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
157	268	311	417	211	417	469

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ZIP B66

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0810-01-xx 8" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>278</td><td>372</td><td>408</td><td>392</td></tr></table>	CC	KK	LL	BB	278	372	408	392	TET-1010-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>403</td><td>564</td><td>725</td><td>806</td></tr></table>	CC	KK	LL	BB	403	564	725	806	BRA-1612-66-xx 16" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>116</td><td>175</td><td>328</td><td>262</td></tr></table>	CC	KK	LL	BB	116	175	328	262	BRA-1815-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>225</td><td>395</td><td>458</td><td>448</td></tr></table>	CC	KK	LL	BB	225	395	458	448									
CC	KK	LL	BB																																									
278	372	408	392																																									
CC	KK	LL	BB																																									
403	564	725	806																																									
CC	KK	LL	BB																																									
116	175	328	262																																									
CC	KK	LL	BB																																									
225	395	458	448																																									
		BRA-1812-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>104</td><td>139</td><td>276</td><td>285</td></tr></table>	CC	KK	LL	BB	104	139	276	285	RAC-0618-02-xx 6" ceiling mount shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>49</td><td>126</td><td>143</td><td>122</td></tr></table>	CC	KK	LL	BB	49	126	143	122																									
CC	KK	LL	BB																																									
104	139	276	285																																									
CC	KK	LL	BB																																									
49	126	143	122																																									
TET-0813-01-xx 8" round shower head  <table><tr><td>CC</td></tr><tr><td>201</td></tr></table>	CC	201	TET-1013-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>NN</td></tr><tr><td>299</td><td>399</td><td>499</td><td>449</td></tr></table>	CC	KK	LL	NN	299	399	499	449	TET-1213-01-xx 12" round shower head  <table><tr><td>CC</td></tr><tr><td>396</td></tr></table>	CC	396	TET-1208-01-xx 12" x 8" rectangular shower head  <table><tr><td>CC</td><td>KK</td></tr><tr><td>322</td><td>418</td></tr></table>	CC	KK	322	418	TET-2012-01-xx 20" x 12" rectangular shower head  <table><tr><td>CC</td></tr><tr><td>673</td></tr></table>	CC	673																						
CC																																												
201																																												
CC	KK	LL	NN																																									
299	399	499	449																																									
CC																																												
396																																												
CC	KK																																											
322	418																																											
CC																																												
673																																												
DGL-2175-52-xx 3-spray sliding shower bar with built-in supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>342</td><td>480</td><td>1286</td><td>802</td></tr></table>	CC	KK	LL	BB	342	480	1286	802	DGL-2175-53-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>311</td><td>435</td><td>552</td><td>641</td></tr></table>	CC	KK	LL	BB	311	435	552	641	DSP-2566-19-xx Hand shower on wall-mounted supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>287</td><td>394</td><td>591</td><td>545</td></tr></table>	CC	KK	LL	BB	287	394	591	545	DSP-2604-19-xx Hand shower on wall-mounted supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>339</td><td>453</td><td>651</td><td>640</td></tr></table>	CC	KK	LL	BB	339	453	651	640	RAC-9001-16-xx 1/2" F wall-mount supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>99</td><td>129</td><td>138</td><td>140</td></tr></table>	CC	KK	LL	BB	99	129	138	140
CC	KK	LL	BB																																									
342	480	1286	802																																									
CC	KK	LL	BB																																									
311	435	552	641																																									
CC	KK	LL	BB																																									
287	394	591	545																																									
CC	KK	LL	BB																																									
339	453	651	640																																									
CC	KK	LL	BB																																									
99	129	138	140																																									
			RAC-9201-02-xx 1/2" F wall-mount supply elbow with integrated volume control  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>144</td><td>245</td><td>259</td><td>287</td></tr></table>	CC	KK	LL	BB	144	245	259	287																																	
CC	KK	LL	BB																																									
144	245	259	287																																									
BEC-0520-37-xx Round modern tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>124</td><td>164</td><td>206</td><td>226</td></tr></table>	CC	KK	LL	BB	124	164	206	226	BEC-0520-73-xx 7" round tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>96</td><td>124</td><td>263</td><td>276</td></tr></table>	CC	KK	LL	BB	96	124	263	276	BEC-0520-74-xx 7" round tub spout with diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>113</td><td>147</td><td>296</td><td>286</td></tr></table>	CC	KK	LL	BB	113	147	296	286	BOD-5002-01-xx Cylindrical lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>144</td><td>259</td><td>283</td><td>287</td></tr></table>	CC	KK	LL	BB	144	259	283	287	BOD-5007-01-xx Round built-in lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>282</td><td>394</td><td>454</td><td>517</td></tr></table>	CC	KK	LL	BB	282	394	454	517
CC	KK	LL	BB																																									
124	164	206	226																																									
CC	KK	LL	BB																																									
96	124	263	276																																									
CC	KK	LL	BB																																									
113	147	296	286																																									
CC	KK	LL	BB																																									
144	259	283	287																																									
CC	KK	LL	BB																																									
282	394	454	517																																									

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

COMPLETE SHOWER KITS

PRO-1100-53-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1455	2037	2765	2910	2122	3201	3639

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code

PRO-1100-53-xx-NS

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

PRO-2115-66-xx



Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
780	1092	1297	1491	1141	1756	2011

Features

- Max: 2 gpm - 80 psi (hand shower)
- 3-spray hand shower

Includes

- B66-9120-00-xx** Complete pressure balanced valve
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2115-66-xx-175

TRO-2115-66-xx-175 + RVA-9020-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-2115-66-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	516	828	1033	1227	877	1492	1747

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B	Type P rough - 1/2" male NPT or welded copper connections	264
RVA-9020-P0-B	Type P rough - PEX connections	264

PRO-2210-66-xx



Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
630	882	1192	1260	910	1386	1575

Features

- 2 accessories kit
- 6 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower head)
- 5-spray shower head
- 1 accessory works at a time

Includes

- B66-9120-00-xx** Complete pressure balanced valve
- BEC-0520-74-xx** 7" round tub spout with diverter
- TET-0304-05-xx** 5-spray modern shower head
- BRA-0612-02-xx** 6" shower arm

Ecological Options CEC

Codes

PRO-2210-66-xx-175

TRO-2210-66-xx-175 + RVA-9020-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower head)

TRIM ONLY

TRO-2210-66-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	366	618	928	996	646	1122	1311

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B	Type P rough - 1/2" male NPT or welded copper connections	264
RVA-9020-P0-B	Type P rough - PEX connections	264

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

ZIP B66

PRO-2220-66-xx

Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
803	1124	1520	1606	1291	1861	2143

Features

- 2 accessories kit
- 6 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (hand shower)
- 3-spray hand shower
- 1 accessory works at a time

Includes

- B66-9120-00-xx** Complete pressure balanced valve
- BEC-0520-74-xx** 7" round tub spout with diverter
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2220-66-xx-175
TRO-2220-66-xx-175 + RVA-9020-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-2220-66-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
539	860	1256	1342	1027	1597	1879

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections

264

RVA-9020-P0-B

Type P rough - PEX connections

264

PRO-2805-66-xx

PRR-2805-66-xx*

Complete pressure balanced shower kit

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
1353	1869	2187	2394	1908	3032	2281	3413

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9181-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2805-66-xx-NS
TRO-2805-66-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2805-66-xx

TRR-2805-66-xx*

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
919	1435	1753	1960	1474	2598	1847	2979

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-P0-B

2-way type P rough - PEX connections

434

PRO-2815-66-xx

PRR-2815-66-xx*

Complete pressure balanced shower kit

CC

1180

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9181-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-0813-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2815-66-xx-NS
TRO-2815-66-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2815-66-xx

TRR-2815-66-xx*

CC

746

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-P0-B

2-way type P rough - PEX connections

434



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRO-2816-66-xx

PRR-2816-66-xx*



Complete pressure balanced shower kit

CC	KK
1140	1365

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9181-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-1013-01-xx** 10" round shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2175-52-xx** Sliding shower bar with built-in supply elbow

Ecological Options CEC

Codes

PRO-2816-66-xx-NS
TRO-2816-66-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2816-66-xx
TRR-2816-66-xx*

CC	KK
706	931

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

PRO-2826-66-xx

PRR-2826-66-xx*



Complete pressure balanced shower kit

48h Promo Price
The Essentials

CC	KK
1206	1451

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9181-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-1013-01-xx** 10" round shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2826-66-xx-NS
TRO-2826-66-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2826-66-xx
TRR-2826-66-xx*

CC	KK
772	1017

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

PRO-2896-66-xx

PRR-2896-66-xx*



Complete pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1324	1788	2160	2299	1838	2867	3191

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

- B66-9181-00-xx** Complete pressure balanced valve with 2-way diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2604-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-2896-66-xx-NS
TRO-2896-66-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2896-66-xx
TRR-2896-66-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
890	1354	1726	1865	1404	2433	2757

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

ZIP B66

PRO-2915-66-xx PRR-2915-66-xx*



Complete pressure balanced shower kit

CC

1342

Features

- 3 accessories kit
- 5 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9190-00-xx** Complete pressure balanced valve with 3-way diverter
- BEC-0520-73-xx** 7" round tub spout without diverter
- TET-0813-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options

CEC

Codes

PRO-2915-66-xx-NS
TRO-2915-66-xx-NS + RVA-9191-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-2915-66-xx

TRR-2915-66-xx*

CC

898

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B

3-way type P rough - 1/2" male NPT or welded copper connections


444

RVA-9191-PO-B

3-way type P rough - PEX connections

444

PRO-3302-66-xx PRR-3302-66-xx*



Complete thermostatic shower kit

CC

KK

LL

BB

NN/YY

VV/TT

GG

2215

3027

3543

3738

2910

4293

4836

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

- B66-9453-00-xx** Complete 3/4" thermostatic valve
- B66-9560-02-xx** Complete 2-port diverter with off
- TET-1010-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2604-21-xx** Hand shower on wall-mounted supply elbow

Ecological Options

CEC

Codes

PRO-3302-66-xx-NS
TRO-3302-66-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3302-66-xx

TRR-3302-66-xx*

CC

KK

LL

BB

NN/YY

VV/TT

GG

1365

2177

2693

2888

2060

3443

3986

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

PRO-4150-66-xx



Complete thermostatic pressure balanced shower kit

CC

KK

LL/MM

BB

NN/YY

VV/TT

KM

GG

1246

1553

1732

2044

1598

2564

1936

2839

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B66-9511-00-xx** Complete type TP shower valve with 1-way diverter
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options

CEC

Codes

PRO-4150-66-xx-175
TRO-4150-66-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4150-66-xx

CC

KK

LL/MM

BB

NN/YY

VV/TT

KM

GG

602

909

1088

1400

954

1920

1292

2195

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644

PRO-4155-66-xx

Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1187	1481	2242	2079	1531	2450	2646

Features

- 1 accessory kit
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B66-9511-00-xx** Complete type TP shower valve with 1-way diverter
DGL-2175-52-xx Sliding shower bar with built-in supply elbow

Ecological Options CEC

Codes

PRO-4155-66-xx-175
 TRO-4155-66-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4155-66-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
543	837	1598	1435	887	1806	2002

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644



PRO-4201-66-xx

PRR-4201-66-xx*

Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1710	2360	2738	3109	2457	3714	4256

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9521-00-xx** Complete type TP shower valve with 2-way diverter
TET-0810-01-xx 8" round shower head
BRA-1612-66-xx 16" shower arm
DGL-2070-53-xx 3-spray sliding shower bar
RAC-9001-16-xx Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4201-66-xx-NS
 TRO-4201-66-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4201-66-xx

TRR-4201-66-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1091	1741	2119	2490	1838	3095	3637

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619



PRO-4206-66-xx

PRR-4206-66-xx*

Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1504	1961	2245	2479	2054	3355	3806

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9521-00-xx** Complete type TP shower valve with 2-way diverter
TET-0810-01-xx 8" round shower head
BRA-1612-66-xx 16" shower arm
DGL-2175-53-xx 3-spray sliding shower bar
RAC-9001-16-xx Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4206-66-xx-NS
 TRO-4206-66-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4206-66-xx

TRR-4206-66-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
885	1342	1626	1860	1435	2736	3187

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

ZIP B66

PRO-4207-66-xx PRR-4207-66-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	NN	KM
1669	2204	2529	2272	2781

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1050-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

- PRO-4207-66-xx-NS
- TRO-4207-66-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4207-66-xx TRR-4207-66-xx*

CC	KK	LL/MM	NN	KM
1050	1585	1910	1653	2162

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4216-66-xx PRR-4216-66-xx*



Complete thermostatic pressure balanced shower kit

48h Promo Price
The Essentials

CC	KK	LL	NN
1434	1648	2387	2147

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-1013-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

- PRO-4216-66-xx-NS
- TRO-4216-66-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4216-66-xx TRR-4216-66-xx*

CC	KK	LL	NN
815	1029	1768	1528

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4297-66-xx PRR-4297-66-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1499	2007	2339	2551	2006	3128	3425

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9521-00-xx** Complete type TP shower valve with 2-way diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2566-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

- PRO-4297-66-xx-NS
- TRO-4297-66-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4297-66-xx TRR-4297-66-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
880	1388	1720	1932	1387	2509	2806

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

PRO-4302-66-xx

PRR-4302-66-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1866	2549	2969	3350	2668	4099	4666

Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9531-00-xx** Complete TP shower control valve with 3-way diverter
- BEC-0520-37-xx** Round modern tub spout without diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2070-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4302-66-xx-NS
TRO-4302-66-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4302-66-xx
TRR-4302-66-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1222	1905	2325	2706	2024	3455	4022

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-B

3-way TP rough - PEX connections

644

PRO-4306-66-xx

PRR-4306-66-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
1705	2348	2546	2812	2327	3780	4292

Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9531-00-xx** Complete TP shower control valve with 3-way diverter
- BEC-0520-37-xx** Round modern tub spout without diverter
- TET-0810-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4306-66-xx-NS
TRO-4306-66-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4306-66-xx
TRR-4306-66-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1061	1704	1902	2168	1683	3136	3648

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-B

3-way TP rough - PEX connections

644

PRO-4307-66-xx

PRR-4307-66-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL/MM	NN	KM
1818	2393	2760	2478	3028

Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9531-00-xx** Complete TP shower control valve with 3-way diverter
- BEC-0520-37-xx** Round modern tub spout without diverter
- TET-1050-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4307-66-xx-NS
TRO-4307-66-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4307-66-xx
TRR-4307-66-xx*

CC	KK	LL/MM	NN	KM
1174	1749	2116	1834	2384

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-B

3-way TP rough - PEX connections

644

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

ZIP B66

PRO-4316-66-xx

PRR-4316-66-xx*



Complete thermostatic pressure balanced shower kit

Promo Price
The Essentials

CC	KK	LL	NN
1643	1951	2692	2344

Features

- 3 accessories kit
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9531-00-xx** Complete TP shower control valve with 3-way diverter
- BEC-0520-37-xx** Round modern tub spout without diverter
- TET-1013-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-26-xx** Wall-mount supply elbow

Ecological Options

CEC

Codes

- PRO-4316-66-xx-NS
- TRO-4316-66-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max : 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4316-66-xx

TRR-4316-66-xx*

CC	KK	LL	NN
999	1307	2048	1700

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B	3-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9531-PO-B	3-way TP rough - PEX connections	644

PRO-4394-66-xx

PRR-4394-66-xx*



Complete thermostatic pressure balanced shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
2201	3081	3629	4067	3020	4842	5504

Features

- 3 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 5.3 gpm for 3 body jets
- 3-spray hand shower
- 2 accessories can work together

Includes

- B66-9531-00-xx** Complete TP shower control valve with 3-way diverter
- TET-1010-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2175-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow
- BOD-5002-01-xx** Cylindrical lateral body jet (3)

TRIM ONLY

TRO-4394-66-xx

TRR-4394-66-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1557	2437	2985	3423	2376	4198	4860

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B	3-way TP rough - 1/2" male NPT or welded copper connections	644
RVA-9531-PO-B	3-way TP rough - PEX connections	644

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 281-294).

A66-1029-01-xx

ZIP
Wall-mounted toilet paper holder



48h The Essentials

CC	KK	LL/MM	BB	NN	YY	KM
102	122	163	159	107	149	184

A66-1069-01-xx

ZIP
Bathrobe holder



48h The Essentials

CC	KK	LL/MM	BB	NN	YY	KM
60	72	81	108	63	84	108

A66-1079-00-xx


ZIP
Bathrobe holder



CC	KK	LL/MM	BB	NN	YY	KM
45	63	73	82	48	61	81

A66-6018-00-xx

ZIP
18" single towel bar




48h The Essentials

CC	KK	LL/MM	BB	NN	YY	KM
156	187	249	280	163	227	281

A66-6024-00-xx

ZIP
24" single towel bar



48h The Essentials

CC	KK	LL/MM	BB	NN	YY	KM
180	216	288	324	189	262	324

A66-6030-00-xx


ZIP
30" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
219	262	350	394	230	319	437

A66-6315-00-xx

ZIP
Triple towel bar



CC	KK	LL	BB	NN	YY	VV/TT
243	292	389	437	255	354	486

A85-2009-40-xx

Towel holder on stand



CC
378

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

EVA B71 B72

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



BARIL

EVA B71 B72

B7X-8001-01L-xx


DRAIN INCLUDED

CEC



B71-8001-01L-xx


EVA



CC	KK	LL	BB	NN/YY	VV/TT	GG
834	1335	1335	1669	1176	1669	2087

B72-8001-01L-xx

TRADITION



CC	KK	LL	BB	NN/YY	VV/TT	GG
834	1335	1335	1669	1176	1669	2087

8\" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Drain included

Ecological Options

Codes	Reduced Flow Rates
B7X-8001-01L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B7X-8001-01L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B7X-8041-00L-xx

COMPLETE FAUCET

CEC



B71-8041-00L-xx

EVA



CC	KK	LL	BB	NN/YY	VV/TT	GG
949	1406	1518	1898	1304	1898	2373

B72-8041-00L-xx

TRADITION



CC	KK	LL	BB	NN/YY	VV/TT	GG
949	1406	1518	1898	1304	1898	2373

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B7X-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B7X-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T71-8041-00L-xx

T72-8041-00L-xx

ROUGH Please order the following rough to complete the trim:

ROU-8041-00-B

Two handles wall-mounted lavatory rough - 1/2\" female NPT

432




Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

B7X-1201-01-xx

CEC

B71-1201-01-xx


EVA



CC	KK	LL	BB	NN/YY	VV/TT	GG
996	1560	1739	1950	1362	1950	2492

B72-1201-01-xx

TRADITION



CC	KK	LL	BB	NN/YY	VV/TT	GG
996	1560	1739	1950	1362	1950	2492

Wall-mounted tub faucet with hand shower


- Bath spout: 6 gpm - 60 psi
- Vertical closed position of the handles
- Hand shower: max : 1.75 gpm- 80 psi
- Metal hand shower
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

Ecological Option

Code	Reduced Flow Rate
B7X-1201-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi

OPTIONAL COMPONENTS

COL-3004-03-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
798	1373	1565	1588	1107	1565	1866

Pair of 30" freestanding pillar legs

- Can be connected in:
3/4" F / 3/4" M / 1/2" F / 1/2" M
- Installs from the top for easy installation by one person

EXC-6014-02-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
137	285	312	315	233	312	370

Pair of eccentric adapters

- Can be used to install a wall-mounted tub faucet
- For holes from 2" c/c to 10" c/c

REN-2018-27-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
407	933	998	1023	779	1048	1680

Brass bath waste and overflow drain

- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Push-button pop-up

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 217

EVA B71 B72


B7X-9404-00-xx

ROUGH & TRIM PACKAGE

ADA

B71-9404-00-xx


EVA



CC	KK	LL	BB	NN/YY	VV/TT	GG
909	1155	1343	1517	1126	1517	1661

B72-9404-00-xx

TRADITION



CC	KK	LL	BB	NN/YY	VV/TT	GG
909	1155	1343	1517	1126	1517	1661

Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included

TRIM ONLY

T71-9404-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	291	537	725	899	508	899	1043
T72-9404-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	291	537	725	899	508	899	1043

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3404-00-B	Type T rough - 3/4" female NPT connections	618
---------------	--	-----




B7X-9560-02-xx

ROUGH & TRIM PACKAGE

B71-9560-02-xx


EVA



CC	KK	LL	BB	NN/YY	VV/TT	GG
472	609	667	801	542	801	863

B72-9560-02-xx

TRADITION



CC	KK	LL	BB	NN/YY	VV/TT	GG
472	609	667	801	542	801	863

Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9562-00-B included

Ecological Options

CEC

Codes	Features
B7X-9560-02-xx-NS	Non-shared port
T7X-9560-02-xx + RVA-9562-00-NS-B	1 accessory works at a time

TRIM ONLY

T71-9560-02-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	196	333	391	525	266	525	587
T72-9560-02-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	196	333	391	525	266	525	587

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B	2-port diverter rough - 1/2" male NPT or welded copper connections	276
---------------	--	-----





B7X-9560-03-xx

ROUGH & TRIM PACKAGE

B71-9560-03-xx



EVA



CC	KK	LL	BB	NN/YY	VV/TT	GG
495	632	690	824	565	824	886

B72-9560-03-xx

TRADITION



CC	KK	LL	BB	NN/YY	VV/TT	GG
495	632	690	824	565	824	886

Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options CEC

Codes	Features
B7X-9560-03-xx-NS	Non-shared port
T7X-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time

TRIM ONLY



T71-9560-03-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	196	333	391	525	266	525	587
T72-9560-03-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	196	333	391	525	266	525	587

ROUGH VALVE Please order the following rough valve to complete the trim:


RVA-9563-00-B	3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT	299
---------------	---	-----

B7X-9641-00-xx

ROUGH & TRIM PACKAGE

B71-9641-00-xx


EVA



CC	KK	LL	BB	NN/YY	VV/TT	GG
413	550	608	742	483	742	804

B72-9641-00-xx

TRADITION



CC	KK	LL	BB	NN/YY	VV/TT	GG
413	550	608	742	483	742	804

Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

TRIM ONLY



T71-9641-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	196	333	391	525	266	525	587
T72-9641-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	196	333	391	525	266	525	587

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B	Volume control valve rough - 3/4" female NPT connections	217
---------------	--	-----

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 219

EVA B71 B72

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0812-03-xx

8" sunflower shower head



CC	KK	LL	BB
339	561	746	678

BRA-1812-02-xx

18" shower arm



CC	KK	LL	BB
104	139	276	285

RAC-0618-02-xx

6" ceiling mount shower arm



CC	KK	LL	BB
49	126	143	122

DGL-2160-04-xx

4-spray sliding shower bar



CC	KK	LL	BB
569	1145	1361	1255

BOD-5001-00-xx

Lateral body jet



CC	KK	LL	BB
109	225	248	218

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL	BB
282	394	454	517

RAC-9001-13-xx

1/2"F wall-mount supply elbow



CC	KK	LL	BB
68	83	127	95

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL	BB
99	129	138	140

COMPLETE SHOWER KITS

PRO-1100-71-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1719	2407	3268	3439	2508	3783	4299

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" shower head
- 2-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code

PRO-1100-71-xx-NS

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

PRO-3420-71-xx

PRR-3420-71-xx*



Complete thermostatic shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
2357	3295	4387	4419	3243	4726	5489

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 4-spray hand shower
- 2 accessories can work together

Includes

- B71-9404-00-xx** Complete 3/4" thermostatic valve
- B71-9560-02-xx** Complete 2-port diverter with stop
- TET-0812-03-xx** 8" sunflower shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2160-04-xx** 4-spray sliding shower bar
- RAC-9001-13-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-3420-71-xx-NS
TRO-3420-71-xx-NS + RVA-3404-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3420-71-xx

TRR-3420-71-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1463	2401	3493	3525	2349	3832	4595

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

EVA B71 B72

PRO-3420-72-xx PRR-3420-72-xx*



Complete thermostatic shower kit

CC	KK	LL	BB	NN/YY	VV/TT	GG
2357	3295	4387	4419	3243	4726	5489

Features - 2 accessories kit - Max: 2 gpm - 80 psi (per accessory) - 4-spray hand shower - 2 accessories can work together	Includes	
	B72-9404-00-xx	Complete 3/4" thermostatic valve
	B72-9560-02-xx	Complete 2-port diverter with stop
	TET-0812-03-xx	8" sunflower shower head
	BRA-1812-02-xx	18" shower arm
	DGL-2160-04-xx	4-spray sliding shower bar
	RAC-9001-13-xx	Wall-mount supply elbow
Ecological Options CEC	Codes	Features are the same, except:
	PRO-3420-72-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time
	TRO-3420-72-xx-NS + RVA-3404-00-B +	
	RVA-9562-00-NS-B	

TRIM ONLY

TRO-3420-72-xx TRR-3420-72-xx*	CC	KK	LL	BB	NN/YY	VV/TT	GG
	1463	2401	3493	3525	2349	3832	4595

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3404-00-B	Type T rough - 3/4" female NPT connections	618
RVA-9562-00-B	2-port diverter rough - 1/2" male NPT or welded copper connections	276

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

VICTOIRE B74


Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



BARIL

VICTOIRE B74

MON-2600-00L-xx



CB	KB	LB	BB	NB/YB	VB/TB	GB
731	1024	1171	1463	995	1609	1828

Antique style single-hole lavatory faucet, drain included


- Max: 1.2 gpm - 60 psi
- Adjustable aerator
- Swivel spout
- Drain included

Ecological Options

Codes	Reduced Flow Rates
MON-2600-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
MON-2600-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B74-1201-01-xx-xx

CEC



CB	KB	LB	BB	NB/YB	VB/TB	GB
996	1560	1739	1950	1362	1950	2492

Wall-mounted tub faucet with hand shower


- Bath spout: 6 gpm - 60 psi
- Vertical closed position of the handles
- Hand shower: max : 1.75 gpm - 80 psi
- Metal hand shower
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

Ecological Option

Code	Reduced Flow Rate
B74-1201-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi

OPTIONAL COMPONENTS

COL-3004-03-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
798	1373	1565	1588	1107	1565	1866

Pair of 30" freestanding pillar legs

- Can be connected in: 3/4" F / 3/4" M / 1/2" F / 1/2" M
- Installs from the top for easy installation by one person

EXC-6014-02-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
137	285	312	315	233	312	370

Pair of eccentric adapters

- Can be used to install a wall-mounted tub faucet
- For holes from 2" c/c to 10" c/c

REN-2018-27-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
407	933	998	1023	779	1048	1680

Brass bath waste and overflow drain

- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Push-button pop-up

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


VICTOIRE B74

B74-9404-00-xx

ROUGH & TRIM PACKAGE **ADA**



Ø 173mm
6 3/4"



TRIM ONLY

T74-9404-00-xx

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618

CB	KB	LB	BB	NB/YB	VB/TB	GB
909	1155	1343	1517	1126	1517	1661

Complete 3/4" thermostatic valve

- 16 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Reversible check / non-return valves in case of water supply inversion
- Rough valve RVA-3404-00-B included


CB	KB	LB	BB	NB/YB	VB/TB	GB
291	537	725	899	508	899	1043

B74-9560-02-xx


ROUGH & TRIM PACKAGE



SHARED PORT



NON-SHARED PORT



Complete 2-port diverter with stop (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9562-00-B included

Ecological Options **CEC**

Codes	Features
B74-9560-02-xx-NS	Non-shared port 1 accessory works at a time
T74-9560-02-xx + RVA-9562-00-NS-B	

TRIM ONLY

T74-9560-02-xx

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276


CB	KB	LB	BB	NB/YB	VB/TB	GB
472	609	667	801	542	801	863

B74-9560-03-xx


ROUGH & TRIM PACKAGE



SHARED PORT



NON-SHARED PORT



Complete 3-port diverter with stop (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options **CEC**

Codes	Features
B74-9560-03-xx-NS	Non-shared port 1 accessory works at a time
T74-9560-03-xx + RVA-9563-00-NS-B	

TRIM ONLY

T74-9560-03-xx

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9563-00-B

3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

CB	KB	LB	BB	NB/YB	VB/TB	GB
495	632	690	824	565	824	886

Finishes :


CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper white, GB = gold white

VICTOIRE B74

B74-9641-00-xx

ROUGH & TRIM PACKAGE

CB	KB	LB	BB	NB/YB	VB/TB	GB
413	550	608	742	483	742	804



Complete 3/4" volume control valve

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

TRIM ONLY

T74-9641-00-xx

CB	KB	LB	BB	NB/YB	VB/TB	GB
196	333	391	525	266	525	587

ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217



VICTOIRE B74

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0810-01-xx


8" round shower head



CC	KK	LL	BB
278	372	408	392

TET-1210-01-xx

12" round shower head



CC	KK	LL	BB
569	797	1202	1138

BRA-1812-02-xx

18" shower arm



CC	KK	LL	BB
104	139	276	285

RAC-0618-02-xx

6" ceiling mount shower arm



CC	KK	LL	BB
49	126	143	122

TET-1616-01-xx

16" round shower head



CC	KK	LL	BB
915	1280	1646	1828

TET-0812-03-xx

8" sunflower shower head



CC	KK	LL	BB
339	561	746	678

RAC-9001-13-xx

1/2"F wall-mount supply elbow



CC	KK	LL	BB
68	83	127	95

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL	BB
99	129	138	140

DGL-2160-04-xx

4-spray sliding shower bar



CC	KK	LL	BB
569	1145	1361	1255

BOD-5001-00-xx

Lateral body jet



CC	KK	LL	BB
109	225	248	218

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL	BB
282	394	454	517

COMPLETE SHOWER KITS

PRO-1100-74-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1719	2407	3268	3439	2508	3783	4299

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" shower head
- 2-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code

PRO-1100-74-xx-NS

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

PRO-3420-74-xx

PRR-3420-74-xx*



Complete thermostatic shower kit

CB	KB	LB	BB	NB/YB	VB/TB	GB
2357	3295	4234	4419	3243	4726	5489

Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 4-spray hand shower
- 2 accessories can work together

Includes

- B74-9404-00-xx** Complete 3/4" thermostatic valve
- B74-9560-02-xx** Complete 2-port diverter with stop
- TET-0812-03-xx** 8" sunflower shower head
- BRA-1812-02-xx** 18" shower arm
- DGL-2160-04-xx** 4-spray sliding shower bar
- RAC-9001-13-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-3420-74-xx-NS
TRO-3420-74-xx-NS + RVA-3404-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3420-74-xx

TRR-3420-74-xx*

CB	KB	LB	BB	NB/YB	VB/TB	GB
1463	2401	3340	3525	2349	3832	4595

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

Finishes :

CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper white, GB = gold white

* With 6" ceiling mount shower arm

AIR B80

Compatible with the Touchless Sensor
Order ELE-2001-01-xx (p. 45)



LEGEND

Order

Items from the AIR collection must be ordered in 2 steps:

- 1- Order the core product (spout + handle rough)
- 2- Order the desired handle trim

You must order both codes to obtain a complete product.




1. Order the core product

B80-800X-1PL-xx

**FAUCET WITHOUT HANDLE
DRAIN INCLUDED**



B80-8001-1PL-xx



The core product includes:
- The faucet spout
- The handle rough

Available in all solid finishes.

CC	KK	LL	BB	NN/YY	VV/TT	GG
544	732	837	1204	712	1204	1518

Single-hole lavatory faucet (without handle), drain included

- Max: 1.2 gpm - 60 psi
- Laminar stream
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B80-800X-1PL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-800X-1PL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

Order

The first letter designates the main finish.
The x designates the color accent.

Prices vary depending on the main finish only.

M80-8000-XX0-xx

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

xx: Finish



The first x is the handle base finish — chrome in this example.


The second x is the handle top finish — matte black in this example.

The finish of this example is therefore CK: chrome matte black


Handle kit for 8" c/c lavatory faucet

- Handle kit required to complete products B80-800X-1PL-xx and B80-8042-00L-xx
- Comes in pair
- Made of brass parts


M80-8000-110-xx




M80-8000-220-xx



M80-8000-330-xx



M80-8000-440-xx



Recommendation

We recommend that the faucet **CORE FINISH** (code B) and the handle base (code M) be the same.

Ex: B80-8001-1PL-CC + M80-8000-110-Cx

However, it is possible to mix and match finishes according to your preferences.


B80-103X-1PL-xx

FAUCET WITHOUT HANDLE DRAIN INCLUDED

CEC




B80-1031-1PL-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
443	620	708	886	603	886	1285

B80-1032-1PL-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
443	620	708	886	603	886	1285

Single-hole lavatory faucet (without handle), drain included

- Max: 1.2 gpm - 60 psi
- Laminar stream
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B80-103X-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-103X-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B80-1031-00L-xx

Order your lavatory drain (pages 297-298)


CC	KK	LL	BB	NN/YY	VV/TT	GG
408	570	653	826	558	816	1195

B80-1032-00L-xx

Order your lavatory drain (pages 297-298)

CC	KK	LL	BB	NN/YY	VV/TT	GG
408	570	653	826	558	816	1195

M80-1030-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for single-hole lavatory faucet

- Handle kit required to complete product B80-103X-XXL-xx
- Made of brass parts

M80-1030-10-xx



M80-1030-20-xx



M80-1030-30-xx



M80-1030-40-xx



COMPLETE PRODUCTS



B80-1031-XXL-xx +
M80-1030-10-xx



B80-1031-XXL-xx +
M80-1030-20-xx



B80-1031-XXL-xx +
M80-1030-30-xx



B80-1031-XXL-xx +
M80-1030-40-xx



B80-1032-XXL-xx +
M80-1030-10-xx



B80-1032-XXL-xx +
M80-1030-20-xx



B80-1032-XXL-xx +
M80-1030-30-xx



B80-1032-XXL-xx +
M80-1030-40-xx

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80


B80-800X-1PL-xx

FAUCET WITHOUT HANDLE
DRAIN INCLUDED

CEC




B80-8001-1PL-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
544	732	837	1204	712	1204	1518

B80-8002-1PL-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
544	732	837	1204	712	1204	1518

B80-8003-1PL-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
544	732	837	1204	712	1204	1518


8" c/c lavatory faucet (without handle), drain included

- Max: 1.2 gpm - 60 psi
- Laminar stream
- Push-button drain with overflow included

Ecological Options

Codes	Reduced Flow Rates
B80-800X-1PL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-800X-1PL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

M80-8000-XX0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

Handle kit for 8" c/c lavatory faucet

- Handle kit required to complete products B80-800X-1PL-xx and B80-8042-00L-xx
- Comes in pair
- Made of brass parts

M80-8000-110-xx



M80-8000-220-xx



M80-8000-330-xx



M80-8000-440-xx



COMPLETE PRODUCTS



B80-8001-1PL-xx +
M80-8000-110-xx



B80-8001-1PL-xx +
M80-8000-220-xx



B80-8001-1PL-xx +
M80-8000-330-xx




B80-8001-1PL-xx +
M80-8000-440-xx




B80-8002-1PL-xx +
M80-8000-110-xx




B80-8002-1PL-xx +
M80-8000-220-xx



B80-8002-1PL-xx +
M80-8000-330-xx




B80-8002-1PL-xx +
M80-8000-440-xx




B80-8003-1PL-xx +
M80-8000-110-xx



B80-8003-1PL-xx +
M80-8000-220-xx



B80-8003-1PL-xx +
M80-8000-330-xx



B80-8003-1PL-xx +
M80-8000-440-xx


AIR B80

B80-8042-00L-xx


FAUCET WITHOUT HANDLE



T80-8042-00L-xx



T80-8046-00L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
647	861	1021	1276	866	1379	1588

Two handles wall-mounted lavatory faucet (without handle), drain not included

- Max: 1.2 gpm - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B80-8042-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-8042-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T80-8042-00L-xx 8" spout

CC	KK	LL	BB	NN/YY	VV/TT	GG
215	429	589	844	434	947	1156

T80-8046-00L-xx 6" spout

CC	KK	LL	BB	NN/YY	VV/TT	GG
299	539	664	915	527	1040	1229




ROUGH Please order the following rough to complete the trim:

ROU-8041-00-B Two handles wall-mounted lavatory rough - 1/2" female NPT

432

M80-8000-XX0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

Handle kit for two handles wall-mounted lavatory faucet

- Handle kit required to complete products B80-800X-1PL-xx and B80-8042-00L-xx
- Comes in pair
- Made of brass parts

M80-8000-110-xx



M80-8000-220-xx




M80-8000-330-xx




M80-8000-440-xx



COMPLETE PRODUCTS



B80-8042-00L-xx +
M80-8000-110-xx



B80-8042-00L-xx +
M80-8000-220-xx



B80-8042-00L-xx +
M80-8000-330-xx



B80-8042-00L-xx +
M80-8000-440-xx

Finishes:



CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80



B80-8102-00L-xx

FAUCET WITHOUT HANDLE

T80-8042-00L-xx



T80-8046-00L-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
547	765	874	1093	751	1093	1420

Single lever wall-mounted lavatory faucet (without handle), drain not included

- Max: 1.2 gpm - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 297-298)

Ecological Options

Codes	Reduced Flow Rates
B80-8102-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-8102-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T80-8102-00L-xx 8" spout

CC	KK	LL	BB	NN/YY	VV/TT	GG
265	483	592	811	469	811	1138

T80-8106-00L-xx 6" spout

CC	KK	LL	BB	NN/YY	VV/TT	GG
318	536	645	876	522	864	1191


ROUGH Please order the following rough to complete the trim:

ROU-8100-04-B Single lever wall-mounted lavatory rough - 1/2" male NPT or welded copper connections

282



M80-8100-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for single lever wall-mounted lavatory faucet

- Handle kit required to complete product
- B80-8102-00L-xx
- Made of brass parts

M80-8100-10-xx



M80-8100-20-xx



M80-8100-30-xx




M80-8100-40-xx



COMPLETE PRODUCTS




B80-8102-00L-xx +
M80-8100-10-xx



B80-8102-00L-xx +
M80-8100-20-xx



B80-8102-00L-xx +
M80-8100-30-xx



B80-8102-00L-xx +
M80-8100-40-xx


B80-110X-00-xx

FAUCET WITHOUT HANDLE

CEC




B80-1101-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
1620	2268	2650	2431	2579	3240	4535

B80-1102-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
1620	2268	2650	2431	2579	3240	4535

Floor-mounted tub filler with hand shower (without handle)

- Bath spout: 7.1 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Option

Code	Reduced Flow Rate
B80-1101-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

TRIM ONLY

T80-1101-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
1503	2151	2533	2314	2462	3123	4418

T80-1102-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
1503	2151	2533	2314	2462	3123	4418




MOUNTING KIT Please order the following kit to complete the trim:

FIX-1100-00-B

Floor mounting kit for floor-mounted tub filler with hand shower

117

M80-1100-X0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for floor-mounted tub filler with hand shower

- Handle kit required to complete product B80-110X-00-xx
- Made of brass parts

M80-1100-10-xx



M80-1100-20-xx



M80-1100-30-xx



M80-1100-40-xx



COMPLETE PRODUCTS



B80-1101-00-xx +
M80-1100-10-xx



B80-1101-00-xx +
M80-1100-20-xx



B80-1101-00-xx +
M80-1100-30-xx



B80-1101-00-xx +
M80-1100-40-xx



B80-1102-00-xx +
M80-1100-10-xx



B80-1102-00-xx +
M80-1100-20-xx



B80-1102-00-xx +
M80-1100-30-xx



B80-1102-00-xx +
M80-1100-40-xx


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

B80-1249-00-xx

FAUCET WITHOUT
HANDLE



CC	KK	LL	BB	NN/YY	VV/TT	GG
744	968	1190	1117	1079	1488	1862


2-piece tub filler with hand shower
(without handle)

- Bath spout: 7.3 gpm - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm- 80 psi
- Non-conductive brass hand shower
- Easy-to-clean anti-limestone hand shower

Ecological Option

Code	Reduced Flow Rate
B80-1249-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi

M80-1249-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for 2-piece tub filler with hand shower

- Handle kit required to complete product B80-1249-00-xx
- Made of brass parts

M80-1249-10-xx



M80-1249-20-xx



M80-1249-30-xx



M80-1249-40-xx



COMPLETE PRODUCTS



B80-1249-00-xx +
M80-1249-10-xx



B80-1249-00-xx +
M80-1249-20-xx



B80-1249-00-xx +
M80-1249-30-xx



B80-1249-00-xx +
M80-1249-40-xx

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


LEGEND

Order

Product from the AIR collection must be ordered in 2 steps:

- 1- Items the core product (wall plate + handle rough)
- 2- Order the desired handle trim

You must order both codes to obtain a complete product.



1. Order the core product


B80-952X-00-xx

VALVE WITHOUT HANDLE


B80-9521-00-xx



SHARED PORT



NON-SHARED PORT



The core product includes:

- The wall plate or flange
- The handle rough

Available in all solid finishes.

CC	KK	LL	BB	NN/YY	VV/TT	GG
795	1065	1142	1412	1065	1451	1490

Thermostatic pressure balanced shower valve with 2-way diverter (without handle / shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Ecological Options CEC

Codes	Features
B80-952X-00-xx-NS	Non-shared port 1 accessory works at a time
T80-952X-00-xx + RVA-9521-00-NS-B	
T80-952X-00-xx + RVA-9521-00-NS-B	

2. Order the desired handle trim

Order

The first letter designates the main finish.
The x designates the color accent.

Prices vary depending on the main finish only.

M80-9520-XX0-xx

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

xx: Finish



The first x is the handle base finish — chrome in this example.


The second x is the handle top finish — matte black in this example.

The finish of this example is therefore CK: chrome matte black


Handle kit for thermostatic pressure balanced shower valve with 2-way diverter

- Handle kit required to complete product B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx



M80-9520-120-xx



M80-9520-230-xx



The arrow indicates that the handle trims are interchangeable and can be installed on the top or bottom of the TP valves.

Recommendation

We recommend that the faucet CORE FINISH (code B) and the handle base (code M) be the same.

Ex: B80-9522-00-CC + M80-9520-XX0-Cx


However, it is possible to mix and match finishes according to your preferences.

B80-910X-00-xx

VALVE WITHOUT HANDLE




B80-9101-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
408	535	608	719	523	719	792

B80-9102-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
408	535	608	719	523	719	792

Pressure balanced shower control valve (without handle)


- 6 gpm - 60 psi
- Volume control valve
- Thin brass plate
- Rough valve RVA-9020-00-B included

TRIM ONLY

T80-9101-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	144	271	344	455	259	455	528


T80-9102-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	144	271	344	455	259	455	528

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:



RVA-9020-00-B	Type P rough - 1/2" male NPT or welded copper connections	264
RVA-9020-P0-B	Type P rough - PEX connections	264

M80-9100-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for pressure balanced shower control valve

- Handle kit required to complete product B80-910X-00-xx
- Made of brass parts

M80-9100-10-xx



M80-9100-20-xx



M80-9100-30-xx



M80-9100-40-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 241


AIR B80

B80-918X-00-xx

VALVE WITHOUT HANDLE




B80-9181-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
594	780	903	1059	808	1116	1171

B80-9182-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
594	780	903	1059	808	1116	1171

Pressure balanced shower control valve with 2-way diverter (without handle / shared port)

- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Rough valve RVA-9181-00-B included

Ecological Options CEC

Codes	Features
B80-918X-00-xx-NS	Non-shared port 1 accessory works at a time
T80-918X-00-xx + RVA-9181-00-NS-B	
T80-918X-00-xx + RVA-9181-P0-NS-B	

TRIM ONLY

T80-9181-00-xx

T80-9182-00-xx

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B


2-way type P rough - 1/2" male NPT or welded copper connections

434


RVA-9181-P0-B

2-way type P rough - PEX connections

434



M80-9180-X4-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts


M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



B80-919X-00-xx


VALVE WITHOUT HANDLE




B80-9191-00-xx



SHARED PORT



NON-SHARED PORT




CC	KK	LL	BB	NN/YY	VV/TT	GG
604	790	913	1069	818	1126	1181


B80-9192-00-xx



SHARED PORT



NON-SHARED PORT



CC	KK	LL	BB	NN/YY	VV/TT	GG
604	790	913	1069	818	1126	1181

Pressure balanced shower control valve with 3-way diverter (without handle / shared port)


- 1 outlet: 5 gpm - 60 psi,
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Rough valve RVA-9191-00-B included

Ecological Options CEC

Codes	Features
B80-919X-00-xx-NS	Non-shared port 1 accessory works at a time
T80-919X-00-xx + RVA-9191-00-NS-B	
T80-919X-00-xx + RVA-9191-P0-NS-B	

TRIM ONLY


T80-9191-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	160	346	469	625	374	682	737
T80-9192-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	160	346	469	625	374	682	737



ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B	3-way type P rough - 1/2" male NPT or welded copper connections	444
RVA-9191-P0-B	3-way type P rough - PEX connections	444

M80-9180-X4-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts



Finishes:


CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

B80-940X-00-xx


VALVE WITHOUT HANDLE

B80-9401-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
795	980	1061	1165	943	1202	1276

B80-9402-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
795	980	1061	1165	943	1202	1276

- 3/4" thermostatic valve (without handle)
- 16 gpm - 60 psi
 - Separate volume control or diverter valve required
 - Can easily supply 3 accessories
 - Thin brass plate
 - Reversible check / non-return valves in case of water supply inversion
 - Rough valve RVA-3404-00-B included



TRIM ONLY

T80-9401-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	177	362	443	547	325	584	658


T80-9401-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	177	362	443	547	325	584	658

ROUGH VALVE

Please order the following rough valve to complete the trim:

RVA-3404-00-B	Type T rough - 3/4" female NPT connections	618
---------------	--	-----

M80-9400-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178


Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product B80-940X-00-xx
- Made of brass parts

M80-9400-10-xx



M80-9400-20-xx



M80-9400-30-xx




M80-9400-40-xx



B80-9453-00-xx

VALVE WITHOUT HANDLE



CC	KK	LL	BB	NN/YY	VV/TT	GG
681	708	747	766	699	804	842

3/4" thermostatic valve (without handle)

- 9 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-3453-00-B included

TRIM ONLY



T80-9453-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
107	134	173	192	125	230	268


ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574

M80-9453-X0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
294	410	470	586	399	645	733

Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product B80-9453-00-xx
- Made of brass parts
- Hook accessory covers up the check valves

M80-9453-10-xx



M80-9453-20-xx



M80-9453-30-xx



M80-9453-40-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


AIR B80

B80-951X-00-xx

VALVE WITHOUT HANDLE




B80-9511-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
820	1090	1167	1437	1090	1476	1515

B80-9512-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
820	1090	1167	1437	1090	1476	1515

Thermostatic pressure balanced shower valve with 1-way diverter (without handle)

- 1 outlet: 7.1 gpm - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9511-00-B included

TRIM ONLY

T80-9511-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
176	446	523	793	446	832	871

T80-9512-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
176	446	523	793	446	832	871

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B


1-way TP rough - 1/2" male NPT or welded copper connections

644


RVA-9511-PO-B

1-way TP rough - PEX connections

644



M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx




B80-952X-00-xx

VALVE WITHOUT HANDLE




B80-9521-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
795	1065	1142	1412	1065	1451	1490

B80-9522-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
795	1065	1142	1412	1065	1451	1490


Thermostatic pressure balanced shower valve with 2-way diverter (without handle)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9521-00-B included

Ecological Options CEC

Codes	Features
B80-952X-00-xx-NS	Non-shared port 1 accessory works at a time
T80-952X-00-xx + RVA-9521-00-NS-B	
T80-952X-00-xx + RVA-9521-P0-NS-B	

TRIM ONLY




T80-9521-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	176	446	523	793	446	832	871
T80-9522-00-xx	CC	KK	LL	BB	NN/YY	VV/TT	GG
	176	446	523	793	446	832	871

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B	2-way TP rough - 1/2" male NPT or welded copper connections	619
RVA-9521-P0-B	2-way TP rough - PEX connections	619

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx



M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


AIR B80

B80-953X-00-xx

VALVE WITHOUT HANDLE




B80-9531-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
820	1090	1167	1437	1090	1476	1515

B80-9532-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
820	1090	1167	1437	1090	1476	1515

Thermostatic pressure balanced shower valve with 3-way diverter (without handle)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Rough valve RVA-9531-00-B included

Ecological Options CEC

Codes	Features
B80-953X-00-xx-NS	Non-shared port 1 accessory works at a time
T80-953X-00-xx + RVA-9521-00-NS-B	
T80-953X-00-xx + RVA-9521-P0-NS-B	

TRIM ONLY

T80-9531-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
176	446	523	793	446	832	871

T80-9532-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
176	446	523	793	446	832	871

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B


3-way TP rough - 1/2" male NPT or welded copper connections

644


RVA-9531-P0-B

3-way TP rough - PEX connections

644



M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx




M80-9520-330-xx



B80-9560-02-xx

VALVE WITHOUT HANDLE

CC	KK	LL	BB	NN/YY	VV/TT	GG
361	395	429	446	378	463	515



- 2-port diverter with stop
(without handle / shared port)
- 1 outlet: 10.5 gpm - 60 psi
 - 2 outlets: 4 gpm - 60 psi
 - Can replace 2 volume control valves
 - Up to 2 accessories can be used at the same time
 - Extra long cartridge for maximum adjustment, can be cut to required length
 - Rough RVA-9562-00-B included

Ecological Options

Codes	Features
B80-9560-02-xx-NS	Non-shared port
T80-9560-02-xx + RVA-9562-00-NS-B	1 accessory works at a time



TRIM ONLY

T80-9560-02-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
85	119	153	170	102	187	239


ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

M80-9500-X0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

- Handle kit for diverter with stop
- Handle kit required to complete products B80-9560-0X-xx and B80-9649-00-xx
 - Made of brass parts

M80-9500-10-xx



M80-9500-20-xx



M80-9500-30-xx



M80-9500-40-xx



AIR B80


B80-9560-03-xx

VALVE WITHOUT HANDLE






SHARED PORT



NON-SHARED PORT



3-port diverter with stop
(without handle / shared port)

- 1 outlet: 9.7 gpm – 60 psi
- 2 outlets: 5.2 gpm – 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough RVA-9563-00-B included

Ecological Options

CEC

Codes	Features
B80-9560-03-xx-NS	Non-shared port
T80-9560-03-xx + RVA-9563-00-NS-B	1 accessory works at a time



TRIM ONLY

T80-9560-03-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
85	119	153	170	102	187	239


ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-9563-00-B

3-port diverter rough - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

M80-9500-X0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178


Handle kit for diverter with stop

- Handle kit required to complete products B80-9560-0X-xx and B80-9649-00-xx
- Made of brass parts

M80-9500-10-xx



M80-9500-20-xx



M80-9500-30-xx




M80-9500-40-xx



B80-9649-00-xx

VALVE WITHOUT HANDLE



CC	KK	LL	BB	NN/YY	VV/TT	GG
302	336	370	387	319	404	456

3/4" volume control valve (without handle)

- 11.1 gpm - 60 psi
- Volume control valve
- Offers higher flow
- Extra long cartridge for maximum adjustment, can be cut to required length
- Rough valve RVA-2719-34-B included

TRIM ONLY



T80-9649-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
85	119	153	170	102	187	239


ROUGH VALVE Please order the following rough valve to complete the trim:

RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217

M80-9500-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for 3/4" volume control valve

- Handle kit required to complete products B80-9560-0X-xx and B80-9649-00-xx
- Made of brass parts

M80-9500-10-xx



M80-9500-20-xx



M80-9500-30-xx



M80-9500-40-xx





Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

SELECTION OF SHOWER COMPONENTS

For more shower components and for ecological options, please refer to the shower components section (see p. 325-362).

TET-0810-01-xx 8" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>278</td><td>372</td><td>408</td><td>392</td></tr></table>	CC	KK	LL	BB	278	372	408	392	TET-1010-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>403</td><td>564</td><td>725</td><td>806</td></tr></table>	CC	KK	LL	BB	403	564	725	806	BRA-1612-66-xx 16" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>116</td><td>175</td><td>328</td><td>262</td></tr></table>	CC	KK	LL	BB	116	175	328	262	BRA-1815-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>225</td><td>395</td><td>458</td><td>448</td></tr></table>	CC	KK	LL	BB	225	395	458	448									
CC	KK	LL	BB																																									
278	372	408	392																																									
CC	KK	LL	BB																																									
403	564	725	806																																									
CC	KK	LL	BB																																									
116	175	328	262																																									
CC	KK	LL	BB																																									
225	395	458	448																																									
		BRA-1812-02-xx 18" shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>104</td><td>139</td><td>276</td><td>285</td></tr></table>	CC	KK	LL	BB	104	139	276	285	RAC-0618-02-xx 6" ceiling mount shower arm  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>49</td><td>126</td><td>143</td><td>122</td></tr></table>	CC	KK	LL	BB	49	126	143	122																									
CC	KK	LL	BB																																									
104	139	276	285																																									
CC	KK	LL	BB																																									
49	126	143	122																																									
TET-0813-01-xx 8" round shower head  <table><tr><td>CC</td></tr><tr><td>201</td></tr></table>	CC	201	TET-1013-01-xx 10" round shower head  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>NN</td></tr><tr><td>299</td><td>399</td><td>499</td><td>449</td></tr></table>	CC	KK	LL	NN	299	399	499	449	TET-1213-01-xx 12" round shower head  <table><tr><td>CC</td></tr><tr><td>396</td></tr></table>	CC	396	TET-1208-01-xx 12" x 18" rectangular shower head  <table><tr><td>CC</td><td>KK</td></tr><tr><td>322</td><td>418</td></tr></table>	CC	KK	322	418	TET-2012-01-xx 20" x 12" rectangular shower head  <table><tr><td>CC</td></tr><tr><td>673</td></tr></table>	CC	673																						
CC																																												
201																																												
CC	KK	LL	NN																																									
299	399	499	449																																									
CC																																												
396																																												
CC	KK																																											
322	418																																											
CC																																												
673																																												
DGL-2584-53-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>342</td><td>489</td><td>617</td><td>918</td></tr></table>	CC	KK	LL	BB	342	489	617	918	DGL-2580-53-xx 3-spray sliding shower bar  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>342</td><td>489</td><td>617</td><td>918</td></tr></table>	CC	KK	LL	BB	342	489	617	918	DSP-2574-19-xx Hand shower on wall-mounted supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>341</td><td>446</td><td>678</td><td>687</td></tr></table>	CC	KK	LL	BB	341	446	678	687	DSP-2604-19-xx Hand shower on wall-mounted supply elbow  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>339</td><td>453</td><td>651</td><td>640</td></tr></table>	CC	KK	LL	BB	339	453	651	640	RAC-9001-16-xx Wall-mount supply elbow 1/2"F  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>99</td><td>129</td><td>138</td><td>140</td></tr></table>	CC	KK	LL	BB	99	129	138	140
CC	KK	LL	BB																																									
342	489	617	918																																									
CC	KK	LL	BB																																									
342	489	617	918																																									
CC	KK	LL	BB																																									
341	446	678	687																																									
CC	KK	LL	BB																																									
339	453	651	640																																									
CC	KK	LL	BB																																									
99	129	138	140																																									
			RAC-9201-02-xx 1/2"F wall-mount supply elbow with integrated volume control  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>144</td><td>245</td><td>259</td><td>287</td></tr></table>	CC	KK	LL	BB	144	245	259	287																																	
CC	KK	LL	BB																																									
144	245	259	287																																									
BEC-0520-37-xx Round modern tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>124</td><td>164</td><td>206</td><td>226</td></tr></table>	CC	KK	LL	BB	124	164	206	226	BEC-0520-73-xx 7" tub spout without diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>96</td><td>124</td><td>263</td><td>276</td></tr></table>	CC	KK	LL	BB	96	124	263	276	BEC-0520-74-xx 7" round tub spout with diverter  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>113</td><td>147</td><td>296</td><td>286</td></tr></table>	CC	KK	LL	BB	113	147	296	286	BOD-5002-01-xx Lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>144</td><td>259</td><td>283</td><td>287</td></tr></table>	CC	KK	LL	BB	144	259	283	287	BOD-5007-01-xx Round built-in lateral body jet  <table><tr><td>CC</td><td>KK</td><td>LL</td><td>BB</td></tr><tr><td>282</td><td>394</td><td>454</td><td>517</td></tr></table>	CC	KK	LL	BB	282	394	454	517
CC	KK	LL	BB																																									
124	164	206	226																																									
CC	KK	LL	BB																																									
96	124	263	276																																									
CC	KK	LL	BB																																									
113	147	296	286																																									
CC	KK	LL	BB																																									
144	259	283	287																																									
CC	KK	LL	BB																																									
282	394	454	517																																									

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

COMPLETE SHOWER KITS

PRO-1101-53-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1605	2246	3049	3209	2340	3529	4012

Features

- Max: 2 gpm - 80 psi (per accessory)
- 10" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code	Features are the same, except:
PRO-1101-53-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

PRO-1102-53-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1719	2407	3268	3439	2508	3783	4299

Features

- Max: 2 gpm - 80 psi (per accessory)
- 10" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code	Features are the same, except:
PRO-1102-53-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold 253

AIR B80

PRO-2101-80-xx



Complete pressure balanced shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
840	1125	1328	1678	1231	1845	2098

Features

- Max: 2 gpm - 80 psi
- Order a handle kit to complete the product
- 3-spray hand shower

Includes

- B80-9101-00-CC** Type P valve (without handle)
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2101-80-xx-175
TRO-2101-80-xx-175 + RVA-9020-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-2101-80-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
576	861	1064	1414	967	1581	1834

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections


264

RVA-9020-P0-B

Type P rough - PEX connections

264

M80-9100-X0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for pressure balanced shower control valve

- Handle kit required to complete product B80-910X-00-xx
- Made of brass parts

M80-9100-10-xx




M80-9100-20-xx



M80-9100-30-xx



M80-9100-40-xx



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRO-2102-80-xx

Complete pressure balanced shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
840	1125	1328	1678	1231	1845	2098

Features

- Max: 2 gpm - 80 psi
- Order a handle kit to complete the product
- 3-spray hand shower

Includes

- B80-9102-00-CC** Type P valve (without handle)
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2102-80-xx-175
TRO-2102-80-xx-175 + RVA-9020-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)



TRIM ONLY

TRO-2102-80-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
576	861	1064	1414	967	1581	1834

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections


264

RVA-9020-P0-B

Type P rough - PEX connections

264

M80-9100-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for pressure balanced shower control valve

- Handle kit required to complete product B80-910X-00-xx
- Made of brass parts

M80-9100-10-xx



M80-9100-20-xx



M80-9100-30-xx



M80-9100-40-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80



PRO-2201-80-xx

Complete pressure balanced shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
953	1248	1589	1824	1397	2157	2382

Features

- Max: 2 gpm - 80 psi
- Order a handle kit to complete the product
- 3-spray hand shower

Includes

B80-9101-00-CC

Type P valve (without handle)

BEC-0520-74-CC

7" round tub spout with diverter

DGL-2580-53-xx

3-spray sliding shower bar

RAC-9001-16-xx

Wall-mount supply elbow

Ecological Options

CEC

Codes

PRO-2201-80-xx-175

TRO-2201-80-xx-175 + RVA-9020-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-2201-80-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
689	984	1325	1560	1133	1893	2118

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections


264

RVA-9020-PO-B

Type P rough - PEX connections

264

M80-9100-X0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178


Handle kit for pressure balanced shower control valve

- Handle kit required to complete product B80-910X-00-xx
- Made of brass parts


M80-9100-10-xx




M80-9100-20-xx



M80-9100-30-xx



M80-9100-40-xx



256

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRO-2202-80-xx

Complete pressure balanced shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
953	1248	1589	1824	1397	2157	2382

Features

- Max: 2 gpm - 80 psi
- Order a handle kit to complete the product
- 3-spray hand shower

Includes

- B80-9102-00-CC** Type P valve (without handle)
- BEC-0520-74-CC** 7" round tub spout with diverter
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2202-80-xx-175
TRO-2202-80-xx-175 + RVA-9020-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)



TRIM ONLY

TRO-2202-80-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
689	984	1325	1560	1133	1893	2118

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections


264

RVA-9020-P0-B

Type P rough - PEX connections

264

M80-9100-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for pressure balanced shower control valve

- Handle kit required to complete product B80-910X-00-xx
- Made of brass parts

M80-9100-10-xx



M80-9100-20-xx



M80-9100-30-xx



M80-9100-40-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

PRO-2801-80-xx PRR-2801-80-xx*



Complete pressure balanced shower kit without handle

Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9181-00-xx** Type P valve with 2-way diverter (without handle)
- TET-0810-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2801-80-xx-NS
TRO-2801-80-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY


TRO-2801-80-xx TRR-2801-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
886	1410	1763	2171	1499	2498	2931

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B	2-way type P rough - 1/2" male NPT or welded copper connections	434
RVA-9181-P0-B	2-way type P rough - PEX connections	434

M80-9180-X4-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts


M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



PRO-2802-80-xx PRR-2802-80-xx*



Complete pressure balanced shower kit without handle

Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9182-00-xx** Type P valve with 2-way diverter (without handle)
- TET-0811-02-xx** 8" square shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-2802-80-xx-NS
TRO-2802-80-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2802-80-xx TRR-2802-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
937	1483	2021	2301	1575	2648	3047

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections


434

RVA-9181-P0-B

2-way type P rough - PEX connections

434

M80-9180-X4-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts

M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-2811-80-xx

PRR-2811-80-xx*



Complete pressure balanced shower kit without handle

CC	KK
1354	1893

Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

B80-9181-00-xx	Type P valve with 2-way diverter (without handle)
TET-1013-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Ecological Options

CEC	Codes	Features are the same, except:
	PRO-2811-80-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory)
	TRO-2811-80-xx-NS + RVA-9181-00-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2811-80-xx

TRR-2811-80-xx*


CC	KK
920	1459

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B	2-way type P rough - 1/2" male NPT or welded copper connections	434
RVA-9181-PO-B	2-way type P rough - PEX connections	434

M80-9180-X4-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts

M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



PRO-2812-80-xx

PRR-2812-80-xx*

Complete pressure balanced shower kit without handle

CC	KK
1389	1941



Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9182-00-xx** Type P valve with 2-way diverter (without handle)
- TET-1208-01-xx** 12" x 8" rectangular shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options

CEC

Codes

PRO-2812-80-xx-NS
TRO-2812-80-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2812-80-xx

TRR-2812-80-xx*

CC	KK
955	1507

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections


434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

M80-9180-X4-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts

M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-2891-80-xx

PRR-2891-80-xx*



Complete pressure balanced shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
1242	1731	2105	2213	1792	2723	3083

Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

- B80-9181-00-xx** Type P valve with 2-way diverter (without handle)
- TET-0810-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2604-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options

CEC

Codes

- PRO-2891-80-xx-NS
- TRO-2891-80-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2891-80-xx

TRR-2891-80-xx*


CC	KK	LL	BB	NN/YY	VV/TT	GG
808	1297	1671	1779	1358	2289	2649

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B	2-way type P rough - 1/2" male NPT or welded copper connections	434
RVA-9181-PO-B	2-way type P rough - PEX connections	434

M80-9180-X4-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts

M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



PRO-2892-80-xx

PRR-2892-80-xx*



Complete pressure balanced shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
1294	1786	2322	2400	1854	2837	3126

Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

- B80-9182-00-xx** Type P valve with 2-way diverter (without handle)
- TET-0811-02-xx** 8" square shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2604-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-2892-80-xx-NS
TRO-2892-80-xx-NS + RVA-9181-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2892-80-xx

TRR-2892-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
860	1352	1888	1966	1420	2403	2692

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9181-00-B

2-way type P rough - 1/2" male NPT or welded copper connections


434

RVA-9181-PO-B

2-way type P rough - PEX connections

434

M80-9180-X4-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts

M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-2901-80-xx

PRR-2901-80-xx*



Complete pressure balanced shower kit without handle

CC1391

Features

- 3 accessories kit
- Order a handle kit to complete the product
- 5 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9191-00-xx** Type P valve with 3-way diverter (without handle)
- BEC-0520-73-xx** 7" round tub spout without diverter
- TET-0813-01-xx** 8" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options

CEC

Codes

PRO-2901-80-xx-NS

TRO-2901-80-xx-NS + RVA-9191-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)

- 1 accessory works at a time

TRIM ONLY

TRO-2901-80-xx

TRR-2901-80-xx*

CC947

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B

3-way type P rough - 1/2" male NPT or welded copper connections


444

RVA-9191-P0-B

3-way type P rough - PEX connections

444

M80-9180-X4-xx



Cx232

Kx276

Lx298

Bx308

Nx/Yx290


Vx/Tx322

Gx356

Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts

M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



264

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRO-2902-80-xx PRR-2902-80-xx*

Complete pressure balanced shower kit without handle

CC

1449



Features

- 3 accessories kit
- Order a handle kit to complete the product
- 5 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9192-00-xx** Type P valve with 3-way diverter (without handle)
- BEC-0520-73-xx** 7" round tub spout without diverter
- TET-0814-01-xx** 8" square shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

- PRO-2902-80-xx-NS
- TRO-2902-80-xx-NS + RVA-9191-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-2902-80-xx TRR-2902-80-xx*

CC

1005

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9191-00-B

3-way type P rough - 1/2" male NPT or welded copper connections


444

RVA-9191-P0-B

3-way type P rough - PEX connections

444

M80-9180-X4-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356

Handle kit for pressure balanced shower control valve with diverter

- Handle kit required to complete products B80-918X-00-xx and B80-919X-00-xx
- Comes in pair
- Made of brass parts

M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-3301-80-xx PRR-3301-80-xx*

Complete thermostatic shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
1789	2300	2687	2847	2233	3152	3747

Features

- 2 accessories kit
- Order **two** handle kits to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

- B80-9453-00-xx** 3/4" thermostatic valve (without handle)
- B80-9560-02-xx** 2-port diverter with off (without handle)
- TET-1010-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2604-21-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-3301-80-xx-NS
TRO-3301-80-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3301-80-xx TRR-3301-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
939	1450	1837	1997	1383	2302	2897

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574


RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

! To complete this shower kit, you must order **TWO** handle kits (**M80-9453-X0-xx** and **M80-9500-X0-xx**).

M80-9453-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
294	410	470	586	399	645	733

Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product B80-9453-00-xx
- Made of brass parts
- Hook accessory covers up the check valves

M80-9453-10-xx



M80-9453-20-xx




M80-9453-30-xx



M80-9453-40-xx



M80-9500-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for diverter with stop

- Handle kit required to complete products B80-9560-0X-xx and B80-9649-00-xx
- Made of brass parts

M80-9500-10-xx



M80-9500-20-xx



M80-9500-30-xx



M80-9500-40-xx



PRO-3302-80-xx

PRR-3302-80-xx*



Complete thermostatic shower kit without handle

Features

- 2 accessories kit
- Order **two** handle kits to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

- B80-9453-00-xx** 3/4" thermostatic valve (without handle)
- B80-9560-02-xx** 2-port diverter with off (without handle)
- TET-1011-01-xx** 10" square shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2604-21-xx** Hand shower on wall-mounted supply elbow

Ecological Options

CEC

Codes

PRO-3302-80-xx-NS
TRO-3302-80-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3302-80-xx

TRR-3302-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1028	1570	1993	2129	1510	2492	3012

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574


RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

! To complete this shower kit, you must order **TWO** handle kits (**M80-9453-X0-xx** and **M80-9500-X0-xx**).

M80-9453-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
294	410	470	586	399	645	733

Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product B80-9453-00-xx
- Made of brass parts
- Hook accessory covers up the check valves

M80-9453-10-xx



M80-9453-20-xx




M80-9453-30-xx



M80-9453-40-xx



M80-9500-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for diverter with stop

- Handle kit required to complete products B80-9560-0X-xx and B80-9649-00-xx
- Made of brass parts

M80-9500-10-xx



M80-9500-20-xx



M80-9500-30-xx



M80-9500-40-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-3311-80-xx

Complete thermostatic kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
1432	1774	2036	2078	1740	2396	2768

Features

- 2 accessories kit
- Order **two** handle kits to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

- B80-9453-00-xx** 3/4" thermostatic valve (without handle)
- B80-9560-02-xx** 2-port diverter with off (without handle)
- BEC-0520-37-xx** Modern round tub spout without diverter
- DSP-2604-21-xx** Hand shower on wall-mounted supply elbow

Ecological Options

CEC

Codes

PRO-3311-80-xx-NS
TRO-3311-80-xx-NS + RVA-3453-00-B +
RVA-9562-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-3311-80-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
582	924	1186	1228	890	1546	1918

ROUGH VALVES Please order **all** of the following rough valves to complete the trim:

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574


RVA-9562-00-B

2-port diverter rough - 1/2" male NPT or welded copper connections

276

! To complete this shower kit, you must order **TWO** handle kits (**M80-9453-X0-xx** and **M80-9500-X0-xx**).

M80-9453-X0-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
294	410	470	586	399	645	733

Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product B80-9453-00-xx
- Made of brass parts
- Hook accessory covers up the check valves

M80-9453-10-xx



M80-9453-20-xx




M80-9453-30-xx



M80-9453-40-xx



M80-9500-X0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
116	138	149	154	145	161	178

Handle kit for diverter with stop

- Handle kit required to complete products B80-9560-0X-xx and B80-9649-00-xx
- Made of brass parts


M80-9500-10-xx



M80-9500-20-xx



M80-9500-30-xx



M80-9500-40-xx



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRO-4151-80-xx

Complete thermostatic pressure balanced shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
1207	1556	1739	2231	1732	2514	2964

Features

- 1 accessory kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B80-9511-00-xx** TP shower control valve with 1-way diverter (without handle)
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4151-80-xx-175
TRO-4151-80-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)



TRIM ONLY

TRO-4151-80-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
563	912	1095	1587	1088	1870	2320

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections


644

RVA-9511-PO-B

1-way TP rough - PEX connections

644

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

PRO-4152-80-xx

Complete thermostatic pressure balanced shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
1207	1556	1739	2231	1732	2514	2964

Features

- 1 accessory kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi
- 3-spray hand shower

Includes

- B80-9511-00-xx** TP shower control valve with 1-way diverter (without handle)
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options

CEC

Codes

PRO-4152-80-xx-175
TRO-4152-80-xx-175 + RVA-9511-00-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (hand shower)

TRIM ONLY

TRO-4152-80-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
563	912	1095	1587	1088	1870	2320

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections


644

RVA-9511-P0-B

1-way TP rough - PEX connections

644

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



PRO-4201-80-xx PRR-4201-80-xx*



Complete thermostatic pressure balanced shower kit without handle

Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9521-00-xx** TP shower control valve with 2-way diverter (without handle)
- TET-1010-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options **CEC**

Codes

PRO-4201-80-xx-NS
TRO-4201-80-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4201-80-xx TRR-4201-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1069	1753	2146	2768	1870	3107	3675

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections


619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

PRO-4211-80-xx

PRR-4211-80-xx*

Complete thermostatic pressure balanced shower kit without handle

CC	KK
1580	2053



Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

B80-9521-00-xx	TP shower control valve with 2-way diverter (without handle)
TET-1013-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4211-80-xx-NS
TRO-4211-80-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4211-80-xx

TRR-4211-80-xx*

CC	KK
961	1434

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections


619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-4212-80-xx
PRR-4212-80-xx*

Complete thermostatic pressure balanced shower
kit without handle

CC	KK
1607	2099



Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9522-00-xx** TP shower control valve with 2-way diverter (without handle)
- TET-1208-01-xx** 12" x 8" rectangular shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2584-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options **CEC**

Codes

- PRO-4212-80-xx-NS
- TRO-4212-80-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY


TRO-4212-80-xx
TRR-4212-80-xx*

CC	KK
988	1480

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B	2-way TP rough - 1/2" male NPT or welded copper connections	619
RVA-9521-PO-B	2-way TP rough - PEX connections	619

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced
shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



PRO-4291-80-xx

PRR-4291-80-xx*

Complete thermostatic pressure balanced shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
1588	2201	2688	3027	2241	3278	3688

Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9521-00-xx** TP shower control valve with 2-way diverter (without handle)
- TET-1010-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2574-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options CEC

Codes

PRO-4291-80-xx-NS
TRO-4291-80-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4291-80-xx

TRR-4291-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
969	1582	2069	2408	1622	2659	3069

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections


619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-4292-80-xx
PRR-4292-80-xx*

Complete thermostatic pressure balanced
shower kit without handle

CC	KK	LL	BB	NN/YY	VV/TT	GG
1684	2322	2843	3198	2367	3468	3857



Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9522-00-xx** TP shower control valve with 2-way diverter (without handle)
- TET-1011-01-xx** 10" square shower head
- BRA-1612-66-xx** 16" shower arm
- DSP-2584-19-xx** Hand shower on wall-mounted supply elbow

Ecological Options **CEC**

Codes

PRO-4292-80-xx-NS
TRO-4292-80-xx-NS + RVA-9521-00-NS-B

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

TRIM ONLY

TRO-4292-80-xx
TRR-4292-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1065	1703	2224	2579	1748	2849	3238

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9521-00-B

2-way TP rough - 1/2" male NPT or welded copper connections


619

RVA-9521-PO-B

2-way TP rough - PEX connections

619

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced
shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



PRO-4301-80-xx PRR-4301-80-xx*



Complete thermostatic pressure balanced shower kit without handle

Features

- 3 accessories kit
- Order a handle kit to complete the product
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

- B80-9531-00-xx** TP shower control valve with 3-way diverter (without handle)
- BEC-0520-37-xx** Modern round tub spout without diverter
- TET-1010-01-xx** 10" round shower head
- BRA-1612-66-xx** 16" shower arm
- DGL-2580-53-xx** 3-spray sliding shower bar
- RAC-9001-16-xx** Wall-mount supply elbow

Ecological Options CEC

Codes

PRO-4301-80-xx-NS
TRO-4301-80-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max : 1.75 gpm - 80 psi (shower accessories)
- 1 accessory works at a time

TRIM ONLY

TRO-4301-80-xx TRR-4301-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1187	1918	2307	2860	2063	3413	4039

ROUGH VALVES Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections


644

RVA-9531-PO-B

3-way TP rough - PEX connections

644

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-4302-80-xx

PRR-4302-80-xx*



Complete thermostatic pressure balanced shower kit without handle

Features

- 3 accessories kit
- Order a handle kit to complete the product
- 7.1 gpm - 60 psi (bath spout)
- Max: 2 gpm - 80 psi (shower accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

B80-9532-00-xx

BEC-0520-37-xx

TET-1011-01-xx

BRA-1612-66-xx

DGL-2584-53-xx

RAC-9001-16-xx

TP shower control valve with 3-way diverter (without handle)

Modern round tub spout without diverter

10" square shower head

16" shower arm

3-spray sliding shower bar

Wall-mount supply elbow

Ecological Options

CEC

Codes

PRO-4302-80-xx-NS

TRO-4302-80-xx-NS + RVA-9531-00-NS-B

Features are the same, except:

- Max : 1.75 gpm - 80 psi (shower accessories)

- 1 accessory works at a time

TRIM ONLY

TRO-4302-80-xx

TRR-4302-80-xx*

CC	KK	LL	BB	NN/YY	VV/TT	GG
1273	2039	2445	3023	2188	3603	4248

ROUGH VALVES

Please order **one** of the following rough valves to complete the trim:

RVA-9531-00-B

3-way TP rough - 1/2" male NPT or welded copper connections


644

RVA-9531-P0-B

3-way TP rough - PEX connections

644

M80-9520-XX0-xx




Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
232	276	298	308	290	322	356


Handle kit for thermostatic pressure balanced shower valve with diverter

- Handle kit required to complete products B80-951X-00-xx, B80-952X-00-xx and B80-953X-00-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



278

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 281-294).

A04-1029-00-xx

PETITE
Wall-mounted toilet paper holder



48h The Essentials

CC	KK	LL	BB	NN	YY	VV/TT
102	122	163	184	107	154	204

A04-1069-00-xx

PETITE
Bathrobe holder



48h The Essentials

CC	KK	LL	BB	NN	YY	VV/TT
53	64	86	96	56	78	107

A80-1069-00-xx

AIR
Bathrobe holder



Cx	Kx	Lx	Bx	Nx	Yx	Vx/Tx
167	201	218	218	176	212	234

A04-6012-00-xx

PETITE
12" single towel bar



48h The Essentials

CC	KK	LL	BB	NN	YY	VV/TT
128	154	205	231	135	187	257

A04-6018-00-xx

PETITE
18" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
151	181	241	271	158	220	301

A04-6024-00-xx

PETITE
24" single towel bar



48h The Essentials

CC	KK	LL	BB	NN	YY	VV/TT
170	204	272	306	179	248	340

A04-6030-00-xx

PETITE
30" single towel bar



CC	KK	LL	BB	NN	YY	VV/TT
204	245	327	367	214	298	408

A85-3179-00-xx

Shower squeegee



CC
117

A85-9077-00-xx

Corner basket



CC
200

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

ACCESSORIES



BARIL

A04-1029-00-xx

48h

The Essentials



65 mm
2-1/2"

170 mm
6-5/8"

28 mm
1-1/8"

CC	KK	LL	BB	NN	YY	VV/TT	KM	GG
102	122	163	184	107	154	204	184	284

PETITE

Wall-mounted toilet paper holder

A04-1069-00-xx

48h

The Essentials



45 mm
1-3/4"

28 mm
1-1/8"

45 mm
1-3/4"

CC	KK	LL	BB	NN	YY	VV/TT	KM	GG
53	64	86	96	56	78	107	96	149

PETITE

Bathrobe holder

A04-6012-00-xx

48h

The Essentials



64 mm
2-1/2"

300 mm
11-3/4"

28 mm
1-1/8"

CC	KK	LL	BB	NN	YY	VV/TT	KM	GG
128	154	205	231	135	187	257	231	385

PETITE

12" single towel bar

A04-6018-00-xx

48h

The Essentials



64 mm
2-1/2"

450 mm
17-3/4"

28 mm
1-1/8"

CC	KK	LL	BB	NN	YY	VV/TT	KM	GG
151	181	241	271	158	220	301	271	452

PETITE

18" single towel bar

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

A04-6024-00-xx

48h

The Essentials

CC	KK	LL	BB	NN	YY	VV/TT	KM	GG
170	204	272	306	179	248	340	306	510



64 mm
2-1/2"

28 mm
1-1/8"

600 mm
23-5/8"

PETITE

24" single towel bar

A04-6030-00-xx

CC	KK	LL	BB	NN	YY	VV/TT	KM	GG
204	245	327	367	214	298	408	367	612



64 mm
2-1/2"

28 mm
1-1/8"

750 mm
29-1/2"


PETITE

30" single towel bar

ACCESSORIES

FLAT + FLOW COLLECTIONS

A44-1029-00-xx




CC	KK	LL	BB	NN	YY	VV/TT	GG
113	136	181	204	119	165	227	284

FLAT

Square wall-mounted toilet paper holder

A44-1069-00-xx




CC	KK	LL	BB	NN	YY	VV/TT	GG
78	93	124	140	82	113	156	194

FLAT

Square bathrobe holder

A44-6027-00-xx




CC	KK	LL	BB	NN	YY	VV/TT	GG
238	285	380	428	249	347	475	713

FLAT

Square double towel bar
- 2 pivoting bars with a single wall mount

A84-1069-00-xx



CC	KK	LL	BB	NN	YY	VV/TT	GG
51	61	81	91	53	71	102	152


FLOW

Bathrobe holder

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

A46-1029-00-xx

CC	CF	KK	LL	BB	NN	YY	VV/TT	GG
124	124	149	199	224	130	181	248	311




PROFILE

Wall-mounted toilet paper holder

A46-1069-00-xx

CC	CF	KK	LL	BB	NN	YY	VV/TT	GG
78	78	93	124	140	82	113	156	194




PROFILE

Bathrobe holder

A46-6012-00-xx

CC	CF	KK	LL	BB	NN	YY	VV/TT	GG
193	193	232	309	348	203	282	387	580




PROFILE

12" single towel bar

A46-6018-00-xx

CC	CF	KK	LL	BB	NN	YY	VV/TT	GG
216	216	259	346	389	227	315	432	648




PROFILE

18" single towel bar

A46-6024-00-xx

CC	CF	KK	LL	BB	NN	YY	VV/TT	GG
238	238	285	380	428	249	347	475	713



PROFILE


24" single towel bar

Finishes:

CC = chrome, CF = smokey chrome, FR = frosted, KK = matte black, LL = satin brass, MM = warm gold, BB = white, KM = black titanium, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


A46-6030-00-xx

CC	CF	KK	LL	BB	NN	YY	VV/TT	GG
281	281	337	449	505	295	410	562	794



PROFILE


30" single towel bar

A56-1029-00-xx

CC	KK	LL	BB	NN	YY	VV/TT	GG
111	133	177	199	116	161	221	332

ACCENT


Wall-mounted toilet paper holder

A56-1069-00-xx

CC	KK	LL	BB	NN	YY	VV/TT	GG
54	64	86	96	56	78	107	161

ACCENT


Bathrobe holder

A56-6018-00-xx

CC	KK	LL	BB	NN	YY	VV/TT	GG
147	176	235	264	154	214	294	441

ACCENT


18" single towel bar

A56-6024-00-xx

CC	KK	LL	BB	NN	YY	VV/TT	GG
168	202	270	303	177	246	337	505

ACCENT

24" single towel bar

A56-6028-00-xx

CC	KK	LL	BB	NN	YY	VV/TT	GG
212	254	339	381	222	309	423	635

ACCENT

28" single towel bar

Finishes:


CC = chrome, CF = smokey chrome, FR = frosted, KK = matte black, LL = satin brass, MM = warm gold, BB = white, KM = black titanium, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

A66-1029-01-xx

48h

The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
102	122	163	159	107	149	204	184	306



ZIP


Wall-mounted toilet paper holder

A66-1069-01-xx

48h

The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
60	72	81	108	63	84	121	108	181



ZIP


Bathrobe holder

A66-1079-00-xx

48h

The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
45	63	73	82	48	61	91	81	135



ZIP



Bathrobe holder

A66-6018-00-xx

48h

The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
156	187	249	280	163	227	311	281	467





ZIP

18" single towel bar

A66-6024-00-xx

 **The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
180	216	288	324	189	262	360	324	539




ZIP

24" single towel bar

A66-6030-00-xx

CC	KK	LL	BB	NN	YY	VV/TT	GG
219	262	350	394	230	319	437	656





ZIP

30" single towel bar

A66-6315-00-xx

CC	KK	LL	BB	NN	YY	VV/TT	GG
243	292	389	437	255	354	486	729



ZIP

Triple towel bar



- 180° swivel arms

ACCESSORIES

BEAUMONT + FLORA + AIR COLLECTIONS

A20-1069-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
159	227	264	239	239	239	264	277





BEAUMONT

Bathrobe holder

A47-1069-00-xx

Cx	Kx	Lx	Bx	Nx	Yx	Vx/Tx	Gx
184	220	294	330	193	214	312	459



FLORA


Bathrobe holder

- Double hook

x= color accent, see FLORA B47 Collection
Product shown here in CF

A80-1069-00-xx

Cx	Kx	Lx	Bx	Nx	Yx	Vx/Tx	Gx
167	201	218	218	176	212	234	252



AIR

Bathrobe holder

x= color accent, see AIR B80 Collection
Product shown here in CC


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

ACCESSORIES

A85-2009-40-CC

CC

378




Towel holder on stand

- 8-3/4" square base
- 360° swivel arms

A85-2059-00-CC

CC

146




Round toilet brush

- 2 installation options: freestanding or wall-mounted

A85-2059-40-CC

CC

173




Square toilet brush

- 2 installation options: freestanding or wall-mounted

A85-3179-00-CC

CC

117




Shower squeegee

- Wall support included

A85-3189-00-CC

CC

103



Shower squeegee

- Wall support included


Finishes:

CC = chrome, CF = smokey chrome, FR = frosted, KK = matte black, LL = satin brass, MM = warm gold, BB = white, KM = black titanium, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

ACCESSORIES

A85-9077-00-CC

CC
200





Corner basket

- Polished stainless steel

A85-9088-00-CC

CC
227



Wall basket


- Polished stainless steel

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

A86-2019-00-FR

FR

38




Toothbrush holder

- Frosted surface
- Freestanding or to hang on the wall-mounted accessory holder A86-6018-00-xx

A86-2029-00-FR

FR

38




Soap dish

- Frosted surface
- Freestanding or to hang on the wall-mounted accessory holder A86-6018-00-xx

A86-2039-00-CC

CC

78




Soap dispenser

- Frosted surface
- Freestanding or to hang on the wall-mounted accessory holder A86-6018-00-xx

A86-6018-00-xx

CC

340



Wall-mounted towel and accessory holder

- Horizontally: can be used to hang the accessories A86-2019-00-FR, A86-2029-00-FR and A86-2039-00-CC
- Vertically: can be used as a rolled towel holder

Finishes:


CC = chrome, CF = smokey chrome, FR = frosted, KK = matte black, LL = satin brass, MM = warm gold, BB = white, KM = black titanium, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

Parts

BARIL

PARTS

COL-3004-03-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
798	1373	1565	1588	1107	1565	1866

Pair of 30" freestanding pillar legs

- Can be connected in:
3/4" F / 3/4" M / 1/2" F / 1/2" M
- Installs from the top for easy installation by one person

EXC-6014-02-xx





CC	KK	LL	BB	NN/YY	VV/TT	GG
137	285	312	315	233	312	370

Pair of eccentric adapters

- Can be used to install a wall-mounted tub faucet
- For holes from 2" c/c to 10" c/c

PLA-0423-01-xx





CC	KK	LL	BB	NN/YY	VV/TT	GG
45	131	216	159	85	216	193

Single hole lavatory faucet plate

- Metal plate

PLA-0430-00-xx




CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
45	131	216	159	85	216	143	193

Single hole lavatory faucet oblong plate

- Metal plate

PLA-0440-00-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
48	137	222	164	90	222	199

Single hole lavatory faucet rectangular plate

- Metal plate

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

REN-0020-01-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
92	129	147	141	125	303	455

Mechanical lavatory pop-up Drain

- Fits 1-1/2" drain opening
- Tailpiece is 1-1/4" OD
- Solid brass construction
- With overflow

REN-2007-10-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
258	361	485	423	351	485	515

Turn control cable-operated brass bath waste and overflow drain

- Flexible brass tube conforms to any bath model
- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Function to prevent unwanted cap closure
- Non-water contact cable operation
- For tub thicknesses from 1/32" to 7/16" (1 to 11 mm)

REN-2008-14-xx




CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
248	352	476	414	342	476	375	507

Brass bath push-button waste and overflow drain

- Flexible brass tube to fit different baths
- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- For tub thicknesses from 1/32" to 7/16" (1 to 11 mm)
- Push-button pop-up

REN-2018-27-xx




CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
407	933	998	1023	779	1048	1680	

Brass bath waste and overflow drain

- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Push-button pop-up

REN-8422-02-xx

Promo Price
48h The Essentials



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	II	JJ	GG
81	126	149	138	134	301	149	149	149	324

Push-button pop-up drain for lavatory with overflow

- For lavatory with overflow (P.O. plug)
- Decorative cap diameter: 2-5/8" (66 mm)
- Easy-to-clean removable cap
- Easy-to-clean built-in strainer

Finishes:


CC = chrome, KK = matte black, LL = satin brass, BB = white, KM = black titanium, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, II = mist, JJ = french gold, GG = gold

PARTS

REN-8423-02-xx

 Promo Price
The Essentials


CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	II	JJ	GG
81	126	149	138	134	301	149	149	149	324



- Push-button pop-up drain for lavatory without overflow
- For lavatory without overflow (C.O. plug)
 - Decorative cap diameter: 2-5/8" (66 mm)
 - Easy-to-clean removable cap
 - Easy-to-clean built-in strainer

REN-8800-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
219	359	389	518	333	569	401	685



- Round decorative bottle trap
- Solid brass construction
 - Clean-out plug is removable for easy cleaning
 - 1-1/4" diameter slip-fit inlet
 - Includes flange and reducer seal to attach 1-1/4" drain tube to 1-1/2" wall drain

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


Showers

BARIL

Shower Valves

BARIL

RVA-9020-X0-B



Pressure balanced rough

- 6 gpm - 60 psi
- Volume control valve
- Built-in check / non-return valves

RVA-9020-00-B

Type P rough - 1/2" male NPT or welded copper connections

264

RVA-9020-P0-B

Type P rough - PEX connections

264

B04-9100-00-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
456	648	745	860

TRIM ONLY

T04-9139-00-xx

CC	KK	LL	BB
192	384	481	596

B05-9100-00-xx

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
464	665	764	884

TRIM ONLY

T05-9139-01-xx

CC	KK	LL	BB
200	401	500	620

B20-9102-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
599	716	800	1001

TRIM ONLY

T20-9102-00-xx

CC	KK	LL/MM	BB
335	452	536	737

B20-9104-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
599	716	800	1001

TRIM ONLY

T20-9102-00-xx

CC	KK	LL/MM	BB
335	452	536	737

B45-9100-00-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
456	648	745	860

TRIM ONLY

T45-9139-01-xx

CC	KK	LL	BB
192	384	481	596

B46-9100-00-xx

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
464	665	764	884

TRIM ONLY

T46-9139-00-xx

CC	KK	LL	BB
200	401	500	620

B66-9120-00-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
436	607	690	795

TRIM ONLY

T66-9139-00-xx

CC	KK	LL	BB
172	343	426	531

B80-9101-00-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
408	535	608	719

TRIM (WITHOUT HANDLE)

T80-9101-00-xx

CC	KK	LL	BB
144	271	344	455

B80-9102-00-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
408	535	608	719

TRIM (WITHOUT HANDLE)

T80-9102-00-xx

CC	KK	LL	BB
144	271	344	455


Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

PRESSURE BALANCED WITH 2-WAY DIVERTER

RVA-9181-XO-B



2-way pressure balanced rough (shared port)

- 1 outlet: 5 gpm - 60 psi
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- 2-way diverter with shared port
- Built-in check / non-return valves

RVA-9181-00-B

2-way type P rough (shared port) - 1/2" male NPT or welded copper connections

434

RVA-9181-PO-B

2-way type P rough (shared port) - PEX connections

434

B04-9180-00-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
720	887	1017	1220

TRIM ONLY

T04-9180-00-xx

CC	KK	LL	BB
286	453	583	786

B05-9181-00-xx

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
730	899	1064	1283

TRIM ONLY

T05-9181-00-xx

CC	KK	LL	BB
296	465	630	849

B20-9182-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
949	1129	1258	1521

TRIM ONLY

T20-9182-00-xx

CC	KK	LL/MM	BB
515	695	824	1087

B20-9184-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
949	1129	1258	1521

TRIM ONLY

T20-9184-00-xx

CC	KK	LL/MM	BB
515	695	824	1087

B45-9180-00-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
720	887	1017	1220

TRIM ONLY

T45-9180-01-xx

CC	KK	LL	BB
286	453	583	786

B46-9180-00-xx

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
748	939	1107	1333

TRIM ONLY

T46-9180-00-xx

CC	KK	LL	BB
314	505	673	899

B66-9181-00-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
685	843	958	1145

TRIM ONLY

T66-9181-00-xx

CC	KK	LL/MM	BB
251	409	524	711

B80-9181-00-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
594	780	903	1059

TRIM (WITHOUT HANDLE)

T80-9181-00-xx

CC	KK	LL	BB
160	346	469	625

B80-9182-00-xx

AIR



VALVE WITHOUT HANDLE


CC	KK	LL	BB
594	780	903	1059

TRIM (WITHOUT HANDLE)

T80-9182-00-xx

CC	KK	LL	BB
160	346	469	625

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

RVA-9181-XO-NS-B

2-way pressure balanced rough
(non-shared port)

- 5 gpm - 60 psi
- Volume control valve
- 2-way diverter with non-shared port
- Built-in check / non-return valves

RVA-9181-00-NS-B 2-way type P rough (non-shared port) - 1/2" male NPT or welded copper connections

434

RVA-9181-P0-NS-B 2-way type P rough (non-shared port) - PEX connections

434

B04-9180-00-xx-NS

PETITE

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
720	887	1017	1220

TRIM ONLY**T04-9180-00-xx**

CC	KK	LL	BB
286	453	583	786

B05-9181-00-xx-NS

REC

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
730	899	1064	1283

TRIM ONLY**T05-9181-00-xx**

CC	KK	LL	BB
296	465	630	849

B20-9182-00-xx-NS

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
949	1129	1258	1521

TRIM ONLY**T20-9182-00-xx**

CC	KK	LL/MM	BB
515	695	824	1087

B20-9184-00-xx-NS

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
949	1129	1258	1521

TRIM ONLY**T20-9184-00-xx**

CC	KK	LL/MM	BB
515	695	824	1087

B45-9180-00-xx-NS

SENS

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
720	887	1017	1220

TRIM ONLY**T45-9180-01-xx**

CC	KK	LL	BB
286	453	583	786

B46-9180-00-xx-NS

PROFILE

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
748	939	1107	1333

TRIM ONLY**T46-9180-00-xx**

CC	KK	LL	BB
314	505	673	899

B66-9181-00-xx-NS

ZIP

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
685	843	958	1145

TRIM ONLY**T66-9181-00-xx**

CC	KK	LL/MM	BB
251	409	524	711

B80-9181-00-xx-NS

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
594	780	903	1059

TRIM (WITHOUT HANDLE)**T80-9181-00-xx**

CC	KK	LL	BB
160	346	469	625

B80-9182-00-xx-NS

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
594	780	903	1059

TRIM (WITHOUT HANDLE)**T80-9182-00-xx**

CC	KK	LL	BB
160	346	469	625


Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

PRESSURE BALANCED WITH 3-WAY DIVERTER

RVA-9191-X0-B



3-way pressure balanced rough (shared port)

- 1 outlet: 5 gpm - 60 psi
- 2 outlets: 2.6 gpm - 60 psi
- Volume control valve
- 3-way diverter with shared port
- Built-in check / non-return valves

RVA-9191-00-B

3-way type P rough (shared port) - 1/2" male NPT or welded copper connections

444

RVA-9191-P0-B

3-way type P rough (shared port) - PEX connections

444

B04-9190-00-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
730	897	1027	1230

TRIM ONLY

T04-9190-00-xx

CC	KK	LL	BB
286	453	583	786

B20-9192-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
959	1139	1268	1531

TRIM ONLY

T20-9192-00-xx

CC	KK	LL	BB
515	695	824	1087

B20-9194-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
959	1139	1268	1531

TRIM ONLY

T20-9194-00-xx

CC	KK	LL/MM	BB
515	695	824	1087

B45-9190-00-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
730	897	1027	1230

TRIM ONLY

T45-9190-01-xx

CC	KK	LL/MM	BB
286	453	583	786

B66-9190-00-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
695	853	968	1155

TRIM ONLY

T66-9190-00-xx

CC	KK	LL	BB
251	409	524	711

B80-9191-00-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
604	790	913	1069

TRIM (WITHOUT HANDLE)

T80-9191-00-xx

CC	KK	LL	BB
160	346	469	625

B80-9192-00-xx

AIR



VALVE WITHOUT HANDLE


CC	KK	LL	BB
604	790	913	1069

TRIM (WITHOUT HANDLE)

T80-9192-00-xx

CC	KK	LL	BB
160	346	469	625

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

RVA-9191-XO-NS-B

3-way pressure balanced rough
(non-shared port)

- 5 gpm - 60 psi
- Volume control valve
- 3-way diverter with shared port
- Built-in check / non-return valves

RVA-9191-00-NS-B

3-way type P rough (non-shared port) - 1/2" male NPT or welded copper connections

444

RVA-9191-P0-NS-B

3-way type P rough (non-shared port) - PEX connections

444

B04-9190-00-xx-NS

PETITE

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
730	897	1027	1230

TRIM ONLY**T04-9190-00-xx**

CC	KK	LL	BB
286	453	583	786

B20-9192-00-xx-NS

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
959	1139	1268	1531

TRIM ONLY**T20-9192-00-xx**

CC	KK	LL	BB
515	695	824	1087

B20-9194-00-xx-NS

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
959	1139	1268	1531

TRIM ONLY**T20-9194-00-xx**

CC	KK	LL/MM	BB
515	695	824	1087

B45-9190-00-xx-NS

SENS

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
730	897	1027	1230

TRIM ONLY**T45-9190-01-xx**

CC	KK	LL/MM	BB
286	453	583	786

B66-9190-00-xx-NS

ZIP

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
695	853	968	1155

TRIM ONLY**T66-9190-00-xx**

CC	KK	LL	BB
251	409	524	711

B80-9191-00-xx-NS

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
604	790	913	1069

TRIM (WITHOUT HANDLE)**T80-9191-00-xx**

CC	KK	LL	BB
160	346	469	625

B80-9192-00-xx-NS

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
604	790	913	1069

TRIM (WITHOUT HANDLE)**T80-9192-00-xx**

CC	KK	LL	BB
160	346	469	625


Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

3/4" THERMOSTATIC

RVA-3404-00-B



3/4" thermostatic rough valve

- 16 gpm - 60 psi
- Separate shut-offs or diverter required
- Can easily supply 3 accessories
- Built-in stop check valves
- 3/4" female NPT connections
- Reversible check / non-return valves in case of water supply inversion
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-3404-00-xx

RVA-3404-00-B

Type T rough - 3/4" female NPT connections

618

B04-9404-00-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
860	1101	1222	1368

TRIM ONLY

T04-9404-00-xx

CC	KK	LL	BB
242	483	604	750

B05-9404-00-xx

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
870	1120	1246	1396

TRIM ONLY

T05-9404-00-xx

CC	KK	LL	BB
252	502	628	778

B16-9404-00-xx

NAUTICA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
909	1155	1343	1517

TRIM ONLY

T16-9404-00-xx

CC	KK	LL	BB
291	537	725	899

B18-9404-00-xx

RALPH



ROUGH & TRIM PACKAGE

CC/CB	KK/KB	LL/LB	BB
909	1155	1343	1517

TRIM ONLY

T18-9404-00-xx

CC/CB	KK/KB	LL/LB	BB
291	537	725	899

B20-9402-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
1018	1164	1258	1568

TRIM ONLY

T20-9402-00-xx

CC	KK	LL/MM	BB
400	546	640	950

B20-9404-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
1018	1164	1258	1568

TRIM ONLY

T20-9404-00-xx

CC	KK	LL/MM	BB
400	546	640	950

B45-9404-00-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
860	1101	1222	1368

TRIM ONLY

T45-9404-00-xx

CC	KK	LL	BB
242	483	604	750

B46-9404-00-xx

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
866	1115	1239	1389

TRIM ONLY

T46-9404-00-xx

CC	KK	LL	BB
248	497	621	771

B56-9404-00-xx

ACCENT



ROUGH & TRIM PACKAGE

CC	CB	CF
866	885	885

TRIM ONLY

T56-9404-00-xx

CC	CB	CF
248	267	267

B66-9404-00-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
835	1048	1150	1285

TRIM ONLY

T66-9404-00-xx

CC	KK	LL	BB
217	430	532	667

B71-9404-00-xx

EVA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
909	1155	1343	1517

TRIM ONLY

T71-9404-00-xx

CC	KK	LL	BB
291	537	725	899

B72-9404-00-xx

TRADITION



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
909	1155	1343	1517

TRIM ONLY

T72-9404-00-xx

CC	KK	LL	BB
291	537	725	899

B74-9404-00-xx

VICTOIRE



ROUGH & TRIM PACKAGE

CB	KB	LB	BB
909	1155	1343	1517

TRIM ONLY

T74-9404-00-xx

CB	KB	LB	BB
291	537	725	899

B80-9401-00-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
795	980	1061	1165

TRIM (WITHOUT HANDLE)

T80-9401-00-xx

CC	KK	LL	BB
177	362	443	547

B80-9402-00-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
795	980	1061	1165


TRIM (WITHOUT HANDLE)

T80-9402-00-xx

CC	KK	LL	BB
177	362	443	547

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

RVA-34B2-00-B



- 2-way 3/4" thermostatic rough (shared port)
- 8 gpm - 60 psi
 - Easy to install one-piece rough with stainless steel case
 - 2-way diverter with non-shared port

RVA-34B2-00-B

Type T rough with 2-way diverter - inlet: 3/4" F NPT - outlets: 1/2" F NPT

1819

B35-9320-00-xx

MARIE



ROUGH & TRIM PACKAGE

All finishes

3424

TRIM ONLY

T35-9320-00-xx

All finishes


1605

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

RVA-3453-00-B



3/4" thermostatic rough valve

- 9 gpm - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Reversible check / non-return valves in case of water supply inversion
- 3/4" female NPT connections

RVA-3453-00-B

Type T rough - 3/4" female NPT connections

574

B04-9453-00-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
920	1094	1266	1266

TRIM ONLY

T04-9453-00-xx

CC	KK	LL	BB
346	520	692	692

B20-9452-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
955	1131	1307	1307

TRIM ONLY

T20-9452-00-xx

CC	KK	LL/MM	BB
381	557	733	733

B20-9454-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
955	1131	1307	1307

TRIM ONLY

T20-9454-00-xx

CC	KK	LL/MM	BB
381	557	733	733

B45-9453-00-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
920	1094	1266	1266

TRIM ONLY

T45-9453-00-xx

CC	KK	LL	BB
346	520	692	692

B46-9453-00-xx

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
925	1101	1277	1277

TRIM ONLY

T46-9453-00-xx

CC	KK	LL	BB
351	527	703	703

B47-9453-00-xx

FLORA



ROUGH & TRIM PACKAGE

Cx	Kx	Lx	Bx
1063	1332	1633	1633

TRIM ONLY

T47-9453-00-xx

Cx	Kx	Lx	Bx
489	758	1059	1059

B66-9453-00-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
917	1088	1252	1258

TRIM ONLY

T66-9453-00-xx

CC	KK	LL	BB
343	514	678	684

B80-9453-00-xx

AIR



VALVE WITHOUT HANDLE


CC	KK	LL	BB
681	708	747	766

TRIM (WITHOUT HANDLE)

T80-9453-00-xx

CC	KK	LL	BB
107	134	173	192

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

RVA-9511-XO-B

1-way thermostatic pressure balanced rough

- 1 outlet: 7.9 gpm - 60 psi
- You can use one accessory
- The best solution to minimize temperature fluctuations
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-9520-30-xx

RVA-9511-00-B

1-way TP rough - 1/2" male NPT or welded copper connections

644

RVA-9511-PO-B

1-way TP rough - PEX connections

644

B04-9511-00-xx

PETITE

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
983	1221	1291	1614

TRIM ONLY**T04-9511-00-xx**

CC	KK	LL	BB
339	577	647	970

B05-9511-00-xx

REC

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
970	1199	1297	1624

TRIM ONLY**T05-9511-00-xx**

CC	KK	LL	BB
326	555	653	980

B20-9512-00-xx

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
1243	1453	1602	1782

TRIM ONLY**T20-9512-00-xx**

CC	KK	LL/MM	BB
599	809	958	1138

B20-9514-00-xx

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
1243	1453	1602	1782

TRIM ONLY**T20-9514-00-xx**

CC	KK	LL/MM	BB
599	809	958	1138

B35-9511-00-xx

MARIE

**ROUGH & TRIM PACKAGE**

Plate - CC	Plate - Other
1430	1614

TRIM ONLY**T35-9511-00-xx**

Plate - CC	Plate - Other
786	970

B45-9511-00-xx

SENS

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
983	1221	1291	1614

TRIM ONLY**T45-9511-00-xx**

CC	KK	LL	BB
339	577	647	970

B46-9511-00-xx

PROFILE

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
994	1239	1344	1693

TRIM ONLY**T46-9511-00-xx**

CC	KK	LL	BB
350	595	700	1049

B56-9511-00-xx

ACCENT

**ROUGH & TRIM PACKAGE**

CC	CB	CF
1075	1116	1116

TRIM ONLY**T56-9511-00-xx**

CC	CB	CF
431	472	472

B66-9511-00-xx

ZIP

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
936	1140	1222	1517

TRIM ONLY**T66-9511-00-xx**

CC	KK	LL/MM	BB
292	496	578	873

B80-9511-00-xx

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
820	1090	1167	1437

TRIM (WITHOUT HANDLE)**T80-9511-00-xx**

CC	KK	LL	BB
176	446	523	793

B80-9512-00-xx

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
820	1090	1167	1437

TRIM (WITHOUT HANDLE)**T80-9512-00-xx**


CC	KK	LL	BB
176	446	523	793

Finishes: CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

2-WAY THERMOSTATIC PRESSURE BALANCED

RVA-9521-X0-B



2-way thermostatic pressure balanced rough (shared port)

- 1 outlet: 7.1 gpm - 60 psi
- 2 outlets: 3.6 gpm - 60 psi
- The best solution to minimize temperature fluctuations
- 2-way diverter with shared port
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-9520-30-xx

RVA-9521-00-B

2-way type TP rough (shared port) - 1/2" male NPT or welded copper connections

619

RVA-9521-P0-B

2-way type TP rough (shared port) - PEX connections

619

B04-9521-00-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
958	1196	1266	1589

TRIM ONLY

T04-9521-00-xx

CC	KK	LL	BB
339	577	647	970

B05-9521-00-xx

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
945	1174	1272	1599

TRIM ONLY

T05-9521-00-xx

CC	KK	LL	BB
326	555	653	980

B20-9522-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
1218	1428	1577	1757

TRIM ONLY

T20-9522-00-xx

CC	KK	LL/MM	BB
599	809	958	1138

B20-9524-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
1218	1428	1577	1757

TRIM ONLY

T20-9524-00-xx

CC	KK	LL/MM	BB
599	809	958	1138

B35-9521-00-xx

MARIE



ROUGH & TRIM PACKAGE

Plate - CC	Plate - Other
1405	1589

TRIM ONLY

T35-9521-00-xx

Plate - CC	Plate - Other
786	970

B45-9521-00-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
958	1196	1266	1589

TRIM ONLY

T45-9521-00-xx

CC	KK	LL	BB
339	577	647	970

B46-9521-00-xx

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
969	1214	1319	1668

TRIM ONLY

T46-9521-00-xx

CC	KK	LL	BB
350	595	700	1049

B51-9521-00-xx

MA



ROUGH & TRIM PACKAGE

CC	CF
1108	1154

TRIM ONLY

T51-9521-00-xx

CC	CF
489	535

B56-9521-00-xx

ACCENT



ROUGH & TRIM PACKAGE

CC	CB	CF
1050	1091	1091

TRIM ONLY

T56-9521-00-xx

CC	CB	CF
431	472	472

B66-9521-00-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
911	1115	1197	1492

TRIM ONLY

T66-9521-00-xx

CC	KK	LL/MM	BB
292	496	578	873

B80-9521-00-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
795	1065	1142	1412

TRIM (WITHOUT HANDLE)

T80-9521-00-xx

CC	KK	LL	BB
176	446	523	793

B80-9522-00-xx

AIR



VALVE WITHOUT HANDLE


CC	KK	LL	BB
795	1065	1142	1412

TRIM (WITHOUT HANDLE)

T80-9522-00-xx

CC	KK	LL	BB
176	446	523	793

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

RVA-9521-XO-NS-B

2-way thermostatic pressure balanced rough (non-shared port)

- 1 outlet: 7.1 gpm - 60 psi
- The best solution to minimize temperature fluctuations
- 2-way diverter with non-shared port
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-9520-30-xx

RVA-9521-00-NS-B

2-way type TP rough (non-shared port) - 1/2" male NPT or welded copper connections

619

RVA-9521-PO-NS-B

2-way type TP rough (non-shared port) - PEX connections

619

B04-9521-00-xx-NS

PETITE

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
958	1196	1266	1589

TRIM ONLY**T04-9521-00-xx**

CC	KK	LL	BB
339	577	647	970

B05-9521-00-xx-NS

REC

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
945	1174	1272	1599

TRIM ONLY**T05-9521-00-xx**

CC	KK	LL	BB
326	555	653	980

B20-9522-00-xx-NS

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
1218	1428	1577	1757

TRIM ONLY**T20-9522-00-xx**

CC	KK	LL/MM	BB
599	809	958	1138

B20-9524-00-xx-NS

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
1218	1428	1577	1757

TRIM ONLY**T20-9524-00-xx**

CC	KK	LL/MM	BB
599	809	958	1138

B35-9521-00-xx-NS

MARIE

**ROUGH & TRIM PACKAGE**

Plate - CC	Plate - Other
1405	1589

TRIM ONLY**T35-9521-00-xx**

Plate - CC	Plate - Other
786	970

B45-9521-00-xx-NS

SENS

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
958	1196	1266	1589

TRIM ONLY**T45-9521-00-xx**

CC	KK	LL	BB
339	577	647	970

B46-9521-00-xx-NS

PROFILE

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
969	1214	1319	1668

TRIM ONLY**T46-9521-00-xx**

CC	KK	LL	BB
350	595	700	1049

B51-9521-00-xx-NS

MA

**ROUGH & TRIM PACKAGE**

CC	CF
1108	1154

TRIM ONLY**T51-9521-00-xx**

CC	CF
489	535

B56-9521-00-xx-NS

ACCENT

**ROUGH & TRIM PACKAGE**

CC	CB	CF
1050	1091	1091

TRIM ONLY**T56-9521-00-xx**

CC	CB	CF
431	472	472

B66-9521-00-xx-NS

ZIP

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
911	1115	1197	1492

TRIM ONLY**T66-9521-00-xx**

CC	KK	LL/MM	BB
292	496	578	873

B80-9521-00-xx-NS

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
795	1065	1142	1412

TRIM (WITHOUT HANDLE)**T80-9521-00-xx**

CC	KK	LL	BB
176	446	523	793

B80-9522-00-xx-NS

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
795	1065	1142	1412

TRIM (WITHOUT HANDLE)**T80-9522-00-xx**


CC	KK	LL	BB
176	446	523	793

Finishes: CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

3-WAY THERMOSTATIC PRESSURE BALANCED

RVA-9531-X0-B



3-way thermostatic pressure balanced rough (shared port)

- 1 outlet: 7.1 gpm - 60 psi,
- 2 outlets: 3.6 gpm - 60 psi
- The best solution to minimize temperature fluctuations
- 3-way diverter with shared port
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-9520-30-xx

RVA-9531-00-B

3-way type TP rough (shared port) - 1/2" male NPT or welded copper connections

644

RVA-9531-P0-B

3-way type TP rough (shared port) - PEX connections

644

B04-9531-00-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
983	1221	1291	1614

TRIM ONLY

T04-9531-00-xx

CC	KK	LL	BB
339	577	647	970

B05-9531-00-xx

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
970	1199	1297	1624

TRIM ONLY

T05-9531-00-xx

CC	KK	LL	BB
326	555	653	980

B20-9532-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
1243	1453	1602	1782

TRIM ONLY

T20-9532-00-xx

CC	KK	LL/MM	BB
599	809	958	1138

B20-9534-00-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
1243	1453	1602	1782

TRIM ONLY

T20-9534-00-xx

CC	KK	LL/MM	BB
599	809	958	1138

B45-9531-00-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
983	1221	1291	1614

TRIM ONLY

T45-9531-00-xx

CC	KK	LL	BB
339	577	647	970

B46-9531-00-xx

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
994	1239	1344	1693

TRIM ONLY

T46-9531-00-xx

CC	KK	LL	BB
350	595	700	1049

B51-9531-00-xx

MA



ROUGH & TRIM PACKAGE

CC	CF
1133	1179

TRIM ONLY

T51-9531-00-xx

CC	CF
489	535

B56-9531-00-xx

ACCENT



ROUGH & TRIM PACKAGE

CC	CB	CF
1075	1116	1116

TRIM ONLY

T56-9531-00-xx

CC	CB	CF
431	472	472

B66-9531-00-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
936	1140	1222	1517

TRIM ONLY

T66-9531-00-xx

CC	KK	LL/MM	BB
292	496	578	873

B80-9531-00-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
820	1090	1167	1437

TRIM (WITHOUT HANDLE)

T80-9531-00-xx

CC	KK	LL	BB
176	446	523	793

B80-9532-00-xx

AIR



VALVE WITHOUT HANDLE


CC	KK	LL	BB
820	1090	1167	1437

TRIM (WITHOUT HANDLE)

T80-9532-00-xx

CC	KK	LL	BB
176	446	523	793

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

RVA-9531-XO-NS-B

3-way thermostatic pressure balanced rough (non-shared port)

- 1 outlet: 7.1 gpm - 60 psi
- The best solution to minimize temperature fluctuations
- 3-way diverter with non-shared port
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-9520-30-xx

RVA-9531-00-NS-B

3-way type TP rough (non-shared port) - 1/2" male NPT or welded copper connections

644

RVA-9531-PO-NS-B

3-way type TP rough (non-shared port) - PEX connections

644

B04-9531-00-xx-NS

PETITE

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
983	1221	1291	1614

TRIM ONLY**T04-9531-00-xx**

CC	KK	LL	BB
339	577	647	970

B05-9531-00-xx-NS

REC

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
970	1199	1297	1624

TRIM ONLY**T05-9531-00-xx**

CC	KK	LL	BB
326	555	653	980

B20-9532-00-xx-NS

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
1243	1453	1602	1782

TRIM ONLY**T20-9532-00-xx**

CC	KK	LL/MM	BB
599	809	958	1138

B20-9534-00-xx-NS

BEAUMONT

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
1243	1453	1602	1782

TRIM ONLY**T20-9534-00-xx**

CC	KK	LL/MM	BB
599	809	958	1138

B45-9531-00-xx-NS

SENS

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
983	1221	1291	1614

TRIM ONLY**T45-9531-00-xx**

CC	KK	LL	BB
339	577	647	970

B46-9531-00-xx-NS

PROFILE

**ROUGH & TRIM PACKAGE**

CC	KK	LL	BB
994	1239	1344	1693

TRIM ONLY**T46-9531-00-xx**

CC	KK	LL	BB
350	595	700	1049

B51-9531-00-xx-NS

MA

**ROUGH & TRIM PACKAGE**

CC	CF
1133	1179

TRIM ONLY**T51-9531-00-xx**

CC	CF
489	535

B56-9531-00-xx-NS

ACCENT

**ROUGH & TRIM PACKAGE**

CC	CB	CF
1075	1116	1116

TRIM ONLY**T56-9531-00-xx**

CC	CB	CF
431	472	472

B66-9531-00-xx-NS

ZIP

**ROUGH & TRIM PACKAGE**

CC	KK	LL/MM	BB
936	1140	1222	1517

TRIM ONLY**T66-9531-00-xx**

CC	KK	LL/MM	BB
292	496	578	873

B80-9531-00-xx-NS

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
820	1090	1167	1437

TRIM (WITHOUT HANDLE)**T80-9531-00-xx**

CC	KK	LL	BB
176	446	523	793

B80-9532-00-xx-NS

AIR

**VALVE WITHOUT HANDLE**

CC	KK	LL	BB
820	1090	1167	1437

TRIM (WITHOUT HANDLE)**T80-9532-00-xx**

CC	KK	LL	BB
176	446	523	793

Finishes: CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

2-PORT DIVERTER

RVA-9562-00-B



2-port diverter rough valve with off (shared port)

- 1 outlet: 10.5 gpm - 60 psi
- 2 outlets: 4 gpm - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment
- 1/2" male NPT or welded copper connections

RVA-9562-00-B

2-port diverter rough (shared port) - 1/2" male NPT or welded copper connections

276

B04-9560-02-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
433	544	587	693

TRIM ONLY

T04-9560-02-xx

CC	KK	LL	BB
157	268	311	417

B05-9560-02-xx

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
465	573	625	783

TRIM ONLY

T05-9560-02-xx

CC	KK	LL	BB
189	297	349	507

B16-9560-02-xx

NAUTICA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
472	609	667	801

TRIM ONLY

T16-9560-02-xx

CC	KK	LL	BB
196	333	391	525

B18-9560-02-xx

RALPH



ROUGH & TRIM PACKAGE

CC/CB	KK/KB	LL/LB	BB
472	609	667	801

TRIM ONLY

T18-9560-02-xx

CC/CB	KK/KB	LL/LB	BB
196	333	391	525

B20-9560-22-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
492	629	687	821

TRIM ONLY

T20-9600-20-xx

CC	KK	LL/MM	BB
216	353	411	545

B20-9560-42-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
492	629	687	821

TRIM ONLY

T20-9600-40-xx

CC	KK	LL/MM	BB
216	353	411	545

B45-9560-02-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
433	544	587	693

TRIM ONLY

T45-9560-02-xx

CC	KK	LL	BB
157	268	311	417

B46-9560-02-xx

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
449	560	603	709

TRIM ONLY

T46-9560-02-xx

CC	KK	LL	BB
173	284	327	433

B47-9560-02-xx

FLORA



ROUGH & TRIM PACKAGE

Cx	Kx	Lx	Bx
566	743	919	919

TRIM ONLY

T47-9560-02-xx

Cx	Kx	Lx	Bx
290	467	643	643

B56-9560-02-xx

ACCENT



ROUGH & TRIM PACKAGE

CC	CB	CF
455	472	472

TRIM ONLY

T56-9560-02-xx

CC	CB	CF
179	196	196

B66-9560-02-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
433	544	587	693

TRIM ONLY

T66-9560-02-xx

CC	KK	LL	BB
157	268	311	417

B71-9560-02-xx

EVA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
472	609	667	801

TRIM ONLY

T71-9560-02-xx

CC	KK	LL	BB
196	333	391	525

B72-9560-02-xx

TRADITION



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
472	609	667	801

TRIM ONLY

T72-9560-02-xx

CC	KK	LL	BB
196	333	391	525

B74-9560-02-xx

VICTOIRE



ROUGH & TRIM PACKAGE

CB	KB	LB	BB
472	609	667	801

TRIM ONLY

T74-9560-02-xx

CB	KB	LB	BB
196	333	391	525

B80-9560-02-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
361	395	429	446

TRIM (WITHOUT HANDLE)

T80-9560-02-xx

CC	KK	LL	BB
85	119	153	170

RVA-9562-00-NS-B

2-port diverter rough valve with off (non-shared port)

- 10.5 gpm - 60 psi
- Can replace 2 volume control valves
- 1 accessory works at a time
- Extra long cartridge for maximum adjustment
- 1/2" male NPT or welded copper connections

RVA-9562-00-NS-B

2-port diverter rough (non-shared port) - 1/2" male NPT or welded copper connections

276

B04-9560-02-xx-NS

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
433	544	587	693

TRIM ONLY

T04-9560-02-xx

CC	KK	LL	BB
157	268	311	417

B05-9560-02-xx-NS

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
465	573	625	783

TRIM ONLY

T05-9560-02-xx

CC	KK	LL	BB
189	297	349	507

B16-9560-02-xx-NS

NAUTICA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
472	609	667	801

TRIM ONLY

T16-9560-02-xx

CC	KK	LL	BB
196	333	391	525

B18-9560-02-xx-NS

RALPH



ROUGH & TRIM PACKAGE

CC/CB	KK/KB	LL/LB	BB
472	609	667	801

TRIM ONLY

T18-9560-02-xx

CC/CB	KK/KB	LL/LB	BB
196	333	391	525

B20-9560-22-xx-NS

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
492	629	687	821

TRIM ONLY

T20-9600-20-xx

CC	KK	LL/MM	BB
216	353	411	545

B20-9560-42-xx-NS

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
492	629	687	821

TRIM ONLY

T20-9600-40-xx

CC	KK	LL/MM	BB
216	353	411	545

B45-9560-02-xx-NS

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
433	544	587	693

TRIM ONLY

T45-9560-02-xx

CC	KK	LL	BB
157	268	311	417

B46-9560-02-xx-NS

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
449	560	603	709

TRIM ONLY

T46-9560-02-xx

CC	KK	LL	BB
173	284	327	433

B47-9560-02-xx-NS

FLORA



ROUGH & TRIM PACKAGE

Cx	Kx	Lx	Bx
566	743	919	919

TRIM ONLY

T47-9560-02-xx

Cx	Kx	Lx	Bx
290	467	643	643

B56-9560-02-xx-NS

ACCENT



ROUGH & TRIM PACKAGE

CC	CB	CF
455	472	472

TRIM ONLY

T56-9560-02-xx

CC	CB	CF
179	196	196

B66-9560-02-xx-NS

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
433	544	587	693

TRIM ONLY

T66-9560-02-xx

CC	KK	LL	BB
157	268	311	417

B71-9560-02-xx-NS

EVA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
472	609	667	801

TRIM ONLY

T71-9560-02-xx

CC	KK	LL	BB
196	333	391	525

B72-9560-02-xx-NS

TRADITION



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
472	609	667	801

TRIM ONLY

T72-9560-02-xx

CC	KK	LL	BB
196	333	391	525

B74-9560-02-xx-NS

VICTOIRE



ROUGH & TRIM PACKAGE

CB	KB	LB	BB
472	609	667	801

TRIM ONLY

T74-9560-02-xx

CB	KB	LB	BB
196	333	391	525

B80-9560-02-xx-NS

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
361	395	429	446

TRIM (WITHOUT HANDLE)

T80-9560-02-xx


CC	KK	LL	BB
85	119	153	170

Finishes: CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

3-PORT DIVERTER

RVA-9563-00-B



3-port diverter rough valve with off (shared port)

- 1 outlet: 9.7 gpm - 60 psi
- 2 outlets: 5.2 gpm - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment
- Inlet: 3/4" F NPT - outlets: 1/2" F NPT

RVA-9563-00-B

3-port diverter rough (shared port) - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

B04-9560-03-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
456	567	610	716

TRIM ONLY

T04-9560-03-xx

CC	KK	LL	BB
157	268	311	417

B05-9560-03-xx

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
488	596	648	806

TRIM ONLY

T05-9560-03-xx

CC	KK	LL	BB
189	297	349	507

B16-9560-03-xx

NAUTICA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
495	632	690	824

TRIM ONLY

T16-9560-03-xx

CC	KK	LL	BB
196	333	391	525

B18-9560-03-xx

RALPH



ROUGH & TRIM PACKAGE

CC/CB	KK/KB	LL/LB	BB
495	632	690	824

TRIM ONLY

T18-9560-03-xx

CC/CB	KK/KB	LL/LB	BB
196	333	391	525

B20-9560-23-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
515	652	710	844

TRIM ONLY

T20-9600-20-xx

CC	KK	LL/MM	BB
216	353	411	545

B20-9560-43-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
515	652	710	844

TRIM ONLY

T20-9600-40-xx

CC	KK	LL/MM	BB
216	353	411	545

B45-9560-03-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
456	567	610	716

TRIM ONLY

T45-9560-03-xx

CC	KK	LL	BB
157	268	311	417

B46-9560-03-xx

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
472	583	626	732

TRIM ONLY

T46-9560-03-xx

CC	KK	LL	BB
173	284	327	433

B47-9560-03-xx

FLORA



ROUGH & TRIM PACKAGE

Cx	Kx	Lx	Bx
589	766	942	942

TRIM ONLY

T47-9560-03-xx

Cx	Kx	Lx	Bx
290	467	643	643

B56-9560-03-xx

ACCENT



ROUGH & TRIM PACKAGE

CC	CB	CF
478	495	495

TRIM ONLY

T56-9560-03-xx

CC	CB	CF
179	196	196

B66-9560-03-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
456	567	610	716

TRIM ONLY

T66-9560-03-xx

CC	KK	LL	BB
157	268	311	417

B71-9560-03-xx

EVA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
495	632	690	824

TRIM ONLY

T71-9560-03-xx

CC	KK	LL	BB
196	333	391	525

B72-9560-03-xx

TRADITION



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
495	632	690	824

TRIM ONLY

T72-9560-03-xx

CC	KK	LL	BB
196	333	391	525

B74-9560-03-xx

VICTOIRE



ROUGH & TRIM PACKAGE

CB	KB	LB	BB
495	632	690	824

TRIM ONLY

T74-9560-03-xx

CB	KB	LB	BB
196	333	391	525

B80-9560-03-xx

AIR




VALVE WITHOUT HANDLE

CC	KK	LL	BB
384	418	452	469

TRIM (WITHOUT HANDLE)

T80-9560-03-xx

CC	KK	LL	BB
85	119	153	170

RVA-9563-00-NS-B

3-port diverter rough valve with off (non-shared port)

- 9.7 gpm - 60 psi
- Can replace 3 volume control valves
- 1 accessory works at a time
- Extra long cartridge for maximum adjustment
- Inlet: 3/4" F NPT - outlets: 1/2" F NPT

RVA-9563-00-NS-B

3-port diverter rough (non-shared port) - inlet: 3/4" F NPT - outlets: 1/2" F NPT

299

B04-9560-03-xx-NS

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
456	567	610	716

TRIM ONLY

T04-9560-03-xx

CC	KK	LL	BB
157	268	311	417

B05-9560-03-xx-NS

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
488	596	648	806

TRIM ONLY

T05-9560-03-xx

CC	KK	LL	BB
189	297	349	507

B16-9560-03-xx-NS

NAUTICA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
495	632	690	824

TRIM ONLY

T16-9560-03-xx

CC	KK	LL	BB
196	333	391	525

B18-9560-03-xx-NS

RALPH



ROUGH & TRIM PACKAGE

CC/CB	KK/KB	LL/LB	BB
495	632	690	824

TRIM ONLY

T18-9560-03-xx

CC/CB	KK/KB	LL/LB	BB
196	333	391	525

B20-9560-23-xx-NS

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
515	652	710	844

TRIM ONLY

T20-9600-20-xx

CC	KK	LL/MM	BB
216	353	411	545

B20-9560-43-xx-NS

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
515	652	710	844

TRIM ONLY

T20-9600-40-xx

CC	KK	LL/MM	BB
216	353	411	545

B45-9560-03-xx-NS

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
456	567	610	716

TRIM ONLY

T45-9560-03-xx

CC	KK	LL	BB
157	268	311	417

B46-9560-03-xx-NS

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
472	583	626	732

TRIM ONLY

T46-9560-03-xx

CC	KK	LL	BB
173	284	327	433

B47-9560-03-xx-NS

FLORA



ROUGH & TRIM PACKAGE

Cx	Kx	Lx	Bx
589	766	942	942

TRIM ONLY

T47-9560-03-xx

Cx	Kx	Lx	Bx
290	467	643	643

B56-9560-03-xx-NS

ACCENT



ROUGH & TRIM PACKAGE

CC	CB	CF
478	495	495

TRIM ONLY

T56-9560-03-xx

CC	CB	CF
179	196	196

B66-9560-03-xx-NS

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
456	567	610	716

TRIM ONLY

T66-9560-03-xx

CC	KK	LL	BB
157	268	311	417

B71-9560-03-xx-NS

EVA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
495	632	690	824

TRIM ONLY

T71-9560-03-xx

CC	KK	LL	BB
196	333	391	525

B72-9560-03-xx-NS

TRADITION



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
495	632	690	824

TRIM ONLY

T72-9560-03-xx

CC	KK	LL	BB
196	333	391	525

B74-9560-03-xx-NS

VICTOIRE



ROUGH & TRIM PACKAGE

CB	KB	LB	BB
495	632	690	824

TRIM ONLY

T74-9560-03-xx

CB	KB	LB	BB
196	333	391	525

B80-9560-03-xx-NS

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
384	418	452	469

TRIM (WITHOUT HANDLE)

T80-9560-03-xx

CC	KK	LL	BB
85	119	153	170

Finishes: CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

3/4" VOLUME CONTROL VALVE

RVA-2719-34-B



3/4" volume control valve rough

- 11.1 gpm - 60 psi
- On/off volume control rough valve
- Offers higher flow
- Extra long cartridge for maximum adjustment
- 3/4" female NPT connections
- Extension may be cut to the length required
- Counterclockwise opening

RVA-2719-34-B

Volume control valve rough - 3/4" female NPT connections

217

B04-9649-00-xx

PETITE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
374	485	528	634

TRIM ONLY

T04-9649-00-xx

CC	KK	LL	BB
157	268	311	417

B05-9649-00-xx

REC



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
406	514	566	724

TRIM ONLY

T05-9649-00-xx

CC	KK	LL	BB
189	297	349	507

B16-9641-00-xx

NAUTICA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
413	550	608	742

TRIM ONLY

T16-9641-00-xx

CC	KK	LL	BB
196	333	391	525

B18-9641-00-xx

RALPH



ROUGH & TRIM PACKAGE

CC/CB	KK/KB	LL/LB	BB
413	550	608	742

TRIM ONLY

T18-9641-00-xx

CC/CB	KK/KB	LL/LB	BB
196	333	391	525

B20-9649-20-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
433	570	628	762

TRIM ONLY

T20-9600-20-xx

CC	KK	LL/MM	BB
216	353	411	545

B20-9649-40-xx

BEAUMONT



ROUGH & TRIM PACKAGE

CC	KK	LL/MM	BB
433	570	628	762

TRIM ONLY

T20-9600-40-xx

CC	KK	LL/MM	BB
216	353	411	545

B45-9649-00-xx

SENS



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
374	485	528	634

TRIM ONLY

T45-9649-00-xx

CC	KK	LL	BB
157	268	311	417

B46-9649-00-xx

PROFILE



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
390	501	544	650

TRIM ONLY

T46-9649-00-xx

CC	KK	LL	BB
173	284	327	433

B47-9649-00-xx

FLORA



ROUGH & TRIM PACKAGE

Cx	Kx	Lx	Bx
507	684	860	860

TRIM ONLY

T47-9649-00-xx

Cx	Kx	Lx	Bx
290	467	643	643

B56-9649-00-xx

ACCENT



ROUGH & TRIM PACKAGE

CC	CB	CF
396	413	413

TRIM ONLY

T56-9649-00-xx

CC	CB	CF
179	196	196

B66-9649-00-xx

ZIP



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
374	485	528	634

TRIM ONLY

T66-9649-00-xx

CC	KK	LL	BB
157	268	311	417

B71-9641-00-xx

EVA



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
413	550	608	742

TRIM ONLY

T71-9641-00-xx

CC	KK	LL	BB
196	333	391	525

B72-9641-00-xx

TRADITION



ROUGH & TRIM PACKAGE

CC	KK	LL	BB
413	550	608	742

TRIM ONLY

T72-9641-00-xx

CC	KK	LL	BB
196	333	391	525

B74-9641-00-xx

VICTOIRE



ROUGH & TRIM PACKAGE

CB	KB	LB	BB
413	550	608	742

TRIM ONLY

T74-9641-00-xx

CB	KB	LB	BB
196	333	391	525

B80-9649-00-xx

AIR



VALVE WITHOUT HANDLE

CC	KK	LL	BB
302	336	370	387

TRIM (WITHOUT HANDLE)

T80-9649-00-xx

CC	KK	LL	BB
85	119	153	170

RAC-9201-02-xx



CC	KK	LL	BB
144	245	259	287

RAC-9402-14-xx



CC	KK	LL	BB
198	336	356	395

Wall-mount supply elbow with integrated volume control


- 6.9 gpm - 60 psi
- Volume control valve
- Can be used to replace a volume control valve and a wall-mount supply elbow

SHOWER VALVES

EXTERNAL THERMOSTATIC

VAL-2615-01-xx

CC	NN
745	1014




External thermostatic shower valve with spout

- 6.6 gpm - 60psi
- Built-in bath spout
- To be paired with a sliding shower bar or a hand shower on wall-mounted supply elbow

VAL-2650-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
546	765	989	1093	743	1202	1366



External thermostatic shower valve

- 5.4 gpm - 60 psi
- Centred outlet
- To be paired with a sliding shower bar or a hand shower on wall-mounted supply elbow

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRO-1100-16-xx**Complete thermostatic shower kit on column**

CC	KK	LL	BB	NN/YY	VV/TT	GG
1719	2407	3268	3439	2508	3783	4299

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" shower head
- 3-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code	Features are the same, except:
PRO-1100-16-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

PRO-1100-53-xx**Complete thermostatic shower kit on column**

CC	KK	LL	BB	NN/YY	VV/TT	GG
1455	2037	2765	2910	2122	3201	3639

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code	Features are the same, except:
PRO-1100-53-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

PRO-1100-71-xx**Complete thermostatic shower kit on column**

CC	KK	LL	BB	NN/YY	VV/TT	GG
1719	2407	3268	3439	2508	3783	4299

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" shower head
- 2-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code	Features are the same, except:
PRO-1100-71-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

PRO-1100-74-xx**Complete thermostatic shower kit on column**

CC	KK	LL	BB	NN/YY	VV/TT	GG
1719	2407	3268	3439	2508	3783	4299

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" shower head
- 2-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code	Features are the same, except:
PRO-1100-74-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory) - 1 accessory works at a time

Finishes: CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

COMPLETE SHOWER KIT ON COLUMN

PRO-1101-53-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1605	2246	3049	3209	2340	3529	4012

Features

- Max: 2 gpm - 80 psi (per accessory)
- 10" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code

PRO-1101-53-xx-NS

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

PRO-1102-53-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1719	2407	3268	3439	2508	3783	4299

Features

- Max: 2 gpm - 80 psi (per accessory)
- 10" square shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code

PRO-1102-53-xx-NS

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

PRO-1104-53-xx



Complete thermostatic shower kit on column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1448	2028	2831	2896	2172	3186	3620

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" rounded square shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Ecological Option CEC

Code

PRO-1104-53-xx-NS

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

PRO-1401-03-xx



Complete thermostatic shower kit on square column

CC	KK	LL	BB	NN/YY	VV/TT	GG
1869	2617	3552	3738	2998	4112	4673

Features

- Max: 2 gpm - 80 psi (per accessory)
- 8" square shower head
- 3-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height

Ecological Option CEC

Code

PRO-1401-03-xx-NS

Features are the same, except:

- Max: 1.75 gpm - 80 psi (per accessory)
- 1 accessory works at a time

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


Compo- nents

BARIL

COMPONENTS

HAND SHOWER ON WALL-MOUNTED SUPPLY ELBOW

DSP-2555-20-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
296	515	760	656	460	781	848

1-spray anti-limestone hand shower on wall-mounted supply elbow

Hand shower:

- 2 gpm - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:


- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DSP-2555-20-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2555-20-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DSP-2561-19-xx



CC	KK
269	370

1-spray anti-limestone hand shower on wall-mounted supply elbow

Hand shower:

- 2 gpm - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:


- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DSP-2561-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2561-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DSP-2566-19-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
287	394	591	545	445	733	844

3-spray anti-limestone hand shower on wall-mounted supply elbow

Hand shower:

- 2 gpm - 80 psi
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:

- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes


Ecological Options

Codes	Reduced Flow Rates
DSP-2566-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2566-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

DSP-2574-19-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
341	446	678	687	498	751	883

3-spray anti-limestone hand shower on wall-mounted supply elbow

Hand shower:

- 2 gpm - 80 psi
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:


- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DSP-2574-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2574-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DSP-2584-19-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
341	446	678	687	498	751	883

3-spray anti-limestone hand shower on wall-mounted supply elbow

Hand shower:

- 2 gpm - 80 psi
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:


- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DSP-2584-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2584-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DSP-2584-20-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
360	506	697	706	517	770	902

3-spray anti-limestone hand shower on wall-mounted supply elbow

Hand shower:

- 2 gpm - 80 psi
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:

- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DSP-2584-20-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2584-20-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

HAND SHOWER ON WALL-MOUNTED SUPPLY ELBOW

DSP-2604-19-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
339	453	651	640	520	778	909

1-spray anti-limestone hand shower on wall-mounted supply elbow

Hand shower:

- 2 gpm - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles
- Brass construction

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:


- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DSP-2604-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2604-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DSP-2604-21-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
517	705	836	859	709	993	1176

1-spray anti-limestone hand shower on wall-mounted supply elbow

Hand shower:

- 2 gpm - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles
- Brass construction

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:


- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes
- x= color accent, see FLORA B47 collection
- Product shown here in CC

Ecological Options

Codes	Reduced Flow Rates
DSP-2604-21-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2604-21-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DSP-2620-29-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
392	578	666	757	594	833	1073

1-spray anti-limestone hand shower on wall-mounted supply elbow

Hand shower:

- 2 gpm - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:

- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes


Ecological Options

Codes	Reduced Flow Rates
DSP-2620-29-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2620-29-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

DSP-2635-19-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
357	521	732	719	532	822	941

2-spray sliding shower bar

Hand shower:

- 2 gpm - 80 psi
- 3-1/4" diameter mechanism
- 2-spray mechanism: rain, mist
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:

- 1/2" F connection
- Brass elbow

Hose:

- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DSP-2635-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2635-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

SLIDING SHOWER BARS

DGL-1670-03-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
546	765	1217	1198	888	1217	1719

3-spray sliding shower bar


- Max: 2 gpm - 80 psi
- 3-spray push-button anti-limestone hand shower
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-1670-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-1670-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-2068-53-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
535	722	973	1064	858	1208	1702

3-spray sliding shower bar


- Max: 2 gpm - 80 psi
- 3-spray anti-limestone hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-2068-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2068-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-2070-51-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
529	741	953	1058	855	1245	1711

1-spray sliding shower bar


- Max: 2 gpm - 80 psi
- 1-spray anti-limestone hand shower
- Single spray pattern
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes
- Ø 2" decorative flange included

Ecological Options

Codes	Reduced Flow Rates
DGL-2070-51-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2070-51-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

DGL-2070-53-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
455	636	864	989	780	1210	1624


3-spray sliding shower bar

- Max: 2 gpm - 80 psi
- 3-spray anti-limestone hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes
- Ø 2" decorative flange included

Ecological Options

Codes	Reduced Flow Rates
DGL-2070-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2070-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-2070-57-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
489	685	933	1024	818	1168	1662


3-spray sliding shower bar

- Max: 2 gpm - 80 psi
- 3-spray push-button anti-limestone hand shower
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes
- Ø 2" decorative flange included

Ecological Options

Codes	Reduced Flow Rates
DGL-2070-57-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2070-57-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-2070-62-xx

CC	CI	CK	KK	KI	LL	BB	NN/YY	VV/TT	GG
569	685	685	797	849	1025	1138	918	1493	1719

2-spray sliding shower bar

- Max: 2 gpm - 80 psi
- 2-spray anti-limestone hand shower
- 3-1/4" diameter mechanism
- 2-spray mechanism: rain, mist
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes- Ø 2" decorative flange included

Ecological Options

Codes	Reduced Flow Rates
DGL-2070-62-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2070-62-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, CI = chrome mist, CK = chrome matte black, KI = matte black mist, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

SLIDING SHOWER BARS

DGL-2160-04-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
569	1145	1361	1255	887	1361	1723

4-spray sliding shower bar


- Max: 2 gpm - 80 psi
- 4-spray anti-limestone hand shower
- 2-1/2" diameter mechanism
- 4-spray mechanism: rain, hard rain, mix of the two and massage
- Easy-to-clean silicone nozzles
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-2160-04-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2160-04-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-2170-63-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
225	314	529	891	545	1092	1309

3-spray sliding shower bar


- Max: 2 gpm - 80 psi
- 3-spray anti-limestone hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-2170-63-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2170-63-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-2175-52-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
342	480	1286	802	557	1205	1376

3-spray sliding shower bar with built-in supply elbow


- Max: 2 gpm - 80 psi
- 3-spray anti-limestone hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- Built-in wall supply elbow (1/2" F connection)
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-2175-52-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2175-52-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


DGL-2175-53-xx
 **Promo Price**
The Essentials
**3-spray sliding shower bar**

- Max: 2 gpm - 80 psi
- 3-spray anti-limestone hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-2175-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2175-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


DGL-2580-53-xx
 **Promo Price**
The Essentials
**3-spray sliding shower bar**

- Max: 2 gpm - 80 psi
- 3-spray push-button anti-limestone hand shower
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-2580-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2580-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-2584-53-xx
 **Promo Price**
The Essentials
**3-spray sliding shower bar**

- Max: 2 gpm - 80 psi
- 3-spray push-button anti-limestone hand shower
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-2584-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2584-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, KM = black titanium, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

SLIDING SHOWER BARS

DGL-3070-53-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
430	603	975	1059	780	1110	1624

3-spray sliding shower bar


- Max: 2 gpm - 80 psi
- 3-spray push-button anti-limestone hand shower
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-3070-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-3070-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-3080-73-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
546	765	1050	1198	855	1242	1665

3-spray sliding shower bar


- Max: 2 gpm - 80 psi
- 3-spray push-button anti-limestone hand shower
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-3080-73-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-3080-73-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-3080-83-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
546	765	1050	1198	855	1242	1665

3-spray sliding shower bar


- Max: 2 gpm - 80 psi
- 3-spray push-button anti-limestone hand shower
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Ecological Options

Codes	Reduced Flow Rates
DGL-3080-83-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-3080-83-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

BGL-1670-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
437	612	973	958	684	973	1238


Shower bar with slider

BGL-2068-50-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
484	653	774	892	702	968	1399

Shower bar with slider


- Easy-to-move metal slider with patented design
- Built-in hook on the slider

BGL-2070-50-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
364	509	582	792	624	888	1299

Shower bar with slider

- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- Ø 2" decorative flange included

BGL-2160-00-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
456	916	996	1004	709	1002	1378

Shower bar with slider


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, II = mist, GG = gold

COMPONENTS

SHOWER BARS WITH SLIDER


BGL-2175-50-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
248	323	397	497	400	909	1083

- Shower bar with slider
- Easy-to-move metal slider with patented design
 - Built-in hook on the slider


BGL-2175-70-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
179	251	873	713	435	873	1048

- Shower bar with slider


BGL-2175-90-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
273	383	1028	642	445	963	1101

- Shower bar with slider
- Easy-to-move metal slider with patented design
 - Built-in hook on the slider
 - Built-in wall supply elbow 1/2" F connection


BGL-2580-50-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
273	356	438	872	548	918	1223

- Shower bar with slider
- Easy-to-move metal slider with patented design
 - Built-in hook on the slider


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

BGL-3070-50-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
346	483	723	848	585	888	1173

Shower bar with slider

- Easy-to-move metal slider with patented design
- Built-in hook on the slider

BGL-3080-50-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
437	612	839	958	684	994	1332

Shower bar with slider

- Easy-to-move metal slider with patented design
- Built-in hook on the slider


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

HAND SHOWERS

DOU-1219-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
99	236	298	260	132	322	339

1-spray hand shower


- 2 gpm - 80 psi
- Single spray pattern
- Brass construction

Ecological Options

Codes	Reduced Flow Rates
DOU-1219-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-1219-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



DOU-2535-04-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
296	465	493	562	383	532	616

4-spray anti-limestone hand shower


- 2 gpm - 80 psi
- 2-1/2" diameter mechanism
- 4-spray mechanism: rain, hard rain, mix of the two and massage
- Easy-to-clean silicone nozzles

Ecological Options

Codes	Reduced Flow Rates
DOU-2535-04-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2535-04-xx-175	1.75 gpm (6.6 l/min) - 80 psi



DOU-2551-03-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
68	95	291	222	124	291	314

3-spray hand shower


- 2 gpm - 80 psi
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles

Ecological Options

Codes	Reduced Flow Rates
DOU-2551-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2551-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi



DOU-2553-04-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
192	306	362	343	245	362	401

4-spray anti-limestone hand shower

- 2 gpm - 80 psi
- 2-1/2" diameter mechanism
- 4-spray mechanism: rain, hard rain, mix of the two and massage
- Easy-to-clean silicone nozzles



Ecological Options

Codes	Reduced Flow Rates
DOU-2553-04-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2553-04-xx-175	1.75 gpm (6.6 l/min) - 80 psi



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

DOU-2555-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
65	170	278	212	120	278	249

1-spray anti-limestone hand shower


- 2 gpm - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Ecological Options

Codes	Reduced Flow Rates
DOU-2555-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2555-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DOU-2561-01-xx



CC	KK
56	79

1-spray anti-limestone hand shower


- 2 gpm - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Ecological Options

Codes	Reduced Flow Rates
DOU-2561-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2561-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DOU-2566-03-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
75	105	120	116	124	248	140	264

3-spray anti-limestone hand shower

- 2 gpm - 80 psi
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles


Ecological Options

Codes	Reduced Flow Rates
DOU-2566-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2566-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC



DOU-2574-03-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
132	159	212	265	180	267	305

3-spray anti-limestone hand shower

- 2 gpm - 80 psi
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles

Ecological Options

Codes	Reduced Flow Rates
DOU-2574-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2574-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC




Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, KM = black titanium, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

HAND SHOWERS

DOU-2584-03-xx



CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
132	159	212	265	180	267	212	305

3-spray anti-limestone hand shower


- 2 gpm - 80 psi
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles

Ecological Options

Codes	Reduced Flow Rates
DOU-2584-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2584-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi



DOU-2604-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
130	167	183	216	196	295	225	333

1-spray anti-limestone hand shower


- 2 gpm - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles
- Brass construction

Ecological Options

Codes	Reduced Flow Rates
DOU-2604-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2604-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



DOU-2620-01-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
198	284	336	399	305	420	578

1-spray anti-limestone hand shower


- 2 gpm - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles
- Brass construction

Ecological Options

Codes	Reduced Flow Rates
DOU-2620-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2620-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



DOU-2625-03-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
132	159	212	265	180	267	305

3-spray anti-limestone hand shower

- 2 gpm - 80 psi
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles


Ecological Options

Codes	Reduced Flow Rates
DOU-2625-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2625-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi



DOU-2635-02-xx

CC	KK	LL	BB	NN/YY	VV/TT	II	GG
149	229	269	299	216	341	299	367



2-spray anti-limestone hand shower

- 2 gpm - 80 psi
- 3-1/4" diameter mechanism
- 2-spray mechanism: rain, mist
- Easy-to-clean silicone nozzles

Ecological Options

Codes	Reduced Flow Rates
DOU-2635-02-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2635-02-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, KM = black titanium, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, II = mist, GG = gold

BOY-2012-01-xx

CC NN

106 156



79" (200 cm) hand shower hose

- Conical nut 1/2" female
- 79" (200 cm) double interlock flexible hose, rotating nut with 2 non-return valves

BOY-2700-00-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	II	KM	GG
80	149	170	173	145	192	173	170	256



59" (150 cm) hand shower hose

- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

Ecological Options

Codes	Reduced Flow Rates
BOY-2700-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi
BOY-2700-00-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

BOY-2800-00-xx

CC KK

80 110



59" (150 cm) PVC hand shower hose


- Conical nut 1/2" female
- 59" (150 cm) flexible hose, rotating nut with 2 non-return valves

Ecological Options

Codes	Reduced Flow Rates
BOY-2800-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi
BOY-2800-00-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

RAC-9001-13-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
68	83	127	95	83	127	132

Wall-mounted supply elbow


- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet

RAC-9001-16-xx
Promo Price
The Essentials


CC	KK	LL/MM	BB	NN/YY	VV/TT	II	KM	GG
99	129	138	140	134	201	142	142	247

Wall-mounted supply elbow


- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-18-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
124	154	163	199	159	227	311

Square wall-mounted supply elbow


- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-19-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
147	200	332	285	199	332	368

Wall-mounted hand shower holder and supply elbow


- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-20-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
167	252	352	305	219	352	388

Wall-mounted hand shower holder and supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-21-xx

Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
334	449	527	515	399	558	649

Wall-mounted hand shower holder and supply elbow

- Brass elbow
 - 1/2" F NPT connection
 - G 1/2" male water outlet
- x= color accent, see FLORA B47 collection
Product shown here in CF

Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, II = mist, GG = gold


COMPONENTS

WALL-MOUNTED SUPPLY ELBOW

RAC-9001-26-xx

Promo Price
48h The Essentials

CC	KK	LL	NN
49	66	89	89




Wall-mounted supply elbow 1/2" F

- Adjustable depth
- G 1/2" male water outlet

RAC-9001-28-xx

CC	KK
63	79




Square wall-mounted supply elbow

- Adjustable depth
- G 1/2" male water outlet

RAC-9001-29-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
160	190	215	220	190	290	320




Wall-mounted hand shower holder and supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-49-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
135	175	195	225	175	265	295




Wall-mounted supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9201-02-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
144	245	259	287	210	316	360




Wall-mounted 1/2" F supply elbow with integrated volume control

- 6.9 gpm - 60 psi
- Volume control valve
- Brass elbow
- G 1/2" male water outlet
- Can be used to replace a volume control valve and a wall-mounted supply elbow

RAC-9402-14-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
198	336	356	395	289	435	495




Square wall-mounted 1/2" F supply elbow with integrated volume control

- 6.9 gpm - 60 psi
- Volume control valve
- Brass elbow
- G 1/2" male water outlet
- Can be used to replace a volume control valve and a wall-mounted supply elbow

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

SUP-1015-14-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
159	249	285	318	216	350	376




- Wall-mounted hand shower support
- Made of solid brass
 - Swivel hand shower bracket

COMPONENTS

SHOWER HEADS

TET-0304-05-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
65	86	267	253	119	267	282


5-spray anti-limestone modern shower head
- 2 gpm - 80 psi

Ecological Options

Codes	Reduced Flow Rates
TET-0304-05-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0304-05-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-0620-05-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
99	134	158	218	144	328	372

Round 6" 5-spray anti-limestone shower head
- 2 gpm - 80 psi

Ecological Options


Codes	Reduced Flow Rates
TET-0620-05-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0620-05-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-0810-01-xx



Promo Price
48h The Essentials



CC	KK	LL /MM	BB	NN/YY	VV/TT	KM	GG
278	372	408	392	373	685	455	742


Round 8" anti-limestone shower head
- 2 gpm - 80 psi
- Brass shower head

Ecological Options

Codes	Reduced Flow Rates
TET-0810-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0810-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-0811-02-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
314	427	654	579	435	757	785


Square 8" anti-limestone shower head
- 2 gpm - 80 psi
- Brass shower head

Ecological Options

Codes	Reduced Flow Rates
TET-0811-02-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0811-02-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-0812-03-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
339	561	746	678	528	746	849

Sunflower 8" shower head
- 2 gpm - 80 psi
- Brass shower head


Ecological Options

Codes	Reduced Flow Rates
TET-0812-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0812-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

TET-0813-01-xx

CC
201

Round 8" anti-limestone shower head


- 2 gpm - 80 psi
- Polished stainless steel thin shower head

Ecological Options

Codes	Reduced Flow Rates
TET-0813-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0813-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-0814-01-xx

CC
259

Square 8" anti-limestone shower head


- 2 gpm - 80 psi
- Polished stainless steel thin shower head

Ecological Options

Codes	Reduced Flow Rates
TET-0814-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0814-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-0815-01-xx

48h Promo Price
The Essentials


CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
287	403	498	576	419	747	527	774

Rounded square 8" anti-limestone shower head


- 2 gpm - 80 psi
- Brass shower head

Ecological Options

Codes	Reduced Flow Rates
TET-0815-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0815-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-1010-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
403	564	725	806	587	886	1054

Round 10" anti-limestone shower head


- 2 gpm - 80 psi
- Brass shower head

Ecological Options

Codes	Reduced Flow Rates
TET-1010-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1010-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-1010-47-xx



Cx	Kx	Lx	Bx	Nx/Yx	Vx/Tx	Gx
799	1334	1439	1598	1088	1662	1918

Flora round 10" anti-limestone shower head

- 2 gpm - 80 psi
- Brass shower head

Ecological Options

Codes	Reduced Flow Rates
TET-1010-47-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1010-47-xx-175	1.75 gpm (6.6 l/min) - 80 psi



x= color accent, see FLORA B47 collection
Product shown here in CF



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

SHOWER HEADS

TET-1011-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
499	685	880	977	713	1076	1223

Square 10" anti-limestone shower head

- 2 gpm - 80 psi
- Brass shower head


Ecological Options

Codes	Reduced Flow Rates
TET-1011-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1011-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-1013-01-xx

48h Promo Price
The Essentials



CC	KK	LL	NN
299	399	499	449

Round 10" anti-limestone shower head



- 2 gpm - 80 psi
- Polished stainless steel thin shower head

Ecological Options

Codes	Reduced Flow Rates
TET-1013-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1013-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-1014-01-xx



CC
329

Square 10" anti-limestone shower head


- 2 gpm - 80 psi
- Polished stainless steel thin shower head

Ecological Options

Codes	Reduced Flow Rates
TET-1014-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1014-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-1020-01-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
460	645	690	828	650	1012	1150

Round 10" anti-limestone shower head


- 2 gpm - 80 psi
- Brass shower head

Ecological Options

Codes	Reduced Flow Rates
TET-1020-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1020-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-1050-01-xx



CC	KK	LL/MM	NN	KM
299	399	499	449	549

Round 10" anti-limestone shower head

- 2 gpm - 80 psi
- Stainless steel shower head


Ecological Options

Codes	Reduced Flow Rates
TET-1050-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1050-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

TET-1208-01-xx



CC	KK
322	418

Rectangular 12" x 8" anti-limestone shower head



- 2 gpm - 80 psi
- Polished stainless steel thin shower head

Ecological Options

Codes	Reduced Flow Rates
TET-1208-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1208-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-1210-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
569	797	1202	1138	831	1253	1423

Round 12" anti-limestone shower head

- 2 gpm - 80 psi
- Brass shower head


Ecological Option

Code	Débits réduit
TET-1210-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC



TET-1212-04-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
698	926	1297	1323	965	1455	1653

Square 12" anti-limestone shower head

- 2 gpm - 80 psi
- Brass shower head



Ecological Option

Code	Reduced Flow Rate
TET-1212-04-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC



TET-1213-01-xx



CC
396

Round 12" anti-limestone shower head



- 2 gpm - 80 psi
- Polished stainless steel thin shower head

Ecological Option

Code	Reduced Flow Rate
TET-1213-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-1616-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
915	1280	1646	1828	1335	2012	2286

Round 16" anti-limestone shower head

- 2 gpm - 80 psi
- Brass shower head
- Install with a straight ceiling mount only

Ecological Option

Code	Reduced Flow Rate
TET-1616-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi



CEC



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

TET-1616-02-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
1018	1426	1833	2036	1485	2240	2546

Square 16" anti-limestone shower head



- 2 gpm - 80 psi
- Brass shower head
- Install with a straight ceiling mount only

Ecological Option

Code	Reduced Flow Rate
TET-1616-02-xx-175	1.75 gpm (6.6 l/min) - 80 psi



TET-2012-01-xx



CC
673


Rectangular 20" x 12" anti-limestone shower head

- 2 gpm - 80 psi
- Polished stainless steel thin shower head

Ecological Option

Code	Reduced Flow Rate
TET-2012-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi




BRA-0612-02-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
49	76	127	106	72	152	195

6" wall-mounted shower arm


- 1/2" M NPT connection

BRA-0612-14-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
68	119	166	126	94	191	228

6" wall-mounted shower arm, square flange


- 1/2" M NPT connection

BRA-1012-02-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
85	125	156	162	123	182	234

10" wall-mounted shower arm


- 1/2" M NPT connection

BRA-1012-14-xx

CC	KK	BB	LL	NN/YY	VV/TT	GG
95	150	181	187	148	207	261

10" wall-mounted shower arm, square flange

- 1/2" M NPT connection

BRA-1012-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
125	169	200	238	181	250	344

10" wall-mounted shower arm

- 1/2" M NPT connection


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

SHOWER ARMS


BRA-1212-02-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
83	175	282	205	151	311	320

12" wall-mounted shower arm
- 1/2" M NPT connection



BRA-1212-14-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
93	187	299	216	187	321	339

12" wall-mounted shower arm, square flange
- 1/2" M NPT connection


BRA-1212-20-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
125	212	324	247	212	324	358

12" wall-mounted shower arm
- 1/2" M NPT connection


BRA-1409-02-xx



CC	KK	BB	NN/YY
230	445	504	359


15" L-shaped wall-mounted shower arm
- 1/2" F NPT connection
- Ø 2" optional round flange

BRA-1608-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
342	565	596	619	479	631	704

17" L-shaped wall-mounted shower arm
- 1/2" F NPT connection


BRA-1612-44-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
130	202	379	303	234	379	531

16" wall-mounted shower arm, square flange
- 1/2" M NPT connection


BRA-1612-66-xx

48h Promo Price
The Essentials



CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
116	175	328	262	203	328	220	459

16" wall-mounted shower arm
- 1/2" M NPT connection


BRA-1614-04-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
212	317	377	401	317	457	458

16" rectangular wall-mounted shower arm
- 1/2" F NPT connection


BRA-1812-02-xx

48h Promo Price
The Essentials



CC	KK	LL	BB	NN/YY	VV/TT	GG
104	139	276	285	208	320	377

18" wall-mounted shower arm
- 1/2" M NPT connection

BRA-1812-14-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
126	177	317	308	231	365	401

18" wall-mounted shower arm, square flange
- 1/2" M NPT connection


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

SHOWER ARMS



BRA-1812-20-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
145	232	344	267	232	344	378

18" wall-mounted shower arm
- 1/2" M NPT connection


BRA-1815-02-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
225	395	458	448	306	494	562

18" wall-mounted shower arm
- 1/2" F NPT connection


BRA-1816-02-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
116	161	302	265	224	326	389

18" wall-mounted shower arm
- 1/2" M NPT connection


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

RAC-0318-02-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
32	94	139	104	75	139	183

3" ceiling mounted shower arm


- 1/2" M NPT connection

RAC-0318-14-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
43	108	153	120	88	153	205

3" ceiling mounted shower arm, square flange


- 1/2" M NPT connection

RAC-0318-20-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
73	138	183	150	118	183	235

3" ceiling mounted shower arm, square flange


- 1/2" M NPT connection

RAC-0618-02-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
49	126	143	122	91	190	145	261

6" ceiling mounted shower arm

- 1/2" M NPT connection

RAC-0618-14-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
71	140	187	156	105	214	319

6" ceiling mounted shower arm, square flange

- 1/2" M NPT connection



Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

CEILING MOUNTED SHOWER ARM


RAC-0618-20-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
110	179	226	195	144	253	358

6" ceiling mounted shower arm
- 1/2" M NPT connection


RAC-0918-02-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
58	164	224	178	131	224	284

9" ceiling mounted shower arm
- 1/2" M NPT connection


RAC-0918-14-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
76	188	246	201	153	246	307

9" ceiling mounted shower arm, square flange
- 1/2" M NPT connection


RAC-0918-20-xx



CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
115	227	285	240	192	285	346

9" ceiling mounted shower arm
- 1/2" M NPT connection

RAC-1218-02-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
69	199	271	213	165	271	319

12" ceiling mounted shower arm
- 1/2" M NPT connection

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.


RAC-1218-14-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
86	222	295	235	187	295	341

12" ceiling mounted shower arm, square flange
- 1/2" M NPT connection

RAC-1218-20-xx




CC	KK	LL	BB	NN/YY	VV/TT	GG
125	261	334	274	226	334	380

12" ceiling mounted shower arm
- 1/2" M NPT connection

BEC-0520-20-xx

CC	KK	LL/MM	BB	NN/YY	VV/TT	GG
275	371	440	476	399	550	756




Beaumont tub spout without diverter

- Slip-on installation
- Laminar stream

BEC-0520-37-xx

 **Promo Price**
The Essentials

CC	KK	LL/MM	BB	NN/YY	VV/TT	KM	GG
124	164	206	226	181	320	218	390




Round modern tub spout without diverter 1/2" F

- Cascade stream
- 1/2" F NPT connection

BEC-0520-45-xx

 **Promo Price**
The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	GG
328	443	590	656	476	689	755




Sens tub spout without diverter

- Slip-on installation
- Laminar stream

BEC-0520-46-xx

 **Promo Price**
The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
356	481	586	713	520	748	642	820




Profile tub spout without diverter

- Slip-on installation
- Laminar stream

BEC-0520-73-xx


CC	KK	LL	BB	NN/YY	VV/TT	KM	GG
96	124	263	276	171	284	185	336



Round 7" tub spout without diverter

- Slip-on installation
- Laminar stream



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

BEC-0520-74-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
113	147	296	286	191	303	347

Round 7" tub spout with diverter


- Slip-on installation
- Laminar stream

BEC-0520-83-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
125	154	327	342	200	342	351

Square 7" tub spout without diverter

- Slip-on installation
- Laminar stream

BEC-0520-84-xx

CC	KK	LL	BB	NN/YY	VV/TT	GG
143	173	366	366	228	366	374

Square 7" tub spout with diverter

- Slip-on installation
- Laminar stream


Finishes:

CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

BODY JETS

BOD-5001-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
109	225	248	218	149	248	328


Lateral body jet

- 2 gpm - 80 psi
- Swivel body jet
- Easy-to-clean silicone nozzles
- Hard rain spray pattern and mist central spray pattern

Ecological Options

Codes	Reduced Flow Rates
BOD-5001-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi
BOD-5001-00-xx-175	1.75 gpm (6.6 l/min) - 80 psi

BOD-5002-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
144	259	283	287	195	316	372


Cylindrical lateral body jet

- 2 gpm - 80 psi
- Swivel body jet
- Easy-to-clean silicone nozzles
- Hard rain spray pattern and mist central spray pattern

Ecological Options

Codes	Reduced Flow Rates
BOD-5002-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
BOD-5002-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

BOD-5004-02-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
328	459	525	590	446	606	623


Square lateral body jet

- 2 gpm - 80 psi
- Swivel body jet
- Easy-to-clean silicone nozzles
- Hard rain spray pattern

Ecological Options

Codes	Reduced Flow Rates
BOD-5004-02-xx-150	1.5 gpm (5.7 l/min) - 80 psi
BOD-5004-02-xx-175	1.75 gpm (6.6 l/min) - 80 psi

BOD-5006-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
299	419	478	538	407	572	603


Square built-in lateral body jet

- 2 gpm - 80 psi
- Swivel body jet
- Easy-to-clean silicone nozzles
- Rain spray pattern

Ecological Option

Code	Reduced Flow Rate
BOD-5006-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

BOD-5007-01-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
282	394	454	517	383	538	585

Round built-in lateral body jet

- 2 gpm - 80 psi
- Swivel body jet
- Easy-to-clean silicone nozzles
- Rain spray pattern

Ecological Options

Codes	Reduced Flow Rates
BOD-5007-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
BOD-5007-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

EXT-2600-01

70



Fittings for external thermostatic valve

- Extension may be cut to the required lenght
- 1/2" F NPT connection

EXT-3404-00-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
102	141	191	156	133	191	193

1-3/8" decorative extension for thick wall or to correct deep rough-ins

- For rough valve RVA-3404-00-B only

EXT-9520-30-xx



CC	KK	LL	BB	NN/YY	VV/TT	GG
156	229	381	251	211	381	296

1-3/8" decorative extension for thick wall or to correct deep rough-ins

- For the following rough valves:
RVA-9511-x0-B, RVA-9521-x0-B, RVA-9521-x0-NS-B,
RVA-9531-x0-B, RVA-9531-x0-NS-B

General Information

Authorized retailer for BARIL

To be an authorized retailer for BARIL, a retailer must:

- Be in a non protected territory
- Have a showroom that represents BARIL's standards
- Be accepted as an authorized retailer by BARIL's management
- Present a minimum of 20 BARIL products in the showroom
- Obtain credit approval
- Present the image and visual of BARIL
- Offer an acceptable discount to its customers

Terms and conditions

Price: The prices are subject to change without notice. Taxes will be added if applicable.

Terms of payment: Payment terms are net 30 days. An interest charge of 2% per month (24% per year) will be charged on late payments. No delivery will be made to clients who don't comply with the terms of payment.

Delivery: Prices are F.O.B. from our warehouses. BARIL's responsibility ends when the merchandise is given to the carrier. Shipping claims must be made by the retailer.

Merchandise return:

- Merchandise can't be returned without BARIL's authorization
- BARIL reserves the right to refuse a merchandise return at all times
- A 25% return fee will be charged to the client
- Merchandise must be returned in its original packaging
- Merchandise must not be damaged
- Parts with a manufacturing defect will be replaced at no charge
- BARIL will replace or repair the defective part at its discretion

Recommendations:

BARIL recommends the use of services offered by a professional plumber for any installation or repair work. BARIL recommends that products be wiped dry after each use with a soft dry cloth to prevent water-spotting and mineral build-up.

Do not allow water to come into prolonged contact with faucet's surface, wipe down after each use. Do not allow water to accumulate at base of faucet.

BARIL recommends that products be cleaned with a mild, non-abrasive liquid soap, warm water and soft cloth.

Never use abrasive products, chemicals, corrosives that are very strong or in powder form, including toothpaste, detergents, scouring products, window cleaners and disinfectants.

Failure to give the faucet the proper care may void the warranty.

Care Instructions

To keep your BARIL faucet looking its best, please follow these simple care instructions:

Do:

1. Rinse the faucet with clear water.
2. Dry the faucet with a soft cotton cloth.

Regular and routine cleaning will allow you to maintain your faucet in good condition. Wipe dry after each use with a soft dry cotton cloth to prevent water-spotting and mineral build-up.

If heavy cleaning is required, the following procedures are recommended:

1. Remove surface dirt and film using clear water and a soft cotton cloth.
2. To remove tough surface film and build-up dirt, use a non-acidic, non-abrasive gentle liquid soap without detergent.
3. Once clean, rinse faucet with clear water to thoroughly remove cleaner and blot dry with a soft cotton cloth.

While all BARIL finishes are designed for maximum durability, failure to give your faucet the proper care may void the warranty. As a result, here are a few helpful tips:

Do not:

1. Use abrasive cloths, cleaning pads or paper towels.
2. Use any abrasive cleansers (like Vim®, etc.).
3. Use any cleaning agents containing acids, polish, waxes, alcohol, ammonia, bleach, solvents or any other corrosive or harsh chemical cleansers.
4. Allow water to come into prolonged contact with faucet surface or to accumulate at base of faucet: preferably wipe down after each use.

Special finishes:

24K gold is a precious and soft finish, which must be treated gently, like you would treat fine jewelry.

The other special finishes like nickel, copper, bronze, matte black, etc. are unique handcrafted finishes, created so no two finishes look exactly alike.

Follow all the recommendations listed above and make sure to wipe dry after each use with a soft dry cotton cloth.

Thanks to proper care, you will enjoy the glance of BARIL faucets for years.

Warranty

BARIL offers a limited lifetime warranty on all of its products¹ against any defect affecting materials or any manufacturing defect. This warranty is offered and will benefit only the original purchaser of the product, for as long as such person remains the owner of the residence of the original installation and of the product. This warranty covers residential and multi-residential projects².

The BARIL warranty covers all finishes as long as the product has been used under normal conditions and by strictly applying the maintenance conditions described on the website at barildesign.com/maintenance.

Proof of purchase or the original purchase invoice must accompany any claim submitted to BARIL.

BARIL agrees, following its analysis, to provide as a replacement, as the case may be, one or more spare parts or the same product (or, if it is no longer available, a comparable product of equivalent value).

BARIL recommends retaining the services of a professional installer, competent and able to carry out the installation strictly and only according to the instructions provided by the manufacturer.

The owner-user is responsible for access to the residence for the installation or repair of the product. BARIL's aggregate obligation under this warranty shall in no event exceed the original purchase price of the faucet.

*Limitations:

- This warranty is limited to original BARIL products purchased from an **authorized BARIL retailer**.
- **All electrical and/or electronic parts and/or components are covered by a limited five (5) year warranty.** Batteries are excluded from any BARIL's warranty.

- The warranty period for any product installed as part of a **hospitality project (hotel, restaurant, spa, gym)** is **(1) one year** from the original purchase date from an authorized BARIL retailer/distributor.
- This warranty is **not transferable**.

*The warranty does not cover:

- Any BARIL product cleaned with abrasive, irritating or corrosive products or more generally any product not specifically recommended for cleaning faucets;
- Any BARIL product that has **not been installed in accordance with the manufacturer's instructions and the applicable laws and codes** in force;
- Normal wear of components and finishes;
- Any **application and/or use of an industrial, institutional or commercial type not expressly mentioned above³**;
- Damage caused by or originating from:
 - The presence of hard water, lime deposits or sediment;
 - The storage of any cleaning product - household or industrial - regardless of its chemical composition or content, in the immediate environment of the BARIL product, including cabinets and vanities located under the sink and plumbing fixtures, these cleaning products may attack and corrupt the integrity of the plumbing fixtures, including their various components;
 - A disaster, natural or not, such as fire, flood, earthquake, thunder, electrical storm or any other phenomenon of the same nature;
 - Hot water with a temperature above 158°F (70°C) and/or water pressure at the tap exceeding 5.5 bars (80 psi);
 - Freezing and/or clogging of supply pipes;
 - Any other case resulting from a lack of use, negligent or abusive, or maintenance of BARIL products;

- Installation error, negligence or abusive use.
- Any BARIL product installed **outdoors** (outside a residence);
- Any BARIL products installed **outside of North America**;
- Any claim including false information, false and/or misleading statements, or voluntary or involuntary omissions about the context of the claim and/or installation of the product;
- BARIL is not responsible for any damages, losses, injuries, or costs of any kind, indirect, incidental, or consequential, including, but not limited to, loss of use, related to parts and/or products from BARIL.

Notes and definitions:

¹ The BARIL PRO line of products is covered by a separate warranty available at barilpro.com/warranty.

² **"RESIDENTIAL AND MULTI-RESIDENTIAL" define and include:**

- Owner-occupied houses and condos;
- Rental condos and apartments with a long-term lease of 12 months;
- Residential rental apartments for elderly people, excluding common and public areas, as well as kitchen and dining areas.

³ **"INDUSTRIAL, INSTITUTIONAL AND COMMERCIAL" define and include:**

- Buildings or establishments for commercial use, where transactions are carried out with clients;
- Health network establishments (hospitals, CLSCs, medical clinics, health professionals' offices);
- Industrial establishments (e.g. warehouses, distribution centres, production plants, etc.);
- Office buildings;
- Any other public area using sanitary facilities.

Legal provisions:

This warranty excludes all other warranties, including, but not limited to, any mandatory warranties that relate to merchantability or fitness for use. This warranty and its limitations and exclusions may not apply to you or may apply in addition to other rights and remedies due to legal provisions applicable in certain states, provinces or countries.

Notwithstanding any provision of this warranty, BARIL shall not be liable for any punitive, special, incidental or consequential damages arising out of or in any way related to BARIL products, whether under contract, warranty, tort, statute or otherwise. Excluded damages include, but are not limited to, damages for loss of use, loss of time, inconvenience, impairment or any other loss howsoever arising. THE EXCLUSION OF INCIDENTAL AND CONSEQUENTIAL DAMAGES PROVIDED HEREIN SHALL APPLY NOTWITHSTANDING ANY OTHER TERMS OF THIS WARRANTY AND SHALL APPLY TO ALL WARRANTIES, REMEDIES AND OTHER TERMS OF THIS WARRANTY. This disclaimer shall not be construed as affecting in any way BARIL's obligations, if any, with respect to third-party claims for property damage, personal injury or death. This warranty shall not be construed as conferring any rights with respect to the foregoing.

BARIL accepts no responsibility for any labor or shipping costs as well as any damage in whole or in part caused by the improper installation of the product, its removal, its reinstallation or its repair or caused to the product as a result of the use of one or more spare parts other than BARIL's original parts. BARIL is not responsible for costs related to an installation that does not comply with the laws and codes in force at the place of installation.

The owner-user will remain solely responsible for all claims, damages, losses, liabilities, obligations and judgments, of whatever nature, including all costs and expenses, including costs and reasonable attorneys' fees relating thereto (hereinafter, collectively, "claims"), related to the BARIL product, which arises on or after the original date of purchase (including, but not limited to, any replacement parts) and during the period during which the owner-user remains the owner of the BARIL product and the residence of the original installation, and which derives directly or indirectly, in any way, from (a) the ownership of the BARIL product by the owner-user or after it, or (b) the use, possession, dispossession, repossession, control, operation or location of the BARIL product by the user owner or by a third party on the original date of purchase or after it, or (c) any condition or defect in the BARIL product, whether concealed or not, regardless of when such defect is discovered, but only with respect to claims for material damage or bodily injury are not actionable prior to the original date of purchase, to the extent such condition arose, or was discovered or reported, on or after the original date of purchase. The foregoing indemnity applies to all claims for which the owner-user is liable under the preceding sentence, whether such claims are in tort (including, but not limited to, strict liability).

Customer Service Policies

After more than 35 years in the industry, BARIL is well known for the quality of its products and the excellence of its after-sale customer service.

Technical support

BARIL endorses the quality of its products. If you are facing any difficulties, you can call us at 1.800.463.3871 or write us at info@barildesign.com and it will be our pleasure to help you find solutions. Indeed, for any questions on our products, on installation, on different technical problems you may encounter, etc., our experts will be happy to help you. Our customer service team is trained by our products' experts who conceived those products. They know how to support you and provide you with an excellent service.

Parts box

BARIL's authorized retailers can receive a parts box. It will be personalized according to your purchases and will provide you the most needed parts. The replacement parts are distributed free of charge to enable you to offer an excellent after-sale service to your customers.

For parts replacement, BARIL's sales representative will make sure to take back the defective parts and replace them if needed. All defective parts will be exchanged free of charge.

It is important to keep, at all times, the defective parts returned by your customer. Only parts with manufacturing defect will be replaced free of charge.

Service call policy

In order to offer you the best after-sale service possible, here is how to proceed when making a service call. We remind you that BARIL is only responsible for the cost of the parts and does not cover fees related to products being installed and/or uninstalled.

Not only do you have the support of our representatives, but our technical service is always ready to help you with the installation or repair of a product. To make sure you get a quick answer, here is how to proceed when making a service call:

1. For each service call, please fill out the service call form with as much details as possible concerning the problem, diagnosis or solution;
2. Send the form by fax at the following number: 1.877.693.3005 or by e-mail at the following address: info@barildesign.com and remember to give us all the necessary information;
3. Please send your customer's invoice with the exact product's code as well as the exact date of purchase along with the form;
4. Our employee will take the dispositions needed to accommodate your client. If the situation needs an immediate action, please specify it on the document. All service calls will be answered within 48 hours, from Monday to Friday;
5. If a replacement part is needed, it will be sent to the distributor under the name of the consumer;
6. If necessary, we will contact the consumer directly in order to help him solve his problem;
7. In the most extreme cases, a BARIL representative could go on site to evaluate the situation. If this happens and the problem is not due to a manufacturing defect of a BARIL product, the client will be charged a 50\$ fee;
8. If requested, the form will be returned to you with the confirmation of the repairs being done and the closing of the file.

For any other information, you can contact our technical department at 1.800.463.3871 or at info@barildesign.com.

With the desire to keep a strong partnership with our privileged clients, we know this procedure will assure you a quality after-sale service.

**Thank you for your trust,
BARIL**

BARIL's technical team proposes you different examples.

When a customer enters your store, you must be ready to answer all questions on our faucets.

01 How long does the faucet warranty last?

The faucets have a lifetime warranty against all manufacturing defects. BARIL will replace free of charge any defective part upon presentation of the invoice of purchase showing the product code and the date of purchase. A manufacturing defect usually appears during the first few months of usage.

02 What is covered by the warranty?

Any defective part is covered by the warranty. BARIL will replace the faulty part free of charge. An original or similar replacement part will be sent to you. The warranty does not cover shipping and handling or labor fees. Warranty is void if the installation does not comply with the rules and regulations in effect or the manufacturer's instructions. The warranty does not cover damages that occurred during installation, transport or any other accidental or indirect damage.

03 What is the difference between manufacture defects from the normal use of a product?

The time of purchase is a determinant factor in diagnosing a defect. Our experience taught us that a manufacture defect occurs within a year of purchase in most products. Hand sprays, shower heads, finishes and all plastic parts show defects in the first 12 months of usage. As for diverter or seal, the defect can appear within 36

months of usage. The ceramic and thermostatic cartridges should be functional for a few years. Although, you should note that after 8 years of daily usage and hard water, etc., it is reasonable to consider it of normal use and it's possible for the customer to replace its cartridge. This can be done easily and at low costs. Finishes should last for many years if you use a gentle cleaning product. All parts not under warranty can be ordered at BARIL. They will be treated as a regular order and retail price will be applied.

04 How to order replacement parts?

You should have the original date of purchase and the product code. This information will help you find the code of the part you need as listed in our products file on our website; www.BARILdesign.com. You can also find the numerated parts in the instruction manual provided in the product packaging. Regarding discontinued products, or if you have questions, problems or any other requests, you can reach BARIL's customer service. They can help you find a part code or explain what is not working properly. Once you have the part code (or the date of purchase and product code), you can send your request by fax: 1.877.693.3005, by e-mail: info@barildesign.com, or by phone: 1.800.463.3871. The parts under warranty are free and the parts that are not under warranty will be charged which is why it is important to provide us the date of purchase along with your order.

05 How do I care for the faucets?

We recommend washing your faucets with warm water and a gentle, non-abrasive liquid soap. Wipe with a soft cotton cloth. Never use products that are abrasive, corrosive, or contain chemicals, powder cleaners or heavy-duty products such as tooth paste, detergents, scouring products, window cleaners and disinfectants. Cartridges can be cleaned with a small brush under running warm water. Limestone on hand spray can be removed by letting it soak in water with a drop of vinegar. As for the anti-limestone hand spray, you can use your fingers to wipe off excess sediment. Taking good care of your faucets will keep them working for many years.

06 Why is ceramic the best material to make cartridges?

Ceramic is strong, tear proof and able to adjust thus providing waterproofness. Ceramic discs are made to assure maximal pressure of your faucets. Their construction allows you to turn the water on and off with a 1/4 turn movement making it user friendly.

07 Do you offer after-sale services?

After more than 35 years in the faucet industry, BARIL is known for its expertise and the quality of its after-sale service. For any questions regarding our products, installation, various technical problems you may encounter during installation or if you have any requests regarding

the use of our products, our faucet professionals will be happy to help. The members of our customer service team are trained by our products experts and designers of the BARIL faucets. We also have a Quality department in charge of limiting as much as possible faucet related problems. From design to sales, the Quality department assures the liability of the BARIL products.

08 Can I install the faucets myself?

BARIL recommends you to hire a professional to install all our products. This will assure you the best installation possible. For instance, making sure a sufficient water flow reaches your faucet (depending on the floor level, the various appliances connected to the water line, etc.), making sure the connections are strong and waterproof, offering you a labor warranty on the installation, etc. In short, by hiring a professional, you will avoid all kinds of problems that could occur during installation and while using your faucets. Also, the installation will be made according to the norms in effect. An installation made according to the rules and regulations insures you the warranty will be honored, if ever needed.

09 Is there a system within these faucets for water saving?

BARIL is sensitive to the environment and offers many eco-friendly solutions. For example, the majority of BARIL lavatory faucets offer eco-friendly options allowing flow rates of 1.0 gpm or 0.5 gpm instead of the regular 1.2 gpm, for water savings of up to 45%. As for kitchen faucets, the majority offer ecological options allowing a flow rate of 1.5 gpm instead of the regular 1.8 gpm, a water saving of up to 18%.

Shower reducers are also available to gain even more efficiency and help gain the LEED certification.

10 Can I replace my faucets by new ones?

It is reasonable to think that all faucets are standard. It is usually possible to update your faucets with existing connections. Make sure to get new faucets that can fill the void left by the old ones. The installation of new faucets requires access to the rough and connections. You will find a variety of options in the complementary parts that will help you install new faucets on existing sinks, basins or bathtubs. You will find decorative plates, small columns for old fashioned bathtubs, etc. The majority of the BARIL products are made so the rough and the trim are installed at the same time. It is not necessary or possible to adapt the BARIL trim to the rough product of another manufacturer. If you change your mind and wish to choose a different trim offered in the BARIL collection, it is possible to interchange some collections due to the standard settings of the rough faucet. You can contact the customer service of BARIL, if needed.

What questions have we forgotten?

Send us your questions and we will add them in our next catalogue edition.

info@barildesign.com

Price Index

BARIL

PRICE INDEX

CODE	PAGE	PRICE
A04-1029-00-BB	282	184
A04-1029-00-CC	282	102
A04-1029-00-GG	282	284
A04-1029-00-KK	282	122
A04-1029-00-KM	282	184
A04-1029-00-LL	282	163
A04-1029-00-NN	282	107
A04-1029-00-TT	282	204
A04-1029-00-VV	282	204
A04-1029-00-YY	282	154
A04-1069-00-BB	282	96
A04-1069-00-CC	282	53
A04-1069-00-GG	282	149
A04-1069-00-KK	282	64
A04-1069-00-KM	282	96
A04-1069-00-LL	282	86
A04-1069-00-NN	282	56
A04-1069-00-TT	282	107
A04-1069-00-VV	282	107
A04-1069-00-YY	282	78
A04-6012-00-BB	282	231
A04-6012-00-CC	282	128
A04-6012-00-GG	282	385
A04-6012-00-KK	282	154
A04-6012-00-KM	282	231
A04-6012-00-LL	282	205
A04-6012-00-NN	282	135
A04-6012-00-TT	282	257
A04-6012-00-VV	282	257
A04-6012-00-YY	282	187
A04-6018-00-BB	282	271
A04-6018-00-CC	282	151
A04-6018-00-GG	282	452
A04-6018-00-KK	282	181
A04-6018-00-KM	282	271
A04-6018-00-LL	282	241
A04-6018-00-NN	282	158
A04-6018-00-TT	282	301
A04-6018-00-VV	282	301
A04-6018-00-YY	282	220
A04-6024-00-BB	283	306
A04-6024-00-CC	283	170
A04-6024-00-GG	283	510
A04-6024-00-KK	283	204
A04-6024-00-KM	283	306
A04-6024-00-LL	283	272
A04-6024-00-NN	283	179
A04-6024-00-TT	283	340
A04-6024-00-VV	283	340
A04-6024-00-YY	283	248
A04-6030-00-BB	283	367
A04-6030-00-CC	283	204
A04-6030-00-GG	283	612
A04-6030-00-KK	283	245
A04-6030-00-KM	283	367
A04-6030-00-LL	283	327
A04-6030-00-NN	283	214
A04-6030-00-TT	283	408

CODE	PAGE	PRICE
A04-6030-00-VV	283	408
A04-6030-00-YY	283	298
A20-1069-00-BB	290	239
A20-1069-00-CC	290	159
A20-1069-00-GG	290	277
A20-1069-00-KK	290	227
A20-1069-00-LL	290	264
A20-1069-00-MM	290	264
A20-1069-00-NN	290	239
A20-1069-00-TT	290	264
A20-1069-00-VV	290	264
A20-1069-00-YY	290	239
A44-1029-00-BB	284	204
A44-1029-00-CC	284	113
A44-1029-00-GG	284	284
A44-1029-00-KK	284	136
A44-1029-00-LL	284	181
A44-1029-00-NN	284	119
A44-1029-00-TT	284	227
A44-1029-00-VV	284	227
A44-1029-00-YY	284	165
A44-1069-00-BB	284	140
A44-1069-00-CC	284	78
A44-1069-00-GG	284	194
A44-1069-00-KK	284	93
A44-1069-00-LL	284	124
A44-1069-00-NN	284	82
A44-1069-00-TT	284	156
A44-1069-00-VV	284	156
A44-1069-00-YY	284	113
A44-6027-00-BB	284	428
A44-6027-00-CC	284	238
A44-6027-00-GG	284	713
A44-6027-00-KK	284	285
A44-6027-00-LL	284	380
A44-6027-00-NN	284	249
A44-6027-00-TT	284	475
A44-6027-00-VV	284	475
A44-6027-00-YY	284	347
A46-1029-00-BB	285	224
A46-1029-00-CC	285	124
A46-1029-00-CF	285	124
A46-1029-00-GG	285	311
A46-1029-00-KK	285	149
A46-1029-00-LL	285	199
A46-1029-00-NN	285	130
A46-1029-00-TT	285	248
A46-1029-00-VV	285	248
A46-1029-00-YY	285	181
A46-1069-00-BB	285	140
A46-1069-00-CC	285	78
A46-1069-00-CF	285	78
A46-1069-00-GG	285	194
A46-1069-00-KK	285	93
A46-1069-00-LL	285	124
A46-1069-00-NN	285	82
A46-1069-00-TT	285	156
A46-1069-00-VV	285	156

CODE	PAGE	PRICE
A46-1069-00-YY	285	113
A46-6012-00-BB	285	348
A46-6012-00-CC	285	193
A46-6012-00-CF	285	193
A46-6012-00-GG	285	580
A46-6012-00-KK	285	232
A46-6012-00-LL	285	309
A46-6012-00-NN	285	203
A46-6012-00-TT	285	387
A46-6012-00-VV	285	387
A46-6012-00-YY	285	282
A46-6018-00-BB	285	389
A46-6018-00-CC	285	216
A46-6018-00-CF	285	216
A46-6018-00-GG	285	648
A46-6018-00-KK	285	259
A46-6018-00-LL	285	346
A46-6018-00-NN	285	227
A46-6018-00-TT	285	432
A46-6018-00-VV	285	432
A46-6018-00-YY	285	315
A46-6024-00-BB	285	428
A46-6024-00-CC	285	238
A46-6024-00-CF	285	238
A46-6024-00-GG	285	713
A46-6024-00-KK	285	285
A46-6024-00-LL	285	380
A46-6024-00-NN	285	249
A46-6024-00-TT	285	475
A46-6024-00-VV	285	475
A46-6024-00-YY	285	347
A46-6030-00-BB	286	505
A46-6030-00-CC	286	281
A46-6030-00-CF	286	281
A46-6030-00-GG	286	794
A46-6030-00-KK	286	337
A46-6030-00-LL	286	449
A46-6030-00-NN	286	295
A46-6030-00-TT	286	562
A46-6030-00-VV	286	562
A46-6030-00-YY	286	410
A47-1069-00-Bx	290	330
A47-1069-00-Cx	290	184
A47-1069-00-Gx	290	459
A47-1069-00-Kx	290	220
A47-1069-00-Lx	290	294
A47-1069-00-Nx	290	193
A47-1069-00-Tx	290	312
A47-1069-00-Vx	290	312
A47-1069-00-Yx	290	214
A56-1029-00-BB	287	199
A56-1029-00-CC	287	111
A56-1029-00-GG	287	332
A56-1029-00-KK	287	133
A56-1029-00-LL	287	177
A56-1029-00-NN	287	116
A56-1029-00-TT	287	221
A56-1029-00-VV	287	221

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
A56-1029-00-YY	287	161
A56-1069-00-BB	287	96
A56-1069-00-CC	287	54
A56-1069-00-GG	287	161
A56-1069-00-KK	287	64
A56-1069-00-LL	287	86
A56-1069-00-NN	287	56
A56-1069-00-TT	287	107
A56-1069-00-VV	287	107
A56-1069-00-YY	287	78
A56-6018-00-BB	287	264
A56-6018-00-CC	287	147
A56-6018-00-GG	287	441
A56-6018-00-KK	287	176
A56-6018-00-LL	287	235
A56-6018-00-NN	287	154
A56-6018-00-TT	287	294
A56-6018-00-VV	287	294
A56-6018-00-YY	287	214
A56-6024-00-BB	287	303
A56-6024-00-CC	287	168
A56-6024-00-GG	287	505
A56-6024-00-KK	287	202
A56-6024-00-LL	287	270
A56-6024-00-NN	287	177
A56-6024-00-TT	287	337
A56-6024-00-VV	287	337
A56-6024-00-YY	287	246
A56-6028-00-BB	287	381
A56-6028-00-CC	287	212
A56-6028-00-GG	287	635
A56-6028-00-KK	287	254
A56-6028-00-LL	287	339
A56-6028-00-NN	287	222
A56-6028-00-TT	287	423
A56-6028-00-VV	287	423
A56-6028-00-YY	287	309
A66-1029-01-BB	288	159
A66-1029-01-CC	288	102
A66-1029-01-GG	288	306
A66-1029-01-KK	288	122
A66-1029-01-KM	288	184
A66-1029-01-LL	288	163
A66-1029-01-MM	288	163
A66-1029-01-NN	288	107
A66-1029-01-TT	288	204
A66-1029-01-VV	288	204
A66-1029-01-YY	288	149
A66-1069-01-BB	288	108
A66-1069-01-CC	288	60
A66-1069-01-GG	288	181
A66-1069-01-KK	288	72
A66-1069-01-KM	288	108
A66-1069-01-LL	288	81
A66-1069-01-MM	288	81
A66-1069-01-NN	288	63
A66-1069-01-TT	288	121
A66-1069-01-VV	288	121

CODE	PAGE	PRICE
A66-1069-01-YY	288	84
A66-1079-00-BB	288	82
A66-1079-00-CC	288	45
A66-1079-00-GG	288	135
A66-1079-00-KK	288	63
A66-1079-00-KM	288	81
A66-1079-00-LL	288	73
A66-1079-00-MM	288	73
A66-1079-00-NN	288	48
A66-1079-00-TT	288	91
A66-1079-00-VV	288	91
A66-1079-00-YY	288	61
A66-6018-00-BB	288	280
A66-6018-00-CC	288	156
A66-6018-00-GG	288	467
A66-6018-00-KK	288	187
A66-6018-00-KM	288	281
A66-6018-00-LL	288	249
A66-6018-00-MM	288	249
A66-6018-00-NN	288	163
A66-6018-00-TT	288	311
A66-6018-00-VV	288	311
A66-6018-00-YY	288	227
A66-6024-00-BB	289	324
A66-6024-00-CC	289	180
A66-6024-00-GG	289	539
A66-6024-00-KK	289	216
A66-6024-00-KM	289	324
A66-6024-00-LL	289	288
A66-6024-00-MM	289	288
A66-6024-00-NN	289	189
A66-6024-00-TT	289	360
A66-6024-00-VV	289	360
A66-6024-00-YY	289	262
A66-6030-00-BB	289	394
A66-6030-00-CC	289	219
A66-6030-00-GG	289	656
A66-6030-00-KK	289	262
A66-6030-00-LL	289	350
A66-6030-00-NN	289	230
A66-6030-00-TT	289	437
A66-6030-00-VV	289	437
A66-6030-00-YY	289	319
A66-6315-00-BB	289	437
A66-6315-00-CC	289	243
A66-6315-00-GG	289	729
A66-6315-00-KK	289	292
A66-6315-00-LL	289	389
A66-6315-00-NN	289	255
A66-6315-00-TT	289	486
A66-6315-00-VV	289	486
A66-6315-00-YY	289	354
A80-1069-00-Bx	290	218
A80-1069-00-Cx	290	167
A80-1069-00-Gx	290	252
A80-1069-00-Kx	290	201
A80-1069-00-Lx	290	218
A80-1069-00-Nx	290	176

CODE	PAGE	PRICE
A80-1069-00-Tx	290	234
A80-1069-00-Vx	290	234
A80-1069-00-Yx	290	212
A84-1069-00-BB	284	91
A84-1069-00-CC	284	51
A84-1069-00-GG	284	152
A84-1069-00-KK	284	61
A84-1069-00-LL	284	81
A84-1069-00-NN	284	53
A84-1069-00-TT	284	102
A84-1069-00-VV	284	102
A84-1069-00-YY	284	71
A85-2009-40-CC	291	378
A85-2059-00-CC	291	146
A85-2059-40-CC	291	173
A85-3179-00-CC	291	117
A85-3189-00-CC	291	103
A85-9077-00-CC	292	200
A85-9088-00-CC	292	227
A86-2019-00-FR	293	38
A86-2029-00-FR	293	38
A86-2039-00-CC	293	78
A86-6018-00-CC	293	340
B04-1005-00L-BB	70	723
B04-1005-00L-CC	70	396
B04-1005-00L-GG	70	1006
B04-1005-00L-KK	70	488
B04-1005-00L-KM	70	645
B04-1005-00L-LL	70	613
B04-1005-00L-NN	70	601
B04-1005-00L-TT	70	727
B04-1005-00L-VV	70	727
B04-1005-00L-YY	70	601
B04-1005-IPL-BB	70	783
B04-1005-IPL-CC	70	431
B04-1005-IPL-GG	70	1096
B04-1005-IPL-KK	70	538
B04-1005-IPL-KM	70	705
B04-1005-IPL-LL	70	668
B04-1005-IPL-NN	70	646
B04-1005-IPL-TT	70	797
B04-1005-IPL-VV	70	797
B04-1005-IPL-YY	70	646
B04-1020-00L-BB	70	1063
B04-1020-00L-CC	70	584
B04-1020-00L-GG	70	1328
B04-1020-00L-KK	70	764
B04-1020-00L-KM	70	957
B04-1020-00L-LL	70	900
B04-1020-00L-NN	70	794
B04-1020-00L-TT	70	1084
B04-1020-00L-VV	70	1084
B04-1020-00L-YY	70	794
B04-1100-00-BB	72	3425
B04-1100-00-CC	72	1884
B04-1100-00-GG	72	4795
B04-1100-00-KK	72	2542
B04-1100-00-KM	72	3767

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
B04-1100-00-LL	72	2942
B04-1100-00-NN	72	2604
B04-1100-00-TT	72	3425
B04-1100-00-VV	72	3425
B04-1100-00-YY	72	2604
B04-1249-00-BB	72	1672
B04-1249-00-CC	72	903
B04-1249-00-GG	72	2090
B04-1249-00-KK	72	1171
B04-1249-00-KM	72	1504
B04-1249-00-LL	72	1325
B04-1249-00-NN	72	1168
B04-1249-00-TT	72	1672
B04-1249-00-VV	72	1672
B04-1249-00-YY	72	1168
B04-8009-00L-BB	70	1318
B04-8009-00L-CC	70	718
B04-8009-00L-GG	70	1647
B04-8009-00L-KK	70	914
B04-8009-00L-KM	70	1185
B04-8009-00L-LL	70	1074
B04-8009-00L-NN	70	899
B04-8009-00L-TT	70	1318
B04-8009-00L-VV	70	1318
B04-8009-00L-YY	70	899
B04-8041-00L-BB	71	1650
B04-8041-00L-CC	71	825
B04-8041-00L-GG	71	2063
B04-8041-00L-KK	71	1098
B04-8041-00L-KM	71	1485
B04-8041-00L-LL	71	1259
B04-8041-00L-NN	71	1115
B04-8041-00L-TT	71	1683
B04-8041-00L-VV	71	1683
B04-8041-00L-YY	71	1115
B04-8100-00L-BB	71	1124
B04-8100-00L-CC	71	567
B04-8100-00L-GG	71	1403
B04-8100-00L-KK	71	678
B04-8100-00L-KM	71	924
B04-8100-00L-LL	71	790
B04-8100-00L-NN	71	790
B04-8100-00L-TT	71	1124
B04-8100-00L-VV	71	1124
B04-8100-00L-YY	71	790
B04-8120-00L-BB	72	1265
B04-8120-00L-CC	72	637
B04-8120-00L-GG	72	1579
B04-8120-00L-KK	72	762
B04-8120-00L-KM	72	1038
B04-8120-00L-LL	72	928
B04-8120-00L-NN	72	876
B04-8120-00L-TT	72	1265
B04-8120-00L-VV	72	1265
B04-8120-00L-YY	72	876
B04-9100-00-BB	73	860
B04-9100-00-CC	73	456
B04-9100-00-GG	73	956

CODE	PAGE	PRICE
B04-9100-00-KK	73	648
B04-9100-00-LL	73	745
B04-9100-00-NN	73	611
B04-9100-00-TT	73	860
B04-9100-00-VV	73	860
B04-9100-00-YY	73	611
B04-9180-00-BB	73	1220
B04-9180-00-CC	73	720
B04-9180-00-GG	73	1347
B04-9180-00-KK	73	887
B04-9180-00-KM	73	1036
B04-9180-00-LL	73	1017
B04-9180-00-NN	73	929
B04-9180-00-TT	73	1296
B04-9180-00-VV	73	1296
B04-9180-00-YY	73	929
B04-9190-00-BB	74	1230
B04-9190-00-CC	74	730
B04-9190-00-GG	74	1357
B04-9190-00-KK	74	897
B04-9190-00-LL	74	1027
B04-9190-00-NN	74	939
B04-9190-00-TT	74	1306
B04-9190-00-VV	74	1306
B04-9190-00-YY	74	939
B04-9404-00-BB	74	1368
B04-9404-00-CC	74	860
B04-9404-00-GG	74	1488
B04-9404-00-KK	74	1101
B04-9404-00-LL	74	1222
B04-9404-00-NN	74	1053
B04-9404-00-TT	74	1368
B04-9404-00-VV	74	1368
B04-9404-00-YY	74	1053
B04-9453-00-BB	74	1266
B04-9453-00-CC	74	920
B04-9453-00-GG	74	1612
B04-9453-00-KK	74	1094
B04-9453-00-LL	74	1266
B04-9453-00-NN	74	1059
B04-9453-00-TT	74	1543
B04-9453-00-VV	74	1543
B04-9453-00-YY	74	1059
B04-9511-00-BB	75	1614
B04-9511-00-CC	75	983
B04-9511-00-GG	75	1710
B04-9511-00-KK	75	1221
B04-9511-00-KM	75	1409
B04-9511-00-LL	75	1291
B04-9511-00-NN	75	1192
B04-9511-00-TT	75	1646
B04-9511-00-VV	75	1646
B04-9511-00-YY	75	1192
B04-9521-00-BB	75	1589
B04-9521-00-CC	75	958
B04-9521-00-GG	75	1685
B04-9521-00-KK	75	1196
B04-9521-00-KM	75	1384

CODE	PAGE	PRICE
B04-9521-00-LL	75	1266
B04-9521-00-NN	75	1167
B04-9521-00-TT	75	1621
B04-9521-00-VV	75	1621
B04-9521-00-YY	75	1167
B04-9531-00-BB	76	1614
B04-9531-00-CC	76	983
B04-9531-00-GG	76	1710
B04-9531-00-KK	76	1221
B04-9531-00-KM	76	1409
B04-9531-00-LL	76	1291
B04-9531-00-NN	76	1192
B04-9531-00-TT	76	1646
B04-9531-00-VV	76	1646
B04-9531-00-YY	76	1192
B04-9560-02-BB	76	693
B04-9560-02-CC	76	433
B04-9560-02-GG	76	745
B04-9560-02-KK	76	544
B04-9560-02-LL	76	587
B04-9560-02-NN	76	487
B04-9560-02-TT	76	693
B04-9560-02-VV	76	693
B04-9560-02-YY	76	487
B04-9560-03-BB	77	716
B04-9560-03-CC	77	456
B04-9560-03-GG	77	768
B04-9560-03-KK	77	567
B04-9560-03-LL	77	610
B04-9560-03-NN	77	510
B04-9560-03-TT	77	716
B04-9560-03-VV	77	716
B04-9560-03-YY	77	510
B04-9649-00-BB	77	634
B04-9649-00-CC	77	374
B04-9649-00-GG	77	686
B04-9649-00-KK	77	485
B04-9649-00-LL	77	528
B04-9649-00-NN	77	428
B04-9649-00-TT	77	634
B04-9649-00-VV	77	634
B04-9649-00-YY	77	428
B05-1005-00L-BB	86	837
B05-1005-00L-CC	86	413
B05-1005-00L-GG	86	1166
B05-1005-00L-KK	86	577
B05-1005-00L-LL	86	753
B05-1005-00L-NN	86	565
B05-1005-00L-TT	86	827
B05-1005-00L-VV	86	827
B05-1005-00L-YY	86	565
B05-1005-1PL-BB	86	897
B05-1005-1PL-CC	86	448
B05-1005-1PL-GG	86	1256
B05-1005-1PL-KK	86	627
B05-1005-1PL-LL	86	808
B05-1005-1PL-NN	86	610
B05-1005-1PL-TT	86	897

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
B05-1005-1PL-VV	86	897
B05-1005-1PL-YY	86	610
B05-1010-01L-BB	86	1021
B05-1010-01L-CC	86	506
B05-1010-01L-GG	86	1424
B05-1010-01L-KK	86	788
B05-1010-01L-LL	86	918
B05-1010-01L-NN	86	691
B05-1010-01L-TT	86	1011
B05-1010-01L-VV	86	1011
B05-1010-01L-YY	86	691
B05-1010-1PL-BB	86	1081
B05-1010-1PL-CC	86	541
B05-1010-1PL-GG	86	1514
B05-1010-1PL-KK	86	838
B05-1010-1PL-LL	86	973
B05-1010-1PL-NN	86	736
B05-1010-1PL-TT	86	1081
B05-1010-1PL-VV	86	1081
B05-1010-1PL-YY	86	736
B05-1020-00L-BB	86	1288
B05-1020-00L-CC	86	644
B05-1020-00L-GG	86	1610
B05-1020-00L-KK	86	998
B05-1020-00L-LL	86	1030
B05-1020-00L-NN	86	877
B05-1020-00L-TT	86	1288
B05-1020-00L-VV	86	1288
B05-1020-00L-YY	86	877
B05-1269-00-BB	87	1731
B05-1269-00-CC	87	911
B05-1269-00-GG	87	2279
B05-1269-00-KK	87	1298
B05-1269-00-LL	87	1445
B05-1269-00-NN	87	1229
B05-1269-00-TT	87	1822
B05-1269-00-VV	87	1822
B05-1269-00-YY	87	1229
B05-1331-07-BB	87	2171
B05-1331-07-CC	87	1086
B05-1331-07-GG	87	2714
B05-1331-07-KK	87	1736
B05-1331-07-LL	87	1720
B05-1331-07-NN	87	1464
B05-1331-07-TT	87	2171
B05-1331-07-VV	87	2171
B05-1331-07-YY	87	1464
B05-1600-00-BB	88	1328
B05-1600-00-CC	88	706
B05-1600-00-GG	88	1534
B05-1600-00-KK	88	994
B05-1600-00-LL	88	1113
B05-1600-00-NN	88	956
B05-1600-00-TT	88	1396
B05-1600-00-VV	88	1396
B05-1600-00-YY	88	956
B05-8009-00L-BB	86	1856
B05-8009-00L-CC	86	977

CODE	PAGE	PRICE
B05-8009-00L-GG	86	1956
B05-8009-00L-KK	86	1368
B05-8009-00L-LL	86	1662
B05-8009-00L-NN	86	1236
B05-8009-00L-TT	86	1956
B05-8009-00L-VV	86	1956
B05-8009-00L-YY	86	1236
B05-8100-00L-BB	87	1294
B05-8100-00L-CC	87	656
B05-8100-00L-GG	87	1614
B05-8100-00L-KK	87	886
B05-8100-00L-LL	87	1039
B05-8100-00L-NN	87	894
B05-8100-00L-TT	87	1294
B05-8100-00L-VV	87	1294
B05-8100-00L-YY	87	894
B05-9100-00-BB	88	884
B05-9100-00-CC	88	464
B05-9100-00-GG	88	984
B05-9100-00-KK	88	665
B05-9100-00-LL	88	764
B05-9100-00-NN	88	614
B05-9100-00-TT	88	884
B05-9100-00-VV	88	884
B05-9100-00-YY	88	614
B05-9181-00-BB	88	1283
B05-9181-00-CC	88	730
B05-9181-00-GG	88	1420
B05-9181-00-KK	88	899
B05-9181-00-LL	88	1064
B05-9181-00-NN	88	939
B05-9181-00-TT	88	1365
B05-9181-00-VV	88	1365
B05-9181-00-YY	88	939
B05-9404-00-BB	89	1396
B05-9404-00-CC	89	870
B05-9404-00-GG	89	1521
B05-9404-00-KK	89	1120
B05-9404-00-LL	89	1246
B05-9404-00-NN	89	1056
B05-9404-00-TT	89	1396
B05-9404-00-VV	89	1396
B05-9404-00-YY	89	1056
B05-9511-00-BB	89	1624
B05-9511-00-CC	89	970
B05-9511-00-GG	89	1722
B05-9511-00-KK	89	1199
B05-9511-00-LL	89	1297
B05-9511-00-NN	89	1184
B05-9511-00-TT	89	1656
B05-9511-00-VV	89	1656
B05-9511-00-YY	89	1184
B05-9521-00-BB	89	1599
B05-9521-00-CC	89	945
B05-9521-00-GG	89	1697
B05-9521-00-KK	89	1174
B05-9521-00-LL	89	1272
B05-9521-00-NN	89	1159

CODE	PAGE	PRICE
B05-9521-00-TT	89	1631
B05-9521-00-VV	89	1631
B05-9521-00-YY	89	1159
B05-9531-00-BB	90	1624
B05-9531-00-CC	90	970
B05-9531-00-GG	90	1722
B05-9531-00-KK	90	1199
B05-9531-00-LL	90	1297
B05-9531-00-NN	90	1184
B05-9531-00-TT	90	1656
B05-9531-00-VV	90	1656
B05-9531-00-YY	90	1184
B05-9560-02-BB	90	783
B05-9560-02-CC	90	465
B05-9560-02-GG	90	800
B05-9560-02-KK	90	573
B05-9560-02-LL	90	625
B05-9560-02-NN	90	521
B05-9560-02-TT	90	730
B05-9560-02-VV	90	730
B05-9560-02-YY	90	521
B05-9560-03-BB	91	806
B05-9560-03-CC	91	488
B05-9560-03-GG	91	823
B05-9560-03-KK	91	596
B05-9560-03-LL	91	648
B05-9560-03-NN	91	544
B05-9560-03-TT	91	753
B05-9560-03-VV	91	753
B05-9560-03-YY	91	544
B05-9649-00-BB	91	724
B05-9649-00-CC	91	406
B05-9649-00-GG	91	741
B05-9649-00-KK	91	514
B05-9649-00-LL	91	566
B05-9649-00-NN	91	462
B05-9649-00-TT	91	671
B05-9649-00-VV	91	671
B05-9649-00-YY	91	462
B16-1201-01-BB	101	1950
B16-1201-01-CC	101	996
B16-1201-01-GG	101	2492
B16-1201-01-KK	101	1560
B16-1201-01-LL	101	1739
B16-1201-01-NN	101	1362
B16-1201-01-TT	101	1950
B16-1201-01-VV	101	1950
B16-1201-01-YY	101	1362
B16-8001-01L-BB	100	1299
B16-8001-01L-CC	100	650
B16-8001-01L-GG	100	1624
B16-8001-01L-KK	100	1040
B16-8001-01L-LL	100	1170
B16-8001-01L-NN	100	916
B16-8001-01L-TT	100	1299
B16-8001-01L-VV	100	1299
B16-8001-01L-YY	100	916
B16-8041-00L-BB	100	1650

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
B16-8041-00L-CC	100	825
B16-8041-00L-GG	100	2063
B16-8041-00L-KK	100	1236
B16-8041-00L-LL	100	1391
B16-8041-00L-NN	100	1115
B16-8041-00L-TT	100	1683
B16-8041-00L-VV	100	1683
B16-8041-00L-YY	100	1115
B16-9404-00-BB	102	1517
B16-9404-00-CC	102	909
B16-9404-00-GG	102	1661
B16-9404-00-KK	102	1155
B16-9404-00-LL	102	1343
B16-9404-00-NN	102	1126
B16-9404-00-TT	102	1517
B16-9404-00-VV	102	1517
B16-9404-00-YY	102	1126
B16-9560-02-BB	102	801
B16-9560-02-CC	102	472
B16-9560-02-GG	102	863
B16-9560-02-KK	102	609
B16-9560-02-LL	102	667
B16-9560-02-NN	102	542
B16-9560-02-TT	102	801
B16-9560-02-VV	102	801
B16-9560-02-YY	102	542
B16-9560-03-BB	103	824
B16-9560-03-CC	103	495
B16-9560-03-GG	103	886
B16-9560-03-KK	103	632
B16-9560-03-LL	103	690
B16-9560-03-NN	103	565
B16-9560-03-TT	103	824
B16-9560-03-VV	103	824
B16-9560-03-YY	103	565
B16-9641-00-BB	103	742
B16-9641-00-CC	103	413
B16-9641-00-GG	103	804
B16-9641-00-KK	103	550
B16-9641-00-LL	103	608
B16-9641-00-NN	103	483
B16-9641-00-TT	103	742
B16-9641-00-VV	103	742
B16-9641-00-YY	103	483
B18-1201-01-BB	101	1950
B18-1201-01-CB	101	996
B18-1201-01-CC	101	996
B18-1201-01-GB	101	2492
B18-1201-01-GG	101	2492
B18-1201-01-KB	101	1560
B18-1201-01-KK	101	1560
B18-1201-01-LB	101	1739
B18-1201-01-LL	101	1739
B18-1201-01-NB	101	1362
B18-1201-01-NN	101	1362
B18-1201-01-TB	101	1950
B18-1201-01-TT	101	1950
B18-1201-01-VB	101	1950

CODE	PAGE	PRICE
B18-1201-01-VV	101	1950
B18-1201-01-YB	101	1362
B18-1201-01-YY	101	1362
B18-8001-00L-BB	100	1299
B18-8001-00L-CB	100	650
B18-8001-00L-CC	100	650
B18-8001-00L-GB	100	1624
B18-8001-00L-GG	100	1624
B18-8001-00L-KB	100	1040
B18-8001-00L-KK	100	1040
B18-8001-00L-LB	100	1170
B18-8001-00L-LL	100	1170
B18-8001-00L-NB	100	916
B18-8001-00L-NN	100	916
B18-8001-00L-TB	100	1299
B18-8001-00L-TT	100	1299
B18-8001-00L-VB	100	1299
B18-8001-00L-VV	100	1299
B18-8001-00L-YB	100	916
B18-8001-00L-YY	100	916
B18-8041-00L-BB	100	1650
B18-8041-00L-CB	100	825
B18-8041-00L-CC	100	825
B18-8041-00L-GB	100	2063
B18-8041-00L-GG	100	2063
B18-8041-00L-KB	100	1236
B18-8041-00L-KK	100	1236
B18-8041-00L-LB	100	1391
B18-8041-00L-LL	100	1391
B18-8041-00L-NB	100	1115
B18-8041-00L-NN	100	1115
B18-8041-00L-TB	100	1683
B18-8041-00L-TT	100	1683
B18-8041-00L-VB	100	1683
B18-8041-00L-VV	100	1683
B18-8041-00L-YB	100	1115
B18-8041-00L-YY	100	1115
B18-9404-00-BB	102	1517
B18-9404-00-CB	102	909
B18-9404-00-CC	102	909
B18-9404-00-GB	102	1661
B18-9404-00-GG	102	1661
B18-9404-00-KB	102	1155
B18-9404-00-KK	102	1155
B18-9404-00-LB	102	1343
B18-9404-00-LL	102	1343
B18-9404-00-NB	102	1126
B18-9404-00-NN	102	1126
B18-9404-00-TB	102	1517
B18-9404-00-TT	102	1517
B18-9404-00-VB	102	1517
B18-9404-00-VV	102	1517
B18-9404-00-YB	102	1126
B18-9404-00-YY	102	1126
B18-9560-02-BB	102	801
B18-9560-02-CB	102	472
B18-9560-02-CC	102	472
B18-9560-02-GB	102	863

CODE	PAGE	PRICE
B18-9560-02-GG	102	863
B18-9560-02-KB	102	609
B18-9560-02-KK	102	609
B18-9560-02-LB	102	667
B18-9560-02-LL	102	667
B18-9560-02-NB	102	542
B18-9560-02-NN	102	542
B18-9560-02-TB	102	801
B18-9560-02-TT	102	801
B18-9560-02-VB	102	801
B18-9560-02-VV	102	801
B18-9560-02-YB	102	542
B18-9560-02-YY	102	542
B18-9560-03-BB	103	824
B18-9560-03-CB	103	495
B18-9560-03-CC	103	495
B18-9560-03-GB	103	886
B18-9560-03-GG	103	886
B18-9560-03-KB	103	632
B18-9560-03-KK	103	632
B18-9560-03-LB	103	690
B18-9560-03-LL	103	690
B18-9560-03-NB	103	565
B18-9560-03-NN	103	565
B18-9560-03-TB	103	824
B18-9560-03-TT	103	824
B18-9560-03-VB	103	824
B18-9560-03-VV	103	824
B18-9560-03-YB	103	565
B18-9560-03-YY	103	565
B18-9641-00-BB	103	742
B18-9641-00-CB	103	413
B18-9641-00-CC	103	413
B18-9641-00-GB	103	804
B18-9641-00-GG	103	804
B18-9641-00-KB	103	550
B18-9641-00-KK	103	550
B18-9641-00-LB	103	608
B18-9641-00-LL	103	608
B18-9641-00-NB	103	483
B18-9641-00-NN	103	483
B18-9641-00-TB	103	742
B18-9641-00-TT	103	742
B18-9641-00-VB	103	742
B18-9641-00-VV	103	742
B18-9641-00-YB	103	483
B18-9641-00-YY	103	483
B20-1012-00L-BB	108	1223
B20-1012-00L-CC	108	640
B20-1012-00L-GG	108	1552
B20-1012-00L-KK	108	847
B20-1012-00L-LL	108	913
B20-1012-00L-MM	108	913
B20-1012-00L-NN	108	852
B20-1012-00L-TT	108	1280
B20-1012-00L-VV	108	1280
B20-1012-00L-YY	108	852
B20-1012-1PL-BB	108	1283

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
B20-1012-1PL-CC	108	675
B20-1012-1PL-GG	108	1642
B20-1012-1PL-KK	108	897
B20-1012-1PL-LL	108	968
B20-1012-1PL-MM	108	968
B20-1012-1PL-NN	108	897
B20-1012-1PL-TT	108	1350
B20-1012-1PL-VV	108	1350
B20-1012-1PL-YY	108	897
B20-1014-00L-BB	108	1223
B20-1014-00L-CC	108	640
B20-1014-00L-GG	108	1552
B20-1014-00L-KK	108	847
B20-1014-00L-LL	108	913
B20-1014-00L-MM	108	913
B20-1014-00L-NN	108	852
B20-1014-00L-TT	108	1280
B20-1014-00L-VV	108	1280
B20-1014-00L-YY	108	852
B20-1014-1PL-BB	108	1283
B20-1014-1PL-CC	108	675
B20-1014-1PL-GG	108	1642
B20-1014-1PL-KK	108	897
B20-1014-1PL-LL	108	968
B20-1014-1PL-MM	108	968
B20-1014-1PL-NN	108	897
B20-1014-1PL-TT	108	1350
B20-1014-1PL-VV	108	1350
B20-1014-1PL-YY	108	897
B20-1022-00L-BB	108	1473
B20-1022-00L-CC	108	775
B20-1022-00L-GG	108	2131
B20-1022-00L-KK	108	1046
B20-1022-00L-LL	108	1240
B20-1022-00L-MM	108	1240
B20-1022-00L-NN	108	1124
B20-1022-00L-TT	108	1550
B20-1022-00L-VV	108	1550
B20-1022-00L-YY	108	1124
B20-1024-00L-BB	108	1473
B20-1024-00L-CC	108	775
B20-1024-00L-GG	108	2131
B20-1024-00L-KK	108	1046
B20-1024-00L-LL	108	1240
B20-1024-00L-MM	108	1240
B20-1024-00L-NN	108	1124
B20-1024-00L-TT	108	1550
B20-1024-00L-VV	108	1550
B20-1024-00L-YY	108	1124
B20-1102-00-BB	111	4401
B20-1102-00-CC	111	2201
B20-1102-00-GG	111	6160
B20-1102-00-KK	111	3081
B20-1102-00-LL	111	3599
B20-1102-00-MM	111	3599
B20-1102-00-NN	111	3184
B20-1102-00-TT	111	4401
B20-1102-00-VV	111	4401

CODE	PAGE	PRICE
B20-1102-00-YY	111	3184
B20-1104-00-BB	111	4401
B20-1104-00-CC	111	2201
B20-1104-00-GG	111	6160
B20-1104-00-KK	111	3081
B20-1104-00-LL	111	3599
B20-1104-00-MM	111	3599
B20-1104-00-NN	111	3184
B20-1104-00-TT	111	4401
B20-1104-00-VV	111	4401
B20-1104-00-YY	111	3184
B20-8012-1PL-BB	109	1986
B20-8012-1PL-CC	109	1045
B20-8012-1PL-GG	109	2874
B20-8012-1PL-KK	109	1411
B20-8012-1PL-LL	109	1672
B20-8012-1PL-MM	109	1672
B20-8012-1PL-NN	109	1515
B20-8012-1PL-TT	109	2090
B20-8012-1PL-VV	109	2090
B20-8012-1PL-YY	109	1515
B20-8014-1PL-BB	109	1986
B20-8014-1PL-CC	109	1045
B20-8014-1PL-GG	109	2874
B20-8014-1PL-KK	109	1411
B20-8014-1PL-LL	109	1672
B20-8014-1PL-MM	109	1672
B20-8014-1PL-NN	109	1515
B20-8014-1PL-TT	109	2090
B20-8014-1PL-VV	109	2090
B20-8014-1PL-YY	109	1515
B20-8022-1PL-BB	109	1986
B20-8022-1PL-CC	109	1045
B20-8022-1PL-GG	109	2874
B20-8022-1PL-KK	109	1411
B20-8022-1PL-LL	109	1672
B20-8022-1PL-MM	109	1672
B20-8022-1PL-NN	109	1515
B20-8022-1PL-TT	109	2090
B20-8022-1PL-VV	109	2090
B20-8022-1PL-YY	109	1515
B20-8024-1PL-BB	109	1986
B20-8024-1PL-CC	109	1045
B20-8024-1PL-GG	109	2874
B20-8024-1PL-KK	109	1411
B20-8024-1PL-LL	109	1672
B20-8024-1PL-MM	109	1672
B20-8024-1PL-NN	109	1515
B20-8024-1PL-TT	109	2090
B20-8024-1PL-VV	109	2090
B20-8024-1PL-YY	109	1515
B20-8042-00L-BB	110	2024
B20-8042-00L-CC	110	1075
B20-8042-00L-GG	110	2929
B20-8042-00L-KK	110	1438
B20-8042-00L-LL	110	1704
B20-8042-00L-MM	110	1704
B20-8042-00L-NN	110	1544

CODE	PAGE	PRICE
B20-8042-00L-TT	110	2130
B20-8042-00L-VV	110	2130
B20-8042-00L-YY	110	1544
B20-8044-00L-BB	110	2024
B20-8044-00L-CC	110	1075
B20-8044-00L-GG	110	2929
B20-8044-00L-KK	110	1438
B20-8044-00L-LL	110	1704
B20-8044-00L-MM	110	1704
B20-8044-00L-NN	110	1544
B20-8044-00L-TT	110	2130
B20-8044-00L-VV	110	2130
B20-8044-00L-YY	110	1544
B20-8102-04L-BB	110	1568
B20-8102-04L-CC	110	825
B20-8102-04L-GG	110	2269
B20-8102-04L-KK	110	1114
B20-8102-04L-LL	110	1320
B20-8102-04L-MM	110	1320
B20-8102-04L-NN	110	1196
B20-8102-04L-TT	110	1650
B20-8102-04L-VV	110	1650
B20-8102-04L-YY	110	1196
B20-8104-04L-BB	110	1568
B20-8104-04L-CC	110	825
B20-8104-04L-GG	110	2269
B20-8104-04L-KK	110	1114
B20-8104-04L-LL	110	1320
B20-8104-04L-MM	110	1320
B20-8104-04L-NN	110	1196
B20-8104-04L-TT	110	1650
B20-8104-04L-VV	110	1650
B20-8104-04L-YY	110	1196
B20-9102-00-BB	111	1001
B20-9102-00-CC	111	599
B20-9102-00-GG	111	1185
B20-9102-00-KK	111	716
B20-9102-00-LL	111	800
B20-9102-00-MM	111	800
B20-9102-00-NN	111	750
B20-9102-00-TT	111	1051
B20-9102-00-VV	111	1051
B20-9102-00-YY	111	750
B20-9104-00-BB	111	1001
B20-9104-00-CC	111	599
B20-9104-00-GG	111	1185
B20-9104-00-KK	111	716
B20-9104-00-LL	111	800
B20-9104-00-MM	111	800
B20-9104-00-NN	111	750
B20-9104-00-TT	111	1051
B20-9104-00-VV	111	1051
B20-9104-00-YY	111	750
B20-9182-00-BB	112	1521
B20-9182-00-CC	112	949
B20-9182-00-GG	112	1850
B20-9182-00-KK	112	1129
B20-9182-00-LL	112	1258

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
B20-9182-00-MM	112	1258
B20-9182-00-NN	112	1181
B20-9182-00-TT	112	1627
B20-9182-00-VV	112	1627
B20-9182-00-YY	112	1181
B20-9184-00-BB	112	1521
B20-9184-00-CC	112	949
B20-9184-00-GG	112	1850
B20-9184-00-KK	112	1129
B20-9184-00-LL	112	1258
B20-9184-00-MM	112	1258
B20-9184-00-NN	112	1181
B20-9184-00-TT	112	1627
B20-9184-00-VV	112	1627
B20-9184-00-YY	112	1181
B20-9192-00-BB	112	1531
B20-9192-00-CC	112	959
B20-9192-00-GG	112	1860
B20-9192-00-KK	112	1139
B20-9192-00-LL	112	1268
B20-9192-00-MM	112	1268
B20-9192-00-NN	112	1191
B20-9192-00-TT	112	1637
B20-9192-00-VV	112	1637
B20-9192-00-YY	112	1191
B20-9194-00-BB	112	1531
B20-9194-00-CC	112	959
B20-9194-00-GG	112	1860
B20-9194-00-KK	112	1139
B20-9194-00-LL	112	1268
B20-9194-00-MM	112	1268
B20-9194-00-NN	112	1191
B20-9194-00-TT	112	1637
B20-9194-00-VV	112	1637
B20-9194-00-YY	112	1191
B20-9402-00-BB	113	1568
B20-9402-00-CC	113	1018
B20-9402-00-GG	113	1749
B20-9402-00-KK	113	1164
B20-9402-00-LL	113	1258
B20-9402-00-MM	113	1258
B20-9402-00-NN	113	1182
B20-9402-00-TT	113	1568
B20-9402-00-VV	113	1568
B20-9402-00-YY	113	1182
B20-9404-00-BB	113	1568
B20-9404-00-CC	113	1018
B20-9404-00-GG	113	1749
B20-9404-00-KK	113	1164
B20-9404-00-LL	113	1258
B20-9404-00-MM	113	1258
B20-9404-00-NN	113	1182
B20-9404-00-TT	113	1568
B20-9404-00-VV	113	1568
B20-9404-00-YY	113	1182
B20-9452-00-BB	113	1307
B20-9452-00-CC	113	955
B20-9452-00-GG	113	1658

CODE	PAGE	PRICE
B20-9452-00-KK	113	1131
B20-9452-00-LL	113	1307
B20-9452-00-MM	113	1307
B20-9452-00-NN	113	1096
B20-9452-00-TT	113	1588
B20-9452-00-VV	113	1588
B20-9452-00-YY	113	1096
B20-9454-00-BB	113	1307
B20-9454-00-CC	113	955
B20-9454-00-GG	113	1658
B20-9454-00-KK	113	1131
B20-9454-00-LL	113	1307
B20-9454-00-MM	113	1307
B20-9454-00-NN	113	1096
B20-9454-00-TT	113	1588
B20-9454-00-VV	113	1588
B20-9454-00-YY	113	1096
B20-9512-00-BB	114	1782
B20-9512-00-CC	114	1243
B20-9512-00-GG	114	2291
B20-9512-00-KK	114	1453
B20-9512-00-LL	114	1602
B20-9512-00-MM	114	1602
B20-9512-00-NN	114	1513
B20-9512-00-TT	114	1842
B20-9512-00-VV	114	1842
B20-9512-00-YY	114	1513
B20-9514-00-BB	114	1782
B20-9514-00-CC	114	1243
B20-9514-00-GG	114	2291
B20-9514-00-KK	114	1453
B20-9514-00-LL	114	1602
B20-9514-00-MM	114	1602
B20-9514-00-NN	114	1513
B20-9514-00-TT	114	1842
B20-9514-00-VV	114	1842
B20-9514-00-YY	114	1513
B20-9522-00-BB	114	1757
B20-9522-00-CC	114	1218
B20-9522-00-GG	114	2266
B20-9522-00-KK	114	1428
B20-9522-00-LL	114	1577
B20-9522-00-MM	114	1577
B20-9522-00-NN	114	1488
B20-9522-00-TT	114	1817
B20-9522-00-VV	114	1817
B20-9522-00-YY	114	1488
B20-9524-00-BB	114	1757
B20-9524-00-CC	114	1218
B20-9524-00-GG	114	2266
B20-9524-00-KK	114	1428
B20-9524-00-LL	114	1577
B20-9524-00-MM	114	1577
B20-9524-00-NN	114	1488
B20-9524-00-TT	114	1817
B20-9524-00-VV	114	1817
B20-9524-00-YY	114	1488
B20-9532-00-BB	115	1782

CODE	PAGE	PRICE
B20-9532-00-CC	115	1243
B20-9532-00-GG	115	2291
B20-9532-00-KK	115	1453
B20-9532-00-LL	115	1602
B20-9532-00-MM	115	1602
B20-9532-00-NN	115	1513
B20-9532-00-TT	115	1842
B20-9532-00-VV	115	1842
B20-9532-00-YY	115	1513
B20-9534-00-BB	115	1782
B20-9534-00-CC	115	1243
B20-9534-00-GG	115	2291
B20-9534-00-KK	115	1453
B20-9534-00-LL	115	1602
B20-9534-00-MM	115	1602
B20-9534-00-NN	115	1513
B20-9534-00-TT	115	1842
B20-9534-00-VV	115	1842
B20-9534-00-YY	115	1513
B20-9560-22-BB	115	821
B20-9560-22-CC	115	492
B20-9560-22-GG	115	883
B20-9560-22-KK	115	629
B20-9560-22-LL	115	687
B20-9560-22-MM	115	687
B20-9560-22-NN	115	562
B20-9560-22-TT	115	821
B20-9560-22-VV	115	821
B20-9560-22-YY	115	562
B20-9560-23-BB	116	844
B20-9560-23-CC	116	515
B20-9560-23-GG	116	906
B20-9560-23-KK	116	652
B20-9560-23-LL	116	710
B20-9560-23-MM	116	710
B20-9560-23-NN	116	585
B20-9560-23-TT	116	844
B20-9560-23-VV	116	844
B20-9560-23-YY	116	585
B20-9560-42-BB	115	821
B20-9560-42-CC	115	492
B20-9560-42-GG	115	883
B20-9560-42-KK	115	629
B20-9560-42-LL	115	687
B20-9560-42-MM	115	687
B20-9560-42-NN	115	562
B20-9560-42-TT	115	821
B20-9560-42-VV	115	821
B20-9560-42-YY	115	562
B20-9560-43-BB	116	844
B20-9560-43-CC	116	515
B20-9560-43-GG	116	906
B20-9560-43-KK	116	652
B20-9560-43-LL	116	710
B20-9560-43-MM	116	710
B20-9560-43-NN	116	585
B20-9560-43-TT	116	844
B20-9560-43-VV	116	844

PRICE INDEX

CODE	PAGE	PRICE
B20-9560-43-YY	116	585
B20-9649-20-BB	116	762
B20-9649-20-CC	116	433
B20-9649-20-GG	116	824
B20-9649-20-KK	116	570
B20-9649-20-LL	116	628
B20-9649-20-MM	116	628
B20-9649-20-NN	116	503
B20-9649-20-TT	116	762
B20-9649-20-VV	116	762
B20-9649-20-YY	116	503
B20-9649-40-BB	116	762
B20-9649-40-CC	116	433
B20-9649-40-GG	116	824
B20-9649-40-KK	116	570
B20-9649-40-LL	116	628
B20-9649-40-MM	116	628
B20-9649-40-NN	116	503
B20-9649-40-TT	116	762
B20-9649-40-VV	116	762
B20-9649-40-YY	116	503
B35-1020-00L-CKx	126	1096
B35-1020-00L-lkx	126	1260
B35-1020-00L-JKx	126	1260
B35-1020-00L-KKx	126	1260
B35-1100-00-KE	128	1378
B35-8009-00L-Cxxx	127	1157
B35-8009-00L-lxxx	127	1293
B35-8009-00L-Jxxx	127	1293
B35-8009-00L-Kxxx	127	1293
B35-8100-00L-Cxxx	127	1157
B35-8100-00L-lxxx	127	1293
B35-8100-00L-Jxxx	127	1293
B35-8100-00L-Kxxx	127	1293
B35-9320-00-III	129	3424
B35-9320-00-IIK	129	3424
B35-9320-00-IJI	129	3424
B35-9320-00-IJK	129	3424
B35-9320-00-IKI	129	3424
B35-9320-00-IKK	129	3424
B35-9320-00-KII	129	3424
B35-9320-00-KIK	129	3424
B35-9320-00-KJI	129	3424
B35-9320-00-KJK	129	3424
B35-9320-00-KKI	129	3424
B35-9320-00-KKK	129	3424
B35-9511-00-CI	129	1430
B35-9511-00-CJ	129	1430
B35-9511-00-CK	129	1430
B35-9511-00-II	129	1614
B35-9511-00-IJ	129	1614
B35-9511-00-IK	129	1614
B35-9511-00-KI	129	1614
B35-9511-00-KJ	129	1614
B35-9511-00-KK	129	1614
B35-9521-00-CI	130	1405
B35-9521-00-CJ	130	1405
B35-9521-00-CK	130	1405

CODE	PAGE	PRICE
B35-9521-00-II	130	1589
B35-9521-00-IJ	130	1589
B35-9521-00-IK	130	1589
B35-9521-00-KI	130	1589
B35-9521-00-KJ	130	1589
B35-9521-00-KK	130	1589
B45-1005-00L-BB	134	812
B45-1005-00L-CC	134	432
B45-1005-00L-GG	134	1130
B45-1005-00L-KK	134	548
B45-1005-00L-LL	134	669
B45-1005-00L-NN	134	601
B45-1005-00L-TT	134	802
B45-1005-00L-VV	134	802
B45-1005-00L-YY	134	601
B45-1005-1PL-BB	134	872
B45-1005-1PL-CC	134	467
B45-1005-1PL-GG	134	1220
B45-1005-1PL-KK	134	598
B45-1005-1PL-LL	134	724
B45-1005-1PL-NN	134	646
B45-1005-1PL-TT	134	872
B45-1005-1PL-VV	134	872
B45-1005-1PL-YY	134	646
B45-1010-00L-BB	134	888
B45-1010-00L-CC	134	472
B45-1010-00L-GG	134	1237
B45-1010-00L-KK	134	583
B45-1010-00L-LL	134	726
B45-1010-00L-NN	134	650
B45-1010-00L-TT	134	878
B45-1010-00L-VV	134	878
B45-1010-00L-YY	134	650
B45-1010-1PL-BB	134	948
B45-1010-1PL-CC	134	507
B45-1010-1PL-GG	134	1327
B45-1010-1PL-KK	134	633
B45-1010-1PL-LL	134	781
B45-1010-1PL-NN	134	695
B45-1010-1PL-TT	134	948
B45-1010-1PL-VV	134	948
B45-1010-1PL-YY	134	695
B45-1020-00L-BB	134	1219
B45-1020-00L-CC	134	609
B45-1020-00L-GG	134	1524
B45-1020-00L-KK	134	822
B45-1020-00L-LL	134	975
B45-1020-00L-NN	134	860
B45-1020-00L-TT	134	1219
B45-1020-00L-VV	134	1219
B45-1020-00L-YY	134	860
B45-1100-00-BB	135	3704
B45-1100-00-CC	135	1945
B45-1100-00-GG	135	5186
B45-1100-00-KK	135	2593
B45-1100-00-LL	135	3030
B45-1100-00-NN	135	2681
B45-1100-00-TT	135	3704

CODE	PAGE	PRICE
B45-1100-00-VV	135	3704
B45-1100-00-YY	135	2681
B45-1269-00-BB	136	1683
B45-1269-00-CC	136	892
B45-1269-00-GG	136	2105
B45-1269-00-KK	136	1214
B45-1269-00-LL	136	1334
B45-1269-00-NN	136	1198
B45-1269-00-TT	136	1683
B45-1269-00-VV	136	1683
B45-1269-00-YY	136	1198
B45-1600-00-BB	136	1525
B45-1600-00-CC	136	769
B45-1600-00-GG	136	1675
B45-1600-00-KK	136	1146
B45-1600-00-LL	136	1214
B45-1600-00-NN	136	1042
B45-1600-00-TT	136	1525
B45-1600-00-VV	136	1525
B45-1600-00-YY	136	1042
B45-2002-00-BB	136	3239
B45-2002-00-CC	136	1620
B45-2002-00-GG	136	3562
B45-2002-00-KK	136	2267
B45-2002-00-LL	136	2572
B45-2002-00-NN	136	2202
B45-2002-00-TT	136	3239
B45-2002-00-VV	136	3239
B45-2002-00-YY	136	2202
B45-8009-00L-BB	134	1529
B45-8009-00L-CC	134	791
B45-8009-00L-GG	134	1913
B45-8009-00L-KK	134	999
B45-8009-00L-LL	134	1224
B45-8009-00L-NN	134	1042
B45-8009-00L-TT	134	1529
B45-8009-00L-VV	134	1529
B45-8009-00L-YY	134	1042
B45-8041-00L-BB	135	1720
B45-8041-00L-CC	135	860
B45-8041-00L-GG	135	2150
B45-8041-00L-KK	135	1139
B45-8041-00L-LL	135	1316
B45-8041-00L-NN	135	1161
B45-8041-00L-TT	135	1754
B45-8041-00L-VV	135	1754
B45-8041-00L-YY	135	1161
B45-8100-04L-BB	135	1240
B45-8100-04L-CC	135	620
B45-8100-04L-GG	135	1551
B45-8100-04L-KK	135	868
B45-8100-04L-LL	135	992
B45-8100-04L-NN	135	852
B45-8100-04L-TT	135	1240
B45-8100-04L-VV	135	1240
B45-8100-04L-YY	135	852
B45-9100-00-BB	137	860
B45-9100-00-CC	137	456

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
B45-9100-00-GG	137	956
B45-9100-00-KK	137	648
B45-9100-00-LL	137	745
B45-9100-00-NN	137	611
B45-9100-00-TT	137	860
B45-9100-00-VV	137	860
B45-9100-00-YY	137	611
B45-9180-00-BB	137	1220
B45-9180-00-CC	137	720
B45-9180-00-GG	137	1347
B45-9180-00-KK	137	887
B45-9180-00-LL	137	1017
B45-9180-00-NN	137	929
B45-9180-00-TT	137	1296
B45-9180-00-VV	137	1296
B45-9180-00-YY	137	929
B45-9190-00-BB	138	1230
B45-9190-00-CC	138	730
B45-9190-00-GG	138	1357
B45-9190-00-KK	138	897
B45-9190-00-LL	138	1027
B45-9190-00-NN	138	939
B45-9190-00-TT	138	1306
B45-9190-00-VV	138	1306
B45-9190-00-YY	138	939
B45-9404-00-BB	138	1368
B45-9404-00-CC	138	860
B45-9404-00-GG	138	1488
B45-9404-00-KK	138	1101
B45-9404-00-LL	138	1222
B45-9404-00-NN	138	1053
B45-9404-00-TT	138	1368
B45-9404-00-VV	138	1368
B45-9404-00-YY	138	1053
B45-9453-00-BB	138	1266
B45-9453-00-CC	138	920
B45-9453-00-GG	138	1612
B45-9453-00-KK	138	1094
B45-9453-00-LL	138	1266
B45-9453-00-NN	138	1059
B45-9453-00-TT	138	1543
B45-9453-00-VV	138	1543
B45-9453-00-YY	138	1059
B45-9511-00-BB	139	1614
B45-9511-00-CC	139	983
B45-9511-00-GG	139	1710
B45-9511-00-KK	139	1221
B45-9511-00-LL	139	1291
B45-9511-00-NN	139	1192
B45-9511-00-TT	139	1646
B45-9511-00-VV	139	1646
B45-9511-00-YY	139	1192
B45-9521-00-BB	139	1589
B45-9521-00-CC	139	958
B45-9521-00-GG	139	1685
B45-9521-00-KK	139	1196
B45-9521-00-LL	139	1266
B45-9521-00-NN	139	1167

CODE	PAGE	PRICE
B45-9521-00-TT	139	1621
B45-9521-00-VV	139	1621
B45-9521-00-YY	139	1167
B45-9531-00-BB	140	1614
B45-9531-00-CC	140	983
B45-9531-00-GG	140	1710
B45-9531-00-KK	140	1221
B45-9531-00-LL	140	1291
B45-9531-00-NN	140	1192
B45-9531-00-TT	140	1646
B45-9531-00-VV	140	1646
B45-9531-00-YY	140	1192
B45-9560-02-BB	140	693
B45-9560-02-CC	140	433
B45-9560-02-GG	140	745
B45-9560-02-KK	140	544
B45-9560-02-LL	140	587
B45-9560-02-NN	140	487
B45-9560-02-TT	140	693
B45-9560-02-VV	140	693
B45-9560-02-YY	140	487
B45-9560-03-BB	141	716
B45-9560-03-CC	141	456
B45-9560-03-GG	141	768
B45-9560-03-KK	141	567
B45-9560-03-LL	141	610
B45-9560-03-NN	141	510
B45-9560-03-TT	141	716
B45-9560-03-VV	141	716
B45-9560-03-YY	141	510
B45-9649-00-BB	141	634
B45-9649-00-CC	141	374
B45-9649-00-GG	141	686
B45-9649-00-KK	141	485
B45-9649-00-LL	141	528
B45-9649-00-NN	141	428
B45-9649-00-TT	141	634
B45-9649-00-VV	141	634
B45-9649-00-YY	141	428
B46-1010-00L-BB	150	987
B46-1010-00L-CC	150	489
B46-1010-00L-GG	150	1227
B46-1010-00L-KK	150	667
B46-1010-00L-LL	150	788
B46-1010-00L-NN	150	697
B46-1010-00L-TT	150	984
B46-1010-00L-VV	150	984
B46-1010-00L-YY	150	697
B46-1010-1PL-BB	150	1047
B46-1010-1PL-CC	150	524
B46-1010-1PL-GG	150	1317
B46-1010-1PL-KK	150	717
B46-1010-1PL-LL	150	843
B46-1010-1PL-NN	150	742
B46-1010-1PL-TT	150	1054
B46-1010-1PL-VV	150	1054
B46-1010-1PL-YY	150	742
B46-1020-00L-BB	150	1198

CODE	PAGE	PRICE
B46-1020-00L-CC	150	626
B46-1020-00L-GG	150	1568
B46-1020-00L-KK	150	845
B46-1020-00L-LL	150	1003
B46-1020-00L-NN	150	883
B46-1020-00L-TT	150	1254
B46-1020-00L-VV	150	1254
B46-1020-00L-YY	150	883
B46-1030-00L-BB	150	1027
B46-1030-00L-CC	150	552
B46-1030-00L-GG	150	1305
B46-1030-00L-KK	150	731
B46-1030-00L-LL	150	837
B46-1030-00L-NN	150	741
B46-1030-00L-TT	150	1046
B46-1030-00L-VV	150	1046
B46-1030-00L-YY	150	741
B46-1030-1PL-BB	150	1087
B46-1030-1PL-CC	150	587
B46-1030-1PL-GG	150	1395
B46-1030-1PL-KK	150	781
B46-1030-1PL-LL	150	892
B46-1030-1PL-NN	150	786
B46-1030-1PL-TT	150	1116
B46-1030-1PL-VV	150	1116
B46-1030-1PL-YY	150	786
B46-1035-00L-BB	150	1295
B46-1035-00L-CC	150	650
B46-1035-00L-GG	150	1605
B46-1035-00L-KK	150	899
B46-1035-00L-LL	150	1028
B46-1035-00L-NN	150	911
B46-1035-00L-TT	150	1285
B46-1035-00L-VV	150	1285
B46-1035-00L-YY	150	911
B46-1035-1PL-BB	150	1355
B46-1035-1PL-CC	150	685
B46-1035-1PL-GG	150	1695
B46-1035-1PL-KK	150	949
B46-1035-1PL-LL	150	1083
B46-1035-1PL-NN	150	956
B46-1035-1PL-TT	150	1355
B46-1035-1PL-VV	150	1355
B46-1035-1PL-YY	150	956
B46-1040-00L-BB	151	1368
B46-1040-00L-CC	151	661
B46-1040-00L-GG	151	1653
B46-1040-00L-KK	151	926
B46-1040-00L-LL	151	1058
B46-1040-00L-NN	151	932
B46-1040-00L-TT	151	1323
B46-1040-00L-VV	151	1323
B46-1040-00L-YY	151	932
B46-1100-00-BB	152	4401
B46-1100-00-CC	152	2201
B46-1100-00-GG	152	6160
B46-1100-00-KK	152	3081
B46-1100-00-LL	152	3599

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
B46-1100-00-NN	152	3184
B46-1100-00-TT	152	4401
B46-1100-00-VV	152	4401
B46-1100-00-YY	152	3184
B46-1249-00-BB	152	1892
B46-1249-00-CC	152	946
B46-1249-00-GG	152	2365
B46-1249-00-KK	152	1324
B46-1249-00-LL	152	1500
B46-1249-00-NN	152	1322
B46-1249-00-TT	152	1892
B46-1249-00-VV	152	1892
B46-1249-00-YY	152	1322
B46-2001-00-BB	153	3443
B46-2001-00-CC	153	1721
B46-2001-00-GG	153	3788
B46-2001-00-KK	153	2583
B46-2001-00-LL	153	2734
B46-2001-00-NN	153	2339
B46-2001-00-TT	153	3443
B46-2001-00-VV	153	3443
B46-2001-00-YY	153	2339
B46-8009-00L-BB	151	1737
B46-8009-00L-CC	151	834
B46-8009-00L-GG	151	2172
B46-8009-00L-KK	151	1085
B46-8009-00L-LL	151	1390
B46-8009-00L-NN	151	1182
B46-8009-00L-TT	151	1737
B46-8009-00L-VV	151	1737
B46-8009-00L-YY	151	1182
B46-8041-00L-BB	151	1720
B46-8041-00L-CC	151	860
B46-8041-00L-GG	151	2150
B46-8041-00L-KK	151	1139
B46-8041-00L-LL	151	1316
B46-8041-00L-NN	151	1161
B46-8041-00L-TT	151	1754
B46-8041-00L-VV	151	1754
B46-8041-00L-YY	151	1161
B46-8100-04L-BB	152	1323
B46-8100-04L-CC	152	661
B46-8100-04L-GG	152	1655
B46-8100-04L-KK	152	926
B46-8100-04L-LL	152	1059
B46-8100-04L-NN	152	908
B46-8100-04L-TT	152	1323
B46-8100-04L-VV	152	1323
B46-8100-04L-YY	152	908
B46-9100-00-BB	153	884
B46-9100-00-CC	153	464
B46-9100-00-GG	153	984
B46-9100-00-KK	153	665
B46-9100-00-LL	153	764
B46-9100-00-NN	153	614
B46-9100-00-TT	153	884
B46-9100-00-VV	153	884
B46-9100-00-YY	153	614

CODE	PAGE	PRICE
B46-9180-00-BB	153	1333
B46-9180-00-CC	153	748
B46-9180-00-GG	153	1503
B46-9180-00-KK	153	939
B46-9180-00-LL	153	1107
B46-9180-00-NN	153	982
B46-9180-00-TT	153	1433
B46-9180-00-VV	153	1433
B46-9180-00-YY	153	982
B46-9404-00-BB	154	1389
B46-9404-00-CC	154	866
B46-9404-00-GG	154	1513
B46-9404-00-KK	154	1115
B46-9404-00-LL	154	1239
B46-9404-00-NN	154	1053
B46-9404-00-TT	154	1389
B46-9404-00-VV	154	1389
B46-9404-00-YY	154	1053
B46-9453-00-BB	154	1277
B46-9453-00-CC	154	925
B46-9453-00-GG	154	1628
B46-9453-00-KK	154	1101
B46-9453-00-LL	154	1277
B46-9453-00-NN	154	1066
B46-9453-00-TT	154	1558
B46-9453-00-VV	154	1558
B46-9453-00-YY	154	1066
B46-9511-00-BB	154	1693
B46-9511-00-CC	154	994
B46-9511-00-GG	154	1797
B46-9511-00-KK	154	1239
B46-9511-00-LL	154	1344
B46-9511-00-NN	154	1223
B46-9511-00-TT	154	1727
B46-9511-00-VV	154	1727
B46-9511-00-YY	154	1223
B46-9521-00-BB	155	1668
B46-9521-00-CC	155	969
B46-9521-00-GG	155	1772
B46-9521-00-KK	155	1214
B46-9521-00-LL	155	1319
B46-9521-00-NN	155	1198
B46-9521-00-TT	155	1702
B46-9521-00-VV	155	1702
B46-9521-00-YY	155	1198
B46-9531-00-BB	155	1693
B46-9531-00-CC	155	994
B46-9531-00-GG	155	1797
B46-9531-00-KK	155	1239
B46-9531-00-LL	155	1344
B46-9531-00-NN	155	1223
B46-9531-00-TT	155	1727
B46-9531-00-VV	155	1727
B46-9531-00-YY	155	1223
B46-9560-02-BB	156	709
B46-9560-02-CC	156	449
B46-9560-02-GG	156	761
B46-9560-02-KK	156	560

CODE	PAGE	PRICE
B46-9560-02-LL	156	603
B46-9560-02-NN	156	503
B46-9560-02-TT	156	709
B46-9560-02-VV	156	709
B46-9560-02-YY	156	503
B46-9560-03-BB	156	732
B46-9560-03-CC	156	472
B46-9560-03-GG	156	784
B46-9560-03-KK	156	583
B46-9560-03-LL	156	626
B46-9560-03-NN	156	526
B46-9560-03-TT	156	732
B46-9560-03-VV	156	732
B46-9560-03-YY	156	526
B46-9649-00-BB	156	650
B46-9649-00-CC	156	390
B46-9649-00-GG	156	702
B46-9649-00-KK	156	501
B46-9649-00-LL	156	544
B46-9649-00-NN	156	444
B46-9649-00-TT	156	650
B46-9649-00-VV	156	650
B46-9649-00-YY	156	444
B47-1080-1PL-Bx	166	1390
B47-1080-1PL-Cx	166	867
B47-1080-1PL-Gx	166	1737
B47-1080-1PL-Kx	166	1302
B47-1080-1PL-Lx	166	1475
B47-1080-1PL-Nx	166	1182
B47-1080-1PL-Tx	166	1563
B47-1080-1PL-Vx	166	1563
B47-1080-1PL-Yx	166	1182
B47-1100-00-Bx	168	4820
B47-1100-00-Cx	168	3013
B47-1100-00-Gx	168	6026
B47-1100-00-Kx	168	4521
B47-1100-00-Lx	168	5076
B47-1100-00-Nx	168	4068
B47-1100-00-Tx	168	5423
B47-1100-00-Vx	168	5423
B47-1100-00-Yx	168	4068
B47-1349-00-Bx	168	2034
B47-1349-00-Cx	168	1271
B47-1349-00-Gx	168	2542
B47-1349-00-Kx	168	1906
B47-1349-00-Lx	168	2141
B47-1349-00-Nx	168	1715
B47-1349-00-Tx	168	2288
B47-1349-00-Vx	168	2288
B47-1349-00-Yx	168	1715
B47-8009-00L-Bx	167	1749
B47-8009-00L-Cx	167	1093
B47-8009-00L-Gx	167	2186
B47-8009-00L-Kx	167	1639
B47-8009-00L-Lx	167	1858
B47-8009-00L-Nx	167	1487
B47-8009-00L-Tx	167	1967
B47-8009-00L-Vx	167	1967

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
B47-8009-00L-Yx	167	1487
B47-8041-00L-Bx	167	1830
B47-8041-00L-Cx	167	1145
B47-8041-00L-Gx	167	2287
B47-8041-00L-Kx	167	1715
B47-8041-00L-Lx	167	1927
B47-8041-00L-Nx	167	1543
B47-8041-00L-Tx	167	2059
B47-8041-00L-Vx	167	2059
B47-8041-00L-Yx	167	1543
B47-8100-00L-Bx	167	1270
B47-8100-00L-Cx	167	794
B47-8100-00L-Gx	167	1588
B47-8100-00L-Kx	167	1190
B47-8100-00L-Lx	167	1349
B47-8100-00L-Nx	167	1088
B47-8100-00L-Tx	167	1429
B47-8100-00L-Vx	167	1429
B47-8100-00L-Yx	167	1088
B47-9453-00-Bx	168	1633
B47-9453-00-Cx	168	1063
B47-9453-00-Gx	168	2036
B47-9453-00-Kx	168	1332
B47-9453-00-Lx	168	1633
B47-9453-00-Nx	168	1262
B47-9453-00-Tx	168	1834
B47-9453-00-Vx	168	1834
B47-9453-00-Yx	168	1262
B47-9560-02-Bx	169	919
B47-9560-02-Cx	169	566
B47-9560-02-Gx	169	1155
B47-9560-02-Kx	169	743
B47-9560-02-Lx	169	919
B47-9560-02-Nx	169	701
B47-9560-02-Tx	169	1038
B47-9560-02-Vx	169	1038
B47-9560-02-Yx	169	701
B47-9560-03-Bx	169	942
B47-9560-03-Cx	169	589
B47-9560-03-Gx	169	1178
B47-9560-03-Kx	169	766
B47-9560-03-Lx	169	942
B47-9560-03-Nx	169	724
B47-9560-03-Tx	169	1061
B47-9560-03-Vx	169	1061
B47-9560-03-Yx	169	724
B47-9649-00-Bx	170	860
B47-9649-00-Cx	170	507
B47-9649-00-Gx	170	1096
B47-9649-00-Kx	170	684
B47-9649-00-Lx	170	860
B47-9649-00-Nx	170	642
B47-9649-00-Tx	170	979
B47-9649-00-Vx	170	979
B47-9649-00-Yx	170	642
B51-1010-00L-CC	178	672
B51-1010-00L-CF	178	764
B51-1010-1PL-CC	178	707

CODE	PAGE	PRICE
B51-1010-1PL-CF	178	799
B51-1469-00-CC	178	1294
B51-1469-00-CF	178	1376
B51-8009-00L-CC	178	967
B51-8009-00L-CF	178	1052
B51-8100-00L-CC	178	569
B51-8100-00L-CF	178	626
B51-9521-00-CC	179	1108
B51-9521-00-CF	179	1154
B51-9531-00-CC	179	1133
B51-9531-00-CF	179	1179
B56-1010-00L-CB	184	679
B56-1010-00L-CC	184	591
B56-1010-00L-CF	184	679
B56-1010-1PL-CB	184	714
B56-1010-1PL-CC	184	626
B56-1010-1PL-CF	184	714
B56-1100-00-CB	184	2961
B56-1100-00-CC	184	2729
B56-1100-00-CF	184	2961
B56-1249-00-CB	185	1376
B56-1249-00-CC	185	1248
B56-1249-00-CF	185	1376
B56-8009-00L-CB	184	1052
B56-8009-00L-CC	184	972
B56-8009-00L-CF	184	1052
B56-9404-00-CB	185	885
B56-9404-00-CC	185	866
B56-9404-00-CF	185	885
B56-9511-00-CB	185	1116
B56-9511-00-CC	185	1075
B56-9511-00-CF	185	1116
B56-9521-00-CB	186	1091
B56-9521-00-CC	186	1050
B56-9521-00-CF	186	1091
B56-9531-00-CB	186	1116
B56-9531-00-CC	186	1075
B56-9531-00-CF	186	1116
B56-9560-02-CB	187	472
B56-9560-02-CC	187	455
B56-9560-02-CF	187	472
B56-9560-03-CB	187	495
B56-9560-03-CC	187	478
B56-9560-03-CF	187	495
B56-9649-00-CB	187	413
B56-9649-00-CC	187	396
B56-9649-00-CF	187	413
B66-1005-00L-BB	194	493
B66-1005-00L-CC	194	356
B66-1005-00L-GG	194	942
B66-1005-00L-KK	194	444
B66-1005-00L-LL	194	531
B66-1005-00L-NN	194	463
B66-1005-00L-TT	194	667
B66-1005-00L-VV	194	667
B66-1005-00L-YY	194	463
B66-1005-1PL-BB	194	553
B66-1005-1PL-CC	194	391

CODE	PAGE	PRICE
B66-1005-1PL-GG	194	1032
B66-1005-1PL-KK	194	494
B66-1005-1PL-LL	194	586
B66-1005-1PL-NN	194	508
B66-1005-1PL-TT	194	737
B66-1005-1PL-VV	194	737
B66-1005-1PL-YY	194	508
B66-1010-01L-BB	194	565
B66-1010-01L-CC	194	402
B66-1010-01L-GG	194	1043
B66-1010-01L-KK	194	496
B66-1010-01L-KM	194	669
B66-1010-01L-LL	194	621
B66-1010-01L-MM	194	621
B66-1010-01L-NN	194	542
B66-1010-01L-TT	194	739
B66-1010-01L-VV	194	739
B66-1010-01L-YY	194	542
B66-1010-1PL-BB	194	625
B66-1010-1PL-CC	194	437
B66-1010-1PL-GG	194	1133
B66-1010-1PL-KK	194	546
B66-1010-1PL-KM	194	729
B66-1010-1PL-LL	194	676
B66-1010-1PL-MM	194	676
B66-1010-1PL-NN	194	587
B66-1010-1PL-TT	194	809
B66-1010-1PL-VV	194	809
B66-1010-1PL-YY	194	587
B66-1020-00L-BB	194	644
B66-1020-00L-CC	194	464
B66-1020-00L-GG	194	1055
B66-1020-00L-KK	194	620
B66-1020-00L-KM	194	759
B66-1020-00L-LL	194	672
B66-1020-00L-MM	194	672
B66-1020-00L-NN	194	627
B66-1020-00L-TT	194	843
B66-1020-00L-VV	194	843
B66-1020-00L-YY	194	627
B66-1030-00L-BB	194	934
B66-1030-00L-CC	194	462
B66-1030-00L-GG	194	1301
B66-1030-00L-KK	194	720
B66-1030-00L-LL	194	752
B66-1030-00L-NN	194	628
B66-1030-00L-TT	194	924
B66-1030-00L-VV	194	924
B66-1030-00L-YY	194	628
B66-1030-1PL-BB	194	994
B66-1030-1PL-CC	194	497
B66-1030-1PL-GG	194	1391
B66-1030-1PL-KK	194	770
B66-1030-1PL-LL	194	807
B66-1030-1PL-NN	194	673
B66-1030-1PL-TT	194	994
B66-1030-1PL-VV	194	994
B66-1030-1PL-YY	194	673

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
B66-1100-02-BB	197	2431
B66-1100-02-CC	197	1733
B66-1100-02-GG	197	4535
B66-1100-02-KK	197	2274
B66-1100-02-KM	197	2916
B66-1100-02-LL	197	2650
B66-1100-02-MM	197	2650
B66-1100-02-NN	197	2502
B66-1100-02-TT	197	3240
B66-1100-02-VV	197	3240
B66-1100-02-YY	197	2502
B66-1249-00-BB	197	1218
B66-1249-00-CC	197	868
B66-1249-00-GG	197	2030
B66-1249-00-KK	197	1087
B66-1249-00-KM	197	1460
B66-1249-00-LL	197	1286
B66-1249-00-MM	197	1286
B66-1249-00-NN	197	1134
B66-1249-00-TT	197	1623
B66-1249-00-VV	197	1623
B66-1249-00-YY	197	1134
B66-1369-03-BB	197	1915
B66-1369-03-CC	197	958
B66-1369-03-GG	197	2395
B66-1369-03-KK	197	1533
B66-1369-03-LL	197	1518
B66-1369-03-NN	197	1338
B66-1369-03-TT	197	1915
B66-1369-03-VV	197	1915
B66-1369-03-YY	197	1338
B66-1600-00-BB	198	1188
B66-1600-00-CC	198	631
B66-1600-00-GG	198	1481
B66-1600-00-KK	198	836
B66-1600-00-KM	198	1070
B66-1600-00-LL	198	945
B66-1600-00-MM	198	945
B66-1600-00-NN	198	813
B66-1600-00-TT	198	1188
B66-1600-00-VV	198	1188
B66-1600-00-YY	198	813
B66-2001-00-BB	198	3076
B66-2001-00-CC	198	1538
B66-2001-00-GG	198	3383
B66-2001-00-KK	198	2154
B66-2001-00-LL	198	2443
B66-2001-00-NN	198	2093
B66-2001-00-TT	198	3076
B66-2001-00-VV	198	3076
B66-2001-00-YY	198	2093
B66-2001-PB-BB	198	3193
B66-2001-PB-CC	198	1596
B66-2001-PB-GG	198	3512
B66-2001-PB-KK	198	2235
B66-2001-PB-LL	198	2535
B66-2001-PB-NN	198	2170
B66-2001-PB-TT	198	3193

CODE	PAGE	PRICE
B66-2001-PB-VV	198	3193
B66-2001-PB-YY	198	2170
B66-8009-00L-BB	195	1137
B66-8009-00L-CC	195	698
B66-8009-00L-GG	195	1673
B66-8009-00L-KK	195	937
B66-8009-00L-LL	195	1065
B66-8009-00L-NN	195	893
B66-8009-00L-TT	195	1405
B66-8009-00L-VV	195	1405
B66-8009-00L-YY	195	893
B66-8029-00L-BB	195	1583
B66-8029-00L-CC	195	792
B66-8029-00L-GG	195	1880
B66-8029-00L-KK	195	1108
B66-8029-00L-KM	195	1426
B66-8029-00L-LL	195	1260
B66-8029-00L-MM	195	1260
B66-8029-00L-NN	195	1029
B66-8029-00L-TT	195	1583
B66-8029-00L-VV	195	1583
B66-8029-00L-YY	195	1029
B66-8041-00L-BB	195	1550
B66-8041-00L-CC	195	775
B66-8041-00L-GG	195	1938
B66-8041-00L-KK	195	1046
B66-8041-00L-KM	195	1395
B66-8041-00L-LL	195	1198
B66-8041-00L-MM	195	1198
B66-8041-00L-NN	195	1046
B66-8041-00L-TT	195	1598
B66-8041-00L-VV	195	1598
B66-8041-00L-YY	195	1046
B66-8100-04L-BB	196	796
B66-8100-04L-CC	196	557
B66-8100-04L-GG	196	1327
B66-8100-04L-KK	196	669
B66-8100-04L-KM	196	856
B66-8100-04L-LL	196	793
B66-8100-04L-MM	196	793
B66-8100-04L-NN	196	752
B66-8100-04L-TT	196	1104
B66-8100-04L-VV	196	1104
B66-8100-04L-YY	196	752
B66-8120-04L-BB	196	1098
B66-8120-04L-CC	196	549
B66-8120-04L-GG	196	1373
B66-8120-04L-KK	196	714
B66-8120-04L-KM	196	970
B66-8120-04L-LL	196	874
B66-8120-04L-MM	196	874
B66-8120-04L-NN	196	779
B66-8120-04L-TT	196	1098
B66-8120-04L-VV	196	1098
B66-8120-04L-YY	196	779
B66-9120-00-BB	199	795
B66-9120-00-CC	199	436
B66-9120-00-GG	199	881

CODE	PAGE	PRICE
B66-9120-00-KK	199	607
B66-9120-00-LL	199	690
B66-9120-00-NN	199	561
B66-9120-00-TT	199	795
B66-9120-00-VV	199	795
B66-9120-00-YY	199	561
B66-9181-00-BB	199	1145
B66-9181-00-CC	199	685
B66-9181-00-GG	199	1279
B66-9181-00-KK	199	843
B66-9181-00-KM	199	1014
B66-9181-00-LL	199	958
B66-9181-00-MM	199	958
B66-9181-00-NN	199	854
B66-9181-00-TT	199	1214
B66-9181-00-VV	199	1214
B66-9181-00-YY	199	854
B66-9190-00-BB	200	1155
B66-9190-00-CC	200	695
B66-9190-00-GG	200	1289
B66-9190-00-KK	200	853
B66-9190-00-LL	200	968
B66-9190-00-NN	200	864
B66-9190-00-TT	200	1224
B66-9190-00-VV	200	1224
B66-9190-00-YY	200	864
B66-9404-00-BB	200	1285
B66-9404-00-CC	200	835
B66-9404-00-GG	200	1391
B66-9404-00-KK	200	1048
B66-9404-00-LL	200	1150
B66-9404-00-NN	200	991
B66-9404-00-TT	200	1285
B66-9404-00-VV	200	1285
B66-9404-00-YY	200	991
B66-9453-00-BB	200	1258
B66-9453-00-CC	200	917
B66-9453-00-GG	200	1600
B66-9453-00-KK	200	1088
B66-9453-00-LL	200	1252
B66-9453-00-NN	200	1036
B66-9453-00-TT	200	1531
B66-9453-00-VV	200	1531
B66-9453-00-YY	200	1036
B66-9511-00-BB	201	1517
B66-9511-00-CC	201	936
B66-9511-00-GG	201	1603
B66-9511-00-KK	201	1140
B66-9511-00-KM	201	1353
B66-9511-00-LL	201	1222
B66-9511-00-MM	201	1222
B66-9511-00-NN	201	1122
B66-9511-00-TT	201	1545
B66-9511-00-VV	201	1545
B66-9511-00-YY	201	1122
B66-9521-00-BB	201	1492
B66-9521-00-CC	201	911
B66-9521-00-GG	201	1578

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
B66-9521-00-KK	201	1115
B66-9521-00-KM	201	1328
B66-9521-00-LL	201	1197
B66-9521-00-MM	201	1197
B66-9521-00-NN	201	1097
B66-9521-00-TT	201	1520
B66-9521-00-VV	201	1520
B66-9521-00-YY	201	1097
B66-9531-00-BB	202	1517
B66-9531-00-CC	202	936
B66-9531-00-GG	202	1603
B66-9531-00-KK	202	1140
B66-9531-00-KM	202	1353
B66-9531-00-LL	202	1222
B66-9531-00-MM	202	1222
B66-9531-00-NN	202	1122
B66-9531-00-TT	202	1545
B66-9531-00-VV	202	1545
B66-9531-00-YY	202	1122
B66-9560-02-BB	202	693
B66-9560-02-CC	202	433
B66-9560-02-GG	202	745
B66-9560-02-KK	202	544
B66-9560-02-LL	202	587
B66-9560-02-NN	202	487
B66-9560-02-TT	202	693
B66-9560-02-VV	202	693
B66-9560-02-YY	202	487
B66-9560-03-BB	203	716
B66-9560-03-CC	203	456
B66-9560-03-GG	203	768
B66-9560-03-KK	203	567
B66-9560-03-LL	203	610
B66-9560-03-NN	203	510
B66-9560-03-TT	203	716
B66-9560-03-VV	203	716
B66-9560-03-YY	203	510
B66-9649-00-BB	203	634
B66-9649-00-CC	203	374
B66-9649-00-GG	203	686
B66-9649-00-KK	203	485
B66-9649-00-LL	203	528
B66-9649-00-NN	203	428
B66-9649-00-TT	203	634
B66-9649-00-VV	203	634
B66-9649-00-YY	203	428
B71-1201-01-BB	217	1950
B71-1201-01-CC	217	996
B71-1201-01-GG	217	2492
B71-1201-01-KK	217	1560
B71-1201-01-LL	217	1739
B71-1201-01-NN	217	1362
B71-1201-01-TT	217	1950
B71-1201-01-VV	217	1950
B71-1201-01-YY	217	1362
B71-8001-01L-BB	216	1669
B71-8001-01L-CC	216	834
B71-8001-01L-GG	216	2087

CODE	PAGE	PRICE
B71-8001-01L-KK	216	1335
B71-8001-01L-LL	216	1335
B71-8001-01L-NN	216	1176
B71-8001-01L-TT	216	1669
B71-8001-01L-VV	216	1669
B71-8001-01L-YY	216	1176
B71-8041-00L-BB	216	1898
B71-8041-00L-CC	216	949
B71-8041-00L-GG	216	2373
B71-8041-00L-KK	216	1406
B71-8041-00L-LL	216	1518
B71-8041-00L-NN	216	1304
B71-8041-00L-TT	216	1898
B71-8041-00L-VV	216	1898
B71-8041-00L-YY	216	1304
B71-9404-00-BB	218	1517
B71-9404-00-CC	218	909
B71-9404-00-GG	218	1661
B71-9404-00-KK	218	1155
B71-9404-00-LL	218	1343
B71-9404-00-NN	218	1126
B71-9404-00-TT	218	1517
B71-9404-00-VV	218	1517
B71-9404-00-YY	218	1126
B71-9560-02-BB	218	801
B71-9560-02-CC	218	472
B71-9560-02-GG	218	863
B71-9560-02-KK	218	609
B71-9560-02-LL	218	667
B71-9560-02-NN	218	542
B71-9560-02-TT	218	801
B71-9560-02-VV	218	801
B71-9560-02-YY	218	542
B71-9560-03-BB	219	824
B71-9560-03-CC	219	495
B71-9560-03-GG	219	886
B71-9560-03-KK	219	632
B71-9560-03-LL	219	690
B71-9560-03-NN	219	565
B71-9560-03-TT	219	824
B71-9560-03-VV	219	824
B71-9560-03-YY	219	565
B71-9641-00-BB	219	742
B71-9641-00-CC	219	413
B71-9641-00-GG	219	804
B71-9641-00-KK	219	550
B71-9641-00-LL	219	608
B71-9641-00-NN	219	483
B71-9641-00-TT	219	742
B71-9641-00-VV	219	742
B71-9641-00-YY	219	483
B72-1201-01-BB	217	1950
B72-1201-01-CC	217	996
B72-1201-01-GG	217	2492
B72-1201-01-KK	217	1560
B72-1201-01-LL	217	1739
B72-1201-01-NN	217	1362
B72-1201-01-TT	217	1950

CODE	PAGE	PRICE
B72-1201-01-VV	217	1950
B72-1201-01-YY	217	1362
B72-8001-01L-BB	216	1669
B72-8001-01L-CC	216	834
B72-8001-01L-GG	216	2087
B72-8001-01L-KK	216	1335
B72-8001-01L-LL	216	1335
B72-8001-01L-NN	216	1176
B72-8001-01L-TT	216	1669
B72-8001-01L-VV	216	1669
B72-8001-01L-YY	216	1176
B72-8041-00L-BB	216	1898
B72-8041-00L-CC	216	949
B72-8041-00L-GG	216	2373
B72-8041-00L-KK	216	1406
B72-8041-00L-LL	216	1518
B72-8041-00L-NN	216	1304
B72-8041-00L-TT	216	1898
B72-8041-00L-VV	216	1898
B72-8041-00L-YY	216	1304
B72-9404-00-BB	218	1517
B72-9404-00-CC	218	909
B72-9404-00-GG	218	1661
B72-9404-00-KK	218	1155
B72-9404-00-LL	218	1343
B72-9404-00-NN	218	1126
B72-9404-00-TT	218	1517
B72-9404-00-VV	218	1517
B72-9404-00-YY	218	1126
B72-9560-02-BB	218	801
B72-9560-02-CC	218	472
B72-9560-02-GG	218	863
B72-9560-02-KK	218	609
B72-9560-02-LL	218	667
B72-9560-02-NN	218	542
B72-9560-02-TT	218	801
B72-9560-02-VV	218	801
B72-9560-02-YY	218	542
B72-9560-03-BB	219	824
B72-9560-03-CC	219	495
B72-9560-03-GG	219	886
B72-9560-03-KK	219	632
B72-9560-03-LL	219	690
B72-9560-03-NN	219	565
B72-9560-03-TT	219	824
B72-9560-03-VV	219	824
B72-9560-03-YY	219	565
B72-9641-00-BB	219	742
B72-9641-00-CC	219	413
B72-9641-00-GG	219	804
B72-9641-00-KK	219	550
B72-9641-00-LL	219	608
B72-9641-00-NN	219	483
B72-9641-00-TT	219	742
B72-9641-00-VV	219	742
B72-9641-00-YY	219	483
B74-1201-01-BB	224	1950
B74-1201-01-CB	224	996

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
B74-1201-01-GB	224	2492
B74-1201-01-KB	224	1560
B74-1201-01-LB	224	1739
B74-1201-01-NB	224	1362
B74-1201-01-TB	224	1950
B74-1201-01-VB	224	1950
B74-1201-01-YB	224	1362
B74-9404-00-BB	225	1517
B74-9404-00-CB	225	909
B74-9404-00-GB	225	1661
B74-9404-00-KB	225	1155
B74-9404-00-LB	225	1343
B74-9404-00-NB	225	1126
B74-9404-00-TB	225	1517
B74-9404-00-VB	225	1517
B74-9404-00-YB	225	1126
B74-9560-02-BB	225	801
B74-9560-02-CB	225	472
B74-9560-02-GB	225	863
B74-9560-02-KB	225	609
B74-9560-02-LB	225	667
B74-9560-02-NB	225	542
B74-9560-02-TB	225	801
B74-9560-02-VB	225	801
B74-9560-02-YB	225	542
B74-9560-03-BB	225	824
B74-9560-03-CB	225	495
B74-9560-03-GB	225	886
B74-9560-03-KB	225	632
B74-9560-03-LB	225	690
B74-9560-03-NB	225	565
B74-9560-03-TB	225	824
B74-9560-03-VB	225	824
B74-9560-03-YB	225	565
B74-9641-00-BB	226	742
B74-9641-00-CB	226	413
B74-9641-00-GB	226	804
B74-9641-00-KB	226	550
B74-9641-00-LB	226	608
B74-9641-00-NB	226	483
B74-9641-00-TB	226	742
B74-9641-00-VB	226	742
B74-9641-00-YB	226	483
B80-1031-00L-BB	233	826
B80-1031-00L-CC	233	408
B80-1031-00L-GG	233	1195
B80-1031-00L-KK	233	570
B80-1031-00L-LL	233	653
B80-1031-00L-NN	233	558
B80-1031-00L-TT	233	816
B80-1031-00L-VV	233	816
B80-1031-00L-YY	233	558
B80-1031-1PL-BB	233	886
B80-1031-1PL-CC	233	443
B80-1031-1PL-GG	233	1285
B80-1031-1PL-KK	233	620
B80-1031-1PL-LL	233	708
B80-1031-1PL-NN	233	603

CODE	PAGE	PRICE
B80-1031-1PL-TT	233	886
B80-1031-1PL-VV	233	886
B80-1031-1PL-YY	233	603
B80-1032-00L-BB	233	826
B80-1032-00L-CC	233	408
B80-1032-00L-GG	233	1195
B80-1032-00L-KK	233	570
B80-1032-00L-LL	233	653
B80-1032-00L-NN	233	558
B80-1032-00L-TT	233	816
B80-1032-00L-VV	233	816
B80-1032-00L-YY	233	558
B80-1032-1PL-BB	233	886
B80-1032-1PL-CC	233	443
B80-1032-1PL-GG	233	1285
B80-1032-1PL-KK	233	620
B80-1032-1PL-LL	233	708
B80-1032-1PL-NN	233	603
B80-1032-1PL-TT	233	886
B80-1032-1PL-VV	233	886
B80-1032-1PL-YY	233	603
B80-1101-00-BB	237	2431
B80-1101-00-CC	237	1620
B80-1101-00-GG	237	4535
B80-1101-00-KK	237	2268
B80-1101-00-LL	237	2650
B80-1101-00-NN	237	2579
B80-1101-00-TT	237	3240
B80-1101-00-VV	237	3240
B80-1101-00-YY	237	2579
B80-1102-00-BB	237	2431
B80-1102-00-CC	237	1620
B80-1102-00-GG	237	4535
B80-1102-00-KK	237	2268
B80-1102-00-LL	237	2650
B80-1102-00-NN	237	2579
B80-1102-00-TT	237	3240
B80-1102-00-VV	237	3240
B80-1102-00-YY	237	2579
B80-1249-00-BB	238	1117
B80-1249-00-CC	238	744
B80-1249-00-GG	238	1862
B80-1249-00-KK	238	968
B80-1249-00-LL	238	1190
B80-1249-00-NN	238	1079
B80-1249-00-TT	238	1488
B80-1249-00-VV	238	1488
B80-1249-00-YY	238	1079
B80-8001-1PL-BB	234	1204
B80-8001-1PL-CC	234	544
B80-8001-1PL-GG	234	1518
B80-8001-1PL-KK	234	732
B80-8001-1PL-LL	234	837
B80-8001-1PL-NN	234	712
B80-8001-1PL-TT	234	1204
B80-8001-1PL-VV	234	1204
B80-8001-1PL-YY	234	712
B80-8002-1PL-BB	234	1204

CODE	PAGE	PRICE
B80-8002-1PL-CC	234	544
B80-8002-1PL-GG	234	1518
B80-8002-1PL-KK	234	732
B80-8002-1PL-LL	234	837
B80-8002-1PL-NN	234	712
B80-8002-1PL-TT	234	1204
B80-8002-1PL-VV	234	1204
B80-8002-1PL-YY	234	712
B80-8003-1PL-BB	234	1204
B80-8003-1PL-CC	234	544
B80-8003-1PL-GG	234	1518
B80-8003-1PL-KK	234	732
B80-8003-1PL-LL	234	837
B80-8003-1PL-NN	234	712
B80-8003-1PL-TT	234	1204
B80-8003-1PL-VV	234	1204
B80-8003-1PL-YY	234	712
B80-8042-00L-BB	235	1276
B80-8042-00L-CC	235	647
B80-8042-00L-GG	235	1588
B80-8042-00L-KK	235	861
B80-8042-00L-LL	235	1021
B80-8042-00L-NN	235	866
B80-8042-00L-TT	235	1379
B80-8042-00L-VV	235	1379
B80-8042-00L-YY	235	866
B80-8102-00L-BB	236	1093
B80-8102-00L-CC	236	547
B80-8102-00L-GG	236	1420
B80-8102-00L-KK	236	765
B80-8102-00L-LL	236	874
B80-8102-00L-NN	236	751
B80-8102-00L-TT	236	1093
B80-8102-00L-VV	236	1093
B80-8102-00L-YY	236	751
B80-9101-00-BB	241	719
B80-9101-00-CC	241	408
B80-9101-00-GG	241	792
B80-9101-00-KK	241	535
B80-9101-00-LL	241	608
B80-9101-00-NN	241	523
B80-9101-00-TT	241	719
B80-9101-00-VV	241	719
B80-9101-00-YY	241	523
B80-9102-00-BB	241	719
B80-9102-00-CC	241	408
B80-9102-00-GG	241	792
B80-9102-00-KK	241	535
B80-9102-00-LL	241	608
B80-9102-00-NN	241	523
B80-9102-00-TT	241	719
B80-9102-00-VV	241	719
B80-9102-00-YY	241	523
B80-9181-00-BB	242	1059
B80-9181-00-CC	242	594
B80-9181-00-GG	242	1171
B80-9181-00-KK	242	780
B80-9181-00-LL	242	903

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
B80-9181-00-NN	242	808
B80-9181-00-TT	242	1116
B80-9181-00-VV	242	1116
B80-9181-00-YY	242	808
B80-9182-00-BB	242	1059
B80-9182-00-CC	242	594
B80-9182-00-GG	242	1171
B80-9182-00-KK	242	780
B80-9182-00-LL	242	903
B80-9182-00-NN	242	808
B80-9182-00-TT	242	1116
B80-9182-00-VV	242	1116
B80-9182-00-YY	242	808
B80-9191-00-BB	243	1069
B80-9191-00-CC	243	604
B80-9191-00-GG	243	1181
B80-9191-00-KK	243	790
B80-9191-00-LL	243	913
B80-9191-00-NN	243	818
B80-9191-00-TT	243	1126
B80-9191-00-VV	243	1126
B80-9191-00-YY	243	818
B80-9192-00-BB	243	1069
B80-9192-00-CC	243	604
B80-9192-00-GG	243	1181
B80-9192-00-KK	243	790
B80-9192-00-LL	243	913
B80-9192-00-NN	243	818
B80-9192-00-TT	243	1126
B80-9192-00-VV	243	1126
B80-9192-00-YY	243	818
B80-9401-00-BB	244	1165
B80-9401-00-CC	244	795
B80-9401-00-GG	244	1276
B80-9401-00-KK	244	980
B80-9401-00-LL	244	1061
B80-9401-00-NN	244	943
B80-9401-00-TT	244	1202
B80-9401-00-VV	244	1202
B80-9401-00-YY	244	943
B80-9402-00-BB	244	1165
B80-9402-00-CC	244	795
B80-9402-00-GG	244	1276
B80-9402-00-KK	244	980
B80-9402-00-LL	244	1061
B80-9402-00-NN	244	943
B80-9402-00-TT	244	1202
B80-9402-00-VV	244	1202
B80-9402-00-YY	244	943
B80-9453-00-BB	245	766
B80-9453-00-CC	245	681
B80-9453-00-GG	245	842
B80-9453-00-KK	245	708
B80-9453-00-LL	245	747
B80-9453-00-NN	245	699
B80-9453-00-TT	245	804
B80-9453-00-VV	245	804
B80-9453-00-YY	245	699

CODE	PAGE	PRICE
B80-9511-00-BB	246	1437
B80-9511-00-CC	246	820
B80-9511-00-GG	246	1515
B80-9511-00-KK	246	1090
B80-9511-00-LL	246	1167
B80-9511-00-NN	246	1090
B80-9511-00-TT	246	1476
B80-9511-00-VV	246	1476
B80-9511-00-YY	246	1090
B80-9512-00-BB	246	1437
B80-9512-00-CC	246	820
B80-9512-00-GG	246	1515
B80-9512-00-KK	246	1090
B80-9512-00-LL	246	1167
B80-9512-00-NN	246	1090
B80-9512-00-TT	246	1476
B80-9512-00-VV	246	1476
B80-9512-00-YY	246	1090
B80-9521-00-BB	240	1412
B80-9521-00-CC	240	795
B80-9521-00-GG	240	1490
B80-9521-00-KK	240	1065
B80-9521-00-LL	240	1142
B80-9521-00-NN	240	1065
B80-9521-00-TT	240	1451
B80-9521-00-VV	240	1451
B80-9521-00-YY	240	1065
B80-9522-00-BB	247	1412
B80-9522-00-CC	247	795
B80-9522-00-GG	247	1490
B80-9522-00-KK	247	1065
B80-9522-00-LL	247	1142
B80-9522-00-NN	247	1065
B80-9522-00-TT	247	1451
B80-9522-00-VV	247	1451
B80-9522-00-YY	247	1065
B80-9531-00-BB	248	1437
B80-9531-00-CC	248	820
B80-9531-00-GG	248	1515
B80-9531-00-KK	248	1090
B80-9531-00-LL	248	1167
B80-9531-00-NN	248	1090
B80-9531-00-TT	248	1476
B80-9531-00-VV	248	1476
B80-9531-00-YY	248	1090
B80-9532-00-BB	248	1437
B80-9532-00-CC	248	820
B80-9532-00-GG	248	1515
B80-9532-00-KK	248	1090
B80-9532-00-LL	248	1167
B80-9532-00-NN	248	1090
B80-9532-00-TT	248	1476
B80-9532-00-VV	248	1476
B80-9532-00-YY	248	1090
B80-9560-02-BB	249	446
B80-9560-02-CC	249	361
B80-9560-02-GG	249	515
B80-9560-02-KK	249	395

CODE	PAGE	PRICE
B80-9560-02-LL	249	429
B80-9560-02-NN	249	378
B80-9560-02-TT	249	463
B80-9560-02-VV	249	463
B80-9560-02-YY	249	378
B80-9560-03-BB	250	469
B80-9560-03-CC	250	384
B80-9560-03-GG	250	538
B80-9560-03-KK	250	418
B80-9560-03-LL	250	452
B80-9560-03-NN	250	401
B80-9560-03-TT	250	486
B80-9560-03-VV	250	486
B80-9560-03-YY	250	401
B80-9649-00-BB	251	387
B80-9649-00-CC	251	302
B80-9649-00-GG	251	456
B80-9649-00-KK	251	336
B80-9649-00-LL	251	370
B80-9649-00-NN	251	319
B80-9649-00-TT	251	404
B80-9649-00-VV	251	404
B80-9649-00-YY	251	319
BEC-0520-20-BB	358	476
BEC-0520-20-CC	358	275
BEC-0520-20-GG	358	756
BEC-0520-20-KK	358	371
BEC-0520-20-LL	358	440
BEC-0520-20-MM	358	440
BEC-0520-20-NN	358	399
BEC-0520-20-TT	358	550
BEC-0520-20-VV	358	550
BEC-0520-20-YY	358	399
BEC-0520-37-BB	358	226
BEC-0520-37-CC	358	124
BEC-0520-37-GG	358	390
BEC-0520-37-KK	358	164
BEC-0520-37-KM	358	218
BEC-0520-37-LL	358	206
BEC-0520-37-MM	358	206
BEC-0520-37-NN	358	181
BEC-0520-37-TT	358	320
BEC-0520-37-VV	358	320
BEC-0520-37-YY	358	181
BEC-0520-45-BB	358	656
BEC-0520-45-CC	358	328
BEC-0520-45-GG	358	755
BEC-0520-45-KK	358	443
BEC-0520-45-LL	358	590
BEC-0520-45-NN	358	476
BEC-0520-45-TT	358	689
BEC-0520-45-VV	358	689
BEC-0520-45-YY	358	476
BEC-0520-46-BB	358	713
BEC-0520-46-CC	358	356
BEC-0520-46-GG	358	820
BEC-0520-46-KK	358	481
BEC-0520-46-KM	358	642

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
BEC-0520-46-LL	358	586
BEC-0520-46-NN	358	520
BEC-0520-46-TT	358	748
BEC-0520-46-VV	358	748
BEC-0520-46-YY	358	520
BEC-0520-73-BB	358	276
BEC-0520-73-CC	358	96
BEC-0520-73-GG	358	336
BEC-0520-73-KK	358	124
BEC-0520-73-KM	358	185
BEC-0520-73-LL	358	263
BEC-0520-73-NN	358	171
BEC-0520-73-TT	358	284
BEC-0520-73-VV	358	284
BEC-0520-73-YY	358	171
BEC-0520-74-BB	359	286
BEC-0520-74-CC	359	113
BEC-0520-74-GG	359	347
BEC-0520-74-KK	359	147
BEC-0520-74-LL	359	296
BEC-0520-74-NN	359	191
BEC-0520-74-TT	359	303
BEC-0520-74-VV	359	303
BEC-0520-74-YY	359	191
BEC-0520-83-BB	359	342
BEC-0520-83-CC	359	125
BEC-0520-83-GG	359	351
BEC-0520-83-KK	359	154
BEC-0520-83-LL	359	327
BEC-0520-83-NN	359	200
BEC-0520-83-TT	359	342
BEC-0520-83-VV	359	342
BEC-0520-83-YY	359	200
BEC-0520-84-BB	359	366
BEC-0520-84-CC	359	143
BEC-0520-84-GG	359	374
BEC-0520-84-KK	359	173
BEC-0520-84-LL	359	366
BEC-0520-84-NN	359	228
BEC-0520-84-TT	359	366
BEC-0520-84-VV	359	366
BEC-0520-84-YY	359	228
BGL-1670-00-BB	335	958
BGL-1670-00-CC	335	437
BGL-1670-00-GG	335	1238
BGL-1670-00-KK	335	612
BGL-1670-00-LL	335	973
BGL-1670-00-NN	335	684
BGL-1670-00-TT	335	973
BGL-1670-00-VV	335	973
BGL-1670-00-YY	335	684
BGL-2068-50-BB	335	892
BGL-2068-50-CC	335	484
BGL-2068-50-GG	335	1399
BGL-2068-50-KK	335	653
BGL-2068-50-LL	335	774
BGL-2068-50-MM	335	774
BGL-2068-50-NN	335	702

CODE	PAGE	PRICE
BGL-2068-50-TT	335	968
BGL-2068-50-VV	335	968
BGL-2068-50-YY	335	702
BGL-2070-50-BB	335	792
BGL-2070-50-CC	335	364
BGL-2070-50-GG	335	1299
BGL-2070-50-KK	335	509
BGL-2070-50-LL	335	582
BGL-2070-50-NN	335	624
BGL-2070-50-TT	335	888
BGL-2070-50-VV	335	888
BGL-2070-50-YY	335	624
BGL-2160-00-BB	335	1004
BGL-2160-00-CC	335	456
BGL-2160-00-GG	335	1378
BGL-2160-00-KK	335	916
BGL-2160-00-LL	335	996
BGL-2160-00-NN	335	709
BGL-2160-00-TT	335	1002
BGL-2160-00-VV	335	1002
BGL-2160-00-YY	335	709
BGL-2175-50-BB	336	497
BGL-2175-50-CC	336	248
BGL-2175-50-GG	336	1083
BGL-2175-50-KK	336	323
BGL-2175-50-LL	336	397
BGL-2175-50-NN	336	400
BGL-2175-50-TT	336	909
BGL-2175-50-VV	336	909
BGL-2175-50-YY	336	400
BGL-2175-70-BB	336	713
BGL-2175-70-CC	336	179
BGL-2175-70-GG	336	1048
BGL-2175-70-KK	336	251
BGL-2175-70-LL	336	873
BGL-2175-70-NN	336	435
BGL-2175-70-TT	336	873
BGL-2175-70-VV	336	873
BGL-2175-70-YY	336	435
BGL-2175-90-BB	336	642
BGL-2175-90-CC	336	273
BGL-2175-90-GG	336	1101
BGL-2175-90-KK	336	383
BGL-2175-90-LL	336	1028
BGL-2175-90-NN	336	445
BGL-2175-90-TT	336	963
BGL-2175-90-VV	336	963
BGL-2175-90-YY	336	445
BGL-2580-50-BB	336	872
BGL-2580-50-CC	336	273
BGL-2580-50-GG	336	1223
BGL-2580-50-KK	336	356
BGL-2580-50-LL	336	438
BGL-2580-50-NN	336	548
BGL-2580-50-TT	336	918
BGL-2580-50-VV	336	918
BGL-2580-50-YY	336	548
BGL-3070-50-BB	337	848

CODE	PAGE	PRICE
BGL-3070-50-CC	337	346
BGL-3070-50-GG	337	1173
BGL-3070-50-KK	337	483
BGL-3070-50-LL	337	723
BGL-3070-50-NN	337	585
BGL-3070-50-TT	337	888
BGL-3070-50-VV	337	888
BGL-3070-50-YY	337	585
BGL-3080-50-BB	337	958
BGL-3080-50-CC	337	437
BGL-3080-50-GG	337	1332
BGL-3080-50-KK	337	612
BGL-3080-50-LL	337	839
BGL-3080-50-NN	337	684
BGL-3080-50-TT	337	994
BGL-3080-50-VV	337	994
BGL-3080-50-YY	337	684
BOD-5001-00-BB	360	218
BOD-5001-00-CC	360	109
BOD-5001-00-GG	360	328
BOD-5001-00-KK	360	225
BOD-5001-00-LL	360	248
BOD-5001-00-NN	360	149
BOD-5001-00-TT	360	248
BOD-5001-00-VV	360	248
BOD-5001-00-YY	360	149
BOD-5002-01-BB	360	287
BOD-5002-01-CC	360	144
BOD-5002-01-GG	360	372
BOD-5002-01-KK	360	259
BOD-5002-01-LL	360	283
BOD-5002-01-NN	360	195
BOD-5002-01-TT	360	316
BOD-5002-01-VV	360	316
BOD-5002-01-YY	360	195
BOD-5004-02-BB	360	590
BOD-5004-02-CC	360	328
BOD-5004-02-GG	360	623
BOD-5004-02-KK	360	459
BOD-5004-02-LL	360	525
BOD-5004-02-NN	360	446
BOD-5004-02-TT	360	606
BOD-5004-02-VV	360	606
BOD-5004-02-YY	360	446
BOD-5006-01-BB	360	538
BOD-5006-01-CC	360	299
BOD-5006-01-GG	360	603
BOD-5006-01-KK	360	419
BOD-5006-01-LL	360	478
BOD-5006-01-NN	360	407
BOD-5006-01-TT	360	572
BOD-5006-01-VV	360	572
BOD-5006-01-YY	360	407
BOD-5007-01-BB	360	517
BOD-5007-01-CC	360	282
BOD-5007-01-GG	360	585
BOD-5007-01-KK	360	394
BOD-5007-01-LL	360	454

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
BOD-5007-01-NN	360	383
BOD-5007-01-TT	360	538
BOD-5007-01-VV	360	538
BOD-5007-01-YY	360	383
BOY-2012-01-CC	342	106
BOY-2012-01-NN	342	156
BOY-2700-00-BB	342	173
BOY-2700-00-CC	342	80
BOY-2700-00-GG	342	256
BOY-2700-00-II	342	173
BOY-2700-00-KK	342	149
BOY-2700-00-KM	342	170
BOY-2700-00-LL	342	170
BOY-2700-00-MM	342	170
BOY-2700-00-NN	342	145
BOY-2700-00-TT	342	192
BOY-2700-00-VV	342	192
BOY-2700-00-YY	342	145
BOY-2800-00-CC	342	80
BOY-2800-00-KK	342	110
BRA-0612-02-BB	351	106
BRA-0612-02-CC	351	49
BRA-0612-02-GG	351	195
BRA-0612-02-KK	351	76
BRA-0612-02-LL	351	127
BRA-0612-02-NN	351	72
BRA-0612-02-TT	351	152
BRA-0612-02-VV	351	152
BRA-0612-02-YY	351	72
BRA-0612-14-BB	351	126
BRA-0612-14-CC	351	68
BRA-0612-14-GG	351	228
BRA-0612-14-KK	351	119
BRA-0612-14-LL	351	166
BRA-0612-14-NN	351	94
BRA-0612-14-TT	351	191
BRA-0612-14-VV	351	191
BRA-0612-14-YY	351	94
BRA-1012-02-BB	351	162
BRA-1012-02-CC	351	85
BRA-1012-02-GG	351	234
BRA-1012-02-KK	351	125
BRA-1012-02-LL	351	156
BRA-1012-02-MM	351	156
BRA-1012-02-NN	351	123
BRA-1012-02-TT	351	182
BRA-1012-02-VV	351	182
BRA-1012-02-YY	351	123
BRA-1012-14-BB	351	187
BRA-1012-14-CC	351	95
BRA-1012-14-GG	351	261
BRA-1012-14-KK	351	150
BRA-1012-14-LL	351	181
BRA-1012-14-NN	351	148
BRA-1012-14-TT	351	207
BRA-1012-14-VV	351	207
BRA-1012-14-YY	351	148
BRA-1012-20-BB	351	238

CODE	PAGE	PRICE
BRA-1012-20-CC	351	125
BRA-1012-20-GG	351	344
BRA-1012-20-KK	351	169
BRA-1012-20-LL	351	200
BRA-1012-20-MM	351	200
BRA-1012-20-NN	351	181
BRA-1012-20-TT	351	250
BRA-1012-20-VV	351	250
BRA-1012-20-YY	351	181
BRA-1212-02-BB	352	205
BRA-1212-02-CC	352	83
BRA-1212-02-GG	352	320
BRA-1212-02-KK	352	175
BRA-1212-02-LL	352	282
BRA-1212-02-MM	352	282
BRA-1212-02-NN	352	151
BRA-1212-02-TT	352	311
BRA-1212-02-VV	352	311
BRA-1212-02-YY	352	151
BRA-1212-14-BB	352	216
BRA-1212-14-CC	352	93
BRA-1212-14-GG	352	339
BRA-1212-14-KK	352	187
BRA-1212-14-LL	352	299
BRA-1212-14-NN	352	187
BRA-1212-14-TT	352	321
BRA-1212-14-VV	352	321
BRA-1212-14-YY	352	187
BRA-1212-20-BB	352	247
BRA-1212-20-CC	352	125
BRA-1212-20-GG	352	358
BRA-1212-20-KK	352	212
BRA-1212-20-LL	352	324
BRA-1212-20-MM	352	324
BRA-1212-20-NN	352	212
BRA-1212-20-TT	352	324
BRA-1212-20-VV	352	324
BRA-1212-20-YY	352	212
BRA-1409-02-BB	352	504
BRA-1409-02-CC	352	230
BRA-1409-02-KK	352	445
BRA-1409-02-NN	352	359
BRA-1409-02-YY	352	359
BRA-1608-00-BB	352	619
BRA-1608-00-CC	352	342
BRA-1608-00-GG	352	704
BRA-1608-00-KK	352	565
BRA-1608-00-LL	352	596
BRA-1608-00-NN	352	479
BRA-1608-00-TT	352	631
BRA-1608-00-VV	352	631
BRA-1608-00-YY	352	479
BRA-1612-44-BB	353	303
BRA-1612-44-CC	353	130
BRA-1612-44-GG	353	531
BRA-1612-44-KK	353	202
BRA-1612-44-LL	353	379
BRA-1612-44-NN	353	234

CODE	PAGE	PRICE
BRA-1612-44-TT	353	379
BRA-1612-44-VV	353	379
BRA-1612-44-YY	353	234
BRA-1612-66-BB	353	262
BRA-1612-66-CC	353	116
BRA-1612-66-GG	353	459
BRA-1612-66-KK	353	175
BRA-1612-66-KM	353	220
BRA-1612-66-LL	353	328
BRA-1612-66-MM	353	328
BRA-1612-66-NN	353	203
BRA-1612-66-TT	353	328
BRA-1612-66-VV	353	328
BRA-1612-66-YY	353	203
BRA-1614-04-BB	353	401
BRA-1614-04-CC	353	212
BRA-1614-04-GG	353	458
BRA-1614-04-KK	353	317
BRA-1614-04-LL	353	377
BRA-1614-04-NN	353	317
BRA-1614-04-TT	353	457
BRA-1614-04-VV	353	457
BRA-1614-04-YY	353	317
BRA-1812-02-BB	353	285
BRA-1812-02-CC	353	104
BRA-1812-02-GG	353	377
BRA-1812-02-KK	353	139
BRA-1812-02-LL	353	276
BRA-1812-02-NN	353	208
BRA-1812-02-TT	353	320
BRA-1812-02-VV	353	320
BRA-1812-02-YY	353	208
BRA-1812-14-BB	353	308
BRA-1812-14-CC	353	126
BRA-1812-14-GG	353	401
BRA-1812-14-KK	353	177
BRA-1812-14-LL	353	317
BRA-1812-14-NN	353	231
BRA-1812-14-TT	353	365
BRA-1812-14-VV	353	365
BRA-1812-14-YY	353	231
BRA-1812-20-BB	354	267
BRA-1812-20-CC	354	145
BRA-1812-20-GG	354	378
BRA-1812-20-KK	354	232
BRA-1812-20-LL	354	344
BRA-1812-20-MM	354	344
BRA-1812-20-NN	354	232
BRA-1812-20-TT	354	344
BRA-1812-20-VV	354	344
BRA-1812-20-YY	354	232
BRA-1815-02-BB	354	448
BRA-1815-02-CC	354	225
BRA-1815-02-GG	354	562
BRA-1815-02-KK	354	395
BRA-1815-02-LL	354	458
BRA-1815-02-NN	354	306
BRA-1815-02-TT	354	494

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
BRA-1815-02-VV	354	494
BRA-1815-02-YY	354	306
BRA-1816-02-BB	354	265
BRA-1816-02-CC	354	116
BRA-1816-02-GG	354	389
BRA-1816-02-KK	354	161
BRA-1816-02-LL	354	302
BRA-1816-02-NN	354	224
BRA-1816-02-TT	354	326
BRA-1816-02-VV	354	326
BRA-1816-02-YY	354	224
CAC-6023-01-BB	62	56
CAC-6023-01-CC	62	40
CAC-6023-01-GG	62	99
CAC-6023-01-KK	62	82
CAC-6023-01-KM	62	96
CAC-6023-01-LL	62	91
CAC-6023-01-MM	62	91
CAC-6023-01-SS	62	91
CAC-6023-01-TT	62	91
CAC-6023-01-VV	62	91
CAC-6023-01-YY	62	62
COL-3004-03-BB	296	1588
COL-3004-03-CC	296	798
COL-3004-03-GG	296	1866
COL-3004-03-KK	296	1373
COL-3004-03-LL	296	1565
COL-3004-03-NN	296	1107
COL-3004-03-TT	296	1565
COL-3004-03-VV	296	1565
COL-3004-03-YY	296	1107
CUI-1940-02L-CC	50	904
CUI-1940-02L-KK	50	1266
CUI-1940-02L-SS	50	1175
CUI-2040-02L-CC	50	474
CUI-2040-02L-KK	50	663
CUI-2040-02L-SS	50	617
CUI-2040-35L-BB	50	1054
CUI-2040-35L-CC	50	527
CUI-2040-35L-GG	50	1318
CUI-2040-35L-KK	50	686
CUI-2040-35L-LL	50	949
CUI-2040-35L-SS	50	686
CUI-2040-35L-TT	50	1160
CUI-2040-35L-VV	50	1160
CUI-2040-35L-YY	50	949
CUI-3020-02L-BB	51	2185
CUI-3020-02L-CC	51	1150
CUI-3020-02L-GG	51	2510
CUI-3020-02L-KK	51	1552
CUI-3020-02L-LL	51	1840
CUI-3020-02L-MM	51	1840
CUI-3020-02L-SS	51	1495
CUI-3020-02L-TT	51	2300
CUI-3020-02L-VV	51	2300
CUI-3020-02L-YY	51	1667
CUI-3040-02L-BB	51	1644
CUI-3040-02L-CC	51	890

CODE	PAGE	PRICE
CUI-3040-02L-GG	51	1910
CUI-3040-02L-KK	51	1168
CUI-3040-02L-LL	51	1384
CUI-3040-02L-MM	51	1384
CUI-3040-02L-SS	51	1154
CUI-3040-02L-TT	51	1730
CUI-3040-02L-VV	51	1730
CUI-3040-02L-YY	51	1254
CUI-3045-02L-BB	51	1606
CUI-3045-02L-CC	51	867
CUI-3045-02L-GG	51	1817
CUI-3045-02L-KK	51	1141
CUI-3045-02L-LL	51	1352
CUI-3045-02L-MM	51	1352
CUI-3045-02L-SS	51	1125
CUI-3045-02L-TT	51	1690
CUI-3045-02L-VV	51	1690
CUI-3045-02L-YY	51	1225
CUI-4030-00L-BB	58	615
CUI-4030-00L-CC	58	293
CUI-4030-00L-GG	58	865
CUI-4030-00L-KK	58	407
CUI-4030-00L-LL	58	543
CUI-4030-00L-MM	58	543
CUI-4030-00L-SS	58	388
CUI-4030-00L-TT	58	719
CUI-4030-00L-VV	58	719
CUI-4030-00L-YY	58	519
CUI-4093-00L-BB	58	586
CUI-4093-00L-CC	58	279
CUI-4093-00L-GG	58	824
CUI-4093-00L-KK	58	388
CUI-4093-00L-KM	58	549
CUI-4093-00L-LL	58	517
CUI-4093-00L-MM	58	517
CUI-4093-00L-SS	58	369
CUI-4093-00L-TT	58	685
CUI-4093-00L-VV	58	685
CUI-4093-00L-YY	58	494
CUI-4095-00L-BB	59	586
CUI-4095-00L-CC	59	279
CUI-4095-00L-GG	59	824
CUI-4095-00L-KK	59	388
CUI-4095-00L-LL	59	517
CUI-4095-00L-SS	59	369
CUI-4095-00L-TT	59	685
CUI-4095-00L-VV	59	685
CUI-4095-00L-YY	59	494
CUI-4230-00L-BB	59	1628
CUI-4230-00L-CC	59	1016
CUI-4230-00L-GG	59	2090
CUI-4230-00L-KK	59	1218
CUI-4230-00L-LL	59	1626
CUI-4230-00L-MM	59	1626
CUI-4230-00L-SS	59	1322
CUI-4230-00L-TT	59	1838
CUI-4230-00L-VV	59	1838
CUI-4230-00L-YY	59	1358

CODE	PAGE	PRICE
CUI-4293-00L-BB	59	1550
CUI-4293-00L-CC	59	968
CUI-4293-00L-GG	59	1990
CUI-4293-00L-KK	59	1160
CUI-4293-00L-KM	59	1615
CUI-4293-00L-LL	59	1549
CUI-4293-00L-MM	59	1549
CUI-4293-00L-SS	59	1259
CUI-4293-00L-TT	59	1750
CUI-4293-00L-VV	59	1750
CUI-4293-00L-YY	59	1293
CUI-4295-00L-BB	60	1550
CUI-4295-00L-CC	60	968
CUI-4295-00L-GG	60	1990
CUI-4295-00L-KK	60	1160
CUI-4295-00L-LL	60	1549
CUI-4295-00L-SS	60	1259
CUI-4295-00L-TT	60	1750
CUI-4295-00L-VV	60	1750
CUI-4295-00L-YY	60	1293
CUI-9181-47L-CC	52	691
CUI-9181-47L-SS	52	898
CUI-9220-02L-BB	52	2081
CUI-9220-02L-CC	52	1095
CUI-9220-02L-GG	52	2390
CUI-9220-02L-KK	52	1478
CUI-9220-02L-LL	52	1752
CUI-9220-02L-SS	52	1424
CUI-9220-02L-TT	52	2190
CUI-9220-02L-VV	52	2190
CUI-9220-02L-YY	52	1588
CUI-9225-02L-BB	52	2081
CUI-9225-02L-CC	52	1095
CUI-9225-02L-GG	52	2390
CUI-9225-02L-KK	52	1478
CUI-9225-02L-LL	52	1752
CUI-9225-02L-SS	52	1424
CUI-9225-02L-TT	52	2190
CUI-9225-02L-VV	52	2190
CUI-9225-02L-YY	52	1588
CUI-9245-02L-BB	53	1524
CUI-9245-02L-CC	53	848
CUI-9245-02L-GG	53	1860
CUI-9245-02L-KK	53	1120
CUI-9245-02L-LL	53	1279
CUI-9245-02L-SS	53	1099
CUI-9245-02L-TT	53	1492
CUI-9245-02L-VV	53	1492
CUI-9245-02L-YY	53	1160
CUI-9246-02L-KL	53	1179
CUI-9246-02L-LK	53	1179
CUI-9246-02L-SK	53	1110
CUI-9247-02L-BB	53	1350
CUI-9247-02L-CC	53	809
CUI-9247-02L-GG	53	1790
CUI-9247-02L-KK	53	1029
CUI-9247-02L-LL	53	1210
CUI-9247-02L-SS	53	1025

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
CUI-9247-02L-TT	53	1387
CUI-9247-02L-VV	53	1387
CUI-9247-02L-YY	53	1102
CUI-9248-02L-KL	54	1152
CUI-9248-02L-SK	54	1027
CUI-9249-22L-CC	54	938
CUI-9249-22L-CK	54	985
CUI-9249-22L-KK	54	1313
CUI-9249-22L-KL	54	1313
CUI-9249-22L-LK	54	1501
CUI-9249-22L-LL	54	1501
CUI-9249-22L-SK	54	1220
CUI-9249-22L-SS	54	1220
CUI-9249-32L-CC	54	867
CUI-9249-32L-CK	54	912
CUI-9249-32L-KK	54	1214
CUI-9249-32L-KL	54	1214
CUI-9249-32L-LK	54	1388
CUI-9249-32L-LL	54	1388
CUI-9249-32L-SK	54	1128
CUI-9249-32L-SS	54	1128
CUI-9250-22L-CC	55	938
CUI-9250-22L-CK	55	985
CUI-9250-22L-KK	55	1313
CUI-9250-22L-KL	55	1313
CUI-9250-22L-LK	55	1501
CUI-9250-22L-LL	55	1501
CUI-9250-22L-SK	55	1220
CUI-9250-22L-SS	55	1220
CUI-9250-32L-CC	55	867
CUI-9250-32L-CK	55	912
CUI-9250-32L-KK	55	1214
CUI-9250-32L-KL	55	1214
CUI-9250-32L-LK	55	1388
CUI-9250-32L-LL	55	1388
CUI-9250-32L-SK	55	1128
CUI-9250-32L-SS	55	1128
CUI-9320-02L-BB	55	2081
CUI-9320-02L-CC	55	1095
CUI-9320-02L-GG	55	2390
CUI-9320-02L-KK	55	1478
CUI-9320-02L-KM	55	1971
CUI-9320-02L-LL	55	1752
CUI-9320-02L-MM	55	1752
CUI-9320-02L-SS	55	1424
CUI-9320-02L-TT	55	2190
CUI-9320-02L-VV	55	2190
CUI-9320-02L-YY	55	1588
CUI-9335-02L-BB	56	1832
CUI-9335-02L-CC	56	916
CUI-9335-02L-GG	56	1999
CUI-9335-02L-KK	56	1282
CUI-9335-02L-KM	56	1557
CUI-9335-02L-LL	56	1466
CUI-9335-02L-SS	56	1192
CUI-9335-02L-TT	56	1790
CUI-9335-02L-VV	56	1790
CUI-9335-02L-YY	56	1374

CODE	PAGE	PRICE
CUI-9340-02L-BB	56	1392
CUI-9340-02L-CC	56	869
CUI-9340-02L-GG	56	1800
CUI-9340-02L-KK	56	974
CUI-9340-02L-KM	56	1380
CUI-9340-02L-LL	56	1125
CUI-9340-02L-MM	56	1125
CUI-9340-02L-SS	56	1099
CUI-9340-02L-TT	56	1441
CUI-9340-02L-VV	56	1441
CUI-9340-02L-YY	56	1109
CUI-9345-02L-BB	56	1287
CUI-9345-02L-CC	56	844
CUI-9345-02L-GG	56	1750
CUI-9345-02L-KK	56	946
CUI-9345-02L-KM	56	1275
CUI-9345-02L-LL	56	1055
CUI-9345-02L-MM	56	1055
CUI-9345-02L-SS	56	1072
CUI-9345-02L-TT	56	1350
CUI-9345-02L-VV	56	1350
CUI-9345-02L-YY	56	1085
CUI-9350-02L-BB	57	1662
CUI-9350-02L-CC	57	890
CUI-9350-02L-GG	57	1919
CUI-9350-02L-KK	57	1222
CUI-9350-02L-LL	57	1405
CUI-9350-02L-SS	57	1160
CUI-9350-02L-TT	57	1662
CUI-9350-02L-VV	57	1662
CUI-9350-02L-YY	57	1247
CUI-9352-02L-BB	57	1604
CUI-9352-02L-CC	57	820
CUI-9352-02L-GG	57	1853
CUI-9352-02L-KK	57	1122
CUI-9352-02L-LL	57	1283
CUI-9352-02L-SS	57	1042
CUI-9352-02L-TT	57	1604
CUI-9352-02L-VV	57	1604
CUI-9352-02L-YY	57	1203
CUI-9355-02L-BB	57	1924
CUI-9355-02L-CC	57	962
CUI-9355-02L-GG	57	2116
CUI-9355-02L-KK	57	1346
CUI-9355-02L-LL	57	1539
CUI-9355-02L-SS	57	1252
CUI-9355-02L-TT	57	1880
CUI-9355-02L-VV	57	1880
CUI-9355-02L-YY	57	1443
CUI-9540-35L-BB	58	1174
CUI-9540-35L-CC	58	587
CUI-9540-35L-GG	58	1468
CUI-9540-35L-KK	58	763
CUI-9540-35L-LL	58	990
CUI-9540-35L-SS	58	763
CUI-9540-35L-TT	58	1292
CUI-9540-35L-VV	58	1292
CUI-9540-35L-YY	58	1057

CODE	PAGE	PRICE
DGL-1670-03-BB	330	1198
DGL-1670-03-CC	330	546
DGL-1670-03-GG	330	1719
DGL-1670-03-KK	330	765
DGL-1670-03-LL	330	1217
DGL-1670-03-NN	330	888
DGL-1670-03-TT	330	1217
DGL-1670-03-VV	330	1217
DGL-1670-03-YY	330	888
DGL-2068-53-BB	330	1064
DGL-2068-53-CC	330	535
DGL-2068-53-GG	330	1702
DGL-2068-53-KK	330	722
DGL-2068-53-LL	330	973
DGL-2068-53-MM	330	973
DGL-2068-53-NN	330	858
DGL-2068-53-TT	330	1208
DGL-2068-53-VV	330	1208
DGL-2068-53-YY	330	858
DGL-2070-51-BB	330	1058
DGL-2070-51-CC	330	529
DGL-2070-51-GG	330	1711
DGL-2070-51-KK	330	741
DGL-2070-51-LL	330	953
DGL-2070-51-NN	330	855
DGL-2070-51-TT	330	1245
DGL-2070-51-VV	330	1245
DGL-2070-51-YY	330	855
DGL-2070-53-BB	331	989
DGL-2070-53-CC	331	455
DGL-2070-53-GG	331	1624
DGL-2070-53-KK	331	636
DGL-2070-53-LL	331	864
DGL-2070-53-NN	331	780
DGL-2070-53-TT	331	1210
DGL-2070-53-VV	331	1210
DGL-2070-53-YY	331	780
DGL-2070-57-BB	331	1024
DGL-2070-57-CC	331	489
DGL-2070-57-GG	331	1662
DGL-2070-57-KK	331	685
DGL-2070-57-LL	331	933
DGL-2070-57-NN	331	818
DGL-2070-57-TT	331	1168
DGL-2070-57-VV	331	1168
DGL-2070-57-YY	331	818
DGL-2070-62-BB	331	1138
DGL-2070-62-CC	331	569
DGL-2070-62-CI	331	685
DGL-2070-62-CK	331	685
DGL-2070-62-GG	331	1719
DGL-2070-62-KI	331	849
DGL-2070-62-KK	331	797
DGL-2070-62-LL	331	1025
DGL-2070-62-NN	331	918
DGL-2070-62-TT	331	1493
DGL-2070-62-VV	331	1493
DGL-2070-62-YY	331	918

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
DGL-2160-04-BB	332	1255
DGL-2160-04-CC	332	569
DGL-2160-04-GG	332	1723
DGL-2160-04-KK	332	1145
DGL-2160-04-LL	332	1361
DGL-2160-04-NN	332	887
DGL-2160-04-TT	332	1361
DGL-2160-04-VV	332	1361
DGL-2160-04-YY	332	887
DGL-2170-63-BB	332	891
DGL-2170-63-CC	332	225
DGL-2170-63-GG	332	1309
DGL-2170-63-KK	332	314
DGL-2170-63-LL	332	529
DGL-2170-63-NN	332	545
DGL-2170-63-TT	332	1092
DGL-2170-63-VV	332	1092
DGL-2170-63-YY	332	545
DGL-2175-52-BB	332	802
DGL-2175-52-CC	332	342
DGL-2175-52-GG	332	1376
DGL-2175-52-KK	332	480
DGL-2175-52-LL	332	1286
DGL-2175-52-NN	332	557
DGL-2175-52-TT	332	1205
DGL-2175-52-VV	332	1205
DGL-2175-52-YY	332	557
DGL-2175-53-BB	333	641
DGL-2175-53-CC	333	311
DGL-2175-53-GG	333	1355
DGL-2175-53-KK	333	435
DGL-2175-53-KM	333	621
DGL-2175-53-LL	333	552
DGL-2175-53-MM	333	552
DGL-2175-53-NN	333	501
DGL-2175-53-TT	333	1137
DGL-2175-53-VV	333	1137
DGL-2175-53-YY	333	501
DGL-2580-53-BB	333	918
DGL-2580-53-CC	333	342
DGL-2580-53-GG	333	1587
DGL-2580-53-KK	333	489
DGL-2580-53-LL	333	617
DGL-2580-53-NN	333	655
DGL-2580-53-TT	333	1148
DGL-2580-53-VV	333	1148
DGL-2580-53-YY	333	655
DGL-2584-53-BB	333	918
DGL-2584-53-CC	333	342
DGL-2584-53-GG	333	1587
DGL-2584-53-KK	333	489
DGL-2584-53-KM	333	738
DGL-2584-53-LL	333	617
DGL-2584-53-NN	333	688
DGL-2584-53-TT	333	1148
DGL-2584-53-VV	333	1148
DGL-2584-53-YY	333	688
DGL-3070-53-BB	334	1059

CODE	PAGE	PRICE
DGL-3070-53-CC	334	430
DGL-3070-53-GG	334	1624
DGL-3070-53-KK	334	603
DGL-3070-53-LL	334	975
DGL-3070-53-NN	334	780
DGL-3070-53-TT	334	1110
DGL-3070-53-VV	334	1110
DGL-3070-53-YY	334	780
DGL-3080-73-BB	334	1198
DGL-3080-73-CC	334	546
DGL-3080-73-GG	334	1665
DGL-3080-73-KK	334	765
DGL-3080-73-LL	334	1050
DGL-3080-73-NN	334	855
DGL-3080-73-TT	334	1242
DGL-3080-73-VV	334	1242
DGL-3080-73-YY	334	855
DGL-3080-83-BB	334	1198
DGL-3080-83-CC	334	546
DGL-3080-83-GG	334	1665
DGL-3080-83-KK	334	765
DGL-3080-83-LL	334	1050
DGL-3080-83-NN	334	855
DGL-3080-83-TT	334	1242
DGL-3080-83-VV	334	1242
DGL-3080-83-YY	334	855
DIS-9030-00-BB	62	254
DIS-9030-00-CC	62	179
DIS-9030-00-GG	62	326
DIS-9030-00-KK	62	215
DIS-9030-00-KM	62	267
DIS-9030-00-LL	62	234
DIS-9030-00-MM	62	234
DIS-9030-00-SS	62	212
DIS-9030-00-TT	62	294
DIS-9030-00-VV	62	294
DIS-9030-00-YY	62	224
DIS-9035-00-BB	62	254
DIS-9035-00-CC	62	179
DIS-9035-00-GG	62	326
DIS-9035-00-KK	62	215
DIS-9035-00-LL	62	234
DIS-9035-00-SS	62	212
DIS-9035-00-TT	62	294
DIS-9035-00-VV	62	294
DIS-9035-00-YY	62	224
DIS-9040-00-BB	62	193
DIS-9040-00-CC	62	138
DIS-9040-00-GG	62	286
DIS-9040-00-KK	62	174
DIS-9040-00-KM	62	232
DIS-9040-00-LL	62	190
DIS-9040-00-SS	62	170
DIS-9040-00-TT	62	259
DIS-9040-00-VV	62	259
DIS-9040-00-YY	62	185
DIS-9050-00-BB	62	267
DIS-9050-00-CC	62	188

CODE	PAGE	PRICE
DIS-9050-00-GG	62	342
DIS-9050-00-KK	62	226
DIS-9050-00-LL	62	280
DIS-9050-00-MM	62	280
DIS-9050-00-SS	62	246
DIS-9050-00-TT	62	309
DIS-9050-00-VV	62	309
DIS-9050-00-YY	62	235
DOU-1219-01-BB	338	260
DOU-1219-01-CC	338	99
DOU-1219-01-GG	338	339
DOU-1219-01-KK	338	236
DOU-1219-01-LL	338	298
DOU-1219-01-NN	338	132
DOU-1219-01-TT	338	322
DOU-1219-01-VV	338	322
DOU-1219-01-YY	338	132
DOU-2535-04-BB	338	562
DOU-2535-04-CC	338	296
DOU-2535-04-GG	338	616
DOU-2535-04-KK	338	465
DOU-2535-04-LL	338	493
DOU-2535-04-NN	338	383
DOU-2535-04-TT	338	532
DOU-2535-04-VV	338	532
DOU-2535-04-YY	338	383
DOU-2551-03-BB	338	222
DOU-2551-03-CC	338	68
DOU-2551-03-GG	338	314
DOU-2551-03-KK	338	95
DOU-2551-03-LL	338	291
DOU-2551-03-NN	338	124
DOU-2551-03-TT	338	291
DOU-2551-03-VV	338	291
DOU-2551-03-YY	338	124
DOU-2553-04-BB	338	343
DOU-2553-04-CC	338	192
DOU-2553-04-GG	338	401
DOU-2553-04-KK	338	306
DOU-2553-04-LL	338	362
DOU-2553-04-NN	338	245
DOU-2553-04-TT	338	362
DOU-2553-04-VV	338	362
DOU-2553-04-YY	338	245
DOU-2555-01-BB	339	212
DOU-2555-01-CC	339	65
DOU-2555-01-GG	339	249
DOU-2555-01-KK	339	170
DOU-2555-01-LL	339	278
DOU-2555-01-NN	339	120
DOU-2555-01-TT	339	278
DOU-2555-01-VV	339	278
DOU-2555-01-YY	339	120
DOU-2561-01-CC	339	56
DOU-2561-01-KK	339	79
DOU-2566-03-BB	339	116
DOU-2566-03-CC	339	75
DOU-2566-03-GG	339	264

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
DOU-2566-03-KK	339	105
DOU-2566-03-KM	339	140
DOU-2566-03-LL	339	120
DOU-2566-03-MM	339	120
DOU-2566-03-NN	339	124
DOU-2566-03-TT	339	248
DOU-2566-03-VV	339	248
DOU-2566-03-YY	339	124
DOU-2574-03-BB	339	265
DOU-2574-03-CC	339	132
DOU-2574-03-GG	339	305
DOU-2574-03-KK	339	159
DOU-2574-03-LL	339	212
DOU-2574-03-NN	339	180
DOU-2574-03-TT	339	267
DOU-2574-03-VV	339	267
DOU-2574-03-YY	339	180
DOU-2584-03-BB	340	265
DOU-2584-03-CC	340	132
DOU-2584-03-GG	340	305
DOU-2584-03-KK	340	159
DOU-2584-03-KM	340	212
DOU-2584-03-LL	340	212
DOU-2584-03-NN	340	180
DOU-2584-03-TT	340	267
DOU-2584-03-VV	340	267
DOU-2584-03-YY	340	180
DOU-2604-01-BB	340	216
DOU-2604-01-CC	340	130
DOU-2604-01-GG	340	333
DOU-2604-01-KK	340	167
DOU-2604-01-KM	340	225
DOU-2604-01-LL	340	183
DOU-2604-01-NN	340	196
DOU-2604-01-TT	340	295
DOU-2604-01-VV	340	295
DOU-2604-01-YY	340	196
DOU-2620-01-BB	340	399
DOU-2620-01-CC	340	198
DOU-2620-01-GG	340	578
DOU-2620-01-KK	340	284
DOU-2620-01-LL	340	336
DOU-2620-01-MM	340	336
DOU-2620-01-NN	340	305
DOU-2620-01-TT	340	420
DOU-2620-01-VV	340	420
DOU-2620-01-YY	340	305
DOU-2625-03-BB	340	265
DOU-2625-03-CC	340	132
DOU-2625-03-GG	340	305
DOU-2625-03-KK	340	159
DOU-2625-03-LL	340	212
DOU-2625-03-MM	340	212
DOU-2625-03-NN	340	180
DOU-2625-03-TT	340	267
DOU-2625-03-VV	340	267
DOU-2625-03-YY	340	180
DOU-2635-02-BB	341	299

CODE	PAGE	PRICE
DOU-2635-02-CC	341	149
DOU-2635-02-GG	341	367
DOU-2635-02-II	341	299
DOU-2635-02-KK	341	229
DOU-2635-02-LL	341	269
DOU-2635-02-NN	341	216
DOU-2635-02-TT	341	341
DOU-2635-02-VV	341	341
DOU-2635-02-YY	341	216
DOU-6030-M2-BB	63	242
DOU-6030-M2-CC	63	151
DOU-6030-M2-GG	63	297
DOU-6030-M2-KK	63	211
DOU-6030-M2-KM	63	242
DOU-6030-M2-LL	63	242
DOU-6030-M2-MM	63	242
DOU-6030-M2-SS	63	211
DOU-6030-M2-TT	63	285
DOU-6030-M2-VV	63	285
DOU-6030-M2-YY	63	205
DOU-6033-02-BB	63	253
DOU-6033-02-CC	63	162
DOU-6033-02-GG	63	308
DOU-6033-02-KK	63	222
DOU-6033-02-LL	63	265
DOU-6033-02-SS	63	222
DOU-6033-02-TT	63	297
DOU-6033-02-VV	63	297
DOU-6033-02-YY	63	216
DOU-6033-M2-BB	63	253
DOU-6033-M2-CC	63	162
DOU-6033-M2-GG	63	308
DOU-6033-M2-KK	63	222
DOU-6033-M2-KM	63	253
DOU-6033-M2-LL	63	265
DOU-6033-M2-MM	63	265
DOU-6033-M2-SS	63	222
DOU-6033-M2-TT	63	297
DOU-6033-M2-VV	63	297
DOU-6033-M2-YY	63	216
DOU-6035-02-BB	63	242
DOU-6035-02-CC	63	151
DOU-6035-02-GG	63	297
DOU-6035-02-KK	63	211
DOU-6035-02-LL	63	242
DOU-6035-02-SS	63	211
DOU-6035-02-TT	63	285
DOU-6035-02-VV	63	285
DOU-6035-02-YY	63	205
DOU-6037-02-BB	64	337
DOU-6037-02-CC	64	228
DOU-6037-02-GG	64	378
DOU-6037-02-KK	64	302
DOU-6037-02-LL	64	347
DOU-6037-02-SS	64	302
DOU-6037-02-TT	64	347
DOU-6037-02-VV	64	347
DOU-6037-02-YY	64	294

CODE	PAGE	PRICE
DOU-6038-M2-CC	64	208
DOU-6038-M2-KK	64	291
DOU-6038-M2-LL	64	334
DOU-6038-M2-SS	64	291
DOU-6043-M2-BB	64	337
DOU-6043-M2-CC	64	228
DOU-6043-M2-GG	64	378
DOU-6043-M2-KK	64	302
DOU-6043-M2-LL	64	347
DOU-6043-M2-MM	64	347
DOU-6043-M2-SS	64	302
DOU-6043-M2-TT	64	347
DOU-6043-M2-VV	64	347
DOU-6043-M2-YY	64	294
DOU-6047-03-BB	64	159
DOU-6047-03-CC	64	71
DOU-6047-03-GG	64	244
DOU-6047-03-KK	64	138
DOU-6047-03-LL	64	238
DOU-6047-03-SS	64	109
DOU-6047-03-TT	64	238
DOU-6047-03-VV	64	238
DOU-6047-03-YY	64	106
DOU-6071-02-BB	64	159
DOU-6071-02-CC	64	71
DOU-6071-02-GG	64	244
DOU-6071-02-KK	64	138
DOU-6071-02-LL	64	238
DOU-6071-02-SS	64	109
DOU-6071-02-TT	64	238
DOU-6071-02-VV	64	238
DOU-6071-02-YY	64	106
DSP-2555-20-BB	326	656
DSP-2555-20-CC	326	296
DSP-2555-20-GG	326	848
DSP-2555-20-KK	326	515
DSP-2555-20-LL	326	760
DSP-2555-20-NN	326	460
DSP-2555-20-TT	326	781
DSP-2555-20-VV	326	781
DSP-2555-20-YY	326	460
DSP-2561-19-CC	326	269
DSP-2561-19-KK	326	370
DSP-2566-19-BB	326	545
DSP-2566-19-CC	326	287
DSP-2566-19-GG	326	844
DSP-2566-19-KK	326	394
DSP-2566-19-LL	326	591
DSP-2566-19-NN	326	445
DSP-2566-19-TT	326	733
DSP-2566-19-VV	326	733
DSP-2566-19-YY	326	445
DSP-2574-19-BB	327	687
DSP-2574-19-CC	327	341
DSP-2574-19-GG	327	883
DSP-2574-19-KK	327	446
DSP-2574-19-LL	327	678
DSP-2574-19-NN	327	498

PRICE INDEX

CODE	PAGE	PRICE
DSP-2574-19-TT	327	751
DSP-2574-19-VV	327	751
DSP-2574-19-YY	327	498
DSP-2584-19-BB	327	687
DSP-2584-19-CC	327	341
DSP-2584-19-GG	327	883
DSP-2584-19-KK	327	446
DSP-2584-19-LL	327	678
DSP-2584-19-NN	327	498
DSP-2584-19-TT	327	751
DSP-2584-19-VV	327	751
DSP-2584-19-YY	327	498
DSP-2584-20-BB	327	706
DSP-2584-20-CC	327	360
DSP-2584-20-GG	327	902
DSP-2584-20-KK	327	506
DSP-2584-20-LL	327	697
DSP-2584-20-NN	327	517
DSP-2584-20-TT	327	770
DSP-2584-20-VV	327	770
DSP-2584-20-YY	327	517
DSP-2604-19-BB	328	640
DSP-2604-19-CC	328	339
DSP-2604-19-GG	328	909
DSP-2604-19-KK	328	453
DSP-2604-19-LL	328	651
DSP-2604-19-NN	328	520
DSP-2604-19-TT	328	778
DSP-2604-19-VV	328	778
DSP-2604-19-YY	328	520
DSP-2604-21-Bx	328	859
DSP-2604-21-Cx	328	517
DSP-2604-21-Gx	328	1176
DSP-2604-21-Kx	328	705
DSP-2604-21-Lx	328	836
DSP-2604-21-Nx	328	709
DSP-2604-21-Tx	328	993
DSP-2604-21-Vx	328	993
DSP-2604-21-Yx	328	709
DSP-2620-29-BB	328	757
DSP-2620-29-CC	328	392
DSP-2620-29-GG	328	1073
DSP-2620-29-KK	328	578
DSP-2620-29-LL	328	666
DSP-2620-29-MM	328	666
DSP-2620-29-NN	328	594
DSP-2620-29-TT	328	833
DSP-2620-29-VV	328	833
DSP-2620-29-YY	328	594
DSP-2635-19-BB	329	719
DSP-2635-19-CC	329	357
DSP-2635-19-GG	329	941
DSP-2635-19-KK	329	521
DSP-2635-19-LL	329	732
DSP-2635-19-NN	329	532
DSP-2635-19-TT	329	822
DSP-2635-19-VV	329	822
DSP-2635-19-YY	329	532

CODE	PAGE	PRICE
ELE-1001-01-BB	44	856
ELE-1001-01-CC	44	685
ELE-1001-01-GG	44	915
ELE-1001-01-KK	44	856
ELE-1001-01-KM	44	856
ELE-1001-01-LL	44	856
ELE-1001-01-MM	44	856
ELE-1001-01-SS	44	856
ELE-1001-01-TT	44	891
ELE-1001-01-VV	44	891
ELE-1001-01-YY	44	833
ELE-2001-01-BB	45	972
ELE-2001-01-CC	45	799
ELE-2001-01-EE	45	972
ELE-2001-01-GG	45	1029
ELE-2001-01-HH	45	972
ELE-2001-01-II	45	972
ELE-2001-01-JJ	45	972
ELE-2001-01-KK	45	972
ELE-2001-01-KM	45	972
ELE-2001-01-LL	45	972
ELE-2001-01-MM	45	972
ELE-2001-01-NN	45	945
ELE-2001-01-SS	45	972
ELE-2001-01-TT	45	1007
ELE-2001-01-VV	45	1007
ELE-2001-01-YY	45	945
EXC-6014-02-BB	296	315
EXC-6014-02-CC	296	137
EXC-6014-02-GG	296	370
EXC-6014-02-KK	296	285
EXC-6014-02-LL	296	312
EXC-6014-02-NN	296	233
EXC-6014-02-TT	296	312
EXC-6014-02-VV	296	312
EXC-6014-02-YY	296	233
EXT-2600-01	361	70
EXT-3404-00-BB	361	156
EXT-3404-00-CC	361	102
EXT-3404-00-GG	361	193
EXT-3404-00-KK	361	141
EXT-3404-00-LL	361	191
EXT-3404-00-NN	361	133
EXT-3404-00-TT	361	191
EXT-3404-00-VV	361	191
EXT-3404-00-YY	361	133
EXT-9520-30-BB	361	251
EXT-9520-30-CC	361	156
EXT-9520-30-GG	361	296
EXT-9520-30-KK	361	229
EXT-9520-30-LL	361	381
EXT-9520-30-NN	361	211
EXT-9520-30-TT	361	381
EXT-9520-30-VV	361	381
EXT-9520-30-YY	361	211
FIX-1100-00-B	72	117
GAP-3050-00-BB	65	115
GAP-3050-00-CC	65	75

CODE	PAGE	PRICE
GAP-3050-00-GG	65	150
GAP-3050-00-KK	65	90
GAP-3050-00-LL	65	95
GAP-3050-00-MM	65	95
GAP-3050-00-SS	65	95
GAP-3050-00-TT	65	125
GAP-3050-00-VV	65	125
GAP-3050-00-YY	65	95
GAP-9235-00-BB	65	115
GAP-9235-00-CC	65	75
GAP-9235-00-GG	65	150
GAP-9235-00-KK	65	90
GAP-9235-00-LL	65	95
GAP-9235-00-SS	65	95
GAP-9235-00-TT	65	125
GAP-9235-00-VV	65	125
GAP-9235-00-YY	65	95
GAP-9330-00-BB	65	120
GAP-9330-00-CC	65	85
GAP-9330-00-GG	65	160
GAP-9330-00-KK	65	100
GAP-9330-00-KM	65	110
GAP-9330-00-LL	65	105
GAP-9330-00-MM	65	105
GAP-9330-00-SS	65	105
GAP-9330-00-TT	65	135
GAP-9330-00-VV	65	135
GAP-9330-00-YY	65	105
INA-9030-02-BB	65	443
INA-9030-02-CC	65	339
INA-9030-02-GG	65	478
INA-9030-02-KK	65	418
INA-9030-02-KM	65	418
INA-9030-02-LL	65	418
INA-9030-02-MM	65	418
INA-9030-02-SS	65	418
INA-9030-02-TT	65	459
INA-9030-02-VV	65	459
INA-9030-02-YY	65	418
INA-9035-02-BB	65	443
INA-9035-02-CC	65	339
INA-9035-02-GG	65	478
INA-9035-02-KK	65	418
INA-9035-02-LL	65	418
INA-9035-02-SS	65	418
INA-9035-02-TT	65	459
INA-9035-02-VV	65	459
INA-9035-02-YY	65	418
INA-9050-02-BB	66	463
INA-9050-02-CC	66	359
INA-9050-02-GG	66	498
INA-9050-02-KK	66	438
INA-9050-02-LL	66	438
INA-9050-02-MM	66	438
INA-9050-02-SS	66	438
INA-9050-02-TT	66	479
INA-9050-02-VV	66	479
INA-9050-02-YY	66	438

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
M80-1030-10-Bx	233	154
M80-1030-10-Cx	233	116
M80-1030-10-Gx	233	178
M80-1030-10-Kx	233	138
M80-1030-10-Lx	233	149
M80-1030-10-Nx	233	145
M80-1030-10-Tx	233	161
M80-1030-10-Vx	233	161
M80-1030-10-Yx	233	145
M80-1030-20-Bx	233	154
M80-1030-20-Cx	233	116
M80-1030-20-Gx	233	178
M80-1030-20-Kx	233	138
M80-1030-20-Lx	233	149
M80-1030-20-Nx	233	145
M80-1030-20-Tx	233	161
M80-1030-20-Vx	233	161
M80-1030-20-Yx	233	145
M80-1030-30-Bx	233	154
M80-1030-30-Cx	233	116
M80-1030-30-Gx	233	178
M80-1030-30-Kx	233	138
M80-1030-30-Lx	233	149
M80-1030-30-Nx	233	145
M80-1030-30-Tx	233	161
M80-1030-30-Vx	233	161
M80-1030-30-Yx	233	145
M80-1030-40-Bx	233	154
M80-1030-40-Cx	233	116
M80-1030-40-Gx	233	178
M80-1030-40-Kx	233	138
M80-1030-40-Lx	233	149
M80-1030-40-Nx	233	145
M80-1030-40-Tx	233	161
M80-1030-40-Vx	233	161
M80-1030-40-Yx	233	145
M80-1100-10-Bx	237	154
M80-1100-10-Cx	237	116
M80-1100-10-Gx	237	178
M80-1100-10-Kx	237	138
M80-1100-10-Lx	237	149
M80-1100-10-Nx	237	145
M80-1100-10-Tx	237	161
M80-1100-10-Vx	237	161
M80-1100-10-Yx	237	145
M80-1100-20-Bx	237	154
M80-1100-20-Cx	237	116
M80-1100-20-Gx	237	178
M80-1100-20-Kx	237	138
M80-1100-20-Lx	237	149
M80-1100-20-Nx	237	145
M80-1100-20-Tx	237	161
M80-1100-20-Vx	237	161
M80-1100-20-Yx	237	145
M80-1100-30-Bx	237	154
M80-1100-30-Cx	237	116
M80-1100-30-Gx	237	178
M80-1100-30-Kx	237	138
M80-1100-30-Lx	237	149
M80-1100-30-Nx	237	145
M80-1100-30-Tx	237	161
M80-1100-30-Vx	237	161
M80-1100-30-Yx	237	145

CODE	PAGE	PRICE
M80-1100-30-Lx	237	149
M80-1100-30-Nx	237	145
M80-1100-30-Tx	237	161
M80-1100-30-Vx	237	161
M80-1100-30-Yx	237	145
M80-1100-40-Bx	237	154
M80-1100-40-Cx	237	116
M80-1100-40-Gx	237	178
M80-1100-40-Kx	237	138
M80-1100-40-Lx	237	149
M80-1100-40-Nx	237	145
M80-1100-40-Tx	237	161
M80-1100-40-Vx	237	161
M80-1100-40-Yx	237	145
M80-1249-10-Bx	238	154
M80-1249-10-Cx	238	116
M80-1249-10-Gx	238	178
M80-1249-10-Kx	238	138
M80-1249-10-Lx	238	149
M80-1249-10-Nx	238	145
M80-1249-10-Tx	238	161
M80-1249-10-Vx	238	161
M80-1249-10-Yx	238	145
M80-1249-20-Bx	238	154
M80-1249-20-Cx	238	116
M80-1249-20-Gx	238	178
M80-1249-20-Kx	238	138
M80-1249-20-Lx	238	149
M80-1249-20-Nx	238	145
M80-1249-20-Tx	238	161
M80-1249-20-Vx	238	161
M80-1249-20-Yx	238	145
M80-1249-30-Bx	238	154
M80-1249-30-Cx	238	116
M80-1249-30-Gx	238	178
M80-1249-30-Kx	238	138
M80-1249-30-Lx	238	149
M80-1249-30-Nx	238	145
M80-1249-30-Tx	238	161
M80-1249-30-Vx	238	161
M80-1249-30-Yx	238	145
M80-1249-40-Bx	238	154
M80-1249-40-Cx	238	116
M80-1249-40-Gx	238	178
M80-1249-40-Kx	238	138
M80-1249-40-Lx	238	149
M80-1249-40-Nx	238	145
M80-1249-40-Tx	238	161
M80-1249-40-Vx	238	161
M80-1249-40-Yx	238	145
M80-8000-110-Bx	235	308
M80-8000-110-Cx	235	232
M80-8000-110-Gx	235	356
M80-8000-110-Kx	235	276
M80-8000-110-Lx	235	298
M80-8000-110-Nx	235	290
M80-8000-110-Tx	235	322
M80-8000-110-Vx	235	322

CODE	PAGE	PRICE
M80-8000-110-Yx	235	290
M80-8000-220-Bx	235	308
M80-8000-220-Cx	235	232
M80-8000-220-Gx	235	356
M80-8000-220-Kx	235	276
M80-8000-220-Lx	235	298
M80-8000-220-Nx	235	290
M80-8000-220-Tx	235	322
M80-8000-220-Vx	235	322
M80-8000-220-Yx	235	290
M80-8000-330-Bx	235	308
M80-8000-330-Cx	235	232
M80-8000-330-Gx	235	356
M80-8000-330-Kx	235	276
M80-8000-330-Lx	235	298
M80-8000-330-Nx	235	290
M80-8000-330-Tx	235	322
M80-8000-330-Vx	235	322
M80-8000-330-Yx	235	290
M80-8000-440-Bx	235	308
M80-8000-440-Cx	235	232
M80-8000-440-Gx	235	356
M80-8000-440-Kx	235	276
M80-8000-440-Lx	235	298
M80-8000-440-Nx	235	290
M80-8000-440-Tx	235	322
M80-8000-440-Vx	235	322
M80-8000-440-Yx	235	290
M80-8100-10-Bx	236	154
M80-8100-10-Cx	236	116
M80-8100-10-Gx	236	178
M80-8100-10-Kx	236	138
M80-8100-10-Lx	236	149
M80-8100-10-Nx	236	145
M80-8100-10-Tx	236	161
M80-8100-10-Vx	236	161
M80-8100-10-Yx	236	145
M80-8100-20-Bx	236	154
M80-8100-20-Cx	236	116
M80-8100-20-Gx	236	178
M80-8100-20-Kx	236	138
M80-8100-20-Lx	236	149
M80-8100-20-Nx	236	145
M80-8100-20-Tx	236	161
M80-8100-20-Vx	236	161
M80-8100-20-Yx	236	145
M80-8100-30-Bx	236	154
M80-8100-30-Cx	236	116
M80-8100-30-Gx	236	178
M80-8100-30-Kx	236	138
M80-8100-30-Lx	236	149
M80-8100-30-Nx	236	145
M80-8100-30-Tx	236	161
M80-8100-30-Vx	236	161
M80-8100-30-Yx	236	145
M80-8100-40-Bx	236	154
M80-8100-40-Cx	236	116
M80-8100-40-Gx	236	178

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
M80-8100-40-Kx	236	138
M80-8100-40-Lx	236	149
M80-8100-40-Nx	236	145
M80-8100-40-Tx	236	161
M80-8100-40-Vx	236	161
M80-8100-40-Yx	236	145
M80-9100-10-Bx	241	154
M80-9100-10-Cx	241	116
M80-9100-10-Gx	241	178
M80-9100-10-Kx	241	138
M80-9100-10-Lx	241	149
M80-9100-10-Nx	241	145
M80-9100-10-Tx	241	161
M80-9100-10-Vx	241	161
M80-9100-10-Yx	241	145
M80-9100-20-Bx	241	154
M80-9100-20-Cx	241	116
M80-9100-20-Gx	241	178
M80-9100-20-Kx	241	138
M80-9100-20-Lx	241	149
M80-9100-20-Nx	241	145
M80-9100-20-Tx	241	161
M80-9100-20-Vx	241	161
M80-9100-20-Yx	241	145
M80-9100-30-Bx	241	154
M80-9100-30-Cx	241	116
M80-9100-30-Gx	241	178
M80-9100-30-Kx	241	138
M80-9100-30-Lx	241	149
M80-9100-30-Nx	241	145
M80-9100-30-Tx	241	161
M80-9100-30-Vx	241	161
M80-9100-30-Yx	241	145
M80-9100-40-Bx	241	154
M80-9100-40-Cx	241	116
M80-9100-40-Gx	241	178
M80-9100-40-Kx	241	138
M80-9100-40-Lx	241	149
M80-9100-40-Nx	241	145
M80-9100-40-Tx	241	161
M80-9100-40-Vx	241	161
M80-9100-40-Yx	241	145
M80-9180-14-Bx	242	308
M80-9180-14-Cx	242	232
M80-9180-14-Gx	242	356
M80-9180-14-Kx	242	276
M80-9180-14-Lx	242	298
M80-9180-14-Nx	242	290
M80-9180-14-Tx	242	322
M80-9180-14-Vx	242	322
M80-9180-14-Yx	242	290
M80-9180-24-Bx	242	308
M80-9180-24-Cx	242	232
M80-9180-24-Gx	242	356
M80-9180-24-Kx	242	276
M80-9180-24-Lx	242	298
M80-9180-24-Nx	242	290
M80-9180-24-Tx	242	322

CODE	PAGE	PRICE
M80-9180-24-Vx	242	322
M80-9180-24-Yx	242	290
M80-9180-34-Bx	242	308
M80-9180-34-Cx	242	232
M80-9180-34-Gx	242	356
M80-9180-34-Kx	242	276
M80-9180-34-Lx	242	298
M80-9180-34-Nx	242	290
M80-9180-34-Tx	242	322
M80-9180-34-Vx	242	322
M80-9180-34-Yx	242	290
M80-9400-10-Bx	244	154
M80-9400-10-Cx	244	116
M80-9400-10-Gx	244	178
M80-9400-10-Kx	244	138
M80-9400-10-Lx	244	149
M80-9400-10-Nx	244	145
M80-9400-10-Tx	244	161
M80-9400-10-Vx	244	161
M80-9400-10-Yx	244	145
M80-9400-20-Bx	244	154
M80-9400-20-Cx	244	116
M80-9400-20-Gx	244	178
M80-9400-20-Kx	244	138
M80-9400-20-Lx	244	149
M80-9400-20-Nx	244	145
M80-9400-20-Tx	244	161
M80-9400-20-Vx	244	161
M80-9400-20-Yx	244	145
M80-9400-30-Bx	244	154
M80-9400-30-Cx	244	116
M80-9400-30-Gx	244	178
M80-9400-30-Kx	244	138
M80-9400-30-Lx	244	149
M80-9400-30-Nx	244	145
M80-9400-30-Tx	244	161
M80-9400-30-Vx	244	161
M80-9400-30-Yx	244	145
M80-9400-40-Bx	244	154
M80-9400-40-Cx	244	116
M80-9400-40-Gx	244	178
M80-9400-40-Kx	244	138
M80-9400-40-Lx	244	149
M80-9400-40-Nx	244	145
M80-9400-40-Tx	244	161
M80-9400-40-Vx	244	161
M80-9400-40-Yx	244	145
M80-9453-10-Bx	245	586
M80-9453-10-Cx	245	294
M80-9453-10-Gx	245	733
M80-9453-10-Kx	245	410
M80-9453-10-Lx	245	470
M80-9453-10-Nx	245	399
M80-9453-10-Tx	245	645
M80-9453-10-Vx	245	645
M80-9453-10-Yx	245	399
M80-9453-20-Bx	245	586
M80-9453-20-Cx	245	294

CODE	PAGE	PRICE
M80-9453-20-Gx	245	733
M80-9453-20-Kx	245	410
M80-9453-20-Lx	245	470
M80-9453-20-Nx	245	399
M80-9453-20-Tx	245	645
M80-9453-20-Vx	245	645
M80-9453-20-Yx	245	399
M80-9453-30-Bx	245	586
M80-9453-30-Cx	245	294
M80-9453-30-Gx	245	733
M80-9453-30-Kx	245	410
M80-9453-30-Lx	245	470
M80-9453-30-Nx	245	399
M80-9453-30-Tx	245	645
M80-9453-30-Vx	245	645
M80-9453-30-Yx	245	399
M80-9453-40-Bx	245	586
M80-9453-40-Cx	245	294
M80-9453-40-Gx	245	733
M80-9453-40-Kx	245	410
M80-9453-40-Lx	245	470
M80-9453-40-Nx	245	399
M80-9453-40-Tx	245	645
M80-9453-40-Vx	245	645
M80-9453-40-Yx	245	399
M80-9500-10-Bx	249	154
M80-9500-10-Cx	249	116
M80-9500-10-Gx	249	178
M80-9500-10-Kx	249	138
M80-9500-10-Lx	249	149
M80-9500-10-Nx	249	145
M80-9500-10-Tx	249	161
M80-9500-10-Vx	249	161
M80-9500-10-Yx	249	145
M80-9500-20-Bx	249	154
M80-9500-20-Cx	249	116
M80-9500-20-Gx	249	178
M80-9500-20-Kx	249	138
M80-9500-20-Lx	249	149
M80-9500-20-Nx	249	145
M80-9500-20-Tx	249	161
M80-9500-20-Vx	249	161
M80-9500-20-Yx	249	145
M80-9500-30-Bx	249	154
M80-9500-30-Cx	249	116
M80-9500-30-Gx	249	178
M80-9500-30-Kx	249	138
M80-9500-30-Lx	249	149
M80-9500-30-Nx	249	145
M80-9500-30-Tx	249	161
M80-9500-30-Vx	249	161
M80-9500-30-Yx	249	145
M80-9500-40-Bx	249	154
M80-9500-40-Cx	249	116
M80-9500-40-Gx	249	178
M80-9500-40-Kx	249	138
M80-9500-40-Lx	249	149
M80-9500-40-Nx	249	145

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
M80-9500-40-Tx	249	161
M80-9500-40-Vx	249	161
M80-9500-40-Yx	249	145
M80-9520-110-Bx	246	308
M80-9520-110-Cx	246	232
M80-9520-110-Gx	246	356
M80-9520-110-Kx	246	276
M80-9520-110-Lx	246	298
M80-9520-110-Nx	246	290
M80-9520-110-Tx	246	322
M80-9520-110-Vx	246	322
M80-9520-110-Yx	246	290
M80-9520-120-Bx	246	308
M80-9520-120-Cx	246	232
M80-9520-120-Gx	246	356
M80-9520-120-Kx	246	276
M80-9520-120-Lx	246	298
M80-9520-120-Nx	246	290
M80-9520-120-Tx	246	322
M80-9520-120-Vx	246	322
M80-9520-120-Yx	246	290
M80-9520-130-Bx	246	308
M80-9520-130-Cx	246	232
M80-9520-130-Gx	246	356
M80-9520-130-Kx	246	276
M80-9520-130-Lx	246	298
M80-9520-130-Nx	246	290
M80-9520-130-Tx	246	322
M80-9520-130-Vx	246	322
M80-9520-130-Yx	246	290
M80-9520-220-Bx	246	308
M80-9520-220-Cx	246	232
M80-9520-220-Gx	246	356
M80-9520-220-Kx	246	276
M80-9520-220-Lx	246	298
M80-9520-220-Nx	246	290
M80-9520-220-Tx	246	322
M80-9520-220-Vx	246	322
M80-9520-220-Yx	246	290
M80-9520-230-Bx	246	308
M80-9520-230-Cx	246	232
M80-9520-230-Gx	246	356
M80-9520-230-Kx	246	276
M80-9520-230-Lx	246	298
M80-9520-230-Nx	246	290
M80-9520-230-Tx	246	322
M80-9520-230-Vx	246	322
M80-9520-230-Yx	246	290
M80-9520-330-Bx	246	308
M80-9520-330-Cx	246	232
M80-9520-330-Gx	246	356
M80-9520-330-Kx	246	276
M80-9520-330-Lx	246	298
M80-9520-330-Nx	246	290
M80-9520-330-Tx	246	322
M80-9520-330-Vx	246	322
M80-9520-330-Yx	246	290
MON-2600-00L-BB	224	1463

CODE	PAGE	PRICE
MON-2600-00L-CB	224	731
MON-2600-00L-GB	224	1828
MON-2600-00L-KB	224	1024
MON-2600-00L-LB	224	1171
MON-2600-00L-NB	224	995
MON-2600-00L-TB	224	1609
MON-2600-00L-VB	224	1609
MON-2600-00L-YB	224	995
PLA-0423-01-BB	296	159
PLA-0423-01-CC	296	45
PLA-0423-01-GG	296	193
PLA-0423-01-KK	296	131
PLA-0423-01-LL	296	216
PLA-0423-01-NN	296	85
PLA-0423-01-TT	296	216
PLA-0423-01-VV	296	216
PLA-0423-01-YY	296	85
PLA-0430-00-BB	296	159
PLA-0430-00-CC	296	45
PLA-0430-00-GG	296	193
PLA-0430-00-KK	296	131
PLA-0430-00-KM	296	143
PLA-0430-00-LL	296	216
PLA-0430-00-MM	296	216
PLA-0430-00-NN	296	85
PLA-0430-00-TT	296	216
PLA-0430-00-VV	296	216
PLA-0430-00-YY	296	85
PLA-0440-00-BB	296	164
PLA-0440-00-CC	296	48
PLA-0440-00-GG	296	199
PLA-0440-00-KK	296	137
PLA-0440-00-LL	296	222
PLA-0440-00-NN	296	90
PLA-0440-00-TT	296	222
PLA-0440-00-VV	296	222
PLA-0440-00-YY	296	90
PLA-0813-01-BB	63	228
PLA-0813-01-CC	63	69
PLA-0813-01-GG	63	265
PLA-0813-01-KK	63	96
PLA-0813-01-KM	63	112
PLA-0813-01-LL	63	211
PLA-0813-01-MM	63	211
PLA-0813-01-SS	63	112
PLA-0813-01-TT	63	228
PLA-0813-01-VV	63	228
PLA-0813-01-YY	63	143
PRO-1100-16-BB	105	3439
PRO-1100-16-CC	105	1719
PRO-1100-16-GG	105	4299
PRO-1100-16-KK	105	2407
PRO-1100-16-LL	105	3268
PRO-1100-16-NN	105	2508
PRO-1100-16-TT	105	3783
PRO-1100-16-VV	105	3783
PRO-1100-16-YY	105	2508
PRO-1100-53-BB	143	2910

CODE	PAGE	PRICE
PRO-1100-53-CC	143	1455
PRO-1100-53-GG	143	3639
PRO-1100-53-KK	143	2037
PRO-1100-53-LL	143	2765
PRO-1100-53-NN	143	2122
PRO-1100-53-TT	143	3201
PRO-1100-53-VV	143	3201
PRO-1100-53-YY	143	2122
PRO-1100-71-BB	221	3439
PRO-1100-71-CC	221	1719
PRO-1100-71-GG	221	4299
PRO-1100-71-KK	221	2407
PRO-1100-71-LL	221	3268
PRO-1100-71-NN	221	2508
PRO-1100-71-TT	221	3783
PRO-1100-71-VV	221	3783
PRO-1100-71-YY	221	2508
PRO-1100-74-BB	229	3439
PRO-1100-74-CC	229	1719
PRO-1100-74-GG	229	4299
PRO-1100-74-KK	229	2407
PRO-1100-74-LL	229	3268
PRO-1100-74-NN	229	2508
PRO-1100-74-TT	229	3783
PRO-1100-74-VV	229	3783
PRO-1100-74-YY	229	2508
PRO-1101-53-BB	324	3209
PRO-1101-53-CC	324	1605
PRO-1101-53-GG	324	4012
PRO-1101-53-KK	324	2246
PRO-1101-53-LL	324	3049
PRO-1101-53-NN	324	2340
PRO-1101-53-TT	324	3529
PRO-1101-53-VV	324	3529
PRO-1101-53-YY	324	2340
PRO-1102-53-BB	324	3439
PRO-1102-53-CC	324	1719
PRO-1102-53-GG	324	4299
PRO-1102-53-KK	324	2407
PRO-1102-53-LL	324	3268
PRO-1102-53-NN	324	2508
PRO-1102-53-TT	324	3783
PRO-1102-53-VV	324	3783
PRO-1102-53-YY	324	2508
PRO-1104-53-BB	79	2896
PRO-1104-53-CC	79	1448
PRO-1104-53-GG	79	3620
PRO-1104-53-KK	79	2028
PRO-1104-53-LL	79	2831
PRO-1104-53-NN	79	2172
PRO-1104-53-TT	79	3186
PRO-1104-53-VV	79	3186
PRO-1104-53-YY	79	2172
PRO-1401-03-BB	93	3738
PRO-1401-03-CC	93	1869
PRO-1401-03-GG	93	4673
PRO-1401-03-KK	93	2617
PRO-1401-03-LL	93	3552

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
PRO-1401-03-NN	93	2998
PRO-1401-03-TT	93	4112
PRO-1401-03-VV	93	4112
PRO-1401-03-YY	93	2998
PRO-2100-04-BB	79	1605
PRO-2100-04-CC	79	807
PRO-2100-04-GG	79	2081
PRO-2100-04-KK	79	1126
PRO-2100-04-LL	79	1438
PRO-2100-04-NN	79	1326
PRO-2100-04-TT	79	1851
PRO-2100-04-VV	79	1851
PRO-2100-04-YY	79	1326
PRO-2101-80-BB	254	1678
PRO-2101-80-CC	254	840
PRO-2101-80-GG	254	2098
PRO-2101-80-KK	254	1125
PRO-2101-80-LL	254	1328
PRO-2101-80-NN	254	1231
PRO-2101-80-TT	254	1845
PRO-2101-80-VV	254	1845
PRO-2101-80-YY	254	1231
PRO-2102-20-BB	119	2116
PRO-2102-20-CC	119	1219
PRO-2102-20-GG	119	2817
PRO-2102-20-KK	119	1536
PRO-2102-20-LL	119	1767
PRO-2102-20-MM	119	1767
PRO-2102-20-NN	119	1620
PRO-2102-20-TT	119	2280
PRO-2102-20-VV	119	2280
PRO-2102-20-YY	119	1620
PRO-2102-80-BB	255	1678
PRO-2102-80-CC	255	840
PRO-2102-80-GG	255	2098
PRO-2102-80-KK	255	1125
PRO-2102-80-LL	255	1328
PRO-2102-80-NN	255	1231
PRO-2102-80-TT	255	1845
PRO-2102-80-VV	255	1845
PRO-2102-80-YY	255	1231
PRO-2104-20-BB	119	2116
PRO-2104-20-CC	119	1219
PRO-2104-20-GG	119	2817
PRO-2104-20-KK	119	1536
PRO-2104-20-LL	119	1767
PRO-2104-20-MM	119	1767
PRO-2104-20-NN	119	1620
PRO-2104-20-TT	119	2280
PRO-2104-20-VV	119	2280
PRO-2104-20-YY	119	1620
PRO-2105-45-BB	143	1599
PRO-2105-45-CC	143	800
PRO-2105-45-GG	143	2060
PRO-2105-45-KK	143	1119
PRO-2105-45-LL	143	1438
PRO-2105-45-NN	143	1291
PRO-2105-45-TT	143	1810

CODE	PAGE	PRICE
PRO-2105-45-VV	143	1810
PRO-2105-45-YY	143	1291
PRO-2115-66-BB	205	1491
PRO-2115-66-CC	205	780
PRO-2115-66-GG	205	2011
PRO-2115-66-KK	205	1092
PRO-2115-66-LL	205	1297
PRO-2115-66-NN	205	1141
PRO-2115-66-TT	205	1756
PRO-2115-66-VV	205	1756
PRO-2115-66-YY	205	1141
PRO-2175-95-BB	93	1714
PRO-2175-95-CC	93	858
PRO-2175-95-GG	93	2143
PRO-2175-95-KK	93	1200
PRO-2175-95-LL	93	1629
PRO-2175-95-NN	93	1258
PRO-2175-95-TT	93	1886
PRO-2175-95-VV	93	1886
PRO-2175-95-YY	93	1258
PRO-2200-04-BB	79	1775
PRO-2200-04-CC	79	891
PRO-2200-04-GG	79	2351
PRO-2200-04-KK	79	1245
PRO-2200-04-LL	79	1687
PRO-2200-04-NN	79	1466
PRO-2200-04-TT	79	2042
PRO-2200-04-VV	79	2042
PRO-2200-04-YY	79	1466
PRO-2201-80-BB	256	1824
PRO-2201-80-CC	256	953
PRO-2201-80-GG	256	2382
PRO-2201-80-KK	256	1248
PRO-2201-80-LL	256	1589
PRO-2201-80-NN	256	1397
PRO-2201-80-TT	256	2157
PRO-2201-80-VV	256	2157
PRO-2201-80-YY	256	1397
PRO-2202-80-BB	257	1824
PRO-2202-80-CC	257	953
PRO-2202-80-GG	257	2382
PRO-2202-80-KK	257	1248
PRO-2202-80-LL	257	1589
PRO-2202-80-NN	257	1397
PRO-2202-80-TT	257	2157
PRO-2202-80-VV	257	2157
PRO-2202-80-YY	257	1397
PRO-2210-66-BB	205	1260
PRO-2210-66-CC	205	630
PRO-2210-66-GG	205	1575
PRO-2210-66-KK	205	882
PRO-2210-66-LL	205	1192
PRO-2210-66-NN	205	910
PRO-2210-66-TT	205	1386
PRO-2210-66-VV	205	1386
PRO-2210-66-YY	205	910
PRO-2220-66-BB	206	1606
PRO-2220-66-CC	206	803

CODE	PAGE	PRICE
PRO-2220-66-GG	206	2143
PRO-2220-66-KK	206	1124
PRO-2220-66-LL	206	1520
PRO-2220-66-NN	206	1291
PRO-2220-66-TT	206	1861
PRO-2220-66-VV	206	1861
PRO-2220-66-YY	206	1291
PRO-2801-80-BB	258	2605
PRO-2801-80-CC	258	1320
PRO-2801-80-GG	258	3365
PRO-2801-80-KK	258	1844
PRO-2801-80-LL	258	2197
PRO-2801-80-NN	258	1933
PRO-2801-80-TT	258	2932
PRO-2801-80-VV	258	2932
PRO-2801-80-YY	258	1933
PRO-2802-20-BB	120	3786
PRO-2802-20-CC	120	2189
PRO-2802-20-GG	120	5069
PRO-2802-20-KK	120	2813
PRO-2802-20-LL	120	3188
PRO-2802-20-MM	120	3188
PRO-2802-20-NN	120	2887
PRO-2802-20-TT	120	4227
PRO-2802-20-VV	120	4227
PRO-2802-20-YY	120	2887
PRO-2802-80-BB	259	2735
PRO-2802-80-CC	259	1371
PRO-2802-80-GG	259	3481
PRO-2802-80-KK	259	1917
PRO-2802-80-LL	259	2455
PRO-2802-80-NN	259	2009
PRO-2802-80-TT	259	3082
PRO-2802-80-VV	259	3082
PRO-2802-80-YY	259	2009
PRO-2804-20-BB	120	3786
PRO-2804-20-CC	120	2189
PRO-2804-20-GG	120	5069
PRO-2804-20-KK	120	2813
PRO-2804-20-LL	120	3188
PRO-2804-20-MM	120	3188
PRO-2804-20-NN	120	2887
PRO-2804-20-TT	120	4227
PRO-2804-20-VV	120	4227
PRO-2804-20-YY	120	2887
PRO-2805-04-BB	80	2580
PRO-2805-04-CC	80	1394
PRO-2805-04-GG	80	3221
PRO-2805-04-KK	80	1676
PRO-2805-04-KM	80	2588
PRO-2805-04-LL	80	2370
PRO-2805-04-NN	80	2132
PRO-2805-04-TT	80	2976
PRO-2805-04-VV	80	2976
PRO-2805-04-YY	80	2132
PRO-2805-45-BB	143	2720
PRO-2805-45-CC	143	1382
PRO-2805-45-GG	143	3508

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
PRO-2805-45-KK	143	1932
PRO-2805-45-LL	143	2278
PRO-2805-45-NN	143	2024
PRO-2805-45-TT	143	3081
PRO-2805-45-VV	143	3081
PRO-2805-45-YY	143	2024
PRO-2805-66-BB	206	2394
PRO-2805-66-CC	206	1353
PRO-2805-66-GG	206	3413
PRO-2805-66-KK	206	1869
PRO-2805-66-KM	206	2281
PRO-2805-66-LL	206	2187
PRO-2805-66-MM	206	2187
PRO-2805-66-NN	206	1908
PRO-2805-66-TT	206	3032
PRO-2805-66-VV	206	3032
PRO-2805-66-YY	206	1908
PRO-2805-95-BB	93	3102
PRO-2805-95-CC	93	1554
PRO-2805-95-GG	93	3933
PRO-2805-95-KK	93	2173
PRO-2805-95-LL	93	2947
PRO-2805-95-NN	93	2200
PRO-2805-95-TT	93	3410
PRO-2805-95-VV	93	3410
PRO-2805-95-YY	93	2200
PRO-2811-80-CC	260	1354
PRO-2811-80-KK	260	1893
PRO-2812-80-CC	261	1389
PRO-2812-80-KK	261	1941
PRO-2815-04-CC	80	1266
PRO-2815-04-KK	80	1764
PRO-2815-45-CC	144	1394
PRO-2815-45-KK	144	1732
PRO-2815-46-CC	159	1382
PRO-2815-46-KK	159	1932
PRO-2815-66-CC	206	1180
PRO-2815-95-CC	94	1257
PRO-2816-66-CC	207	1140
PRO-2816-66-KK	207	1365
PRO-2826-66-CC	207	1206
PRO-2826-66-KK	207	1451
PRO-2891-80-BB	262	2213
PRO-2891-80-CC	262	1242
PRO-2891-80-GG	262	3083
PRO-2891-80-KK	262	1731
PRO-2891-80-LL	262	2105
PRO-2891-80-NN	262	1792
PRO-2891-80-TT	262	2723
PRO-2891-80-VV	262	2723
PRO-2891-80-YY	262	1792
PRO-2892-80-BB	263	2400
PRO-2892-80-CC	263	1294
PRO-2892-80-GG	263	3126
PRO-2892-80-KK	263	1786
PRO-2892-80-LL	263	2322
PRO-2892-80-NN	263	1854
PRO-2892-80-TT	263	2837

CODE	PAGE	PRICE
PRO-2892-80-VV	263	2837
PRO-2892-80-YY	263	1854
PRO-2896-46-BB	159	2487
PRO-2896-46-CC	159	1395
PRO-2896-46-GG	159	3415
PRO-2896-46-KK	159	1890
PRO-2896-46-LL	159	2309
PRO-2896-46-NN	159	1966
PRO-2896-46-TT	159	3044
PRO-2896-46-VV	159	3044
PRO-2896-46-YY	159	1966
PRO-2896-66-BB	207	2299
PRO-2896-66-CC	207	1324
PRO-2896-66-GG	207	3191
PRO-2896-66-KK	207	1788
PRO-2896-66-LL	207	2160
PRO-2896-66-NN	207	1838
PRO-2896-66-TT	207	2867
PRO-2896-66-VV	207	2867
PRO-2896-66-YY	207	1838
PRO-2901-80-CC	264	1391
PRO-2902-80-CC	265	1449
PRO-2915-04-CC	80	1331
PRO-2915-04-KK	80	1800
PRO-2915-45-CC	144	1390
PRO-2915-45-KK	144	1902
PRO-2915-66-CC	208	1342
PRO-3301-80-BB	266	2847
PRO-3301-80-CC	266	1789
PRO-3301-80-GG	266	3747
PRO-3301-80-KK	266	2300
PRO-3301-80-LL	266	2687
PRO-3301-80-NN	266	2233
PRO-3301-80-TT	266	3152
PRO-3301-80-VV	266	3152
PRO-3301-80-YY	266	2233
PRO-3302-20-BB	120	3908
PRO-3302-20-CC	120	2409
PRO-3302-20-GG	120	5122
PRO-3302-20-KK	120	3162
PRO-3302-20-LL	120	3576
PRO-3302-20-MM	120	3576
PRO-3302-20-NN	120	3046
PRO-3302-20-TT	120	4507
PRO-3302-20-VV	120	4507
PRO-3302-20-YY	120	3046
PRO-3302-45-BB	144	3746
PRO-3302-45-CC	144	2202
PRO-3302-45-GG	144	4848
PRO-3302-45-KK	144	3033
PRO-3302-45-LL	144	3557
PRO-3302-45-NN	144	2933
PRO-3302-45-TT	144	4305
PRO-3302-45-VV	144	4305
PRO-3302-45-YY	144	2933
PRO-3302-47-Bx	173	5131
PRO-3302-47-Cx	173	2869
PRO-3302-47-Gx	173	6546

CODE	PAGE	PRICE
PRO-3302-47-Kx	173	4240
PRO-3302-47-Lx	173	5014
PRO-3302-47-Nx	173	3851
PRO-3302-47-Tx	173	5358
PRO-3302-47-Vx	173	5358
PRO-3302-47-Yx	173	3851
PRO-3302-66-BB	208	3738
PRO-3302-66-CC	208	2215
PRO-3302-66-GG	208	4836
PRO-3302-66-KK	208	3027
PRO-3302-66-LL	208	3543
PRO-3302-66-NN	208	2910
PRO-3302-66-TT	208	4293
PRO-3302-66-VV	208	4293
PRO-3302-66-YY	208	2910
PRO-3302-80-BB	267	2979
PRO-3302-80-CC	267	1878
PRO-3302-80-GG	267	3862
PRO-3302-80-KK	267	2420
PRO-3302-80-LL	267	2843
PRO-3302-80-NN	267	2360
PRO-3302-80-TT	267	3342
PRO-3302-80-VV	267	3342
PRO-3302-80-YY	267	2360
PRO-3303-47-Bx	173	5380
PRO-3303-47-Cx	173	2971
PRO-3303-47-Gx	173	6959
PRO-3303-47-Kx	173	4427
PRO-3303-47-Lx	173	5199
PRO-3303-47-Nx	173	4055
PRO-3303-47-Tx	173	5920
PRO-3303-47-Vx	173	5920
PRO-3303-47-Yx	173	4055
PRO-3304-20-BB	121	3908
PRO-3304-20-CC	121	2409
PRO-3304-20-GG	121	5122
PRO-3304-20-KK	121	3162
PRO-3304-20-LL	121	3576
PRO-3304-20-MM	121	3576
PRO-3304-20-NN	121	3046
PRO-3304-20-TT	121	4507
PRO-3304-20-VV	121	4507
PRO-3304-20-YY	121	3046
PRO-3304-47-Bx	174	3553
PRO-3304-47-Cx	174	2227
PRO-3304-47-Gx	174	4640
PRO-3304-47-Kx	174	2881
PRO-3304-47-Lx	174	3512
PRO-3304-47-Nx	174	2796
PRO-3304-47-Tx	174	4085
PRO-3304-47-Vx	174	4085
PRO-3304-47-Yx	174	2796
PRO-3311-80-BB	268	2078
PRO-3311-80-CC	268	1432
PRO-3311-80-GG	268	2768
PRO-3311-80-KK	268	1774
PRO-3311-80-LL	268	2036
PRO-3311-80-NN	268	1740

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
PRO-3311-80-TT	268	2396
PRO-3311-80-VV	268	2396
PRO-3311-80-YY	268	1740
PRO-3352-47-Bx	174	5352
PRO-3352-47-Cx	174	2878
PRO-3352-47-Gx	174	6721
PRO-3352-47-Kx	174	4254
PRO-3352-47-Lx	174	5125
PRO-3352-47-Nx	174	3991
PRO-3352-47-Tx	174	5438
PRO-3352-47-Vx	174	5438
PRO-3352-47-Yx	174	3991
PRO-3405-04-BB	81	3798
PRO-3405-04-CC	81	1974
PRO-3405-04-GG	81	4885
PRO-3405-04-KK	81	2749
PRO-3405-04-LL	81	3176
PRO-3405-04-NN	81	2872
PRO-3405-04-TT	81	4234
PRO-3405-04-VV	81	4234
PRO-3405-04-YY	81	2872
PRO-3420-16-BB	105	3789
PRO-3420-16-CC	105	1925
PRO-3420-16-GG	105	4799
PRO-3420-16-KK	105	2641
PRO-3420-16-LL	105	3205
PRO-3420-16-NN	105	2728
PRO-3420-16-TT	105	4223
PRO-3420-16-VV	105	4223
PRO-3420-16-YY	105	2728
PRO-3420-18-BB	106	3789
PRO-3420-18-CB	106	1925
PRO-3420-18-CC	106	1925
PRO-3420-18-GB	106	4799
PRO-3420-18-GG	106	4799
PRO-3420-18-KB	106	2641
PRO-3420-18-KK	106	2641
PRO-3420-18-LB	106	3205
PRO-3420-18-LL	106	3205
PRO-3420-18-NB	106	2728
PRO-3420-18-NN	106	2728
PRO-3420-18-TB	106	4223
PRO-3420-18-TT	106	4223
PRO-3420-18-VB	106	4223
PRO-3420-18-VV	106	4223
PRO-3420-18-YB	106	2728
PRO-3420-18-YY	106	2728
PRO-3420-71-BB	221	4419
PRO-3420-71-CC	221	2357
PRO-3420-71-GG	221	5489
PRO-3420-71-KK	221	3295
PRO-3420-71-LL	221	4387
PRO-3420-71-NN	221	3243
PRO-3420-71-TT	221	4726
PRO-3420-71-VV	221	4726
PRO-3420-71-YY	221	3243
PRO-3420-72-BB	222	4419
PRO-3420-72-CC	222	2357

CODE	PAGE	PRICE
PRO-3420-72-GG	222	5489
PRO-3420-72-KK	222	3295
PRO-3420-72-LL	222	4387
PRO-3420-72-NN	222	3243
PRO-3420-72-TT	222	4726
PRO-3420-72-VV	222	4726
PRO-3420-72-YY	222	3243
PRO-3420-74-BB	229	4419
PRO-3420-74-CB	229	2357
PRO-3420-74-GB	229	5489
PRO-3420-74-KB	229	3295
PRO-3420-74-LB	229	4234
PRO-3420-74-NB	229	3243
PRO-3420-74-TB	229	4726
PRO-3420-74-VB	229	4726
PRO-3420-74-YB	229	3243
PRO-3950-04-BB	81	6771
PRO-3950-04-CC	81	3627
PRO-3950-04-GG	81	8051
PRO-3950-04-KK	81	4978
PRO-3950-04-LL	81	5684
PRO-3950-04-NN	81	5007
PRO-3950-04-TT	81	7163
PRO-3950-04-VV	81	7163
PRO-3950-04-YY	81	5007
PRO-3950-46-BB	160	7156
PRO-3950-46-CC	160	3860
PRO-3950-46-GG	160	8598
PRO-3950-46-KK	160	5356
PRO-3950-46-LL	160	6273
PRO-3950-46-NN	160	5179
PRO-3950-46-TT	160	7431
PRO-3950-46-VV	160	7431
PRO-3950-46-YY	160	5179
PRO-4150-04-BB	81	2266
PRO-4150-04-CC	81	1261
PRO-4150-04-GG	81	3002
PRO-4150-04-KK	81	1579
PRO-4150-04-KM	81	1990
PRO-4150-04-LL	81	1768
PRO-4150-04-NN	81	1755
PRO-4150-04-TT	81	2539
PRO-4150-04-VV	81	2539
PRO-4150-04-YY	81	1755
PRO-4150-05-BB	94	2563
PRO-4150-05-CC	94	1398
PRO-4150-05-GG	94	3227
PRO-4150-05-KK	94	1769
PRO-4150-05-LL	94	2179
PRO-4150-05-NN	94	1912
PRO-4150-05-TT	94	2658
PRO-4150-05-VV	94	2658
PRO-4150-05-YY	94	1912
PRO-4150-45-BB	145	2383
PRO-4150-45-CC	145	1300
PRO-4150-45-GG	145	3130
PRO-4150-45-KK	145	1646
PRO-4150-45-LL	145	1846

CODE	PAGE	PRICE
PRO-4150-45-NN	145	1807
PRO-4150-45-TT	145	2659
PRO-4150-45-VV	145	2659
PRO-4150-45-YY	145	1807
PRO-4150-46-BB	160	2451
PRO-4150-46-CC	160	1321
PRO-4150-46-GG	160	3205
PRO-4150-46-KK	160	1683
PRO-4150-46-LL	160	1891
PRO-4150-46-NN	160	1845
PRO-4150-46-TT	160	2729
PRO-4150-46-VV	160	2729
PRO-4150-46-YY	160	1845
PRO-4150-56-CB	189	1566
PRO-4150-56-CC	189	1566
PRO-4150-56-CF	189	1566
PRO-4150-66-BB	208	2044
PRO-4150-66-CC	208	1246
PRO-4150-66-GG	208	2839
PRO-4150-66-KK	208	1553
PRO-4150-66-KM	208	1936
PRO-4150-66-LL	208	1732
PRO-4150-66-MM	208	1732
PRO-4150-66-NN	208	1598
PRO-4150-66-TT	208	2564
PRO-4150-66-VV	208	2564
PRO-4150-66-YY	208	1598
PRO-4151-80-BB	269	2231
PRO-4151-80-CC	269	1207
PRO-4151-80-GG	269	2964
PRO-4151-80-KK	269	1556
PRO-4151-80-LL	269	1739
PRO-4151-80-NN	269	1732
PRO-4151-80-TT	269	2514
PRO-4151-80-VV	269	2514
PRO-4151-80-YY	269	1732
PRO-4152-20-BB	121	2659
PRO-4152-20-CC	121	1733
PRO-4152-20-GG	121	3570
PRO-4152-20-KK	121	2098
PRO-4152-20-LL	121	2363
PRO-4152-20-MM	121	2363
PRO-4152-20-NN	121	2196
PRO-4152-20-TT	121	2816
PRO-4152-20-VV	121	2816
PRO-4152-20-YY	121	2196
PRO-4152-80-BB	270	2231
PRO-4152-80-CC	270	1207
PRO-4152-80-GG	270	2964
PRO-4152-80-KK	270	1556
PRO-4152-80-LL	270	1739
PRO-4152-80-NN	270	1732
PRO-4152-80-TT	270	2514
PRO-4152-80-VV	270	2514
PRO-4152-80-YY	270	1732
PRO-4154-20-BB	121	2659
PRO-4154-20-CC	121	1733
PRO-4154-20-GG	121	3570

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
PRO-4154-20-KK	121	2098
PRO-4154-20-LL	121	2363
PRO-4154-20-MM	121	2363
PRO-4154-20-NN	121	2196
PRO-4154-20-TT	121	2816
PRO-4154-20-VV	121	2816
PRO-4154-20-YY	121	2196
PRO-4155-66-BB	209	2079
PRO-4155-66-CC	209	1187
PRO-4155-66-GG	209	2646
PRO-4155-66-KK	209	1481
PRO-4155-66-LL	209	2242
PRO-4155-66-NN	209	1531
PRO-4155-66-TT	209	2450
PRO-4155-66-VV	209	2450
PRO-4155-66-YY	209	1531
PRO-4162-20-BB	122	2010
PRO-4162-20-CC	122	1350
PRO-4162-20-GG	122	2670
PRO-4162-20-KK	122	1597
PRO-4162-20-LL	122	1773
PRO-4162-20-MM	122	1773
PRO-4162-20-NN	122	1667
PRO-4162-20-TT	122	2167
PRO-4162-20-VV	122	2167
PRO-4162-20-YY	122	1667
PRO-4164-20-BB	122	2010
PRO-4164-20-CC	122	1350
PRO-4164-20-GG	122	2670
PRO-4164-20-KK	122	1597
PRO-4164-20-LL	122	1773
PRO-4164-20-MM	122	1773
PRO-4164-20-NN	122	1667
PRO-4164-20-TT	122	2167
PRO-4164-20-VV	122	2167
PRO-4164-20-YY	122	1667
PRO-4201-66-BB	209	3109
PRO-4201-66-CC	209	1710
PRO-4201-66-GG	209	4256
PRO-4201-66-KK	209	2360
PRO-4201-66-LL	209	2738
PRO-4201-66-NN	209	2457
PRO-4201-66-TT	209	3714
PRO-4201-66-VV	209	3714
PRO-4201-66-YY	209	2457
PRO-4201-80-BB	271	3387
PRO-4201-80-CC	271	1688
PRO-4201-80-GG	271	4294
PRO-4201-80-KK	271	2372
PRO-4201-80-LL	271	2765
PRO-4201-80-NN	271	2489
PRO-4201-80-TT	271	3726
PRO-4201-80-VV	271	3726
PRO-4201-80-YY	271	2489
PRO-4202-20-BB	122	4022
PRO-4202-20-CC	122	2458
PRO-4202-20-GG	122	5540
PRO-4202-20-KK	122	3149

CODE	PAGE	PRICE
PRO-4202-20-LL	122	3544
PRO-4202-20-MM	122	3544
PRO-4202-20-NN	122	3233
PRO-4202-20-TT	122	4417
PRO-4202-20-VV	122	4417
PRO-4202-20-YY	122	3233
PRO-4202-80-BB	272	3560
PRO-4202-80-CC	272	1774
PRO-4202-80-GG	272	4516
PRO-4202-80-KK	272	2493
PRO-4202-80-LL	272	2920
PRO-4202-80-NN	272	2614
PRO-4202-80-TT	272	3915
PRO-4202-80-VV	272	3915
PRO-4202-80-YY	272	2614
PRO-4204-20-BB	123	4022
PRO-4204-20-CC	123	2458
PRO-4204-20-GG	123	5540
PRO-4204-20-KK	123	3149
PRO-4204-20-LL	123	3544
PRO-4204-20-MM	123	3544
PRO-4204-20-NN	123	3233
PRO-4204-20-TT	123	4417
PRO-4204-20-VV	123	4417
PRO-4204-20-YY	123	3233
PRO-4205-04-BB	82	3029
PRO-4205-04-CC	82	1603
PRO-4205-04-GG	82	3846
PRO-4205-04-KK	82	1898
PRO-4205-04-KM	82	2467
PRO-4205-04-LL	82	2367
PRO-4205-04-NN	82	2291
PRO-4205-04-TT	82	3480
PRO-4205-04-VV	82	3480
PRO-4205-04-YY	82	2291
PRO-4206-05-BB	94	3443
PRO-4206-05-CC	94	1667
PRO-4206-05-GG	94	4303
PRO-4206-05-KK	94	2031
PRO-4206-05-LL	94	3251
PRO-4206-05-NN	94	2361
PRO-4206-05-TT	94	3787
PRO-4206-05-VV	94	3787
PRO-4206-05-YY	94	2361
PRO-4206-45-BB	145	3006
PRO-4206-45-CC	145	1595
PRO-4206-45-GG	145	3816
PRO-4206-45-KK	145	2116
PRO-4206-45-LL	145	2467
PRO-4206-45-NN	145	2407
PRO-4206-45-TT	145	3357
PRO-4206-45-VV	145	3357
PRO-4206-45-YY	145	2407
PRO-4206-46-BB	160	3494
PRO-4206-46-CC	160	1838
PRO-4206-46-GG	160	4617
PRO-4206-46-KK	160	2572
PRO-4206-46-LL	160	3046

CODE	PAGE	PRICE
PRO-4206-46-NN	160	2632
PRO-4206-46-TT	160	4020
PRO-4206-46-VV	160	4020
PRO-4206-46-YY	160	2632
PRO-4206-66-BB	209	2479
PRO-4206-66-CC	209	1504
PRO-4206-66-GG	209	3806
PRO-4206-66-KK	209	1961
PRO-4206-66-LL	209	2245
PRO-4206-66-NN	209	2054
PRO-4206-66-TT	209	3355
PRO-4206-66-VV	209	3355
PRO-4206-66-YY	209	2054
PRO-4207-66-CC	210	1669
PRO-4207-66-KK	210	2204
PRO-4207-66-KM	210	2781
PRO-4207-66-LL	210	2529
PRO-4207-66-MM	210	2529
PRO-4207-66-NN	210	2272
PRO-4211-80-CC	273	1580
PRO-4211-80-KK	273	2053
PRO-4212-80-CC	274	1607
PRO-4212-80-KK	274	2099
PRO-4215-04-CC	82	1379
PRO-4215-04-KK	82	1788
PRO-4216-05-CC	95	1505
PRO-4216-05-KK	95	2105
PRO-4216-45-CC	145	1470
PRO-4216-45-KK	145	2056
PRO-4216-46-CC	161	1643
PRO-4216-51-CC	181	2229
PRO-4216-51-CF	181	2279
PRO-4216-66-CC	210	1434
PRO-4216-66-KK	210	1648
PRO-4216-66-LL	210	2387
PRO-4216-66-NN	210	2147
PRO-4226-46-BB	161	3934
PRO-4226-46-CC	161	2065
PRO-4226-46-KK	161	2797
PRO-4226-46-NN	161	2865
PRO-4226-46-YY	161	2865
PRO-4226-56-CB	189	2181
PRO-4226-56-CC	189	2140
PRO-4226-56-CF	189	2181
PRO-4236-56-CB	190	2457
PRO-4236-56-CC	190	2417
PRO-4236-56-CF	190	2457
PRO-4291-51-CC	181	2103
PRO-4291-51-CF	181	2160
PRO-4291-80-BB	275	3027
PRO-4291-80-CC	275	1588
PRO-4291-80-GG	275	3688
PRO-4291-80-KK	275	2201
PRO-4291-80-LL	275	2688
PRO-4291-80-NN	275	2241
PRO-4291-80-TT	275	3278
PRO-4291-80-VV	275	3278
PRO-4291-80-YY	275	2241

PRICE INDEX

CODE	PAGE	PRICE
PRO-4292-80-BB	276	3198
PRO-4292-80-CC	276	1684
PRO-4292-80-GG	276	3857
PRO-4292-80-KK	276	2322
PRO-4292-80-LL	276	2843
PRO-4292-80-NN	276	2367
PRO-4292-80-TT	276	3468
PRO-4292-80-VV	276	3468
PRO-4292-80-YY	276	2367
PRO-4296-04-BB	82	2851
PRO-4296-04-CC	82	1536
PRO-4296-04-GG	82	3409
PRO-4296-04-KK	82	2071
PRO-4296-04-LL	82	2529
PRO-4296-04-NN	82	2122
PRO-4296-04-TT	82	3159
PRO-4296-04-VV	82	3159
PRO-4296-04-YY	82	2122
PRO-4296-05-BB	95	3388
PRO-4296-05-CC	95	1723
PRO-4296-05-GG	95	4087
PRO-4296-05-KK	95	2395
PRO-4296-05-LL	95	3099
PRO-4296-05-NN	95	2437
PRO-4296-05-TT	95	3702
PRO-4296-05-VV	95	3702
PRO-4296-05-YY	95	2437
PRO-4296-46-BB	161	3236
PRO-4296-46-CC	161	1760
PRO-4296-46-GG	161	3996
PRO-4296-46-KK	161	2357
PRO-4296-46-LL	161	2838
PRO-4296-46-NN	161	2396
PRO-4296-46-TT	161	3556
PRO-4296-46-VV	161	3556
PRO-4296-46-YY	161	2396
PRO-4296-56-CB	190	1778
PRO-4296-56-CC	190	1737
PRO-4296-56-CF	190	1778
PRO-4297-45-BB	146	2790
PRO-4297-45-CC	146	1556
PRO-4297-45-GG	146	3571
PRO-4297-45-KK	146	2123
PRO-4297-45-LL	146	2495
PRO-4297-45-NN	146	2119
PRO-4297-45-TT	146	3247
PRO-4297-45-VV	146	3247
PRO-4297-45-YY	146	2119
PRO-4297-66-BB	210	2551
PRO-4297-66-CC	210	1499
PRO-4297-66-GG	210	3425
PRO-4297-66-KK	210	2007
PRO-4297-66-LL	210	2339
PRO-4297-66-NN	210	2006
PRO-4297-66-TT	210	3128
PRO-4297-66-VV	210	3128
PRO-4297-66-YY	210	2006
PRO-4301-80-BB	277	3504

CODE	PAGE	PRICE
PRO-4301-80-CC	277	1831
PRO-4301-80-GG	277	4683
PRO-4301-80-KK	277	2562
PRO-4301-80-LL	277	2951
PRO-4301-80-NN	277	2707
PRO-4301-80-TT	277	4057
PRO-4301-80-VV	277	4057
PRO-4301-80-YY	277	2707
PRO-4302-20-BB	123	4523
PRO-4302-20-CC	123	2758
PRO-4302-20-GG	123	6239
PRO-4302-20-KK	123	3495
PRO-4302-20-LL	123	3956
PRO-4302-20-MM	123	3956
PRO-4302-20-NN	123	3603
PRO-4302-20-TT	123	4992
PRO-4302-20-VV	123	4992
PRO-4302-20-YY	123	3603
PRO-4302-66-BB	211	3350
PRO-4302-66-CC	211	1866
PRO-4302-66-GG	211	4666
PRO-4302-66-KK	211	2549
PRO-4302-66-LL	211	2969
PRO-4302-66-NN	211	2668
PRO-4302-66-TT	211	4099
PRO-4302-66-VV	211	4099
PRO-4302-66-YY	211	2668
PRO-4302-80-BB	278	3667
PRO-4302-80-CC	278	1917
PRO-4302-80-GG	278	4892
PRO-4302-80-KK	278	2683
PRO-4302-80-LL	278	3089
PRO-4302-80-NN	278	2832
PRO-4302-80-TT	278	4247
PRO-4302-80-VV	278	4247
PRO-4302-80-YY	278	2832
PRO-4304-20-BB	124	4523
PRO-4304-20-CC	124	2758
PRO-4304-20-GG	124	6239
PRO-4304-20-KK	124	3495
PRO-4304-20-LL	124	3956
PRO-4304-20-MM	124	3956
PRO-4304-20-NN	124	3603
PRO-4304-20-TT	124	4992
PRO-4304-20-VV	124	4992
PRO-4304-20-YY	124	3603
PRO-4305-04-BB	83	3719
PRO-4305-04-CC	83	1888
PRO-4305-04-GG	83	4842
PRO-4305-04-KK	83	2193
PRO-4305-04-KM	83	3039
PRO-4305-04-LL	83	2794
PRO-4305-04-NN	83	2794
PRO-4305-04-TT	83	4142
PRO-4305-04-VV	83	4142
PRO-4305-04-YY	83	2794
PRO-4306-45-BB	146	3816
PRO-4306-45-CC	146	2042

CODE	PAGE	PRICE
PRO-4306-45-GG	146	4931
PRO-4306-45-KK	146	2542
PRO-4306-45-LL	146	2899
PRO-4306-45-NN	146	2835
PRO-4306-45-TT	146	4251
PRO-4306-45-VV	146	4251
PRO-4306-45-YY	146	2835
PRO-4306-46-BB	162	4232
PRO-4306-46-CC	162	2180
PRO-4306-46-GG	162	5392
PRO-4306-46-KK	162	3020
PRO-4306-46-LL	162	3669
PRO-4306-46-NN	162	3163
PRO-4306-46-TT	162	4745
PRO-4306-46-VV	162	4745
PRO-4306-46-YY	162	3163
PRO-4306-66-BB	211	2812
PRO-4306-66-CC	211	1705
PRO-4306-66-GG	211	4292
PRO-4306-66-KK	211	2348
PRO-4306-66-LL	211	2546
PRO-4306-66-NN	211	2327
PRO-4306-66-TT	211	3780
PRO-4306-66-VV	211	3780
PRO-4306-66-YY	211	2327
PRO-4307-05-BB	95	3959
PRO-4307-05-CC	95	2034
PRO-4307-05-GG	95	5112
PRO-4307-05-KK	95	2677
PRO-4307-05-LL	95	3603
PRO-4307-05-NN	95	2863
PRO-4307-05-TT	95	4306
PRO-4307-05-VV	95	4306
PRO-4307-05-YY	95	2863
PRO-4307-66-CC	211	1818
PRO-4307-66-KK	211	2393
PRO-4307-66-KM	211	3028
PRO-4307-66-LL	211	2760
PRO-4307-66-MM	211	2760
PRO-4307-66-NN	211	2478
PRO-4316-04-CC	83	1801
PRO-4316-04-KK	83	2158
PRO-4316-66-CC	212	1643
PRO-4316-66-KK	212	1951
PRO-4316-66-LL	212	2692
PRO-4316-66-NN	212	2344
PRO-4394-66-BB	212	4067
PRO-4394-66-CC	212	2201
PRO-4394-66-GG	212	5504
PRO-4394-66-KK	212	3081
PRO-4394-66-LL	212	3629
PRO-4394-66-NN	212	3020
PRO-4394-66-TT	212	4842
PRO-4394-66-VV	212	4842
PRO-4394-66-YY	212	3020
PRO-4395-05-BB	96	5785
PRO-4395-05-CC	96	3065
PRO-4395-05-GG	96	7068

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
PRO-4395-05-KK	96	4158
PRO-4395-05-LL	96	5077
PRO-4395-05-NN	96	4279
PRO-4395-05-TT	96	6101
PRO-4395-05-VV	96	6101
PRO-4395-05-YY	96	4279
PRR-2801-80-BB	258	2605
PRR-2801-80-CC	258	1320
PRR-2801-80-GG	258	3365
PRR-2801-80-KK	258	1844
PRR-2801-80-LL	258	2197
PRR-2801-80-NN	258	1933
PRR-2801-80-TT	258	2932
PRR-2801-80-VV	258	2932
PRR-2801-80-YY	258	1933
PRR-2802-20-BB	120	3786
PRR-2802-20-CC	120	2189
PRR-2802-20-GG	120	5069
PRR-2802-20-KK	120	2813
PRR-2802-20-LL	120	3188
PRR-2802-20-MM	120	3188
PRR-2802-20-NN	120	2887
PRR-2802-20-TT	120	4227
PRR-2802-20-VV	120	4227
PRR-2802-20-YY	120	2887
PRR-2802-80-BB	259	2735
PRR-2802-80-CC	259	1371
PRR-2802-80-GG	259	3481
PRR-2802-80-KK	259	1917
PRR-2802-80-LL	259	2455
PRR-2802-80-NN	259	2009
PRR-2802-80-TT	259	3082
PRR-2802-80-VV	259	3082
PRR-2802-80-YY	259	2009
PRR-2804-20-BB	120	3786
PRR-2804-20-CC	120	2189
PRR-2804-20-GG	120	5069
PRR-2804-20-KK	120	2813
PRR-2804-20-LL	120	3188
PRR-2804-20-MM	120	3188
PRR-2804-20-NN	120	2887
PRR-2804-20-TT	120	4227
PRR-2804-20-VV	120	4227
PRR-2804-20-YY	120	2887
PRR-2805-04-BB	80	2580
PRR-2805-04-CC	80	1394
PRR-2805-04-GG	80	3221
PRR-2805-04-KK	80	1676
PRR-2805-04-KM	80	2588
PRR-2805-04-LL	80	2370
PRR-2805-04-NN	80	2132
PRR-2805-04-TT	80	2976
PRR-2805-04-VV	80	2976
PRR-2805-04-YY	80	2132
PRR-2805-45-BB	143	2720
PRR-2805-45-CC	143	1382
PRR-2805-45-GG	143	3508
PRR-2805-45-KK	143	1932

CODE	PAGE	PRICE
PRR-2805-45-LL	143	2278
PRR-2805-45-NN	143	2024
PRR-2805-45-TT	143	3081
PRR-2805-45-VV	143	3081
PRR-2805-45-YY	143	2024
PRR-2805-66-BB	206	2394
PRR-2805-66-CC	206	1353
PRR-2805-66-GG	206	3413
PRR-2805-66-KK	206	1869
PRR-2805-66-KM	206	2281
PRR-2805-66-LL	206	2187
PRR-2805-66-MM	206	2187
PRR-2805-66-NN	206	1908
PRR-2805-66-TT	206	3032
PRR-2805-66-VV	206	3032
PRR-2805-66-YY	206	1908
PRR-2805-95-BB	93	3102
PRR-2805-95-CC	93	1554
PRR-2805-95-GG	93	3933
PRR-2805-95-KK	93	2173
PRR-2805-95-LL	93	2947
PRR-2805-95-NN	93	2200
PRR-2805-95-TT	93	3410
PRR-2805-95-VV	93	3410
PRR-2805-95-YY	93	2200
PRR-2811-80-CC	260	1354
PRR-2811-80-KK	260	1893
PRR-2812-80-CC	261	1389
PRR-2812-80-KK	261	1941
PRR-2815-04-CC	80	1266
PRR-2815-04-KK	80	1764
PRR-2815-45-CC	144	1394
PRR-2815-45-KK	144	1732
PRR-2815-46-CC	159	1382
PRR-2815-46-KK	159	1932
PRR-2815-66-CC	206	1180
PRR-2815-95-CC	94	1257
PRR-2816-66-CC	207	1140
PRR-2816-66-KK	207	1365
PRR-2826-66-CC	207	1206
PRR-2826-66-KK	207	1451
PRR-2891-80-BB	262	2213
PRR-2891-80-CC	262	1242
PRR-2891-80-GG	262	3083
PRR-2891-80-KK	262	1731
PRR-2891-80-LL	262	2105
PRR-2891-80-NN	262	1792
PRR-2891-80-TT	262	2723
PRR-2891-80-VV	262	2723
PRR-2891-80-YY	262	1792
PRR-2892-80-BB	263	2400
PRR-2892-80-CC	263	1294
PRR-2892-80-GG	263	3126
PRR-2892-80-KK	263	1786
PRR-2892-80-LL	263	2322
PRR-2892-80-NN	263	1854
PRR-2892-80-TT	263	2837
PRR-2892-80-VV	263	2837

CODE	PAGE	PRICE
PRR-2892-80-YY	263	1854
PRR-2896-46-BB	159	2487
PRR-2896-46-CC	159	1395
PRR-2896-46-GG	159	3415
PRR-2896-46-KK	159	1890
PRR-2896-46-LL	159	2309
PRR-2896-46-NN	159	1966
PRR-2896-46-TT	159	3044
PRR-2896-46-VV	159	3044
PRR-2896-46-YY	159	1966
PRR-2896-66-BB	207	2299
PRR-2896-66-CC	207	1324
PRR-2896-66-GG	207	3191
PRR-2896-66-KK	207	1788
PRR-2896-66-LL	207	2160
PRR-2896-66-NN	207	1838
PRR-2896-66-TT	207	2867
PRR-2896-66-VV	207	2867
PRR-2896-66-YY	207	1838
PRR-2901-80-CC	264	1391
PRR-2902-80-CC	265	1449
PRR-2915-04-CC	80	1331
PRR-2915-04-KK	80	1800
PRR-2915-45-CC	144	1390
PRR-2915-45-KK	144	1902
PRR-2915-66-CC	208	1342
PRR-3301-80-BB	266	2847
PRR-3301-80-CC	266	1789
PRR-3301-80-GG	266	3747
PRR-3301-80-KK	266	2300
PRR-3301-80-LL	266	2687
PRR-3301-80-NN	266	2233
PRR-3301-80-TT	266	3152
PRR-3301-80-VV	266	3152
PRR-3301-80-YY	266	2233
PRR-3302-20-BB	120	3908
PRR-3302-20-CC	120	2409
PRR-3302-20-GG	120	5122
PRR-3302-20-KK	120	3162
PRR-3302-20-LL	120	3576
PRR-3302-20-MM	120	3576
PRR-3302-20-NN	120	3046
PRR-3302-20-TT	120	4507
PRR-3302-20-VV	120	4507
PRR-3302-20-YY	120	3046
PRR-3302-45-BB	144	3746
PRR-3302-45-CC	144	2202
PRR-3302-45-GG	144	4848
PRR-3302-45-KK	144	3033
PRR-3302-45-LL	144	3557
PRR-3302-45-NN	144	2933
PRR-3302-45-TT	144	4305
PRR-3302-45-VV	144	4305
PRR-3302-45-YY	144	2933
PRR-3302-47-Bx	173	5131
PRR-3302-47-Cx	173	2869
PRR-3302-47-Gx	173	6546
PRR-3302-47-Kx	173	4240

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
PRR-3302-47-Lx	173	5014
PRR-3302-47-Nx	173	3851
PRR-3302-47-Tx	173	5358
PRR-3302-47-Vx	173	5358
PRR-3302-47-Yx	173	3851
PRR-3302-66-BB	208	3738
PRR-3302-66-CC	208	2215
PRR-3302-66-GG	208	4836
PRR-3302-66-KK	208	3027
PRR-3302-66-LL	208	3543
PRR-3302-66-NN	208	2910
PRR-3302-66-TT	208	4293
PRR-3302-66-VV	208	4293
PRR-3302-66-YY	208	2910
PRR-3302-80-BB	267	2979
PRR-3302-80-CC	267	1878
PRR-3302-80-GG	267	3862
PRR-3302-80-KK	267	2420
PRR-3302-80-LL	267	2843
PRR-3302-80-NN	267	2360
PRR-3302-80-TT	267	3342
PRR-3302-80-VV	267	3342
PRR-3302-80-YY	267	2360
PRR-3303-47-Bx	173	5380
PRR-3303-47-Cx	173	2971
PRR-3303-47-Gx	173	6959
PRR-3303-47-Kx	173	4427
PRR-3303-47-Lx	173	5199
PRR-3303-47-Nx	173	4055
PRR-3303-47-Tx	173	5920
PRR-3303-47-Vx	173	5920
PRR-3303-47-Yx	173	4055
PRR-3304-20-BB	121	3908
PRR-3304-20-CC	121	2409
PRR-3304-20-GG	121	5122
PRR-3304-20-KK	121	3162
PRR-3304-20-LL	121	3576
PRR-3304-20-MM	121	3576
PRR-3304-20-NN	121	3046
PRR-3304-20-TT	121	4507
PRR-3304-20-VV	121	4507
PRR-3304-20-YY	121	3046
PRR-3352-47-Bx	174	5352
PRR-3352-47-Cx	174	2878
PRR-3352-47-Gx	174	6721
PRR-3352-47-Kx	174	4254
PRR-3352-47-Lx	174	5125
PRR-3352-47-Nx	174	3991
PRR-3352-47-Tx	174	5438
PRR-3352-47-Vx	174	5438
PRR-3352-47-Yx	174	3991
PRR-3405-04-BB	81	3798
PRR-3405-04-CC	81	1974
PRR-3405-04-GG	81	4885
PRR-3405-04-KK	81	2749
PRR-3405-04-LL	81	3176
PRR-3405-04-NN	81	2872
PRR-3405-04-TT	81	4234

CODE	PAGE	PRICE
PRR-3405-04-VV	81	4234
PRR-3405-04-YY	81	2872
PRR-3420-16-BB	105	3789
PRR-3420-16-CC	105	1925
PRR-3420-16-GG	105	4799
PRR-3420-16-KK	105	2641
PRR-3420-16-LL	105	3205
PRR-3420-16-NN	105	2728
PRR-3420-16-TT	105	4223
PRR-3420-16-VV	105	4223
PRR-3420-16-YY	105	2728
PRR-3420-18-BB	106	3789
PRR-3420-18-CB	106	1925
PRR-3420-18-CC	106	1925
PRR-3420-18-GB	106	4799
PRR-3420-18-GG	106	4799
PRR-3420-18-KB	106	2641
PRR-3420-18-KK	106	2641
PRR-3420-18-LB	106	3205
PRR-3420-18-LL	106	3205
PRR-3420-18-NB	106	2728
PRR-3420-18-NN	106	2728
PRR-3420-18-TB	106	4223
PRR-3420-18-TT	106	4223
PRR-3420-18-VB	106	4223
PRR-3420-18-VV	106	4223
PRR-3420-18-YB	106	2728
PRR-3420-18-YY	106	2728
PRR-3420-71-BB	211	4419
PRR-3420-71-CC	211	2357
PRR-3420-71-GG	211	5489
PRR-3420-71-KK	211	3295
PRR-3420-71-LL	211	4387
PRR-3420-71-NN	211	3243
PRR-3420-71-TT	211	4726
PRR-3420-71-VV	211	4726
PRR-3420-71-YY	211	3243
PRR-3420-72-BB	212	4419
PRR-3420-72-CC	212	2357
PRR-3420-72-GG	212	5489
PRR-3420-72-KK	212	3295
PRR-3420-72-LL	212	4387
PRR-3420-72-NN	212	3243
PRR-3420-72-TT	212	4726
PRR-3420-72-VV	212	4726
PRR-3420-72-YY	212	3243
PRR-3420-74-BB	219	4419
PRR-3420-74-CB	219	2357
PRR-3420-74-GB	219	5489
PRR-3420-74-KB	219	3295
PRR-3420-74-LB	219	4234
PRR-3420-74-NB	219	3243
PRR-3420-74-TB	219	4726
PRR-3420-74-VB	219	4726
PRR-3420-74-YB	219	3243
PRR-3950-04-BB	81	6771
PRR-3950-04-CC	81	3627
PRR-3950-04-GG	81	8051

CODE	PAGE	PRICE
PRR-3950-04-KK	81	4978
PRR-3950-04-LL	81	5684
PRR-3950-04-NN	81	5007
PRR-3950-04-TT	81	7163
PRR-3950-04-VV	81	7163
PRR-3950-04-YY	81	5007
PRR-3950-46-BB	160	7156
PRR-3950-46-CC	160	3860
PRR-3950-46-GG	160	8598
PRR-3950-46-KK	160	5356
PRR-3950-46-LL	160	6273
PRR-3950-46-NN	160	5179
PRR-3950-46-TT	160	7431
PRR-3950-46-VV	160	7431
PRR-3950-46-YY	160	5179
PRR-4201-66-BB	209	3109
PRR-4201-66-CC	209	1710
PRR-4201-66-GG	209	4256
PRR-4201-66-KK	209	2360
PRR-4201-66-LL	209	2738
PRR-4201-66-NN	209	2457
PRR-4201-66-TT	209	3714
PRR-4201-66-VV	209	3714
PRR-4201-66-YY	209	2457
PRR-4201-80-BB	271	3387
PRR-4201-80-CC	271	1688
PRR-4201-80-GG	271	4294
PRR-4201-80-KK	271	2372
PRR-4201-80-LL	271	2765
PRR-4201-80-NN	271	2489
PRR-4201-80-TT	271	3726
PRR-4201-80-VV	271	3726
PRR-4201-80-YY	271	2489
PRR-4202-20-BB	122	4022
PRR-4202-20-CC	122	2458
PRR-4202-20-GG	122	5540
PRR-4202-20-KK	122	3149
PRR-4202-20-LL	122	3544
PRR-4202-20-MM	122	3544
PRR-4202-20-NN	122	3233
PRR-4202-20-TT	122	4417
PRR-4202-20-VV	122	4417
PRR-4202-20-YY	122	3233
PRR-4202-80-BB	272	3560
PRR-4202-80-CC	272	1774
PRR-4202-80-GG	272	4516
PRR-4202-80-KK	272	2493
PRR-4202-80-LL	272	2920
PRR-4202-80-NN	272	2614
PRR-4202-80-TT	272	3915
PRR-4202-80-VV	272	3915
PRR-4202-80-YY	272	2614
PRR-4204-20-BB	123	4022
PRR-4204-20-CC	123	2458
PRR-4204-20-GG	123	5540
PRR-4204-20-KK	123	3149
PRR-4204-20-LL	123	3544
PRR-4204-20-MM	123	3544

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
PRR-4204-20-NN	123	3233
PRR-4204-20-TT	123	4417
PRR-4204-20-VV	123	4417
PRR-4204-20-YY	123	3233
PRR-4205-04-BB	82	3029
PRR-4205-04-CC	82	1603
PRR-4205-04-GG	82	3846
PRR-4205-04-KK	82	1898
PRR-4205-04-KM	82	2467
PRR-4205-04-LL	82	2367
PRR-4205-04-NN	82	2291
PRR-4205-04-TT	82	3480
PRR-4205-04-VV	82	3480
PRR-4205-04-YY	82	2291
PRR-4206-05-BB	94	3443
PRR-4206-05-CC	94	1667
PRR-4206-05-GG	94	4303
PRR-4206-05-KK	94	2031
PRR-4206-05-LL	94	3251
PRR-4206-05-NN	94	2361
PRR-4206-05-TT	94	3787
PRR-4206-05-VV	94	3787
PRR-4206-05-YY	94	2361
PRR-4206-45-BB	145	3006
PRR-4206-45-CC	145	1595
PRR-4206-45-GG	145	3816
PRR-4206-45-KK	145	2116
PRR-4206-45-LL	145	2467
PRR-4206-45-NN	145	2407
PRR-4206-45-TT	145	3357
PRR-4206-45-VV	145	3357
PRR-4206-45-YY	145	2407
PRR-4206-46-BB	160	3494
PRR-4206-46-CC	160	1838
PRR-4206-46-GG	160	4617
PRR-4206-46-KK	160	2572
PRR-4206-46-LL	160	3046
PRR-4206-46-NN	160	2632
PRR-4206-46-TT	160	4020
PRR-4206-46-VV	160	4020
PRR-4206-46-YY	160	2632
PRR-4206-66-BB	209	2479
PRR-4206-66-CC	209	1504
PRR-4206-66-GG	209	3806
PRR-4206-66-KK	209	1961
PRR-4206-66-LL	209	2245
PRR-4206-66-NN	209	2054
PRR-4206-66-TT	209	3355
PRR-4206-66-VV	209	3355
PRR-4206-66-YY	209	2054
PRR-4207-66-CC	210	1669
PRR-4207-66-KK	210	2204
PRR-4207-66-KM	210	2781
PRR-4207-66-LL	210	2529
PRR-4207-66-MM	210	2529
PRR-4207-66-NN	210	2272
PRR-4211-80-CC	273	1580
PRR-4211-80-KK	273	2053

CODE	PAGE	PRICE
PRR-4212-80-CC	274	1607
PRR-4212-80-KK	274	2099
PRR-4215-04-CC	82	1379
PRR-4215-04-KK	82	1788
PRR-4216-05-CC	95	1505
PRR-4216-05-KK	95	2105
PRR-4216-45-CC	145	1470
PRR-4216-45-KK	145	2056
PRR-4216-46-CC	161	1643
PRR-4216-51-CC	181	2229
PRR-4216-51-CF	181	2279
PRR-4216-66-CC	210	1434
PRR-4216-66-KK	210	1648
PRR-4216-66-LL	210	2387
PRR-4216-66-NN	210	2147
PRR-4226-46-BB	161	3934
PRR-4226-46-CC	161	2065
PRR-4226-46-KK	161	2797
PRR-4226-46-NN	161	2865
PRR-4226-46-YY	161	2865
PRR-4226-56-CB	189	2181
PRR-4226-56-CC	189	2140
PRR-4226-56-CF	189	2181
PRR-4236-56-CB	190	2457
PRR-4236-56-CC	190	2417
PRR-4236-56-CF	190	2457
PRR-4291-51-CC	181	2103
PRR-4291-51-CF	181	2160
PRR-4291-80-BB	275	3027
PRR-4291-80-CC	275	1588
PRR-4291-80-GG	275	3688
PRR-4291-80-KK	275	2201
PRR-4291-80-LL	275	2688
PRR-4291-80-NN	275	2241
PRR-4291-80-TT	275	3278
PRR-4291-80-VV	275	3278
PRR-4291-80-YY	275	2241
PRR-4292-80-BB	276	3198
PRR-4292-80-CC	276	1684
PRR-4292-80-GG	276	3857
PRR-4292-80-KK	276	2322
PRR-4292-80-LL	276	2843
PRR-4292-80-NN	276	2367
PRR-4292-80-TT	276	3468
PRR-4292-80-VV	276	3468
PRR-4292-80-YY	276	2367
PRR-4296-04-BB	82	2851
PRR-4296-04-CC	82	1536
PRR-4296-04-GG	82	3409
PRR-4296-04-KK	82	2071
PRR-4296-04-LL	82	2529
PRR-4296-04-NN	82	2122
PRR-4296-04-TT	82	3159
PRR-4296-04-VV	82	3159
PRR-4296-04-YY	82	2122
PRR-4296-05-BB	95	3388
PRR-4296-05-CC	95	1723
PRR-4296-05-GG	95	4087

CODE	PAGE	PRICE
PRR-4296-05-KK	95	2395
PRR-4296-05-LL	95	3099
PRR-4296-05-NN	95	2437
PRR-4296-05-TT	95	3702
PRR-4296-05-VV	95	3702
PRR-4296-05-YY	95	2437
PRR-4296-46-BB	161	3236
PRR-4296-46-CC	161	1760
PRR-4296-46-GG	161	3996
PRR-4296-46-KK	161	2357
PRR-4296-46-LL	161	2838
PRR-4296-46-NN	161	2396
PRR-4296-46-TT	161	3556
PRR-4296-46-VV	161	3556
PRR-4296-46-YY	161	2396
PRR-4296-56-CB	190	1778
PRR-4296-56-CC	190	1737
PRR-4296-56-CF	190	1778
PRR-4297-45-BB	146	2790
PRR-4297-45-CC	146	1556
PRR-4297-45-GG	146	3571
PRR-4297-45-KK	146	2123
PRR-4297-45-LL	146	2495
PRR-4297-45-NN	146	2119
PRR-4297-45-TT	146	3247
PRR-4297-45-VV	146	3247
PRR-4297-45-YY	146	2119
PRR-4297-66-BB	210	2551
PRR-4297-66-CC	210	1499
PRR-4297-66-GG	210	3425
PRR-4297-66-KK	210	2007
PRR-4297-66-LL	210	2339
PRR-4297-66-NN	210	2006
PRR-4297-66-TT	210	3128
PRR-4297-66-VV	210	3128
PRR-4297-66-YY	210	2006
PRR-4301-80-BB	277	3504
PRR-4301-80-CC	277	1831
PRR-4301-80-GG	277	4683
PRR-4301-80-KK	277	2562
PRR-4301-80-LL	277	2951
PRR-4301-80-NN	277	2707
PRR-4301-80-TT	277	4057
PRR-4301-80-VV	277	4057
PRR-4301-80-YY	277	2707
PRR-4302-20-BB	123	4523
PRR-4302-20-CC	123	2758
PRR-4302-20-GG	123	6239
PRR-4302-20-KK	123	3495
PRR-4302-20-LL	123	3956
PRR-4302-20-MM	123	3956
PRR-4302-20-NN	123	3603
PRR-4302-20-TT	123	4992
PRR-4302-20-VV	123	4992
PRR-4302-20-YY	123	3603
PRR-4302-66-BB	211	3350
PRR-4302-66-CC	211	1866
PRR-4302-66-GG	211	4666

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
PRR-4302-66-KK	211	2549
PRR-4302-66-LL	211	2969
PRR-4302-66-NN	211	2668
PRR-4302-66-TT	211	4099
PRR-4302-66-VV	211	4099
PRR-4302-66-YY	211	2668
PRR-4302-80-BB	278	3667
PRR-4302-80-CC	278	1917
PRR-4302-80-GG	278	4892
PRR-4302-80-KK	278	2683
PRR-4302-80-LL	278	3089
PRR-4302-80-NN	278	2832
PRR-4302-80-TT	278	4247
PRR-4302-80-VV	278	4247
PRR-4302-80-YY	278	2832
PRR-4304-20-BB	124	4523
PRR-4304-20-CC	124	2758
PRR-4304-20-GG	124	6239
PRR-4304-20-KK	124	3495
PRR-4304-20-LL	124	3956
PRR-4304-20-MM	124	3956
PRR-4304-20-NN	124	3603
PRR-4304-20-TT	124	4992
PRR-4304-20-VV	124	4992
PRR-4304-20-YY	124	3603
PRR-4305-04-BB	83	3719
PRR-4305-04-CC	83	1888
PRR-4305-04-GG	83	4842
PRR-4305-04-KK	83	2193
PRR-4305-04-KM	83	3039
PRR-4305-04-LL	83	2794
PRR-4305-04-NN	83	2794
PRR-4305-04-TT	83	4142
PRR-4305-04-VV	83	4142
PRR-4305-04-YY	83	2794
PRR-4306-45-BB	146	3816
PRR-4306-45-CC	146	2042
PRR-4306-45-GG	146	4931
PRR-4306-45-KK	146	2542
PRR-4306-45-LL	146	2899
PRR-4306-45-NN	146	2835
PRR-4306-45-TT	146	4251
PRR-4306-45-VV	146	4251
PRR-4306-45-YY	146	2835
PRR-4306-46-BB	162	4232
PRR-4306-46-CC	162	2180
PRR-4306-46-GG	162	5392
PRR-4306-46-KK	162	3020
PRR-4306-46-LL	162	3669
PRR-4306-46-NN	162	3163
PRR-4306-46-TT	162	4745
PRR-4306-46-VV	162	4745
PRR-4306-46-YY	162	3163
PRR-4306-66-BB	211	2812
PRR-4306-66-CC	211	1705
PRR-4306-66-GG	211	4292
PRR-4306-66-KK	211	2348
PRR-4306-66-LL	211	2546

CODE	PAGE	PRICE
PRR-4306-66-NN	211	2327
PRR-4306-66-TT	211	3780
PRR-4306-66-VV	211	3780
PRR-4306-66-YY	211	2327
PRR-4307-05-BB	95	3959
PRR-4307-05-CC	95	2034
PRR-4307-05-GG	95	5112
PRR-4307-05-KK	95	2677
PRR-4307-05-LL	95	3603
PRR-4307-05-NN	95	2863
PRR-4307-05-TT	95	4306
PRR-4307-05-VV	95	4306
PRR-4307-05-YY	95	2863
PRR-4307-66-CC	211	1818
PRR-4307-66-KK	211	2393
PRR-4307-66-KM	211	3028
PRR-4307-66-LL	211	2760
PRR-4307-66-MM	211	2760
PRR-4307-66-NN	211	2478
PRR-4316-04-CC	83	1801
PRR-4316-04-KK	83	2158
PRR-4316-66-CC	212	1643
PRR-4316-66-KK	212	1951
PRR-4316-66-LL	212	2692
PRR-4316-66-NN	212	2344
PRR-4394-66-BB	212	4067
PRR-4394-66-CC	212	2201
PRR-4394-66-GG	212	5504
PRR-4394-66-KK	212	3081
PRR-4394-66-LL	212	3629
PRR-4394-66-NN	212	3020
PRR-4394-66-TT	212	4842
PRR-4394-66-VV	212	4842
PRR-4394-66-YY	212	3020
PRR-4395-05-BB	96	5785
PRR-4395-05-CC	96	3065
PRR-4395-05-GG	96	7068
PRR-4395-05-KK	96	4158
PRR-4395-05-LL	96	5077
PRR-4395-05-NN	96	4279
PRR-4395-05-TT	96	6101
PRR-4395-05-VV	96	6101
PRR-4395-05-YY	96	4279
RAC-0318-02-BB	355	104
RAC-0318-02-CC	355	32
RAC-0318-02-GG	355	183
RAC-0318-02-KK	355	94
RAC-0318-02-LL	355	139
RAC-0318-02-NN	355	75
RAC-0318-02-TT	355	139
RAC-0318-02-VV	355	139
RAC-0318-02-YY	355	75
RAC-0318-14-BB	355	120
RAC-0318-14-CC	355	43
RAC-0318-14-GG	355	205
RAC-0318-14-KK	355	108
RAC-0318-14-LL	355	153
RAC-0318-14-NN	355	88

CODE	PAGE	PRICE
RAC-0318-14-TT	355	153
RAC-0318-14-VV	355	153
RAC-0318-14-YY	355	88
RAC-0318-20-BB	355	150
RAC-0318-20-CC	355	73
RAC-0318-20-GG	355	235
RAC-0318-20-KK	355	138
RAC-0318-20-LL	355	183
RAC-0318-20-NN	355	118
RAC-0318-20-TT	355	183
RAC-0318-20-VV	355	183
RAC-0318-20-YY	355	118
RAC-0618-02-BB	355	122
RAC-0618-02-CC	355	49
RAC-0618-02-GG	355	261
RAC-0618-02-KK	355	126
RAC-0618-02-KM	355	145
RAC-0618-02-LL	355	143
RAC-0618-02-MM	355	143
RAC-0618-02-NN	355	91
RAC-0618-02-TT	355	190
RAC-0618-02-VV	355	190
RAC-0618-02-YY	355	91
RAC-0618-14-BB	355	156
RAC-0618-14-CC	355	71
RAC-0618-14-GG	355	319
RAC-0618-14-KK	355	140
RAC-0618-14-LL	355	187
RAC-0618-14-NN	355	105
RAC-0618-14-TT	355	214
RAC-0618-14-VV	355	214
RAC-0618-14-YY	355	105
RAC-0618-20-BB	356	195
RAC-0618-20-CC	356	110
RAC-0618-20-GG	356	358
RAC-0618-20-KK	356	179
RAC-0618-20-LL	356	226
RAC-0618-20-MM	356	226
RAC-0618-20-NN	356	144
RAC-0618-20-TT	356	253
RAC-0618-20-VV	356	253
RAC-0618-20-YY	356	144
RAC-0918-02-BB	356	178
RAC-0918-02-CC	356	58
RAC-0918-02-GG	356	284
RAC-0918-02-KK	356	164
RAC-0918-02-LL	356	224
RAC-0918-02-MM	356	224
RAC-0918-02-NN	356	131
RAC-0918-02-TT	356	224
RAC-0918-02-VV	356	224
RAC-0918-02-YY	356	131
RAC-0918-14-BB	356	201
RAC-0918-14-CC	356	76
RAC-0918-14-GG	356	307
RAC-0918-14-KK	356	188
RAC-0918-14-LL	356	246
RAC-0918-14-NN	356	153

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
RAC-0918-14-TT	356	246
RAC-0918-14-VV	356	246
RAC-0918-14-YY	356	153
RAC-0918-20-BB	356	240
RAC-0918-20-CC	356	115
RAC-0918-20-GG	356	346
RAC-0918-20-KK	356	227
RAC-0918-20-LL	356	285
RAC-0918-20-MM	356	285
RAC-0918-20-NN	356	192
RAC-0918-20-TT	356	285
RAC-0918-20-VV	356	285
RAC-0918-20-YY	356	192
RAC-1218-02-BB	356	213
RAC-1218-02-CC	356	69
RAC-1218-02-GG	356	319
RAC-1218-02-KK	356	199
RAC-1218-02-LL	356	271
RAC-1218-02-NN	356	165
RAC-1218-02-TT	356	271
RAC-1218-02-VV	356	271
RAC-1218-02-YY	356	165
RAC-1218-14-BB	357	235
RAC-1218-14-CC	357	86
RAC-1218-14-GG	357	341
RAC-1218-14-KK	357	222
RAC-1218-14-LL	357	295
RAC-1218-14-NN	357	187
RAC-1218-14-TT	357	295
RAC-1218-14-VV	357	295
RAC-1218-14-YY	357	187
RAC-1218-20-BB	357	274
RAC-1218-20-CC	357	125
RAC-1218-20-GG	357	380
RAC-1218-20-KK	357	261
RAC-1218-20-LL	357	334
RAC-1218-20-NN	357	226
RAC-1218-20-TT	357	334
RAC-1218-20-VV	357	334
RAC-1218-20-YY	357	226
RAC-9001-13-BB	343	95
RAC-9001-13-CC	343	68
RAC-9001-13-GG	343	132
RAC-9001-13-KK	343	83
RAC-9001-13-LL	343	127
RAC-9001-13-NN	343	83
RAC-9001-13-TT	343	127
RAC-9001-13-VV	343	127
RAC-9001-13-YY	343	83
RAC-9001-16-BB	343	140
RAC-9001-16-CC	343	99
RAC-9001-16-GG	343	247
RAC-9001-16-II	343	142
RAC-9001-16-KK	343	129
RAC-9001-16-KM	343	142
RAC-9001-16-LL	343	138
RAC-9001-16-MM	343	138
RAC-9001-16-NN	343	134

CODE	PAGE	PRICE
RAC-9001-16-TT	343	201
RAC-9001-16-VV	343	201
RAC-9001-16-YY	343	134
RAC-9001-18-BB	343	199
RAC-9001-18-CC	343	124
RAC-9001-18-GG	343	311
RAC-9001-18-KK	343	154
RAC-9001-18-LL	343	163
RAC-9001-18-NN	343	159
RAC-9001-18-TT	343	227
RAC-9001-18-VV	343	227
RAC-9001-18-YY	343	159
RAC-9001-19-BB	343	285
RAC-9001-19-CC	343	147
RAC-9001-19-GG	343	368
RAC-9001-19-KK	343	200
RAC-9001-19-LL	343	332
RAC-9001-19-NN	343	199
RAC-9001-19-TT	343	332
RAC-9001-19-VV	343	332
RAC-9001-19-YY	343	199
RAC-9001-20-BB	343	305
RAC-9001-20-CC	343	167
RAC-9001-20-GG	343	388
RAC-9001-20-KK	343	252
RAC-9001-20-LL	343	352
RAC-9001-20-NN	343	219
RAC-9001-20-TT	343	352
RAC-9001-20-VV	343	352
RAC-9001-20-YY	343	219
RAC-9001-21-Bx	343	515
RAC-9001-21-Cx	343	334
RAC-9001-21-Gx	343	649
RAC-9001-21-Kx	343	449
RAC-9001-21-Lx	343	527
RAC-9001-21-Nx	343	399
RAC-9001-21-Tx	343	558
RAC-9001-21-Vx	343	558
RAC-9001-21-Yx	343	399
RAC-9001-26-CC	344	49
RAC-9001-26-KK	344	66
RAC-9001-26-LL	344	89
RAC-9001-26-NN	344	89
RAC-9001-28-CC	344	63
RAC-9001-28-KK	344	79
RAC-9001-29-BB	344	220
RAC-9001-29-CC	344	160
RAC-9001-29-GG	344	320
RAC-9001-29-KK	344	190
RAC-9001-29-LL	344	215
RAC-9001-29-MM	344	215
RAC-9001-29-NN	344	190
RAC-9001-29-TT	344	290
RAC-9001-29-VV	344	290
RAC-9001-29-YY	344	190
RAC-9001-35-II	132	856
RAC-9001-35-KK	132	799
RAC-9001-49-BB	344	225

CODE	PAGE	PRICE
RAC-9001-49-CC	344	135
RAC-9001-49-GG	344	295
RAC-9001-49-KK	344	175
RAC-9001-49-LL	344	195
RAC-9001-49-MM	344	195
RAC-9001-49-NN	344	175
RAC-9001-49-TT	344	265
RAC-9001-49-VV	344	265
RAC-9001-49-YY	344	175
RAC-9201-02-BB	321	287
RAC-9201-02-CC	321	144
RAC-9201-02-GG	321	360
RAC-9201-02-KK	321	245
RAC-9201-02-LL	321	259
RAC-9201-02-NN	321	210
RAC-9201-02-TT	321	316
RAC-9201-02-VV	321	316
RAC-9201-02-YY	321	210
RAC-9402-14-BB	321	395
RAC-9402-14-CC	321	198
RAC-9402-14-GG	321	495
RAC-9402-14-KK	321	336
RAC-9402-14-LL	321	356
RAC-9402-14-NN	321	289
RAC-9402-14-TT	321	435
RAC-9402-14-VV	321	435
RAC-9402-14-YY	321	289
REN-0020-01-BB	297	141
REN-0020-01-CC	297	92
REN-0020-01-GG	297	455
REN-0020-01-KK	297	129
REN-0020-01-LL	297	147
REN-0020-01-NN	297	125
REN-0020-01-TT	297	303
REN-0020-01-VV	297	303
REN-0020-01-YY	297	125
REN-2007-10-BB	297	423
REN-2007-10-CC	297	258
REN-2007-10-GG	297	515
REN-2007-10-KK	297	361
REN-2007-10-LL	297	485
REN-2007-10-NN	297	351
REN-2007-10-TT	297	485
REN-2007-10-VV	297	485
REN-2007-10-YY	297	351
REN-2008-14-BB	297	414
REN-2008-14-CC	297	248
REN-2008-14-GG	297	507
REN-2008-14-KK	297	352
REN-2008-14-KM	297	375
REN-2008-14-LL	297	476
REN-2008-14-MM	297	476
REN-2008-14-NN	297	342
REN-2008-14-TT	297	476
REN-2008-14-VV	297	476
REN-2008-14-YY	297	342
REN-2018-27-BB	297	1023
REN-2018-27-CC	297	407

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
REN-2018-27-GG	297	1680
REN-2018-27-KK	297	933
REN-2018-27-LL	297	998
REN-2018-27-NN	297	779
REN-2018-27-TT	297	1048
REN-2018-27-VV	297	1048
REN-2018-27-YY	297	779
REN-6035-01-CC	66	79
REN-6035-01-KK	66	119
REN-6035-01-KM	66	149
REN-6035-01-LL	66	149
REN-6035-01-MM	66	179
REN-6035-01-SS	66	109
REN-8422-02-BB	297	138
REN-8422-02-CC	297	81
REN-8422-02-GG	297	324
REN-8422-02-II	297	149
REN-8422-02-JJ	297	149
REN-8422-02-KK	297	126
REN-8422-02-KM	297	149
REN-8422-02-LL	297	149
REN-8422-02-MM	297	149
REN-8422-02-NN	297	134
REN-8422-02-TT	297	301
REN-8422-02-VV	297	301
REN-8422-02-YY	297	134
REN-8423-02-BB	298	138
REN-8423-02-CC	298	81
REN-8423-02-GG	298	324
REN-8423-02-II	298	149
REN-8423-02-JJ	298	149
REN-8423-02-KK	298	126
REN-8423-02-KM	298	149
REN-8423-02-LL	298	149
REN-8423-02-MM	298	149
REN-8423-02-NN	298	134
REN-8423-02-TT	298	301
REN-8423-02-VV	298	301
REN-8423-02-YY	298	134
REN-8800-00-BB	298	518
REN-8800-00-CC	298	219
REN-8800-00-GG	298	685
REN-8800-00-KK	298	359
REN-8800-00-KM	298	401
REN-8800-00-LL	298	389
REN-8800-00-MM	298	389
REN-8800-00-NN	298	333
REN-8800-00-TT	298	569
REN-8800-00-VV	298	569
REN-8800-00-YY	298	333
ROS-4717-03-CC	127	25
ROS-4717-03-KK	127	35
ROS-9453-47-BB	170	76
ROS-9453-47-CC	170	42
ROS-9453-47-GG	170	129
ROS-9453-47-KK	170	69
ROS-9453-47-LL	170	98
ROS-9453-47-NN	170	53

CODE	PAGE	PRICE
ROS-9453-47-TT	170	108
ROS-9453-47-VV	170	108
ROS-9453-47-YY	170	53
ROU-1600-06-B	88	282
ROU-2000-99-B	136	483
ROU-8041-00-B	71	432
ROU-8100-04-B	71	282
ROU-8100-06-B	87	282
ROU-8147-04-B	167	282
RVA-2719-34-B	320	217
RVA-3404-00-B	308	618
RVA-3453-00-B	310	574
RVA-34B2-00-B	309	1819
RVA-9020-00-B	303	264
RVA-9020-P0-B	303	264
RVA-9181-00-B	304	434
RVA-9181-00-NS-B	304	434
RVA-9181-P0-B	304	434
RVA-9181-P0-NS-B	304	434
RVA-9191-00-B	306	444
RVA-9191-00-NS-B	306	444
RVA-9191-P0-B	306	444
RVA-9191-P0-NS-B	306	444
RVA-9511-00-B	311	644
RVA-9511-P0-B	311	644
RVA-9521-00-B	312	619
RVA-9521-00-NS-B	312	619
RVA-9521-P0-B	312	619
RVA-9521-P0-NS-B	312	619
RVA-9531-00-B	314	644
RVA-9531-00-NS-B	314	644
RVA-9531-P0-B	314	644
RVA-9531-P0-NS-B	314	644
RVA-9562-00-B	316	276
RVA-9562-00-NS-B	316	276
RVA-9563-00-B	318	299
RVA-9563-00-NS-B	318	299
SUP-1015-14-BB	345	318
SUP-1015-14-CC	345	159
SUP-1015-14-GG	345	376
SUP-1015-14-KK	345	249
SUP-1015-14-LL	345	285
SUP-1015-14-NN	345	216
SUP-1015-14-TT	345	350
SUP-1015-14-VV	345	350
SUP-1015-14-YY	345	216
T04-1100-00-BB	72	3308
T04-1100-00-CC	72	1767
T04-1100-00-GG	72	4678
T04-1100-00-KK	72	2425
T04-1100-00-KM	72	3650
T04-1100-00-LL	72	2825
T04-1100-00-NN	72	2487
T04-1100-00-TT	72	3308
T04-1100-00-VV	72	3308
T04-1100-00-YY	72	2487
T04-8041-00L-BB	71	1218
T04-8041-00L-CC	71	393

CODE	PAGE	PRIX
T04-8041-00L-GG	71	1631
T04-8041-00L-KK	71	666
T04-8041-00L-KM	71	1053
T04-8041-00L-LL	71	827
T04-8041-00L-NN	71	683
T04-8041-00L-TT	71	1251
T04-8041-00L-VV	71	1251
T04-8041-00L-YY	71	683
T04-8100-00L-BB	71	842
T04-8100-00L-CC	71	285
T04-8100-00L-GG	71	1121
T04-8100-00L-KK	71	396
T04-8100-00L-KM	71	642
T04-8100-00L-LL	71	508
T04-8100-00L-NN	71	508
T04-8100-00L-TT	71	842
T04-8100-00L-VV	71	842
T04-8100-00L-YY	71	508
T04-8120-00L-BB	72	983
T04-8120-00L-CC	72	355
T04-8120-00L-GG	72	1297
T04-8120-00L-KK	72	480
T04-8120-00L-KM	72	756
T04-8120-00L-LL	72	646
T04-8120-00L-NN	72	594
T04-8120-00L-TT	72	983
T04-8120-00L-VV	72	983
T04-8120-00L-YY	72	594
T04-9139-00-BB	73	596
T04-9139-00-CC	73	192
T04-9139-00-GG	73	692
T04-9139-00-KK	73	384
T04-9139-00-LL	73	481
T04-9139-00-NN	73	347
T04-9139-00-TT	73	596
T04-9139-00-VV	73	596
T04-9139-00-YY	73	347
T04-9180-00-BB	73	786
T04-9180-00-CC	73	286
T04-9180-00-GG	73	913
T04-9180-00-KK	73	453
T04-9180-00-KM	73	602
T04-9180-00-LL	73	583
T04-9180-00-NN	73	495
T04-9180-00-TT	73	862
T04-9180-00-VV	73	862
T04-9180-00-YY	73	495
T04-9190-00-BB	74	786
T04-9190-00-CC	74	286
T04-9190-00-GG	74	913
T04-9190-00-KK	74	453
T04-9190-00-LL	74	583
T04-9190-00-NN	74	495
T04-9190-00-TT	74	862
T04-9190-00-VV	74	862
T04-9190-00-YY	74	495
T04-9404-00-BB	74	750
T04-9404-00-CC	74	242

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
T04-9404-00-GG	74	870
T04-9404-00-KK	74	483
T04-9404-00-LL	74	604
T04-9404-00-NN	74	435
T04-9404-00-TT	74	750
T04-9404-00-VV	74	750
T04-9404-00-YY	74	435
T04-9453-00-BB	74	692
T04-9453-00-CC	74	346
T04-9453-00-GG	74	1038
T04-9453-00-KK	74	520
T04-9453-00-LL	74	692
T04-9453-00-NN	74	485
T04-9453-00-TT	74	969
T04-9453-00-VV	74	969
T04-9453-00-YY	74	485
T04-9511-00-BB	75	970
T04-9511-00-CC	75	339
T04-9511-00-GG	75	1066
T04-9511-00-KK	75	577
T04-9511-00-KM	75	765
T04-9511-00-LL	75	647
T04-9511-00-NN	75	548
T04-9511-00-TT	75	1002
T04-9511-00-VV	75	1002
T04-9511-00-YY	75	548
T04-9521-00-BB	75	970
T04-9521-00-CC	75	339
T04-9521-00-GG	75	1066
T04-9521-00-KK	75	577
T04-9521-00-KM	75	765
T04-9521-00-LL	75	647
T04-9521-00-NN	75	548
T04-9521-00-TT	75	1002
T04-9521-00-VV	75	1002
T04-9521-00-YY	75	548
T04-9531-00-BB	76	970
T04-9531-00-CC	76	339
T04-9531-00-GG	76	1066
T04-9531-00-KK	76	577
T04-9531-00-KM	76	765
T04-9531-00-LL	76	647
T04-9531-00-NN	76	548
T04-9531-00-TT	76	1002
T04-9531-00-VV	76	1002
T04-9531-00-YY	76	548
T04-9560-02-BB	76	417
T04-9560-02-CC	76	157
T04-9560-02-GG	76	469
T04-9560-02-KK	76	268
T04-9560-02-LL	76	311
T04-9560-02-NN	76	211
T04-9560-02-TT	76	417
T04-9560-02-VV	76	417
T04-9560-02-YY	76	211
T04-9560-03-BB	77	417
T04-9560-03-CC	77	157
T04-9560-03-GG	77	469

CODE	PAGE	PRICE
T04-9560-03-KK	77	268
T04-9560-03-LL	77	311
T04-9560-03-NN	77	211
T04-9560-03-TT	77	417
T04-9560-03-VV	77	417
T04-9560-03-YY	77	211
T04-9649-00-BB	77	417
T04-9649-00-CC	77	157
T04-9649-00-GG	77	469
T04-9649-00-KK	77	268
T04-9649-00-LL	77	311
T04-9649-00-NN	77	211
T04-9649-00-TT	77	417
T04-9649-00-VV	77	417
T04-9649-00-YY	77	211
T05-1600-00-BB	88	1046
T05-1600-00-CC	88	424
T05-1600-00-GG	88	1252
T05-1600-00-KK	88	712
T05-1600-00-LL	88	831
T05-1600-00-NN	88	674
T05-1600-00-TT	88	1114
T05-1600-00-VV	88	1114
T05-1600-00-YY	88	674
T05-8100-00L-BB	87	1012
T05-8100-00L-CC	87	374
T05-8100-00L-GG	87	1332
T05-8100-00L-KK	87	604
T05-8100-00L-LL	87	757
T05-8100-00L-NN	87	612
T05-8100-00L-TT	87	1012
T05-8100-00L-VV	87	1012
T05-8100-00L-YY	87	612
T05-9139-01-BB	88	620
T05-9139-01-CC	88	200
T05-9139-01-GG	88	720
T05-9139-01-KK	88	401
T05-9139-01-LL	88	500
T05-9139-01-NN	88	350
T05-9139-01-TT	88	620
T05-9139-01-VV	88	620
T05-9139-01-YY	88	350
T05-9181-00-BB	88	849
T05-9181-00-CC	88	296
T05-9181-00-GG	88	986
T05-9181-00-KK	88	465
T05-9181-00-LL	88	630
T05-9181-00-NN	88	505
T05-9181-00-TT	88	931
T05-9181-00-VV	88	931
T05-9181-00-YY	88	505
T05-9404-00-BB	89	778
T05-9404-00-CC	89	252
T05-9404-00-GG	89	903
T05-9404-00-KK	89	502
T05-9404-00-LL	89	628
T05-9404-00-NN	89	438
T05-9404-00-TT	89	778

CODE	PAGE	PRICE
T05-9404-00-VV	89	778
T05-9404-00-YY	89	438
T05-9511-00-BB	89	980
T05-9511-00-CC	89	326
T05-9511-00-GG	89	1078
T05-9511-00-KK	89	555
T05-9511-00-LL	89	653
T05-9511-00-NN	89	540
T05-9511-00-TT	89	1012
T05-9511-00-VV	89	1012
T05-9511-00-YY	89	540
T05-9521-00-BB	89	980
T05-9521-00-CC	89	326
T05-9521-00-GG	89	1078
T05-9521-00-KK	89	555
T05-9521-00-LL	89	653
T05-9521-00-NN	89	540
T05-9521-00-TT	89	1012
T05-9521-00-VV	89	1012
T05-9521-00-YY	89	540
T05-9531-00-BB	90	980
T05-9531-00-CC	90	326
T05-9531-00-GG	90	1078
T05-9531-00-KK	90	555
T05-9531-00-LL	90	653
T05-9531-00-NN	90	540
T05-9531-00-TT	90	1012
T05-9531-00-VV	90	1012
T05-9531-00-YY	90	540
T05-9560-02-BB	90	507
T05-9560-02-CC	90	189
T05-9560-02-GG	90	524
T05-9560-02-KK	90	297
T05-9560-02-LL	90	349
T05-9560-02-NN	90	245
T05-9560-02-TT	90	454
T05-9560-02-VV	90	454
T05-9560-02-YY	90	245
T05-9560-03-BB	91	507
T05-9560-03-CC	91	189
T05-9560-03-GG	91	524
T05-9560-03-KK	91	297
T05-9560-03-LL	91	349
T05-9560-03-NN	91	245
T05-9560-03-TT	91	454
T05-9560-03-VV	91	454
T05-9560-03-YY	91	245
T05-9649-00-BB	91	507
T05-9649-00-CC	91	189
T05-9649-00-GG	91	524
T05-9649-00-KK	91	297
T05-9649-00-LL	91	349
T05-9649-00-NN	91	245
T05-9649-00-TT	91	454
T05-9649-00-VV	91	454
T05-9649-00-YY	91	245
T16-8041-00L-BB	100	1218
T16-8041-00L-CC	100	393

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
T16-8041-00L-GG	100	1631
T16-8041-00L-KK	100	804
T16-8041-00L-LL	100	959
T16-8041-00L-NN	100	683
T16-8041-00L-TT	100	1251
T16-8041-00L-VV	100	1251
T16-8041-00L-YY	100	683
T16-9404-00-BB	102	899
T16-9404-00-CC	102	291
T16-9404-00-GG	102	1043
T16-9404-00-KK	102	537
T16-9404-00-LL	102	725
T16-9404-00-NN	102	508
T16-9404-00-TT	102	899
T16-9404-00-VV	102	899
T16-9404-00-YY	102	508
T16-9560-02-BB	102	525
T16-9560-02-CC	102	196
T16-9560-02-GG	102	587
T16-9560-02-KK	102	333
T16-9560-02-LL	102	391
T16-9560-02-NN	102	266
T16-9560-02-TT	102	525
T16-9560-02-VV	102	525
T16-9560-02-YY	102	266
T16-9560-03-BB	103	525
T16-9560-03-CC	103	196
T16-9560-03-GG	103	587
T16-9560-03-KK	103	333
T16-9560-03-LL	103	391
T16-9560-03-NN	103	266
T16-9560-03-TT	103	525
T16-9560-03-VV	103	525
T16-9560-03-YY	103	266
T16-9641-00-BB	103	525
T16-9641-00-CC	103	196
T16-9641-00-GG	103	587
T16-9641-00-KK	103	333
T16-9641-00-LL	103	391
T16-9641-00-NN	103	266
T16-9641-00-TT	103	525
T16-9641-00-VV	103	525
T16-9641-00-YY	103	266
T18-8041-00L-BB	100	1218
T18-8041-00L-CB	100	393
T18-8041-00L-CC	100	393
T18-8041-00L-GB	100	1631
T18-8041-00L-GG	100	1631
T18-8041-00L-KB	100	804
T18-8041-00L-KK	100	804
T18-8041-00L-LB	100	959
T18-8041-00L-LL	100	959
T18-8041-00L-NB	100	683
T18-8041-00L-NN	100	683
T18-8041-00L-TB	100	1251
T18-8041-00L-TT	100	1251
T18-8041-00L-VB	100	1251
T18-8041-00L-VV	100	1251

CODE	PAGE	PRICE
T18-8041-00L-YB	100	683
T18-8041-00L-YY	100	683
T18-9404-00-BB	102	899
T18-9404-00-CB	102	291
T18-9404-00-CC	102	291
T18-9404-00-GB	102	1043
T18-9404-00-GG	102	1043
T18-9404-00-KB	102	537
T18-9404-00-KK	102	537
T18-9404-00-LB	102	725
T18-9404-00-LL	102	725
T18-9404-00-NB	102	508
T18-9404-00-NN	102	508
T18-9404-00-TB	102	899
T18-9404-00-TT	102	899
T18-9404-00-VB	102	899
T18-9404-00-VV	102	899
T18-9404-00-YB	102	508
T18-9404-00-YY	102	508
T18-9560-02-BB	102	525
T18-9560-02-CB	102	196
T18-9560-02-CC	102	196
T18-9560-02-GB	102	587
T18-9560-02-GG	102	587
T18-9560-02-KB	102	333
T18-9560-02-KK	102	333
T18-9560-02-LB	102	391
T18-9560-02-LL	102	391
T18-9560-02-NB	102	266
T18-9560-02-NN	102	266
T18-9560-02-TB	102	525
T18-9560-02-TT	102	525
T18-9560-02-VB	102	525
T18-9560-02-VV	102	525
T18-9560-02-YB	102	266
T18-9560-02-YY	102	266
T18-9560-03-BB	103	525
T18-9560-03-CB	103	196
T18-9560-03-CC	103	196
T18-9560-03-GB	103	587
T18-9560-03-GG	103	587
T18-9560-03-KB	103	333
T18-9560-03-KK	103	333
T18-9560-03-LB	103	391
T18-9560-03-LL	103	391
T18-9560-03-NB	103	266
T18-9560-03-NN	103	266
T18-9560-03-TB	103	525
T18-9560-03-TT	103	525
T18-9560-03-VB	103	525
T18-9560-03-VV	103	525
T18-9560-03-YB	103	266
T18-9560-03-YY	103	266
T18-9641-00-BB	103	525
T18-9641-00-CB	103	196
T18-9641-00-CC	103	196
T18-9641-00-GB	103	587
T18-9641-00-GG	103	587

CODE	PAGE	PRICE
T18-9641-00-KB	103	333
T18-9641-00-KK	103	333
T18-9641-00-LB	103	391
T18-9641-00-LL	103	391
T18-9641-00-NB	103	266
T18-9641-00-NN	103	266
T18-9641-00-TB	103	525
T18-9641-00-TT	103	525
T18-9641-00-VB	103	525
T18-9641-00-VV	103	525
T18-9641-00-YB	103	266
T18-9641-00-YY	103	266
T20-1102-00-BB	111	4284
T20-1102-00-CC	111	2084
T20-1102-00-GG	111	6043
T20-1102-00-KK	111	2964
T20-1102-00-LL	111	3482
T20-1102-00-MM	111	3482
T20-1102-00-NN	111	3067
T20-1102-00-TT	111	4284
T20-1102-00-VV	111	4284
T20-1102-00-YY	111	3067
T20-1104-00-BB	111	4284
T20-1104-00-CC	111	2084
T20-1104-00-GG	111	6043
T20-1104-00-KK	111	2964
T20-1104-00-LL	111	3482
T20-1104-00-MM	111	3482
T20-1104-00-NN	111	3067
T20-1104-00-TT	111	4284
T20-1104-00-VV	111	4284
T20-1104-00-YY	111	3067
T20-8042-00L-BB	110	1592
T20-8042-00L-CC	110	643
T20-8042-00L-GG	110	2497
T20-8042-00L-KK	110	1006
T20-8042-00L-LL	110	1272
T20-8042-00L-MM	110	1272
T20-8042-00L-NN	110	1112
T20-8042-00L-TT	110	1698
T20-8042-00L-VV	110	1698
T20-8042-00L-YY	110	1112
T20-8044-00L-BB	110	1592
T20-8044-00L-CC	110	643
T20-8044-00L-GG	110	2497
T20-8044-00L-KK	110	1006
T20-8044-00L-LL	110	1272
T20-8044-00L-MM	110	1272
T20-8044-00L-NN	110	1112
T20-8044-00L-TT	110	1698
T20-8044-00L-VV	110	1698
T20-8044-00L-YY	110	1112
T20-8102-04L-BB	110	1286
T20-8102-04L-CC	110	543
T20-8102-04L-GG	110	1987
T20-8102-04L-KK	110	832
T20-8102-04L-LL	110	1038
T20-8102-04L-MM	110	1038

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
T20-8102-04L-NN	110	914
T20-8102-04L-TT	110	1368
T20-8102-04L-VV	110	1368
T20-8102-04L-YY	110	914
T20-8104-04L-BB	110	1286
T20-8104-04L-CC	110	543
T20-8104-04L-GG	110	1987
T20-8104-04L-KK	110	832
T20-8104-04L-LL	110	1038
T20-8104-04L-MM	110	1038
T20-8104-04L-NN	110	914
T20-8104-04L-TT	110	1368
T20-8104-04L-VV	110	1368
T20-8104-04L-YY	110	914
T20-9102-00-BB	111	737
T20-9102-00-CC	111	335
T20-9102-00-GG	111	921
T20-9102-00-KK	111	452
T20-9102-00-LL	111	536
T20-9102-00-MM	111	536
T20-9102-00-NN	111	486
T20-9102-00-TT	111	787
T20-9102-00-VV	111	787
T20-9102-00-YY	111	486
T20-9104-00-BB	111	737
T20-9104-00-CC	111	335
T20-9104-00-GG	111	921
T20-9104-00-KK	111	452
T20-9104-00-LL	111	536
T20-9104-00-MM	111	536
T20-9104-00-NN	111	486
T20-9104-00-TT	111	787
T20-9104-00-VV	111	787
T20-9104-00-YY	111	486
T20-9182-00-BB	112	1087
T20-9182-00-CC	112	515
T20-9182-00-GG	112	1416
T20-9182-00-KK	112	695
T20-9182-00-LL	112	824
T20-9182-00-MM	112	824
T20-9182-00-NN	112	747
T20-9182-00-TT	112	1193
T20-9182-00-VV	112	1193
T20-9182-00-YY	112	747
T20-9184-00-BB	112	1087
T20-9184-00-CC	112	515
T20-9184-00-GG	112	1416
T20-9184-00-KK	112	695
T20-9184-00-LL	112	824
T20-9184-00-MM	112	824
T20-9184-00-NN	112	747
T20-9184-00-TT	112	1193
T20-9184-00-VV	112	1193
T20-9184-00-YY	112	747
T20-9192-00-BB	112	1087
T20-9192-00-CC	112	515
T20-9192-00-GG	112	1416
T20-9192-00-KK	112	695

CODE	PAGE	PRICE
T20-9192-00-LL	112	824
T20-9192-00-MM	112	824
T20-9192-00-NN	112	747
T20-9192-00-TT	112	1193
T20-9192-00-VV	112	1193
T20-9192-00-YY	112	747
T20-9194-00-BB	112	1087
T20-9194-00-CC	112	515
T20-9194-00-GG	112	1416
T20-9194-00-KK	112	695
T20-9194-00-LL	112	824
T20-9194-00-MM	112	824
T20-9194-00-NN	112	747
T20-9194-00-TT	112	1193
T20-9194-00-VV	112	1193
T20-9194-00-YY	112	747
T20-9402-00-BB	113	950
T20-9402-00-CC	113	400
T20-9402-00-GG	113	1131
T20-9402-00-KK	113	546
T20-9402-00-LL	113	640
T20-9402-00-MM	113	640
T20-9402-00-NN	113	564
T20-9402-00-TT	113	950
T20-9402-00-VV	113	950
T20-9402-00-YY	113	564
T20-9404-00-BB	113	950
T20-9404-00-CC	113	400
T20-9404-00-GG	113	1131
T20-9404-00-KK	113	546
T20-9404-00-LL	113	640
T20-9404-00-MM	113	640
T20-9404-00-NN	113	564
T20-9404-00-TT	113	950
T20-9404-00-VV	113	950
T20-9404-00-YY	113	564
T20-9452-00-BB	113	733
T20-9452-00-CC	113	381
T20-9452-00-GG	113	1084
T20-9452-00-KK	113	557
T20-9452-00-LL	113	733
T20-9452-00-MM	113	733
T20-9452-00-NN	113	522
T20-9452-00-TT	113	1014
T20-9452-00-VV	113	1014
T20-9452-00-YY	113	522
T20-9454-00-BB	113	733
T20-9454-00-CC	113	381
T20-9454-00-GG	113	1084
T20-9454-00-KK	113	557
T20-9454-00-LL	113	733
T20-9454-00-MM	113	733
T20-9454-00-NN	113	522
T20-9454-00-TT	113	1014
T20-9454-00-VV	113	1014
T20-9454-00-YY	113	522
T20-9512-00-BB	114	1138
T20-9512-00-CC	114	599

CODE	PAGE	PRICE
T20-9512-00-GG	114	1647
T20-9512-00-KK	114	809
T20-9512-00-LL	114	958
T20-9512-00-MM	114	958
T20-9512-00-NN	114	869
T20-9512-00-TT	114	1198
T20-9512-00-VV	114	1198
T20-9512-00-YY	114	869
T20-9514-00-BB	114	1138
T20-9514-00-CC	114	599
T20-9514-00-GG	114	1647
T20-9514-00-KK	114	809
T20-9514-00-LL	114	958
T20-9514-00-MM	114	958
T20-9514-00-NN	114	869
T20-9514-00-TT	114	1198
T20-9514-00-VV	114	1198
T20-9514-00-YY	114	869
T20-9522-00-BB	114	1138
T20-9522-00-CC	114	599
T20-9522-00-GG	114	1647
T20-9522-00-KK	114	809
T20-9522-00-LL	114	958
T20-9522-00-MM	114	958
T20-9522-00-NN	114	869
T20-9522-00-TT	114	1198
T20-9522-00-VV	114	1198
T20-9522-00-YY	114	869
T20-9524-00-BB	114	1138
T20-9524-00-CC	114	599
T20-9524-00-GG	114	1647
T20-9524-00-KK	114	809
T20-9524-00-LL	114	958
T20-9524-00-MM	114	958
T20-9524-00-NN	114	869
T20-9524-00-TT	114	1198
T20-9524-00-VV	114	1198
T20-9524-00-YY	114	869
T20-9532-00-BB	115	1138
T20-9532-00-CC	115	599
T20-9532-00-GG	115	1647
T20-9532-00-KK	115	809
T20-9532-00-LL	115	958
T20-9532-00-MM	115	958
T20-9532-00-NN	115	869
T20-9532-00-TT	115	1198
T20-9532-00-VV	115	1198
T20-9532-00-YY	115	869
T20-9534-00-BB	115	1138
T20-9534-00-CC	115	599
T20-9534-00-GG	115	1647
T20-9534-00-KK	115	809
T20-9534-00-LL	115	958
T20-9534-00-MM	115	958
T20-9534-00-NN	115	869
T20-9534-00-TT	115	1198
T20-9534-00-VV	115	1198
T20-9534-00-YY	115	869

PRICE INDEX

CODE	PAGE	PRICE
T20-9600-20-BB	115	545
T20-9600-20-CC	115	216
T20-9600-20-GG	115	607
T20-9600-20-KK	115	353
T20-9600-20-LL	115	411
T20-9600-20-MM	115	411
T20-9600-20-NN	115	286
T20-9600-20-TT	115	545
T20-9600-20-VV	115	545
T20-9600-20-YY	115	286
T20-9600-40-BB	115	545
T20-9600-40-CC	115	216
T20-9600-40-GG	115	607
T20-9600-40-KK	115	353
T20-9600-40-LL	115	411
T20-9600-40-MM	115	411
T20-9600-40-NN	115	286
T20-9600-40-TT	115	545
T20-9600-40-VV	115	545
T20-9600-40-YY	115	286
T35-9320-00-III	129	1605
T35-9320-00-IIK	129	1605
T35-9320-00-IJI	129	1605
T35-9320-00-IJK	129	1605
T35-9320-00-IKI	129	1605
T35-9320-00-IKK	129	1605
T35-9320-00-KII	129	1605
T35-9320-00-KIK	129	1605
T35-9320-00-KJI	129	1605
T35-9320-00-KJK	129	1605
T35-9320-00-KKI	129	1605
T35-9320-00-KKK	129	1605
T35-9511-00-CI	129	786
T35-9511-00-CJ	129	786
T35-9511-00-CK	129	786
T35-9511-00-II	129	970
T35-9511-00-IJ	129	970
T35-9511-00-IK	129	970
T35-9511-00-KI	129	970
T35-9511-00-KJ	129	970
T35-9511-00-KK	129	970
T35-9521-00-CI	130	786
T35-9521-00-CJ	130	786
T35-9521-00-CK	130	786
T35-9521-00-II	130	970
T35-9521-00-IJ	130	970
T35-9521-00-IK	130	970
T35-9521-00-KI	130	970
T35-9521-00-KJ	130	970
T35-9521-00-KK	130	970
T45-1100-00-BB	135	3587
T45-1100-00-CC	135	1828
T45-1100-00-GG	135	5069
T45-1100-00-KK	135	2476
T45-1100-00-LL	135	2913
T45-1100-00-NN	135	2564
T45-1100-00-TT	135	3587
T45-1100-00-VV	135	3587

CODE	PAGE	PRICE
T45-1100-00-YY	135	2564
T45-1600-00-BB	136	1243
T45-1600-00-CC	136	487
T45-1600-00-GG	136	1393
T45-1600-00-KK	136	864
T45-1600-00-LL	136	932
T45-1600-00-NN	136	760
T45-1600-00-TT	136	1243
T45-1600-00-VV	136	1243
T45-1600-00-YY	136	760
T45-2002-00-BB	136	2756
T45-2002-00-CC	136	1137
T45-2002-00-GG	136	3079
T45-2002-00-KK	136	1784
T45-2002-00-LL	136	2089
T45-2002-00-NN	136	1719
T45-2002-00-TT	136	2756
T45-2002-00-VV	136	2756
T45-2002-00-YY	136	1719
T45-8041-00L-BB	135	1288
T45-8041-00L-CC	135	428
T45-8041-00L-GG	135	1718
T45-8041-00L-KK	135	707
T45-8041-00L-LL	135	884
T45-8041-00L-NN	135	729
T45-8041-00L-TT	135	1322
T45-8041-00L-VV	135	1322
T45-8041-00L-YY	135	729
T45-8100-04L-BB	135	958
T45-8100-04L-CC	135	338
T45-8100-04L-GG	135	1269
T45-8100-04L-KK	135	586
T45-8100-04L-LL	135	710
T45-8100-04L-NN	135	570
T45-8100-04L-TT	135	958
T45-8100-04L-VV	135	958
T45-8100-04L-YY	135	570
T45-9139-01-BB	137	596
T45-9139-01-CC	137	192
T45-9139-01-GG	137	692
T45-9139-01-KK	137	384
T45-9139-01-LL	137	481
T45-9139-01-NN	137	347
T45-9139-01-TT	137	596
T45-9139-01-VV	137	596
T45-9139-01-YY	137	347
T45-9180-01-BB	137	786
T45-9180-01-CC	137	286
T45-9180-01-GG	137	913
T45-9180-01-KK	137	453
T45-9180-01-LL	137	583
T45-9180-01-NN	137	495
T45-9180-01-TT	137	862
T45-9180-01-VV	137	862
T45-9180-01-YY	137	495
T45-9190-01-BB	138	786
T45-9190-01-CC	138	286
T45-9190-01-GG	138	913

CODE	PAGE	PRICE
T45-9190-01-KK	138	453
T45-9190-01-LL	138	583
T45-9190-01-NN	138	495
T45-9190-01-TT	138	862
T45-9190-01-VV	138	862
T45-9190-01-YY	138	495
T45-9404-00-BB	138	750
T45-9404-00-CC	138	242
T45-9404-00-GG	138	870
T45-9404-00-KK	138	483
T45-9404-00-LL	138	604
T45-9404-00-NN	138	435
T45-9404-00-TT	138	750
T45-9404-00-VV	138	750
T45-9404-00-YY	138	435
T45-9453-00-BB	138	692
T45-9453-00-CC	138	346
T45-9453-00-GG	138	1038
T45-9453-00-KK	138	520
T45-9453-00-LL	138	692
T45-9453-00-NN	138	485
T45-9453-00-TT	138	969
T45-9453-00-VV	138	969
T45-9453-00-YY	138	485
T45-9511-00-BB	139	970
T45-9511-00-CC	139	339
T45-9511-00-GG	139	1066
T45-9511-00-KK	139	577
T45-9511-00-LL	139	647
T45-9511-00-NN	139	548
T45-9511-00-TT	139	1002
T45-9511-00-VV	139	1002
T45-9511-00-YY	139	548
T45-9521-00-BB	139	970
T45-9521-00-CC	139	339
T45-9521-00-GG	139	1066
T45-9521-00-KK	139	577
T45-9521-00-LL	139	647
T45-9521-00-NN	139	548
T45-9521-00-TT	139	1002
T45-9521-00-VV	139	1002
T45-9521-00-YY	139	548
T45-9531-00-BB	140	970
T45-9531-00-CC	140	339
T45-9531-00-GG	140	1066
T45-9531-00-KK	140	577
T45-9531-00-LL	140	647
T45-9531-00-NN	140	548
T45-9531-00-TT	140	1002
T45-9531-00-VV	140	1002
T45-9531-00-YY	140	548
T45-9560-02-BB	140	417
T45-9560-02-CC	140	157
T45-9560-02-GG	140	469
T45-9560-02-KK	140	268
T45-9560-02-LL	140	311
T45-9560-02-NN	140	211
T45-9560-02-TT	140	417

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
T45-9560-02-VV	140	417
T45-9560-02-YY	140	211
T45-9560-03-BB	141	417
T45-9560-03-CC	141	157
T45-9560-03-GG	141	469
T45-9560-03-KK	141	268
T45-9560-03-LL	141	311
T45-9560-03-NN	141	211
T45-9560-03-TT	141	417
T45-9560-03-VV	141	417
T45-9560-03-YY	141	211
T45-9649-00-BB	141	417
T45-9649-00-CC	141	157
T45-9649-00-GG	141	469
T45-9649-00-KK	141	268
T45-9649-00-LL	141	311
T45-9649-00-NN	141	211
T45-9649-00-TT	141	417
T45-9649-00-VV	141	417
T45-9649-00-YY	141	211
T46-1100-00-BB	152	4284
T46-1100-00-CC	152	2084
T46-1100-00-GG	152	6043
T46-1100-00-KK	152	2964
T46-1100-00-LL	152	3482
T46-1100-00-NN	152	3067
T46-1100-00-TT	152	4284
T46-1100-00-VV	152	4284
T46-1100-00-YY	152	3067
T46-2001-00-BB	153	2960
T46-2001-00-CC	153	1238
T46-2001-00-GG	153	3305
T46-2001-00-KK	153	2100
T46-2001-00-LL	153	2251
T46-2001-00-NN	153	1856
T46-2001-00-TT	153	2960
T46-2001-00-VV	153	2960
T46-2001-00-YY	153	1856
T46-8041-00L-BB	151	1288
T46-8041-00L-CC	151	428
T46-8041-00L-GG	151	1718
T46-8041-00L-KK	151	707
T46-8041-00L-LL	151	884
T46-8041-00L-NN	151	729
T46-8041-00L-TT	151	1322
T46-8041-00L-VV	151	1322
T46-8041-00L-YY	151	729
T46-8100-04L-BB	152	1041
T46-8100-04L-CC	152	379
T46-8100-04L-GG	152	1373
T46-8100-04L-KK	152	644
T46-8100-04L-LL	152	777
T46-8100-04L-NN	152	626
T46-8100-04L-TT	152	1041
T46-8100-04L-VV	152	1041
T46-8100-04L-YY	152	626
T46-9139-00-BB	153	620
T46-9139-00-CC	153	200

CODE	PAGE	PRICE
T46-9139-00-GG	153	720
T46-9139-00-KK	153	401
T46-9139-00-LL	153	500
T46-9139-00-NN	153	350
T46-9139-00-TT	153	620
T46-9139-00-VV	153	620
T46-9139-00-YY	153	350
T46-9180-00-BB	153	899
T46-9180-00-CC	153	314
T46-9180-00-GG	153	1069
T46-9180-00-KK	153	505
T46-9180-00-LL	153	673
T46-9180-00-NN	153	548
T46-9180-00-TT	153	999
T46-9180-00-VV	153	999
T46-9180-00-YY	153	548
T46-9404-00-BB	154	771
T46-9404-00-CC	154	248
T46-9404-00-GG	154	895
T46-9404-00-KK	154	497
T46-9404-00-LL	154	621
T46-9404-00-NN	154	435
T46-9404-00-TT	154	771
T46-9404-00-VV	154	771
T46-9404-00-YY	154	435
T46-9453-00-BB	154	703
T46-9453-00-CC	154	351
T46-9453-00-GG	154	1054
T46-9453-00-KK	154	527
T46-9453-00-LL	154	703
T46-9453-00-NN	154	492
T46-9453-00-TT	154	984
T46-9453-00-VV	154	984
T46-9453-00-YY	154	492
T46-9511-00-BB	154	1049
T46-9511-00-CC	154	350
T46-9511-00-GG	154	1153
T46-9511-00-KK	154	595
T46-9511-00-LL	154	700
T46-9511-00-NN	154	579
T46-9511-00-TT	154	1083
T46-9511-00-VV	154	1083
T46-9511-00-YY	154	579
T46-9521-00-BB	155	1049
T46-9521-00-CC	155	350
T46-9521-00-GG	155	1153
T46-9521-00-KK	155	595
T46-9521-00-LL	155	700
T46-9521-00-NN	155	579
T46-9521-00-TT	155	1083
T46-9521-00-VV	155	1083
T46-9521-00-YY	155	579
T46-9531-00-BB	155	1049
T46-9531-00-CC	155	350
T46-9531-00-GG	155	1153
T46-9531-00-KK	155	595
T46-9531-00-LL	155	700
T46-9531-00-NN	155	579

CODE	PAGE	PRICE
T46-9531-00-TT	155	1083
T46-9531-00-VV	155	1083
T46-9531-00-YY	155	579
T46-9560-02-BB	156	433
T46-9560-02-CC	156	173
T46-9560-02-GG	156	485
T46-9560-02-KK	156	284
T46-9560-02-LL	156	327
T46-9560-02-NN	156	227
T46-9560-02-TT	156	433
T46-9560-02-VV	156	433
T46-9560-02-YY	156	227
T46-9560-03-BB	156	433
T46-9560-03-CC	156	173
T46-9560-03-GG	156	485
T46-9560-03-KK	156	284
T46-9560-03-LL	156	327
T46-9560-03-NN	156	227
T46-9560-03-TT	156	433
T46-9560-03-VV	156	433
T46-9560-03-YY	156	227
T46-9649-00-BB	156	433
T46-9649-00-CC	156	173
T46-9649-00-GG	156	485
T46-9649-00-KK	156	284
T46-9649-00-LL	156	327
T46-9649-00-NN	156	227
T46-9649-00-TT	156	433
T46-9649-00-VV	156	433
T46-9649-00-YY	156	227
T47-1100-00-Bx	168	4703
T47-1100-00-Cx	168	2896
T47-1100-00-Gx	168	5909
T47-1100-00-Kx	168	4404
T47-1100-00-Lx	168	4959
T47-1100-00-Nx	168	3951
T47-1100-00-Tx	168	5306
T47-1100-00-Vx	168	5306
T47-1100-00-Yx	168	3951
T47-8041-00L-Bx	167	1398
T47-8041-00L-Cx	167	713
T47-8041-00L-Gx	167	1855
T47-8041-00L-Kx	167	1283
T47-8041-00L-Lx	167	1495
T47-8041-00L-Nx	167	1111
T47-8041-00L-Tx	167	1627
T47-8041-00L-Vx	167	1627
T47-8041-00L-Yx	167	1111
T47-8100-00L-Bx	167	988
T47-8100-00L-Cx	167	512
T47-8100-00L-Gx	167	1306
T47-8100-00L-Kx	167	908
T47-8100-00L-Lx	167	1067
T47-8100-00L-Nx	167	806
T47-8100-00L-Tx	167	1147
T47-8100-00L-Vx	167	1147
T47-8100-00L-Yx	167	806
T47-9453-00-Bx	168	1059

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
T47-9453-00-Cx	168	489
T47-9453-00-Gx	168	1462
T47-9453-00-Kx	168	758
T47-9453-00-Lx	168	1059
T47-9453-00-Nx	168	688
T47-9453-00-Tx	168	1260
T47-9453-00-Vx	168	1260
T47-9453-00-Yx	168	688
T47-9560-02-Bx	169	643
T47-9560-02-Cx	169	290
T47-9560-02-Gx	169	879
T47-9560-02-Kx	169	467
T47-9560-02-Lx	169	643
T47-9560-02-Nx	169	425
T47-9560-02-Tx	169	762
T47-9560-02-Vx	169	762
T47-9560-02-Yx	169	425
T47-9560-03-Bx	169	643
T47-9560-03-Cx	169	290
T47-9560-03-Gx	169	879
T47-9560-03-Kx	169	467
T47-9560-03-Lx	169	643
T47-9560-03-Nx	169	425
T47-9560-03-Tx	169	762
T47-9560-03-Vx	169	762
T47-9560-03-Yx	169	425
T47-9649-00-Bx	170	643
T47-9649-00-Cx	170	290
T47-9649-00-Gx	170	879
T47-9649-00-Kx	170	467
T47-9649-00-Lx	170	643
T47-9649-00-Nx	170	425
T47-9649-00-Tx	170	762
T47-9649-00-Vx	170	762
T47-9649-00-Yx	170	425
T51-9521-00-CC	179	489
T51-9521-00-CF	179	535
T51-9531-00-CC	179	489
T51-9531-00-CF	179	535
T56-1100-00-CB	184	2844
T56-1100-00-CC	184	2612
T56-1100-00-CF	184	2844
T56-9404-00-CB	185	267
T56-9404-00-CC	185	248
T56-9404-00-CF	185	267
T56-9511-00-CB	185	472
T56-9511-00-CC	185	431
T56-9511-00-CF	185	472
T56-9521-00-CB	186	472
T56-9521-00-CC	186	431
T56-9521-00-CF	186	472
T56-9531-00-CB	186	472
T56-9531-00-CC	186	431
T56-9531-00-CF	186	472
T56-9560-02-CB	187	196
T56-9560-02-CC	187	179
T56-9560-02-CF	187	196
T56-9560-03-CB	187	196

CODE	PAGE	PRICE
T56-9560-03-CC	187	179
T56-9560-03-CF	187	196
T56-9649-00-CB	187	196
T56-9649-00-CC	187	179
T56-9649-00-CF	187	196
T66-1100-02-BB	197	2314
T66-1100-02-CC	197	1616
T66-1100-02-GG	197	4418
T66-1100-02-KK	197	2157
T66-1100-02-KM	197	2799
T66-1100-02-LL	197	2533
T66-1100-02-MM	197	2533
T66-1100-02-NN	197	2385
T66-1100-02-TT	197	3123
T66-1100-02-VV	197	3123
T66-1100-02-YY	197	2385
T66-1600-00-BB	198	906
T66-1600-00-CC	198	349
T66-1600-00-GG	198	1199
T66-1600-00-KK	198	554
T66-1600-00-KM	198	788
T66-1600-00-LL	198	663
T66-1600-00-MM	198	663
T66-1600-00-NN	198	531
T66-1600-00-TT	198	906
T66-1600-00-VV	198	906
T66-1600-00-YY	198	531
T66-2001-00-BB	198	2593
T66-2001-00-CC	198	1055
T66-2001-00-GG	198	2900
T66-2001-00-KK	198	1671
T66-2001-00-LL	198	1960
T66-2001-00-NN	198	1610
T66-2001-00-TT	198	2593
T66-2001-00-VV	198	2593
T66-2001-00-YY	198	1610
T66-2001-PB-BB	198	2710
T66-2001-PB-CC	198	1113
T66-2001-PB-GG	198	3029
T66-2001-PB-KK	198	1752
T66-2001-PB-LL	198	2052
T66-2001-PB-NN	198	1687
T66-2001-PB-TT	198	2710
T66-2001-PB-VV	198	2710
T66-2001-PB-YY	198	1687
T66-8041-00L-BB	195	1118
T66-8041-00L-CC	195	343
T66-8041-00L-GG	195	1506
T66-8041-00L-KK	195	614
T66-8041-00L-KM	195	963
T66-8041-00L-LL	195	766
T66-8041-00L-MM	195	766
T66-8041-00L-NN	195	614
T66-8041-00L-TT	195	1166
T66-8041-00L-VV	195	1166
T66-8041-00L-YY	195	614
T66-8046-00L-BB	195	1201
T66-8046-00L-CC	195	426

CODE	PAGE	PRICE
T66-8046-00L-GG	195	1589
T66-8046-00L-KK	195	619
T66-8046-00L-LL	195	814
T66-8046-00L-NN	195	697
T66-8046-00L-TT	195	1201
T66-8046-00L-VV	195	1201
T66-8046-00L-YY	195	697
T66-8100-04L-BB	196	514
T66-8100-04L-CC	196	275
T66-8100-04L-GG	196	1045
T66-8100-04L-KK	196	387
T66-8100-04L-KM	196	574
T66-8100-04L-LL	196	511
T66-8100-04L-MM	196	511
T66-8100-04L-NN	196	470
T66-8100-04L-TT	196	822
T66-8100-04L-VV	196	822
T66-8100-04L-YY	196	470
T66-8106-04L-BB	196	631
T66-8106-04L-CC	196	332
T66-8106-04L-GG	196	913
T66-8106-04L-KK	196	448
T66-8106-04L-LL	196	531
T66-8106-04L-MM	196	531
T66-8106-04L-NN	196	481
T66-8106-04L-TT	196	664
T66-8106-04L-VV	196	664
T66-8106-04L-YY	196	481
T66-8120-04L-BB	196	816
T66-8120-04L-CC	196	267
T66-8120-04L-GG	196	1091
T66-8120-04L-KK	196	432
T66-8120-04L-KM	196	688
T66-8120-04L-LL	196	592
T66-8120-04L-MM	196	592
T66-8120-04L-NN	196	497
T66-8120-04L-TT	196	816
T66-8120-04L-VV	196	816
T66-8120-04L-YY	196	497
T66-8126-04L-BB	196	899
T66-8126-04L-CC	196	349
T66-8126-04L-GG	196	1174
T66-8126-04L-KK	196	515
T66-8126-04L-LL	196	675
T66-8126-04L-MM	196	675
T66-8126-04L-NN	196	580
T66-8126-04L-TT	196	899
T66-8126-04L-VV	196	899
T66-8126-04L-YY	196	580
T66-9139-00-BB	199	531
T66-9139-00-CC	199	172
T66-9139-00-GG	199	617
T66-9139-00-KK	199	343
T66-9139-00-LL	199	426
T66-9139-00-NN	199	297
T66-9139-00-TT	199	531
T66-9139-00-VV	199	531
T66-9139-00-YY	199	297

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
T66-9181-00-BB	199	711
T66-9181-00-CC	199	251
T66-9181-00-GG	199	845
T66-9181-00-KK	199	409
T66-9181-00-KM	199	580
T66-9181-00-LL	199	524
T66-9181-00-MM	199	524
T66-9181-00-NN	199	420
T66-9181-00-TT	199	780
T66-9181-00-VV	199	780
T66-9181-00-YY	199	420
T66-9190-00-BB	200	711
T66-9190-00-CC	200	251
T66-9190-00-GG	200	845
T66-9190-00-KK	200	409
T66-9190-00-LL	200	524
T66-9190-00-NN	200	420
T66-9190-00-TT	200	780
T66-9190-00-VV	200	780
T66-9190-00-YY	200	420
T66-9404-00-BB	200	667
T66-9404-00-CC	200	217
T66-9404-00-GG	200	773
T66-9404-00-KK	200	430
T66-9404-00-LL	200	532
T66-9404-00-NN	200	373
T66-9404-00-TT	200	667
T66-9404-00-VV	200	667
T66-9404-00-YY	200	373
T66-9453-00-BB	200	684
T66-9453-00-CC	200	343
T66-9453-00-GG	200	1026
T66-9453-00-KK	200	514
T66-9453-00-LL	200	678
T66-9453-00-NN	200	462
T66-9453-00-TT	200	957
T66-9453-00-VV	200	957
T66-9453-00-YY	200	462
T66-9511-00-BB	201	873
T66-9511-00-CC	201	292
T66-9511-00-GG	201	959
T66-9511-00-KK	201	496
T66-9511-00-KM	201	709
T66-9511-00-LL	201	578
T66-9511-00-MM	201	578
T66-9511-00-NN	201	478
T66-9511-00-TT	201	901
T66-9511-00-VV	201	901
T66-9511-00-YY	201	478
T66-9521-00-BB	201	873
T66-9521-00-CC	201	292
T66-9521-00-GG	201	959
T66-9521-00-KK	201	496
T66-9521-00-KM	201	709
T66-9521-00-LL	201	578
T66-9521-00-MM	201	578
T66-9521-00-NN	201	478
T66-9521-00-TT	201	901

CODE	PAGE	PRICE
T66-9521-00-VV	201	901
T66-9521-00-YY	201	478
T66-9531-00-BB	202	873
T66-9531-00-CC	202	292
T66-9531-00-GG	202	959
T66-9531-00-KK	202	496
T66-9531-00-KM	202	709
T66-9531-00-LL	202	578
T66-9531-00-MM	202	578
T66-9531-00-NN	202	478
T66-9531-00-TT	202	901
T66-9531-00-VV	202	901
T66-9531-00-YY	202	478
T66-9560-02-BB	202	417
T66-9560-02-CC	202	157
T66-9560-02-GG	202	469
T66-9560-02-KK	202	268
T66-9560-02-LL	202	311
T66-9560-02-NN	202	211
T66-9560-02-TT	202	417
T66-9560-02-VV	202	417
T66-9560-02-YY	202	211
T66-9560-03-BB	203	417
T66-9560-03-CC	203	157
T66-9560-03-GG	203	469
T66-9560-03-KK	203	268
T66-9560-03-LL	203	311
T66-9560-03-NN	203	211
T66-9560-03-TT	203	417
T66-9560-03-VV	203	417
T66-9560-03-YY	203	211
T66-9649-00-BB	203	417
T66-9649-00-CC	203	157
T66-9649-00-GG	203	469
T66-9649-00-KK	203	268
T66-9649-00-LL	203	311
T66-9649-00-NN	203	211
T66-9649-00-TT	203	417
T66-9649-00-VV	203	417
T66-9649-00-YY	203	211
T71-8041-00L-BB	216	1466
T71-8041-00L-CC	216	517
T71-8041-00L-GG	216	1941
T71-8041-00L-KK	216	974
T71-8041-00L-LL	216	1086
T71-8041-00L-NN	216	872
T71-8041-00L-TT	216	1466
T71-8041-00L-VV	216	1466
T71-8041-00L-YY	216	872
T71-9404-00-BB	218	899
T71-9404-00-CC	218	291
T71-9404-00-GG	218	1043
T71-9404-00-KK	218	537
T71-9404-00-LL	218	725
T71-9404-00-NN	218	508
T71-9404-00-TT	218	899
T71-9404-00-VV	218	899
T71-9404-00-YY	218	508

CODE	PAGE	PRICE
T71-9560-02-BB	218	525
T71-9560-02-CC	218	196
T71-9560-02-GG	218	587
T71-9560-02-KK	218	333
T71-9560-02-LL	218	391
T71-9560-02-NN	218	266
T71-9560-02-TT	218	525
T71-9560-02-VV	218	525
T71-9560-02-YY	218	266
T71-9560-03-BB	219	525
T71-9560-03-CC	219	196
T71-9560-03-GG	219	587
T71-9560-03-KK	219	333
T71-9560-03-LL	219	391
T71-9560-03-NN	219	266
T71-9560-03-TT	219	525
T71-9560-03-VV	219	525
T71-9560-03-YY	219	266
T71-9641-00-BB	219	525
T71-9641-00-CC	219	196
T71-9641-00-GG	219	587
T71-9641-00-KK	219	333
T71-9641-00-LL	219	391
T71-9641-00-NN	219	266
T71-9641-00-TT	219	525
T71-9641-00-VV	219	525
T71-9641-00-YY	219	266
T72-8041-00L-BB	216	1466
T72-8041-00L-CC	216	517
T72-8041-00L-GG	216	1941
T72-8041-00L-KK	216	974
T72-8041-00L-LL	216	1086
T72-8041-00L-NN	216	872
T72-8041-00L-TT	216	1466
T72-8041-00L-VV	216	1466
T72-8041-00L-YY	216	872
T72-9404-00-BB	218	899
T72-9404-00-CC	218	291
T72-9404-00-GG	218	1043
T72-9404-00-KK	218	537
T72-9404-00-LL	218	725
T72-9404-00-NN	218	508
T72-9404-00-TT	218	899
T72-9404-00-VV	218	899
T72-9404-00-YY	218	508
T72-9560-02-BB	218	525
T72-9560-02-CC	218	196
T72-9560-02-GG	218	587
T72-9560-02-KK	218	333
T72-9560-02-LL	218	391
T72-9560-02-NN	218	266
T72-9560-02-TT	218	525
T72-9560-02-VV	218	525
T72-9560-02-YY	218	266
T72-9560-03-BB	219	525
T72-9560-03-CC	219	196
T72-9560-03-GG	219	587
T72-9560-03-KK	219	333

PRICE INDEX

CODE	PAGE	PRICE
T72-9560-03-LL	219	391
T72-9560-03-NN	219	266
T72-9560-03-TT	219	525
T72-9560-03-VV	219	525
T72-9560-03-YY	219	266
T72-9641-00-BB	219	525
T72-9641-00-CC	219	196
T72-9641-00-GG	219	587
T72-9641-00-KK	219	333
T72-9641-00-LL	219	391
T72-9641-00-NN	219	266
T72-9641-00-TT	219	525
T72-9641-00-VV	219	525
T72-9641-00-YY	219	266
T74-9404-00-BB	225	899
T74-9404-00-CB	225	291
T74-9404-00-GB	225	1043
T74-9404-00-KB	225	537
T74-9404-00-LB	225	725
T74-9404-00-NB	225	508
T74-9404-00-TB	225	899
T74-9404-00-VB	225	899
T74-9404-00-YB	225	508
T74-9560-02-BB	225	525
T74-9560-02-CB	225	196
T74-9560-02-GB	225	587
T74-9560-02-KB	225	333
T74-9560-02-LB	225	391
T74-9560-02-NB	225	266
T74-9560-02-TB	225	525
T74-9560-02-VB	225	525
T74-9560-02-YB	225	266
T74-9560-03-BB	225	525
T74-9560-03-CB	225	196
T74-9560-03-GB	225	587
T74-9560-03-KB	225	333
T74-9560-03-LB	225	391
T74-9560-03-NB	225	266
T74-9560-03-TB	225	525
T74-9560-03-VB	225	525
T74-9560-03-YB	225	266
T74-9641-00-BB	226	525
T74-9641-00-CB	226	196
T74-9641-00-GB	226	587
T74-9641-00-KB	226	333
T74-9641-00-LB	226	391
T74-9641-00-NB	226	266
T74-9641-00-TB	226	525
T74-9641-00-VB	226	525
T74-9641-00-YB	226	266
T80-1101-00-BB	237	2314
T80-1101-00-CC	237	1503
T80-1101-00-GG	237	4418
T80-1101-00-KK	237	2151
T80-1101-00-LL	237	2533
T80-1101-00-NN	237	2462
T80-1101-00-TT	237	3123
T80-1101-00-VV	237	3123

CODE	PAGE	PRICE
T80-1101-00-YY	237	2462
T80-1102-00-BB	111	2314
T80-1102-00-CC	111	1503
T80-1102-00-GG	111	4418
T80-1102-00-KK	111	2151
T80-1102-00-LL	111	2533
T80-1102-00-NN	111	2462
T80-1102-00-TT	111	3123
T80-1102-00-VV	111	3123
T80-1102-00-YY	111	2462
T80-8042-00L-BB	235	844
T80-8042-00L-CC	235	215
T80-8042-00L-GG	235	1156
T80-8042-00L-KK	235	429
T80-8042-00L-LL	235	589
T80-8042-00L-NN	235	434
T80-8042-00L-TT	235	947
T80-8042-00L-VV	235	947
T80-8042-00L-YY	235	434
T80-8046-00L-BB	235	915
T80-8046-00L-CC	235	299
T80-8046-00L-GG	235	1229
T80-8046-00L-KK	235	539
T80-8046-00L-LL	235	664
T80-8046-00L-NN	235	527
T80-8046-00L-TT	235	1040
T80-8046-00L-VV	235	1040
T80-8046-00L-YY	235	527
T80-8102-00L-BB	236	811
T80-8102-00L-CC	236	265
T80-8102-00L-GG	236	1138
T80-8102-00L-KK	236	483
T80-8102-00L-LL	236	592
T80-8102-00L-NN	236	469
T80-8102-00L-TT	236	811
T80-8102-00L-VV	236	811
T80-8102-00L-YY	236	469
T80-8106-00L-BB	236	876
T80-8106-00L-CC	236	318
T80-8106-00L-GG	236	1191
T80-8106-00L-KK	236	536
T80-8106-00L-LL	236	645
T80-8106-00L-NN	236	522
T80-8106-00L-TT	236	864
T80-8106-00L-VV	236	864
T80-8106-00L-YY	236	522
T80-9101-00-BB	241	455
T80-9101-00-CC	241	144
T80-9101-00-GG	241	528
T80-9101-00-KK	241	271
T80-9101-00-LL	241	344
T80-9101-00-NN	241	259
T80-9101-00-TT	241	455
T80-9101-00-VV	241	455
T80-9101-00-YY	241	259
T80-9102-00-BB	241	455
T80-9102-00-CC	241	144
T80-9102-00-GG	241	528

CODE	PAGE	PRICE
T80-9102-00-KK	241	271
T80-9102-00-LL	241	344
T80-9102-00-NN	241	259
T80-9102-00-TT	241	455
T80-9102-00-VV	241	455
T80-9102-00-YY	241	259
T80-9181-00-BB	242	625
T80-9181-00-CC	242	160
T80-9181-00-GG	242	737
T80-9181-00-KK	242	346
T80-9181-00-LL	242	469
T80-9181-00-NN	242	374
T80-9181-00-TT	242	682
T80-9181-00-VV	242	682
T80-9181-00-YY	242	374
T80-9182-00-BB	242	625
T80-9182-00-CC	242	160
T80-9182-00-GG	242	737
T80-9182-00-KK	242	346
T80-9182-00-LL	242	469
T80-9182-00-NN	242	374
T80-9182-00-TT	242	682
T80-9182-00-VV	242	682
T80-9182-00-YY	242	374
T80-9191-00-BB	243	625
T80-9191-00-CC	243	160
T80-9191-00-GG	243	737
T80-9191-00-KK	243	346
T80-9191-00-LL	243	469
T80-9191-00-NN	243	374
T80-9191-00-TT	243	682
T80-9191-00-VV	243	682
T80-9191-00-YY	243	374
T80-9192-00-BB	243	625
T80-9192-00-CC	243	160
T80-9192-00-GG	243	737
T80-9192-00-KK	243	346
T80-9192-00-LL	243	469
T80-9192-00-NN	243	374
T80-9192-00-TT	243	682
T80-9192-00-VV	243	682
T80-9192-00-YY	243	374
T80-9401-00-BB	244	547
T80-9401-00-CC	244	177
T80-9401-00-GG	244	658
T80-9401-00-KK	244	362
T80-9401-00-LL	244	443
T80-9401-00-NN	244	325
T80-9401-00-TT	244	584
T80-9401-00-VV	244	584
T80-9401-00-YY	244	325
T80-9402-00-BB	113	547
T80-9402-00-CC	113	177
T80-9402-00-GG	113	658
T80-9402-00-KK	113	362
T80-9402-00-LL	113	443
T80-9402-00-NN	113	325
T80-9402-00-TT	113	584

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
T80-9402-00-VV	113	584
T80-9402-00-YY	113	325
T80-9453-00-BB	245	192
T80-9453-00-CC	245	107
T80-9453-00-GG	245	268
T80-9453-00-KK	245	134
T80-9453-00-LL	245	173
T80-9453-00-NN	245	125
T80-9453-00-TT	245	230
T80-9453-00-VV	245	230
T80-9453-00-YY	245	125
T80-9511-00-BB	246	793
T80-9511-00-CC	246	176
T80-9511-00-GG	246	871
T80-9511-00-KK	246	446
T80-9511-00-LL	246	523
T80-9511-00-NN	246	446
T80-9511-00-TT	246	832
T80-9511-00-VV	246	832
T80-9511-00-YY	246	446
T80-9512-00-BB	246	793
T80-9512-00-CC	246	176
T80-9512-00-GG	246	871
T80-9512-00-KK	246	446
T80-9512-00-LL	246	523
T80-9512-00-NN	246	446
T80-9512-00-TT	246	832
T80-9512-00-VV	246	832
T80-9512-00-YY	246	446
T80-9521-00-BB	247	793
T80-9521-00-CC	247	176
T80-9521-00-GG	247	871
T80-9521-00-KK	247	446
T80-9521-00-LL	247	523
T80-9521-00-NN	247	446
T80-9521-00-TT	247	832
T80-9521-00-VV	247	832
T80-9521-00-YY	247	446
T80-9522-00-BB	247	793
T80-9522-00-CC	247	176
T80-9522-00-GG	247	871
T80-9522-00-KK	247	446
T80-9522-00-LL	247	523
T80-9522-00-NN	247	446
T80-9522-00-TT	247	832
T80-9522-00-VV	247	832
T80-9522-00-YY	247	446
T80-9531-00-BB	248	793
T80-9531-00-CC	248	176
T80-9531-00-GG	248	871
T80-9531-00-KK	248	446
T80-9531-00-LL	248	523
T80-9531-00-NN	248	446
T80-9531-00-TT	248	832
T80-9531-00-VV	248	832
T80-9531-00-YY	248	446
T80-9532-00-BB	248	793
T80-9532-00-CC	248	176

CODE	PAGE	PRICE
T80-9532-00-GG	248	871
T80-9532-00-KK	248	446
T80-9532-00-LL	248	523
T80-9532-00-NN	248	446
T80-9532-00-TT	248	832
T80-9532-00-VV	248	832
T80-9532-00-YY	248	446
T80-9560-02-BB	249	170
T80-9560-02-CC	249	85
T80-9560-02-GG	249	239
T80-9560-02-KK	249	119
T80-9560-02-LL	249	153
T80-9560-02-NN	249	102
T80-9560-02-TT	249	187
T80-9560-02-VV	249	187
T80-9560-02-YY	249	102
T80-9560-03-BB	250	170
T80-9560-03-CC	250	85
T80-9560-03-GG	250	239
T80-9560-03-KK	250	119
T80-9560-03-LL	250	153
T80-9560-03-NN	250	102
T80-9560-03-TT	250	187
T80-9560-03-VV	250	187
T80-9560-03-YY	250	102
T80-9649-00-BB	251	170
T80-9649-00-CC	251	85
T80-9649-00-GG	251	239
T80-9649-00-KK	251	119
T80-9649-00-LL	251	153
T80-9649-00-NN	251	102
T80-9649-00-TT	251	187
T80-9649-00-VV	251	187
T80-9649-00-YY	251	102
TET-0304-05-BB	346	253
TET-0304-05-CC	346	65
TET-0304-05-GG	346	282
TET-0304-05-KK	346	86
TET-0304-05-LL	346	267
TET-0304-05-NN	346	119
TET-0304-05-TT	346	267
TET-0304-05-VV	346	267
TET-0304-05-YY	346	119
TET-0620-05-BB	346	218
TET-0620-05-CC	346	99
TET-0620-05-GG	346	372
TET-0620-05-KK	346	134
TET-0620-05-LL	346	158
TET-0620-05-MM	346	158
TET-0620-05-NN	346	144
TET-0620-05-TT	346	328
TET-0620-05-VV	346	328
TET-0620-05-YY	346	144
TET-0810-01-BB	346	392
TET-0810-01-CC	346	278
TET-0810-01-GG	346	742
TET-0810-01-KK	346	372
TET-0810-01-KM	346	455

CODE	PAGE	PRICE
TET-0810-01-LL	346	408
TET-0810-01-MM	346	408
TET-0810-01-NN	346	373
TET-0810-01-TT	346	685
TET-0810-01-VV	346	685
TET-0810-01-YY	346	373
TET-0811-02-BB	346	579
TET-0811-02-CC	346	314
TET-0811-02-GG	346	785
TET-0811-02-KK	346	427
TET-0811-02-LL	346	654
TET-0811-02-NN	346	435
TET-0811-02-TT	346	757
TET-0811-02-VV	346	757
TET-0811-02-YY	346	435
TET-0812-03-BB	346	678
TET-0812-03-CC	346	339
TET-0812-03-GG	346	849
TET-0812-03-KK	346	561
TET-0812-03-LL	346	746
TET-0812-03-NN	346	528
TET-0812-03-TT	346	746
TET-0812-03-VV	346	746
TET-0812-03-YY	346	528
TET-0813-01-CC	347	201
TET-0814-01-CC	347	259
TET-0815-01-BB	347	576
TET-0815-01-CC	347	287
TET-0815-01-GG	347	774
TET-0815-01-KK	347	403
TET-0815-01-KM	347	527
TET-0815-01-LL	347	498
TET-0815-01-NN	347	419
TET-0815-01-TT	347	747
TET-0815-01-VV	347	747
TET-0815-01-YY	347	419
TET-1010-01-BB	347	806
TET-1010-01-CC	347	403
TET-1010-01-GG	347	1054
TET-1010-01-KK	347	564
TET-1010-01-LL	347	725
TET-1010-01-NN	347	587
TET-1010-01-TT	347	886
TET-1010-01-VV	347	886
TET-1010-01-YY	347	587
TET-1010-47-Bx	347	1598
TET-1010-47-Cx	347	799
TET-1010-47-Gx	347	1918
TET-1010-47-Kx	347	1334
TET-1010-47-Lx	347	1439
TET-1010-47-Nx	347	1088
TET-1010-47-Tx	347	1662
TET-1010-47-Vx	347	1662
TET-1010-47-Yx	347	1088
TET-1011-01-BB	348	977
TET-1011-01-CC	348	499
TET-1011-01-GG	348	1223
TET-1011-01-KK	348	685

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
TET-1011-01-LL	348	880
TET-1011-01-NN	348	713
TET-1011-01-TT	348	1076
TET-1011-01-VV	348	1076
TET-1011-01-YY	348	713
TET-1013-01-CC	348	299
TET-1013-01-KK	348	399
TET-1013-01-LL	348	499
TET-1013-01-NN	348	449
TET-1014-01-CC	348	329
TET-1020-01-BB	348	828
TET-1020-01-CC	348	460
TET-1020-01-GG	348	1150
TET-1020-01-KK	348	645
TET-1020-01-LL	348	690
TET-1020-01-MM	348	690
TET-1020-01-NN	348	650
TET-1020-01-TT	348	1012
TET-1020-01-VV	348	1012
TET-1020-01-YY	348	650
TET-1050-01-CC	348	299
TET-1050-01-KK	348	399
TET-1050-01-KM	348	549
TET-1050-01-LL	348	499
TET-1050-01-MM	348	499
TET-1050-01-NN	348	449
TET-1208-01-CC	349	322
TET-1208-01-KK	349	418
TET-1210-01-BB	349	1138
TET-1210-01-CC	349	569
TET-1210-01-GG	349	1423
TET-1210-01-KK	349	797
TET-1210-01-LL	349	1202
TET-1210-01-NN	349	831
TET-1210-01-TT	349	1253
TET-1210-01-VV	349	1253
TET-1210-01-YY	349	831
TET-1210-35-III	132	1432
TET-1210-35-IIK	132	1432
TET-1210-35-IKI	132	1432
TET-1210-35-IKK	132	1432
TET-1210-35-JII	132	1432
TET-1210-35-JIK	132	1432
TET-1210-35-JKI	132	1432
TET-1210-35-JKK	132	1432
TET-1210-35-KII	132	1432
TET-1210-35-KIK	132	1432
TET-1210-35-KKI	132	1432
TET-1210-35-KKK	132	1432
TET-1212-04-BB	349	1323
TET-1212-04-CC	349	698
TET-1212-04-GG	349	1653
TET-1212-04-KK	349	926
TET-1212-04-LL	349	1297
TET-1212-04-NN	349	965
TET-1212-04-TT	349	1455
TET-1212-04-VV	349	1455
TET-1212-04-YY	349	965

CODE	PAGE	PRICE
TET-1213-01-CC	349	396
TET-1616-01-BB	349	1828
TET-1616-01-CC	349	915
TET-1616-01-GG	349	2286
TET-1616-01-KK	349	1280
TET-1616-01-LL	349	1646
TET-1616-01-NN	349	1335
TET-1616-01-TT	349	2012
TET-1616-01-VV	349	2012
TET-1616-01-YY	349	1335
TET-1616-02-BB	350	2036
TET-1616-02-CC	350	1018
TET-1616-02-GG	350	2546
TET-1616-02-KK	350	1426
TET-1616-02-LL	350	1833
TET-1616-02-NN	350	1485
TET-1616-02-TT	350	2240
TET-1616-02-VV	350	2240
TET-1616-02-YY	350	1485
TET-2012-01-CC	350	673
TRO-2100-04-BB	79	1341
TRO-2100-04-CC	79	543
TRO-2100-04-GG	79	1817
TRO-2100-04-KK	79	862
TRO-2100-04-LL	79	1174
TRO-2100-04-NN	79	1062
TRO-2100-04-TT	79	1587
TRO-2100-04-VV	79	1587
TRO-2100-04-YY	79	1062
TRO-2101-80-BB	254	1414
TRO-2101-80-CC	254	576
TRO-2101-80-GG	254	1834
TRO-2101-80-KK	254	861
TRO-2101-80-LL	254	1064
TRO-2101-80-NN	254	967
TRO-2101-80-TT	254	1581
TRO-2101-80-VV	254	1581
TRO-2101-80-YY	254	967
TRO-2102-20-BB	119	1852
TRO-2102-20-CC	119	955
TRO-2102-20-GG	119	2553
TRO-2102-20-KK	119	1272
TRO-2102-20-LL	119	1503
TRO-2102-20-MM	119	1503
TRO-2102-20-NN	119	1356
TRO-2102-20-TT	119	2016
TRO-2102-20-VV	119	2016
TRO-2102-20-YY	119	1356
TRO-2102-80-BB	255	1414
TRO-2102-80-CC	255	576
TRO-2102-80-GG	255	1834
TRO-2102-80-KK	255	861
TRO-2102-80-LL	255	1064
TRO-2102-80-NN	255	967
TRO-2102-80-TT	255	1581
TRO-2102-80-VV	255	1581
TRO-2102-80-YY	255	967
TRO-2104-20-BB	119	1852

CODE	PAGE	PRICE
TRO-2104-20-CC	119	955
TRO-2104-20-GG	119	2553
TRO-2104-20-KK	119	1272
TRO-2104-20-LL	119	1503
TRO-2104-20-MM	119	1503
TRO-2104-20-NN	119	1356
TRO-2104-20-TT	119	2016
TRO-2104-20-VV	119	2016
TRO-2104-20-YY	119	1356
TRO-2105-45-BB	143	1335
TRO-2105-45-CC	143	536
TRO-2105-45-GG	143	1796
TRO-2105-45-KK	143	855
TRO-2105-45-LL	143	1174
TRO-2105-45-NN	143	1027
TRO-2105-45-TT	143	1546
TRO-2105-45-VV	143	1546
TRO-2105-45-YY	143	1027
TRO-2115-66-BB	205	1227
TRO-2115-66-CC	205	516
TRO-2115-66-GG	205	1747
TRO-2115-66-KK	205	828
TRO-2115-66-LL	205	1033
TRO-2115-66-NN	205	877
TRO-2115-66-TT	205	1492
TRO-2115-66-VV	205	1492
TRO-2115-66-YY	205	877
TRO-2175-95-BB	93	1450
TRO-2175-95-CC	93	594
TRO-2175-95-GG	93	1879
TRO-2175-95-KK	93	936
TRO-2175-95-LL	93	1365
TRO-2175-95-NN	93	994
TRO-2175-95-TT	93	1622
TRO-2175-95-VV	93	1622
TRO-2175-95-YY	93	994
TRO-2200-04-BB	79	1511
TRO-2200-04-CC	79	627
TRO-2200-04-GG	79	2087
TRO-2200-04-KK	79	981
TRO-2200-04-LL	79	1423
TRO-2200-04-NN	79	1202
TRO-2200-04-TT	79	1778
TRO-2200-04-VV	79	1778
TRO-2200-04-YY	79	1202
TRO-2201-80-BB	256	1560
TRO-2201-80-CC	256	689
TRO-2201-80-GG	256	2118
TRO-2201-80-KK	256	984
TRO-2201-80-LL	256	1325
TRO-2201-80-NN	256	1133
TRO-2201-80-TT	256	1893
TRO-2201-80-VV	256	1893
TRO-2201-80-YY	256	1133
TRO-2202-80-BB	257	1560
TRO-2202-80-CC	257	689
TRO-2202-80-GG	257	2118
TRO-2202-80-KK	257	984

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TRO-2202-80-LL	257	1325
TRO-2202-80-NN	257	1133
TRO-2202-80-TT	257	1893
TRO-2202-80-VV	257	1893
TRO-2202-80-YY	257	1133
TRO-2210-66-BB	205	996
TRO-2210-66-CC	205	366
TRO-2210-66-GG	205	1311
TRO-2210-66-KK	205	618
TRO-2210-66-LL	205	928
TRO-2210-66-NN	205	646
TRO-2210-66-TT	205	1122
TRO-2210-66-VV	205	1122
TRO-2210-66-YY	205	646
TRO-2220-66-BB	206	1342
TRO-2220-66-CC	206	539
TRO-2220-66-GG	206	1879
TRO-2220-66-KK	206	860
TRO-2220-66-LL	206	1256
TRO-2220-66-NN	206	1027
TRO-2220-66-TT	206	1597
TRO-2220-66-VV	206	1597
TRO-2220-66-YY	206	1027
TRO-2801-80-BB	258	2171
TRO-2801-80-CC	258	886
TRO-2801-80-GG	258	2931
TRO-2801-80-KK	258	1410
TRO-2801-80-LL	258	1763
TRO-2801-80-NN	258	1499
TRO-2801-80-TT	258	2498
TRO-2801-80-VV	258	2498
TRO-2801-80-YY	258	1499
TRO-2802-20-BB	120	3352
TRO-2802-20-CC	120	1755
TRO-2802-20-GG	120	4635
TRO-2802-20-KK	120	2379
TRO-2802-20-LL	120	2754
TRO-2802-20-MM	120	2754
TRO-2802-20-NN	120	2453
TRO-2802-20-TT	120	3793
TRO-2802-20-VV	120	3793
TRO-2802-20-YY	120	2453
TRO-2802-80-BB	259	2301
TRO-2802-80-CC	259	937
TRO-2802-80-GG	259	3047
TRO-2802-80-KK	259	1483
TRO-2802-80-LL	259	2021
TRO-2802-80-NN	259	1575
TRO-2802-80-TT	259	2648
TRO-2802-80-VV	259	2648
TRO-2802-80-YY	259	1575
TRO-2804-20-BB	120	3352
TRO-2804-20-CC	120	1755
TRO-2804-20-GG	120	4635
TRO-2804-20-KK	120	2379
TRO-2804-20-LL	120	2754
TRO-2804-20-MM	120	2754
TRO-2804-20-NN	120	2453

CODE	PAGE	PRICE
TRO-2804-20-TT	120	3793
TRO-2804-20-VV	120	3793
TRO-2804-20-YY	120	2453
TRO-2805-04-BB	80	2146
TRO-2805-04-CC	80	960
TRO-2805-04-GG	80	2787
TRO-2805-04-KK	80	1242
TRO-2805-04-KM	80	2154
TRO-2805-04-LL	80	1936
TRO-2805-04-NN	80	1698
TRO-2805-04-TT	80	2542
TRO-2805-04-VV	80	2542
TRO-2805-04-YY	80	1698
TRO-2805-45-BB	143	2286
TRO-2805-45-CC	143	948
TRO-2805-45-GG	143	3074
TRO-2805-45-KK	143	1498
TRO-2805-45-LL	143	1844
TRO-2805-45-NN	143	1590
TRO-2805-45-TT	143	2647
TRO-2805-45-VV	143	2647
TRO-2805-45-YY	143	1590
TRO-2805-66-BB	206	1960
TRO-2805-66-CC	206	919
TRO-2805-66-GG	206	2979
TRO-2805-66-KK	206	1435
TRO-2805-66-KM	206	1847
TRO-2805-66-LL	206	1753
TRO-2805-66-MM	206	1753
TRO-2805-66-NN	206	1474
TRO-2805-66-TT	206	2598
TRO-2805-66-VV	206	2598
TRO-2805-66-YY	206	1474
TRO-2805-95-BB	93	2668
TRO-2805-95-CC	93	1120
TRO-2805-95-GG	93	3499
TRO-2805-95-KK	93	1739
TRO-2805-95-LL	93	2513
TRO-2805-95-NN	93	1766
TRO-2805-95-TT	93	2976
TRO-2805-95-VV	93	2976
TRO-2805-95-YY	93	1766
TRO-2811-80-CC	260	920
TRO-2811-80-KK	260	1459
TRO-2812-80-CC	261	955
TRO-2812-80-KK	261	1507
TRO-2815-04-CC	80	832
TRO-2815-04-KK	80	1330
TRO-2815-45-CC	144	960
TRO-2815-45-KK	144	1298
TRO-2815-46-CC	159	948
TRO-2815-46-KK	159	1498
TRO-2815-66-CC	206	746
TRO-2815-95-CC	94	823
TRO-2816-66-CC	207	706
TRO-2816-66-KK	207	931
TRO-2826-66-CC	207	772
TRO-2826-66-KK	207	1017

CODE	PAGE	PRICE
TRO-2891-80-BB	262	1779
TRO-2891-80-CC	262	808
TRO-2891-80-GG	262	2649
TRO-2891-80-KK	262	1297
TRO-2891-80-LL	262	1671
TRO-2891-80-NN	262	1358
TRO-2891-80-TT	262	2289
TRO-2891-80-VV	262	2289
TRO-2891-80-YY	262	1358
TRO-2892-80-BB	263	1966
TRO-2892-80-CC	263	860
TRO-2892-80-GG	263	2692
TRO-2892-80-KK	263	1352
TRO-2892-80-LL	263	1888
TRO-2892-80-NN	263	1420
TRO-2892-80-TT	263	2403
TRO-2892-80-VV	263	2403
TRO-2892-80-YY	263	1420
TRO-2896-46-BB	159	2053
TRO-2896-46-CC	159	961
TRO-2896-46-GG	159	2981
TRO-2896-46-KK	159	1456
TRO-2896-46-LL	159	1875
TRO-2896-46-NN	159	1532
TRO-2896-46-TT	159	2610
TRO-2896-46-VV	159	2610
TRO-2896-46-YY	159	1532
TRO-2896-66-BB	207	1865
TRO-2896-66-CC	207	890
TRO-2896-66-GG	207	2757
TRO-2896-66-KK	207	1354
TRO-2896-66-LL	207	1726
TRO-2896-66-NN	207	1404
TRO-2896-66-TT	207	2433
TRO-2896-66-VV	207	2433
TRO-2896-66-YY	207	1404
TRO-2901-80-CC	264	947
TRO-2902-80-CC	265	1005
TRO-2915-04-CC	80	887
TRO-2915-04-KK	80	1356
TRO-2915-45-CC	144	946
TRO-2915-45-KK	144	1458
TRO-2915-66-CC	208	898
TRO-3301-80-BB	266	1997
TRO-3301-80-CC	266	939
TRO-3301-80-GG	266	2897
TRO-3301-80-KK	266	1450
TRO-3301-80-LL	266	1837
TRO-3301-80-NN	266	1383
TRO-3301-80-TT	266	2302
TRO-3301-80-VV	266	2302
TRO-3301-80-YY	266	1383
TRO-3302-20-BB	120	3058
TRO-3302-20-CC	120	1559
TRO-3302-20-GG	120	4272
TRO-3302-20-KK	120	2312
TRO-3302-20-LL	120	2726
TRO-3302-20-MM	120	2726

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
TRO-3302-20-NN	120	2196
TRO-3302-20-TT	120	3657
TRO-3302-20-VV	120	3657
TRO-3302-20-YY	120	2196
TRO-3302-45-BB	144	2896
TRO-3302-45-CC	144	1352
TRO-3302-45-GG	144	3998
TRO-3302-45-KK	144	2183
TRO-3302-45-LL	144	2707
TRO-3302-45-NN	144	2083
TRO-3302-45-TT	144	3455
TRO-3302-45-VV	144	3455
TRO-3302-45-YY	144	2083
TRO-3302-47-Bx	173	4281
TRO-3302-47-Cx	173	2019
TRO-3302-47-Gx	173	5696
TRO-3302-47-Kx	173	3390
TRO-3302-47-Lx	173	4164
TRO-3302-47-Nx	173	3001
TRO-3302-47-Tx	173	4508
TRO-3302-47-Vx	173	4508
TRO-3302-47-Yx	173	3016
TRO-3302-66-BB	208	2888
TRO-3302-66-CC	208	1365
TRO-3302-66-GG	208	3986
TRO-3302-66-KK	208	2177
TRO-3302-66-LL	208	2693
TRO-3302-66-NN	208	2060
TRO-3302-66-TT	208	3443
TRO-3302-66-VV	208	3443
TRO-3302-66-YY	208	2060
TRO-3302-80-BB	267	2129
TRO-3302-80-CC	267	1028
TRO-3302-80-GG	267	3012
TRO-3302-80-KK	267	1570
TRO-3302-80-LL	267	1993
TRO-3302-80-NN	267	1510
TRO-3302-80-TT	267	2492
TRO-3302-80-VV	267	2492
TRO-3302-80-YY	267	1510
TRO-3303-47-Bx	173	4507
TRO-3303-47-Cx	173	2098
TRO-3303-47-Gx	173	6086
TRO-3303-47-Kx	173	3554
TRO-3303-47-Lx	173	4326
TRO-3303-47-Nx	173	3182
TRO-3303-47-Tx	173	5047
TRO-3303-47-Vx	173	5047
TRO-3303-47-Yx	173	3182
TRO-3304-20-BB	121	3058
TRO-3304-20-CC	121	1559
TRO-3304-20-GG	121	4272
TRO-3304-20-KK	121	2312
TRO-3304-20-LL	121	2726
TRO-3304-20-MM	121	2726
TRO-3304-20-NN	121	2196
TRO-3304-20-TT	121	3657
TRO-3304-20-VV	121	3657

CODE	PAGE	PRICE
TRO-3304-20-YY	121	2196
TRO-3304-47-Bx	174	2703
TRO-3304-47-Cx	174	1377
TRO-3304-47-Gx	174	3790
TRO-3304-47-Kx	174	2031
TRO-3304-47-Lx	174	2662
TRO-3304-47-Nx	174	1946
TRO-3304-47-Tx	174	3235
TRO-3304-47-Vx	174	3235
TRO-3304-47-Yx	174	1946
TRO-3311-80-BB	268	1228
TRO-3311-80-CC	268	582
TRO-3311-80-GG	268	1918
TRO-3311-80-KK	268	924
TRO-3311-80-LL	268	1186
TRO-3311-80-NN	268	890
TRO-3311-80-TT	268	1546
TRO-3311-80-VV	268	1546
TRO-3311-80-YY	268	890
TRO-3352-47-Bx	174	4502
TRO-3352-47-Cx	174	2028
TRO-3352-47-Gx	174	5871
TRO-3352-47-Kx	174	3404
TRO-3352-47-Lx	174	4275
TRO-3352-47-Nx	174	3141
TRO-3352-47-Tx	174	4588
TRO-3352-47-Vx	174	4588
TRO-3352-47-Yx	174	3141
TRO-3405-04-BB	81	2904
TRO-3405-04-CC	81	1080
TRO-3405-04-GG	81	3991
TRO-3405-04-KK	81	1855
TRO-3405-04-LL	81	2282
TRO-3405-04-NN	81	1978
TRO-3405-04-TT	81	3340
TRO-3405-04-VV	81	3340
TRO-3405-04-YY	81	1978
TRO-3420-16-BB	105	2895
TRO-3420-16-CC	105	1031
TRO-3420-16-GG	105	3905
TRO-3420-16-KK	105	1747
TRO-3420-16-LL	105	2311
TRO-3420-16-NN	105	1834
TRO-3420-16-TT	105	3329
TRO-3420-16-VV	105	3329
TRO-3420-16-YY	105	1834
TRO-3420-18-BB	106	2895
TRO-3420-18-CB	106	1031
TRO-3420-18-CC	106	1031
TRO-3420-18-GB	106	3905
TRO-3420-18-GG	106	3905
TRO-3420-18-KB	106	1747
TRO-3420-18-KK	106	1747
TRO-3420-18-LB	106	2311
TRO-3420-18-LL	106	2311
TRO-3420-18-NB	106	1834
TRO-3420-18-NN	106	1834
TRO-3420-18-TB	106	3329

CODE	PAGE	PRICE
TRO-3420-18-TT	106	3329
TRO-3420-18-VB	106	3329
TRO-3420-18-VV	106	3329
TRO-3420-18-YB	106	1834
TRO-3420-18-YY	106	1834
TRO-3420-71-BB	221	3525
TRO-3420-71-CC	221	1463
TRO-3420-71-GG	221	4595
TRO-3420-71-KK	221	2401
TRO-3420-71-LL	221	3493
TRO-3420-71-NN	221	2349
TRO-3420-71-TT	221	3832
TRO-3420-71-VV	221	3832
TRO-3420-71-YY	221	2349
TRO-3420-72-BB	222	3525
TRO-3420-72-CC	222	1463
TRO-3420-72-GG	222	4595
TRO-3420-72-KK	222	2401
TRO-3420-72-LL	222	3493
TRO-3420-72-NN	222	2349
TRO-3420-72-TT	222	3832
TRO-3420-72-VV	222	3832
TRO-3420-72-YY	222	2349
TRO-3420-74-BB	229	3525
TRO-3420-74-CB	229	1463
TRO-3420-74-GB	229	4595
TRO-3420-74-KB	229	2401
TRO-3420-74-LB	229	3340
TRO-3420-74-NB	229	2349
TRO-3420-74-TB	229	3832
TRO-3420-74-VB	229	3832
TRO-3420-74-YB	229	2349
TRO-3950-04-BB	81	5502
TRO-3950-04-CC	81	2358
TRO-3950-04-GG	81	6782
TRO-3950-04-KK	81	3709
TRO-3950-04-LL	81	4415
TRO-3950-04-NN	81	3738
TRO-3950-04-TT	81	5894
TRO-3950-04-VV	81	5894
TRO-3950-04-YY	81	3738
TRO-3950-46-BB	160	5887
TRO-3950-46-CC	160	2591
TRO-3950-46-GG	160	7329
TRO-3950-46-KK	160	4087
TRO-3950-46-LL	160	5004
TRO-3950-46-NN	160	3910
TRO-3950-46-TT	160	6162
TRO-3950-46-VV	160	6162
TRO-3950-46-YY	160	3910
TRO-4150-04-BB	81	1622
TRO-4150-04-CC	81	617
TRO-4150-04-GG	81	2358
TRO-4150-04-KK	81	935
TRO-4150-04-KM	81	1346
TRO-4150-04-LL	81	1124
TRO-4150-04-NN	81	1111
TRO-4150-04-TT	81	1895

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TRO-4150-04-VV	81	1895
TRO-4150-04-YY	81	1111
TRO-4150-05-BB	94	1919
TRO-4150-05-CC	94	754
TRO-4150-05-GG	94	2583
TRO-4150-05-KK	94	1125
TRO-4150-05-LL	94	1535
TRO-4150-05-NN	94	1268
TRO-4150-05-TT	94	2014
TRO-4150-05-VV	94	2014
TRO-4150-05-YY	94	1268
TRO-4150-45-BB	145	1739
TRO-4150-45-CC	145	656
TRO-4150-45-GG	145	2486
TRO-4150-45-KK	145	1002
TRO-4150-45-LL	145	1202
TRO-4150-45-NN	145	1163
TRO-4150-45-TT	145	2015
TRO-4150-45-VV	145	2015
TRO-4150-45-YY	145	1163
TRO-4150-46-BB	160	1807
TRO-4150-46-CC	160	677
TRO-4150-46-GG	160	2561
TRO-4150-46-KK	160	1039
TRO-4150-46-LL	160	1247
TRO-4150-46-NN	160	1201
TRO-4150-46-TT	160	2085
TRO-4150-46-VV	160	2085
TRO-4150-46-YY	160	1201
TRO-4150-56-CB	189	922
TRO-4150-56-CC	189	922
TRO-4150-56-CF	189	922
TRO-4150-66-BB	208	1400
TRO-4150-66-CC	208	602
TRO-4150-66-GG	208	2195
TRO-4150-66-KK	208	909
TRO-4150-66-KM	208	1292
TRO-4150-66-LL	208	1088
TRO-4150-66-MM	208	1088
TRO-4150-66-NN	208	954
TRO-4150-66-TT	208	1920
TRO-4150-66-VV	208	1920
TRO-4150-66-YY	208	954
TRO-4151-80-BB	269	1587
TRO-4151-80-CC	269	563
TRO-4151-80-GG	269	2320
TRO-4151-80-KK	269	912
TRO-4151-80-LL	269	1095
TRO-4151-80-NN	269	1088
TRO-4151-80-TT	269	1870
TRO-4151-80-VV	269	1870
TRO-4151-80-YY	269	1088
TRO-4152-20-BB	121	2015
TRO-4152-20-CC	121	1089
TRO-4152-20-GG	121	2926
TRO-4152-20-KK	121	1454
TRO-4152-20-LL	121	1719
TRO-4152-20-MM	121	1719

CODE	PAGE	PRICE
TRO-4152-20-NN	121	1552
TRO-4152-20-TT	121	2172
TRO-4152-20-VV	121	2172
TRO-4152-20-YY	121	1552
TRO-4152-80-BB	270	1587
TRO-4152-80-CC	270	563
TRO-4152-80-GG	270	2320
TRO-4152-80-KK	270	912
TRO-4152-80-LL	270	1095
TRO-4152-80-NN	270	1088
TRO-4152-80-TT	270	1870
TRO-4152-80-VV	270	1870
TRO-4152-80-YY	270	1088
TRO-4154-20-BB	121	2015
TRO-4154-20-CC	121	1089
TRO-4154-20-GG	121	2926
TRO-4154-20-KK	121	1454
TRO-4154-20-LL	121	1719
TRO-4154-20-MM	121	1719
TRO-4154-20-NN	121	1552
TRO-4154-20-TT	121	2172
TRO-4154-20-VV	121	2172
TRO-4154-20-YY	121	1552
TRO-4155-66-BB	209	1435
TRO-4155-66-CC	209	543
TRO-4155-66-GG	209	2002
TRO-4155-66-KK	209	837
TRO-4155-66-LL	209	1598
TRO-4155-66-NN	209	887
TRO-4155-66-TT	209	1806
TRO-4155-66-VV	209	1806
TRO-4155-66-YY	209	887
TRO-4162-20-BB	122	1366
TRO-4162-20-CC	122	706
TRO-4162-20-GG	122	2026
TRO-4162-20-KK	122	953
TRO-4162-20-LL	122	1129
TRO-4162-20-MM	122	1129
TRO-4162-20-NN	122	1023
TRO-4162-20-TT	122	1523
TRO-4162-20-VV	122	1523
TRO-4162-20-YY	122	1023
TRO-4164-20-BB	122	1366
TRO-4164-20-CC	122	706
TRO-4164-20-GG	122	2026
TRO-4164-20-KK	122	953
TRO-4164-20-LL	122	1129
TRO-4164-20-MM	122	1129
TRO-4164-20-NN	122	1023
TRO-4164-20-TT	122	1523
TRO-4164-20-VV	122	1523
TRO-4164-20-YY	122	1023
TRO-4201-66-BB	209	2490
TRO-4201-66-CC	209	1091
TRO-4201-66-GG	209	3637
TRO-4201-66-KK	209	1741
TRO-4201-66-LL	209	2119
TRO-4201-66-NN	209	1838

CODE	PAGE	PRICE
TRO-4201-66-TT	209	3095
TRO-4201-66-VV	209	3095
TRO-4201-66-YY	209	1838
TRO-4201-80-BB	271	2768
TRO-4201-80-CC	271	1069
TRO-4201-80-GG	271	3675
TRO-4201-80-KK	271	1753
TRO-4201-80-LL	271	2146
TRO-4201-80-NN	271	1870
TRO-4201-80-TT	271	3107
TRO-4201-80-VV	271	3107
TRO-4201-80-YY	271	1870
TRO-4202-20-BB	122	3403
TRO-4202-20-CC	122	1839
TRO-4202-20-GG	122	4921
TRO-4202-20-KK	122	2530
TRO-4202-20-LL	122	2925
TRO-4202-20-MM	122	2925
TRO-4202-20-NN	122	2614
TRO-4202-20-TT	122	3798
TRO-4202-20-VV	122	3798
TRO-4202-20-YY	122	2614
TRO-4202-80-BB	272	2941
TRO-4202-80-CC	272	1155
TRO-4202-80-GG	272	3897
TRO-4202-80-KK	272	1874
TRO-4202-80-LL	272	2301
TRO-4202-80-NN	272	1995
TRO-4202-80-TT	272	3296
TRO-4202-80-VV	272	3296
TRO-4202-80-YY	272	1995
TRO-4204-20-BB	123	3403
TRO-4204-20-CC	123	1839
TRO-4204-20-GG	123	4921
TRO-4204-20-KK	123	2530
TRO-4204-20-LL	123	2925
TRO-4204-20-MM	123	2925
TRO-4204-20-NN	123	2614
TRO-4204-20-TT	123	3798
TRO-4204-20-VV	123	3798
TRO-4204-20-YY	123	2614
TRO-4205-04-BB	82	2410
TRO-4205-04-CC	82	984
TRO-4205-04-GG	82	3227
TRO-4205-04-KK	82	1279
TRO-4205-04-KM	82	1848
TRO-4205-04-LL	82	1748
TRO-4205-04-NN	82	1672
TRO-4205-04-TT	82	2861
TRO-4205-04-VV	82	2861
TRO-4205-04-YY	82	1672
TRO-4206-05-BB	94	2824
TRO-4206-05-CC	94	1048
TRO-4206-05-GG	94	3684
TRO-4206-05-KK	94	1412
TRO-4206-05-LL	94	2632
TRO-4206-05-NN	94	1742
TRO-4206-05-TT	94	3168

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
TRO-4206-05-VV	94	3168
TRO-4206-05-YY	94	1742
TRO-4206-45-BB	145	2387
TRO-4206-45-CC	145	976
TRO-4206-45-GG	145	3197
TRO-4206-45-KK	145	1497
TRO-4206-45-LL	145	1848
TRO-4206-45-NN	145	1788
TRO-4206-45-TT	145	2738
TRO-4206-45-VV	145	2738
TRO-4206-45-YY	145	1788
TRO-4206-46-BB	160	2875
TRO-4206-46-CC	160	1219
TRO-4206-46-GG	160	3998
TRO-4206-46-KK	160	1953
TRO-4206-46-LL	160	2427
TRO-4206-46-NN	160	2013
TRO-4206-46-TT	160	3401
TRO-4206-46-VV	160	3401
TRO-4206-46-YY	160	2013
TRO-4206-66-BB	209	1860
TRO-4206-66-CC	209	885
TRO-4206-66-GG	209	3187
TRO-4206-66-KK	209	1342
TRO-4206-66-LL	209	1626
TRO-4206-66-NN	209	1435
TRO-4206-66-TT	209	2736
TRO-4206-66-VV	209	2736
TRO-4206-66-YY	209	1435
TRO-4207-66-CC	210	1050
TRO-4207-66-KK	210	1585
TRO-4207-66-KM	210	2162
TRO-4207-66-LL	210	1910
TRO-4207-66-MM	210	1910
TRO-4207-66-NN	210	1653
TRO-4211-80-CC	273	961
TRO-4211-80-KK	273	1434
TRO-4212-80-CC	274	988
TRO-4212-80-KK	274	1480
TRO-4215-04-CC	82	760
TRO-4215-04-KK	82	1169
TRO-4216-05-CC	95	886
TRO-4216-05-KK	95	1486
TRO-4216-45-CC	145	851
TRO-4216-45-KK	145	1437
TRO-4216-46-CC	161	1024
TRO-4216-51-CC	181	1610
TRO-4216-51-CF	181	1660
TRO-4216-66-CC	210	815
TRO-4216-66-KK	210	1029
TRO-4216-66-LL	210	1768
TRO-4216-66-NN	210	1528
TRO-4226-46-BB	161	3315
TRO-4226-46-CC	161	1446
TRO-4226-46-KK	161	2178
TRO-4226-46-NN	161	2246
TRO-4226-46-YY	161	2246
TRO-4226-56-CB	189	1562

CODE	PAGE	PRICE
TRO-4226-56-CC	189	1521
TRO-4226-56-CF	189	1562
TRO-4236-56-CB	190	1838
TRO-4236-56-CC	190	1798
TRO-4236-56-CF	190	1838
TRO-4291-51-CC	181	1484
TRO-4291-51-CF	181	1541
TRO-4291-80-BB	275	2408
TRO-4291-80-CC	275	969
TRO-4291-80-GG	275	3069
TRO-4291-80-KK	275	1582
TRO-4291-80-LL	275	2069
TRO-4291-80-NN	275	1622
TRO-4291-80-TT	275	2659
TRO-4291-80-VV	275	2659
TRO-4291-80-YY	275	1622
TRO-4292-80-BB	276	2579
TRO-4292-80-CC	276	1065
TRO-4292-80-GG	276	3238
TRO-4292-80-KK	276	1703
TRO-4292-80-LL	276	2224
TRO-4292-80-NN	276	1748
TRO-4292-80-TT	276	2849
TRO-4292-80-VV	276	2849
TRO-4292-80-YY	276	1748
TRO-4296-04-BB	82	2232
TRO-4296-04-CC	82	917
TRO-4296-04-GG	82	2790
TRO-4296-04-KK	82	1452
TRO-4296-04-LL	82	1910
TRO-4296-04-NN	82	1503
TRO-4296-04-TT	82	2540
TRO-4296-04-VV	82	2540
TRO-4296-04-YY	82	1503
TRO-4296-05-BB	95	2769
TRO-4296-05-CC	95	1104
TRO-4296-05-GG	95	3468
TRO-4296-05-KK	95	1776
TRO-4296-05-LL	95	2480
TRO-4296-05-NN	95	1818
TRO-4296-05-TT	95	3083
TRO-4296-05-VV	95	3083
TRO-4296-05-YY	95	1818
TRO-4296-46-BB	161	2617
TRO-4296-46-CC	161	1141
TRO-4296-46-GG	161	3377
TRO-4296-46-KK	161	1738
TRO-4296-46-LL	161	2219
TRO-4296-46-NN	161	1777
TRO-4296-46-TT	161	2937
TRO-4296-46-VV	161	2937
TRO-4296-46-YY	161	1777
TRO-4296-56-CB	190	1159
TRO-4296-56-CC	190	1118
TRO-4296-56-CF	190	1159
TRO-4297-45-BB	146	2171
TRO-4297-45-CC	146	937
TRO-4297-45-GG	146	2952

CODE	PAGE	PRICE
TRO-4297-45-KK	146	1504
TRO-4297-45-LL	146	1876
TRO-4297-45-NN	146	1500
TRO-4297-45-TT	146	2628
TRO-4297-45-VV	146	2628
TRO-4297-45-YY	146	1500
TRO-4297-66-BB	210	1932
TRO-4297-66-CC	210	880
TRO-4297-66-GG	210	2806
TRO-4297-66-KK	210	1388
TRO-4297-66-LL	210	1720
TRO-4297-66-NN	210	1387
TRO-4297-66-TT	210	2509
TRO-4297-66-VV	210	2509
TRO-4297-66-YY	210	1387
TRO-4301-80-BB	277	2860
TRO-4301-80-CC	277	1187
TRO-4301-80-GG	277	4039
TRO-4301-80-KK	277	1918
TRO-4301-80-LL	277	2307
TRO-4301-80-NN	277	2063
TRO-4301-80-TT	277	3413
TRO-4301-80-VV	277	3413
TRO-4301-80-YY	277	2063
TRO-4302-20-BB	123	3879
TRO-4302-20-CC	123	2114
TRO-4302-20-GG	123	5595
TRO-4302-20-KK	123	2851
TRO-4302-20-LL	123	3312
TRO-4302-20-MM	123	3312
TRO-4302-20-NN	123	2959
TRO-4302-20-TT	123	4348
TRO-4302-20-VV	123	4348
TRO-4302-20-YY	123	2959
TRO-4302-66-BB	211	2706
TRO-4302-66-CC	211	1222
TRO-4302-66-GG	211	4022
TRO-4302-66-KK	211	1905
TRO-4302-66-LL	211	2325
TRO-4302-66-NN	211	2024
TRO-4302-66-TT	211	3455
TRO-4302-66-VV	211	3455
TRO-4302-66-YY	211	2024
TRO-4302-80-BB	278	3023
TRO-4302-80-CC	278	1273
TRO-4302-80-GG	278	4248
TRO-4302-80-KK	278	2039
TRO-4302-80-LL	278	2445
TRO-4302-80-NN	278	2188
TRO-4302-80-TT	278	3603
TRO-4302-80-VV	278	3603
TRO-4302-80-YY	278	2188
TRO-4304-20-BB	124	3879
TRO-4304-20-CC	124	2114
TRO-4304-20-GG	124	5595
TRO-4304-20-KK	124	2851
TRO-4304-20-LL	124	3312
TRO-4304-20-MM	124	3312

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TRO-4304-20-NN	124	2959
TRO-4304-20-TT	124	4348
TRO-4304-20-VV	124	4348
TRO-4304-20-YY	124	2959
TRO-4305-04-BB	83	3075
TRO-4305-04-CC	83	1244
TRO-4305-04-GG	83	4198
TRO-4305-04-KK	83	1549
TRO-4305-04-KM	83	2395
TRO-4305-04-LL	83	2150
TRO-4305-04-NN	83	2150
TRO-4305-04-TT	83	3498
TRO-4305-04-VV	83	3498
TRO-4305-04-YY	83	2150
TRO-4306-45-BB	146	3172
TRO-4306-45-CC	146	1398
TRO-4306-45-GG	146	4287
TRO-4306-45-KK	146	1898
TRO-4306-45-LL	146	2255
TRO-4306-45-NN	146	2191
TRO-4306-45-TT	146	3607
TRO-4306-45-VV	146	3607
TRO-4306-45-YY	146	2191
TRO-4306-46-BB	162	3588
TRO-4306-46-CC	162	1536
TRO-4306-46-GG	162	4748
TRO-4306-46-KK	162	2376
TRO-4306-46-LL	162	3025
TRO-4306-46-NN	162	2519
TRO-4306-46-TT	162	4101
TRO-4306-46-VV	162	4101
TRO-4306-46-YY	162	2519
TRO-4306-66-BB	211	2168
TRO-4306-66-CC	211	1061
TRO-4306-66-GG	211	3648
TRO-4306-66-KK	211	1704
TRO-4306-66-LL	211	1902
TRO-4306-66-NN	211	1683
TRO-4306-66-TT	211	3136
TRO-4306-66-VV	211	3136
TRO-4306-66-YY	211	1683
TRO-4307-05-BB	95	3315
TRO-4307-05-CC	95	1390
TRO-4307-05-GG	95	4468
TRO-4307-05-KK	95	2033
TRO-4307-05-LL	95	2959
TRO-4307-05-NN	95	2219
TRO-4307-05-TT	95	3662
TRO-4307-05-VV	95	3662
TRO-4307-05-YY	95	2219
TRO-4307-66-CC	211	1174
TRO-4307-66-KK	211	1749
TRO-4307-66-KM	211	2384
TRO-4307-66-LL	211	2116
TRO-4307-66-MM	211	2116
TRO-4307-66-NN	211	1834
TRO-4316-04-CC	83	1157
TRO-4316-04-KK	83	1514

CODE	PAGE	PRICE
TRO-4316-66-CC	212	999
TRO-4316-66-KK	212	1307
TRO-4316-66-LL	212	2048
TRO-4316-66-NN	212	1700
TRO-4394-66-BB	212	3423
TRO-4394-66-CC	212	1557
TRO-4394-66-GG	212	4860
TRO-4394-66-KK	212	2437
TRO-4394-66-LL	212	2985
TRO-4394-66-NN	212	2376
TRO-4394-66-TT	212	4198
TRO-4394-66-VV	212	4198
TRO-4394-66-YY	212	2376
TRO-4395-05-BB	96	5141
TRO-4395-05-CC	96	2421
TRO-4395-05-GG	96	6424
TRO-4395-05-KK	96	3514
TRO-4395-05-LL	96	4433
TRO-4395-05-NN	96	3635
TRO-4395-05-TT	96	5457
TRO-4395-05-VV	96	5457
TRO-4395-05-YY	96	3635
TRR-2801-80-BB	258	2171
TRR-2801-80-CC	258	886
TRR-2801-80-GG	258	2931
TRR-2801-80-KK	258	1410
TRR-2801-80-LL	258	1763
TRR-2801-80-NN	258	1499
TRR-2801-80-TT	258	2498
TRR-2801-80-VV	258	2498
TRR-2801-80-YY	258	1499
TRR-2802-20-BB	120	3352
TRR-2802-20-CC	120	1755
TRR-2802-20-GG	120	4635
TRR-2802-20-KK	120	2379
TRR-2802-20-LL	120	2754
TRR-2802-20-MM	120	2754
TRR-2802-20-NN	120	2453
TRR-2802-20-TT	120	3793
TRR-2802-20-VV	120	3793
TRR-2802-20-YY	120	2453
TRR-2802-80-BB	259	2301
TRR-2802-80-CC	259	937
TRR-2802-80-GG	259	3047
TRR-2802-80-KK	259	1483
TRR-2802-80-LL	259	2021
TRR-2802-80-NN	259	1575
TRR-2802-80-TT	259	2648
TRR-2802-80-VV	259	2648
TRR-2802-80-YY	259	1575
TRR-2804-20-BB	120	3352
TRR-2804-20-CC	120	1755
TRR-2804-20-GG	120	4635
TRR-2804-20-KK	120	2379
TRR-2804-20-LL	120	2754
TRR-2804-20-MM	120	2754
TRR-2804-20-NN	120	2453
TRR-2804-20-TT	120	3793

CODE	PAGE	PRICE
TRR-2804-20-VV	120	3793
TRR-2804-20-YY	120	2453
TRR-2805-04-BB	80	2146
TRR-2805-04-CC	80	960
TRR-2805-04-GG	80	2787
TRR-2805-04-KK	80	1242
TRR-2805-04-KM	80	2154
TRR-2805-04-LL	80	1936
TRR-2805-04-NN	80	1698
TRR-2805-04-TT	80	2542
TRR-2805-04-VV	80	2542
TRR-2805-04-YY	80	1698
TRR-2805-45-BB	143	2286
TRR-2805-45-CC	143	948
TRR-2805-45-GG	143	3074
TRR-2805-45-KK	143	1498
TRR-2805-45-LL	143	1844
TRR-2805-45-NN	143	1590
TRR-2805-45-TT	143	2647
TRR-2805-45-VV	143	2647
TRR-2805-45-YY	143	1590
TRR-2805-66-BB	206	1960
TRR-2805-66-CC	206	919
TRR-2805-66-GG	206	2979
TRR-2805-66-KK	206	1435
TRR-2805-66-KM	206	1847
TRR-2805-66-LL	206	1753
TRR-2805-66-MM	206	1753
TRR-2805-66-NN	206	1474
TRR-2805-66-TT	206	2598
TRR-2805-66-VV	206	2598
TRR-2805-66-YY	206	1474
TRR-2805-95-BB	93	2668
TRR-2805-95-CC	93	1120
TRR-2805-95-GG	93	3499
TRR-2805-95-KK	93	1739
TRR-2805-95-LL	93	2513
TRR-2805-95-NN	93	1766
TRR-2805-95-TT	93	2976
TRR-2805-95-VV	93	2976
TRR-2805-95-YY	93	1766
TRR-2811-80-CC	260	920
TRR-2811-80-KK	260	1459
TRR-2812-80-CC	261	955
TRR-2812-80-KK	261	1507
TRR-2815-04-CC	80	832
TRR-2815-04-KK	80	1330
TRR-2815-45-CC	144	960
TRR-2815-45-KK	144	1298
TRR-2815-46-CC	159	948
TRR-2815-46-KK	159	1498
TRR-2815-66-CC	206	746
TRR-2815-95-CC	94	823
TRR-2816-66-CC	207	706
TRR-2816-66-KK	207	931
TRR-2826-66-CC	207	772
TRR-2826-66-KK	207	1017
TRR-2891-80-BB	262	1779

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
TRR-2891-80-CC	262	808
TRR-2891-80-GG	262	2649
TRR-2891-80-KK	262	1297
TRR-2891-80-LL	262	1671
TRR-2891-80-NN	262	1358
TRR-2891-80-TT	262	2289
TRR-2891-80-VV	262	2289
TRR-2891-80-YY	262	1358
TRR-2892-80-BB	263	1966
TRR-2892-80-CC	263	860
TRR-2892-80-GG	263	2692
TRR-2892-80-KK	263	1352
TRR-2892-80-LL	263	1888
TRR-2892-80-NN	263	1420
TRR-2892-80-TT	263	2403
TRR-2892-80-VV	263	2403
TRR-2892-80-YY	263	1420
TRR-2896-46-BB	159	2053
TRR-2896-46-CC	159	961
TRR-2896-46-GG	159	2981
TRR-2896-46-KK	159	1456
TRR-2896-46-LL	159	1875
TRR-2896-46-NN	159	1532
TRR-2896-46-TT	159	2610
TRR-2896-46-VV	159	2610
TRR-2896-46-YY	159	1532
TRR-2896-66-BB	207	1865
TRR-2896-66-CC	207	890
TRR-2896-66-GG	207	2757
TRR-2896-66-KK	207	1354
TRR-2896-66-LL	207	1726
TRR-2896-66-NN	207	1404
TRR-2896-66-TT	207	2433
TRR-2896-66-VV	207	2433
TRR-2896-66-YY	207	1404
TRR-2901-80-CC	264	947
TRR-2902-80-CC	265	1005
TRR-2915-04-CC	80	887
TRR-2915-04-KK	80	1356
TRR-2915-45-CC	144	946
TRR-2915-45-KK	144	1458
TRR-2915-66-CC	208	898
TRR-3301-80-BB	266	1997
TRR-3301-80-CC	266	939
TRR-3301-80-GG	266	2897
TRR-3301-80-KK	266	1450
TRR-3301-80-LL	266	1837
TRR-3301-80-NN	266	1383
TRR-3301-80-TT	266	2302
TRR-3301-80-VV	266	2302
TRR-3301-80-YY	266	1383
TRR-3302-20-BB	120	3058
TRR-3302-20-CC	120	1559
TRR-3302-20-GG	120	4272
TRR-3302-20-KK	120	2312
TRR-3302-20-LL	120	2726
TRR-3302-20-MM	120	2726
TRR-3302-20-NN	120	2196

CODE	PAGE	PRICE
TRR-3302-20-TT	120	3657
TRR-3302-20-VV	120	3657
TRR-3302-20-YY	120	2196
TRR-3302-45-BB	144	2896
TRR-3302-45-CC	144	1352
TRR-3302-45-GG	144	3998
TRR-3302-45-KK	144	2183
TRR-3302-45-LL	144	2707
TRR-3302-45-NN	144	2083
TRR-3302-45-TT	144	3455
TRR-3302-45-VV	144	3455
TRR-3302-45-YY	144	2083
TRR-3302-47-Bx	173	4281
TRR-3302-47-Cx	173	2019
TRR-3302-47-Gx	173	5696
TRR-3302-47-Kx	173	3390
TRR-3302-47-Lx	173	4164
TRR-3302-47-Nx	173	3001
TRR-3302-47-Tx	173	4508
TRR-3302-47-Vx	173	4508
TRR-3302-47-Yx	173	3001
TRR-3302-66-BB	208	2888
TRR-3302-66-CC	208	1365
TRR-3302-66-GG	208	3986
TRR-3302-66-KK	208	2177
TRR-3302-66-LL	208	2693
TRR-3302-66-NN	208	2060
TRR-3302-66-TT	208	3443
TRR-3302-66-VV	208	3443
TRR-3302-66-YY	208	2060
TRR-3302-80-BB	267	2129
TRR-3302-80-CC	267	1028
TRR-3302-80-GG	267	3012
TRR-3302-80-KK	267	1570
TRR-3302-80-LL	267	1993
TRR-3302-80-NN	267	1510
TRR-3302-80-TT	267	2492
TRR-3302-80-VV	267	2492
TRR-3302-80-YY	267	1510
TRR-3303-47-Bx	173	4507
TRR-3303-47-Cx	173	2098
TRR-3303-47-Gx	173	6086
TRR-3303-47-Kx	173	3554
TRR-3303-47-Lx	173	4326
TRR-3303-47-Nx	173	3182
TRR-3303-47-Tx	173	5047
TRR-3303-47-Vx	173	5047
TRR-3303-47-Yx	173	3182
TRR-3304-20-BB	121	3058
TRR-3304-20-CC	121	1559
TRR-3304-20-GG	121	4272
TRR-3304-20-KK	121	2312
TRR-3304-20-LL	121	2726
TRR-3304-20-MM	121	2726
TRR-3304-20-NN	121	2196
TRR-3304-20-TT	121	3657
TRR-3304-20-VV	121	3657
TRR-3304-20-YY	121	2196

CODE	PAGE	PRICE
TRR-3352-47-Bx	174	4502
TRR-3352-47-Cx	174	2028
TRR-3352-47-Gx	174	5871
TRR-3352-47-Kx	174	3404
TRR-3352-47-Lx	174	4275
TRR-3352-47-Nx	174	3141
TRR-3352-47-Tx	174	4588
TRR-3352-47-Vx	174	4588
TRR-3352-47-Yx	174	3141
TRR-3405-04-BB	81	2904
TRR-3405-04-CC	81	1080
TRR-3405-04-GG	81	3991
TRR-3405-04-KK	81	1855
TRR-3405-04-LL	81	2282
TRR-3405-04-NN	81	1978
TRR-3405-04-TT	81	3340
TRR-3405-04-VV	81	3340
TRR-3405-04-YY	81	1978
TRR-3420-16-BB	105	2895
TRR-3420-16-CC	105	1031
TRR-3420-16-GG	105	3905
TRR-3420-16-KK	105	1747
TRR-3420-16-LL	105	2311
TRR-3420-16-NN	105	1834
TRR-3420-16-TT	105	3329
TRR-3420-16-VV	105	3329
TRR-3420-16-YY	105	1834
TRR-3420-18-BB	106	2895
TRR-3420-18-CB	106	1031
TRR-3420-18-CC	106	1031
TRR-3420-18-GB	106	3905
TRR-3420-18-GG	106	3905
TRR-3420-18-KB	106	1747
TRR-3420-18-KK	106	1747
TRR-3420-18-LB	106	2311
TRR-3420-18-LL	106	2311
TRR-3420-18-NB	106	1834
TRR-3420-18-NN	106	1834
TRR-3420-18-TB	106	3329
TRR-3420-18-TT	106	3329
TRR-3420-18-VB	106	3329
TRR-3420-18-VV	106	3329
TRR-3420-18-YB	106	1834
TRR-3420-18-YY	106	1834
TRR-3420-71-BB	221	3525
TRR-3420-71-CC	221	1463
TRR-3420-71-GG	221	4595
TRR-3420-71-KK	221	2401
TRR-3420-71-LL	221	3493
TRR-3420-71-NN	221	2349
TRR-3420-71-TT	221	3832
TRR-3420-71-VV	221	3832
TRR-3420-71-YY	221	2349
TRR-3420-72-BB	222	3525
TRR-3420-72-CC	222	1463
TRR-3420-72-GG	222	4595
TRR-3420-72-KK	222	2401
TRR-3420-72-LL	222	3493

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TRR-3420-72-NN	222	2349
TRR-3420-72-TT	222	3832
TRR-3420-72-VV	222	3832
TRR-3420-72-YY	222	2349
TRR-3420-74-BB	229	3525
TRR-3420-74-CB	229	1463
TRR-3420-74-GB	229	4595
TRR-3420-74-KB	229	2401
TRR-3420-74-LB	229	3340
TRR-3420-74-NB	229	2349
TRR-3420-74-TB	229	3832
TRR-3420-74-VB	229	3832
TRR-3420-74-YB	229	2349
TRR-3950-04-BB	81	5502
TRR-3950-04-CC	81	2358
TRR-3950-04-GG	81	6782
TRR-3950-04-KK	81	3709
TRR-3950-04-LL	81	4415
TRR-3950-04-NN	81	3738
TRR-3950-04-TT	81	5894
TRR-3950-04-VV	81	5894
TRR-3950-04-YY	81	3738
TRR-3950-46-BB	160	5887
TRR-3950-46-CC	160	2591
TRR-3950-46-GG	160	7329
TRR-3950-46-KK	160	4087
TRR-3950-46-LL	160	5004
TRR-3950-46-NN	160	3910
TRR-3950-46-TT	160	6162
TRR-3950-46-VV	160	6162
TRR-3950-46-YY	160	3910
TRR-4201-66-BB	209	2490
TRR-4201-66-CC	209	1091
TRR-4201-66-GG	209	3637
TRR-4201-66-KK	209	1741
TRR-4201-66-LL	209	2119
TRR-4201-66-NN	209	1838
TRR-4201-66-TT	209	3095
TRR-4201-66-VV	209	3095
TRR-4201-66-YY	209	1838
TRR-4201-80-BB	271	2768
TRR-4201-80-CC	271	1069
TRR-4201-80-GG	271	3675
TRR-4201-80-KK	271	1753
TRR-4201-80-LL	271	2146
TRR-4201-80-NN	271	1870
TRR-4201-80-TT	271	3107
TRR-4201-80-VV	271	3107
TRR-4201-80-YY	271	1870
TRR-4202-20-BB	122	3403
TRR-4202-20-CC	122	1839
TRR-4202-20-GG	122	4921
TRR-4202-20-KK	122	2530
TRR-4202-20-LL	122	2925
TRR-4202-20-MM	122	2925
TRR-4202-20-NN	122	2614
TRR-4202-20-TT	122	3798
TRR-4202-20-VV	122	3798

CODE	PAGE	PRICE
TRR-4202-20-YY	122	2614
TRR-4202-80-BB	272	2941
TRR-4202-80-CC	272	1155
TRR-4202-80-GG	272	3897
TRR-4202-80-KK	272	1874
TRR-4202-80-LL	272	2301
TRR-4202-80-NN	272	1995
TRR-4202-80-TT	272	3296
TRR-4202-80-VV	272	3296
TRR-4202-80-YY	272	1995
TRR-4204-20-BB	123	3403
TRR-4204-20-CC	123	1839
TRR-4204-20-GG	123	4921
TRR-4204-20-KK	123	2530
TRR-4204-20-LL	123	2925
TRR-4204-20-MM	123	2925
TRR-4204-20-NN	123	2614
TRR-4204-20-TT	123	3798
TRR-4204-20-VV	123	3798
TRR-4204-20-YY	123	2614
TRR-4205-04-BB	82	2410
TRR-4205-04-CC	82	984
TRR-4205-04-GG	82	3227
TRR-4205-04-KK	82	1279
TRR-4205-04-KM	82	1848
TRR-4205-04-LL	82	1748
TRR-4205-04-NN	82	1672
TRR-4205-04-TT	82	2861
TRR-4205-04-VV	82	2861
TRR-4205-04-YY	82	1672
TRR-4206-05-BB	94	2824
TRR-4206-05-CC	94	1048
TRR-4206-05-GG	94	3684
TRR-4206-05-KK	94	1412
TRR-4206-05-LL	94	2632
TRR-4206-05-NN	94	1742
TRR-4206-05-TT	94	3168
TRR-4206-05-VV	94	3168
TRR-4206-05-YY	94	1742
TRR-4206-45-BB	145	2387
TRR-4206-45-CC	145	976
TRR-4206-45-GG	145	3197
TRR-4206-45-KK	145	1497
TRR-4206-45-LL	145	1848
TRR-4206-45-NN	145	1788
TRR-4206-45-TT	145	2738
TRR-4206-45-VV	145	2738
TRR-4206-45-YY	145	1788
TRR-4206-46-BB	160	2875
TRR-4206-46-CC	160	1219
TRR-4206-46-GG	160	3998
TRR-4206-46-KK	160	1953
TRR-4206-46-LL	160	2427
TRR-4206-46-NN	160	2013
TRR-4206-46-TT	160	3401
TRR-4206-46-VV	160	3401
TRR-4206-46-YY	160	2013
TRR-4206-66-BB	209	1860

CODE	PAGE	PRICE
TRR-4206-66-CC	209	885
TRR-4206-66-GG	209	3187
TRR-4206-66-KK	209	1342
TRR-4206-66-LL	209	1626
TRR-4206-66-NN	209	1435
TRR-4206-66-TT	209	2736
TRR-4206-66-VV	209	2736
TRR-4206-66-YY	209	1435
TRR-4207-66-CC	210	1050
TRR-4207-66-KK	210	1585
TRR-4207-66-KM	210	2162
TRR-4207-66-LL	210	1910
TRR-4207-66-MM	210	1910
TRR-4207-66-NN	210	1653
TRR-4211-80-CC	273	961
TRR-4211-80-KK	273	1434
TRR-4212-80-CC	274	988
TRR-4212-80-KK	274	1480
TRR-4215-04-CC	82	760
TRR-4215-04-KK	82	1169
TRR-4216-05-CC	95	886
TRR-4216-05-KK	95	1486
TRR-4216-45-CC	145	851
TRR-4216-45-KK	145	1437
TRR-4216-46-CC	161	1024
TRR-4216-51-CC	181	1610
TRR-4216-51-CF	181	1660
TRR-4216-66-CC	210	815
TRR-4216-66-KK	210	1029
TRR-4216-66-LL	210	1768
TRR-4216-66-NN	210	1528
TRR-4226-46-BB	161	3315
TRR-4226-46-CC	161	1446
TRR-4226-46-KK	161	2178
TRR-4226-46-NN	161	2246
TRR-4226-46-YY	161	2246
TRR-4226-56-CB	189	1562
TRR-4226-56-CC	189	1521
TRR-4226-56-CF	189	1562
TRR-4236-56-CB	190	1838
TRR-4236-56-CC	190	1798
TRR-4236-56-CF	190	1838
TRR-4291-51-CC	181	1484
TRR-4291-51-CF	181	1541
TRR-4291-80-BB	275	2408
TRR-4291-80-CC	275	969
TRR-4291-80-GG	275	3069
TRR-4291-80-KK	275	1582
TRR-4291-80-LL	275	2069
TRR-4291-80-NN	275	1622
TRR-4291-80-TT	275	2659
TRR-4291-80-VV	275	2659
TRR-4291-80-YY	275	1622
TRR-4292-80-BB	276	2579
TRR-4292-80-CC	276	1065
TRR-4292-80-GG	276	3238
TRR-4292-80-KK	276	1703
TRR-4292-80-LL	276	2224

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2025.

PRICE INDEX

CODE	PAGE	PRICE
TRR-4292-80-NN	276	1748
TRR-4292-80-TT	276	2849
TRR-4292-80-VV	276	2849
TRR-4292-80-YY	276	1748
TRR-4296-04-BB	82	2232
TRR-4296-04-CC	82	917
TRR-4296-04-GG	82	2790
TRR-4296-04-KK	82	1452
TRR-4296-04-LL	82	1910
TRR-4296-04-NN	82	1503
TRR-4296-04-TT	82	2540
TRR-4296-04-VV	82	2540
TRR-4296-04-YY	82	1503
TRR-4296-05-BB	95	2769
TRR-4296-05-CC	95	1104
TRR-4296-05-GG	95	3468
TRR-4296-05-KK	95	1776
TRR-4296-05-LL	95	2480
TRR-4296-05-NN	95	1818
TRR-4296-05-TT	95	3083
TRR-4296-05-VV	95	3083
TRR-4296-05-YY	95	1818
TRR-4296-46-BB	161	2617
TRR-4296-46-CC	161	1141
TRR-4296-46-GG	161	3377
TRR-4296-46-KK	161	1738
TRR-4296-46-LL	161	2219
TRR-4296-46-NN	161	1777
TRR-4296-46-TT	161	2937
TRR-4296-46-VV	161	2937
TRR-4296-46-YY	161	1777
TRR-4296-56-CB	190	1159
TRR-4296-56-CC	190	1118
TRR-4296-56-CF	190	1159
TRR-4297-45-BB	146	2171
TRR-4297-45-CC	146	937
TRR-4297-45-GG	146	2952
TRR-4297-45-KK	146	1504
TRR-4297-45-LL	146	1876
TRR-4297-45-NN	146	1500
TRR-4297-45-TT	146	2628
TRR-4297-45-VV	146	2628
TRR-4297-45-YY	146	1500
TRR-4297-66-BB	210	1932
TRR-4297-66-CC	210	880
TRR-4297-66-GG	210	2806
TRR-4297-66-KK	210	1388
TRR-4297-66-LL	210	1720
TRR-4297-66-NN	210	1387
TRR-4297-66-TT	210	2509
TRR-4297-66-VV	210	2509
TRR-4297-66-YY	210	1387
TRR-4301-80-BB	277	2860
TRR-4301-80-CC	277	1187
TRR-4301-80-GG	277	4039
TRR-4301-80-KK	277	1918
TRR-4301-80-LL	277	2307
TRR-4301-80-NN	277	2063

CODE	PAGE	PRICE
TRR-4301-80-TT	277	3413
TRR-4301-80-VV	277	3413
TRR-4301-80-YY	277	2063
TRR-4302-20-BB	123	3879
TRR-4302-20-CC	123	2114
TRR-4302-20-GG	123	5595
TRR-4302-20-KK	123	2851
TRR-4302-20-LL	123	3312
TRR-4302-20-MM	123	3312
TRR-4302-20-NN	123	2959
TRR-4302-20-TT	123	4348
TRR-4302-20-VV	123	4348
TRR-4302-20-YY	123	2959
TRR-4302-66-BB	211	2706
TRR-4302-66-CC	211	1222
TRR-4302-66-GG	211	4022
TRR-4302-66-KK	211	1905
TRR-4302-66-LL	211	2325
TRR-4302-66-NN	211	2024
TRR-4302-66-TT	211	3455
TRR-4302-66-VV	211	3455
TRR-4302-66-YY	211	2024
TRR-4302-80-BB	278	3023
TRR-4302-80-CC	278	1273
TRR-4302-80-GG	278	4248
TRR-4302-80-KK	278	2039
TRR-4302-80-LL	278	2445
TRR-4302-80-NN	278	2188
TRR-4302-80-TT	278	3603
TRR-4302-80-VV	278	3603
TRR-4302-80-YY	278	2188
TRR-4304-20-BB	124	3879
TRR-4304-20-CC	124	2114
TRR-4304-20-GG	124	5595
TRR-4304-20-KK	124	2851
TRR-4304-20-LL	124	3312
TRR-4304-20-MM	124	3312
TRR-4304-20-NN	124	2959
TRR-4304-20-TT	124	4348
TRR-4304-20-VV	124	4348
TRR-4304-20-YY	124	2959
TRR-4305-04-BB	83	3075
TRR-4305-04-CC	83	1244
TRR-4305-04-GG	83	4198
TRR-4305-04-KK	83	1549
TRR-4305-04-KM	83	2395
TRR-4305-04-LL	83	2150
TRR-4305-04-NN	83	2150
TRR-4305-04-TT	83	3498
TRR-4305-04-VV	83	3498
TRR-4305-04-YY	83	2150
TRR-4306-45-BB	146	3172
TRR-4306-45-CC	146	1398
TRR-4306-45-GG	146	4287
TRR-4306-45-KK	146	1898
TRR-4306-45-LL	146	2255
TRR-4306-45-NN	146	2191
TRR-4306-45-TT	146	3607

CODE	PAGE	PRICE
TRR-4306-45-VV	146	3607
TRR-4306-45-YY	146	2191
TRR-4306-46-BB	162	3588
TRR-4306-46-CC	162	1536
TRR-4306-46-GG	162	4748
TRR-4306-46-KK	162	2376
TRR-4306-46-LL	162	3025
TRR-4306-46-NN	162	2519
TRR-4306-46-TT	162	4101
TRR-4306-46-VV	162	4101
TRR-4306-46-YY	162	2519
TRR-4306-66-BB	211	2168
TRR-4306-66-CC	211	1061
TRR-4306-66-GG	211	3648
TRR-4306-66-KK	211	1704
TRR-4306-66-LL	211	1902
TRR-4306-66-NN	211	1683
TRR-4306-66-TT	211	3136
TRR-4306-66-VV	211	3136
TRR-4306-66-YY	211	1683
TRR-4307-05-BB	95	3315
TRR-4307-05-CC	95	1390
TRR-4307-05-GG	95	4468
TRR-4307-05-KK	95	2033
TRR-4307-05-LL	95	2959
TRR-4307-05-NN	95	2219
TRR-4307-05-TT	95	3662
TRR-4307-05-VV	95	3662
TRR-4307-05-YY	95	2219
TRR-4307-66-CC	211	1174
TRR-4307-66-KK	211	1749
TRR-4307-66-KM	211	2384
TRR-4307-66-LL	211	2116
TRR-4307-66-MM	211	2116
TRR-4307-66-NN	211	1834
TRR-4316-04-CC	83	1157
TRR-4316-04-KK	83	1514
TRR-4316-66-CC	212	999
TRR-4316-66-KK	212	1307
TRR-4316-66-LL	212	2048
TRR-4316-66-NN	212	1700
TRR-4394-66-BB	212	3423
TRR-4394-66-CC	212	1557
TRR-4394-66-GG	212	4860
TRR-4394-66-KK	212	2437
TRR-4394-66-LL	212	2985
TRR-4394-66-NN	212	2376
TRR-4394-66-TT	212	4198
TRR-4394-66-VV	212	4198
TRR-4394-66-YY	212	2376
TRR-4395-05-BB	96	5141
TRR-4395-05-CC	96	2421
TRR-4395-05-GG	96	6424
TRR-4395-05-KK	96	3514
TRR-4395-05-LL	96	4433
TRR-4395-05-NN	96	3635
TRR-4395-05-TT	96	5457
TRR-4395-05-VV	96	5457

Finishes:

CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TRR-4395-05-YY	96	3635
VAL-2615-01-CC	322	745
VAL-2615-01-NN	322	1014
VAL-2650-00-BB	322	1093
VAL-2650-00-CC	322	546
VAL-2650-00-GG	322	1366
VAL-2650-00-KK	322	765
VAL-2650-00-LL	322	989
VAL-2650-00-NN	322	743
VAL-2650-00-TT	322	1202
VAL-2650-00-VV	322	1202
VAL-2650-00-YY	322	743

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

BARILDESIGN.COM

1 800 463.3871
1 877 693.3005 [fax]
info@barildesign.com

   @barildesign

MONTREAL | DESIGN STUDIO

5394, blvd. St-Laurent
Montreal (Quebec)
Canada H2T 1S1

TROIS-RIVIERES | HEAD OFFICE

579, blvd. Ste-Madeleine
Trois-Rivieres (Quebec)
Canada G8T 9J8