BARIL

STYLE X FUNCTION

CANADA | ENGLISH



EDITION

Welcome

BARIL

EXPERT ROBINETIER
40 years of craftsmanship

Our mission: to design and manufacture high-end faucets that combine style and function, while offering personalized service.

BARILDESIGN.COM

Our Story

Founded in 1986, BARIL is a family-owned company whose purpose is to bring beauty and well-being into people's lives.

1986

Founding of JL Baril Inc.

Named after the initials of its two founders:
J for Jacques Baril
L for Louise Thibeault

Distributions JL Baril begins distributing high-end faucets on the Canadian market.



1989

Exclusive partnership and launch of the Michel Robichaud collection

The first faucet collection signed by a renowned designer.





1992

Relocation

The head office is relocated to Trois-Rivières.



1996

Implementation of the assembly line at the Trois-Rivières plant

Distributions JL Baril becomes a manufacturer.



1997

Thermostatic Valve

JL Baril becomes one of the first companies to integrate thermostatic valves into the North American market.



2009

Marie-Eve & Jean-Sebastien Baril

The second generation takes the helm of the company.





2012

New Offices


A new Montreal location opens, featuring a showroom and a design studio on Saint-Laurent Boulevard, in the heart of the Mile End.



2014

BARIL expands

Expansion of the assembly facility in Trois-Rivières.



2022

BARIL turns 35 and celebrates with the MARIE B35 collection

Born from a collaboration between BARIL and Maison Marie Saint Pierre, this collection pushes the boundaries of creativity in faucet design. MARIE stands out within the industry and earns multiple awards.

reddot winner 2023 best of the best

2022 Gold GRANDS PRIX DU DESIGN

IDA DESIGN AWARDS GOLD WINNER 2022

ADEX PLATINUM 2023

INTERIOR DESIGN

2023 awards WINNER

GOOD DESIGN

BEST OF CANADA

2022 DPOHA PRODUCT OF THE YEAR Honorable Mention

AZ AWARDS 2022 Award of Merit + People's Choice

2023

AIR B80 Collection

AIR offers a variety of shapes and a wide range of finishes, allowing for the creation of customized faucets. The collection is recognized by leading design competitions, earning a Platinum ADEX Award, a Best of 2024 distinction from Design Journal, and a Silver IDA Award. It remains one of BARIL's flagship collections.

IDA DESIGN AWARDS SILVER WINNER 2024

DESIGN BEST OF 2024 JOURNAL

ADEX PLATINUM 2025

2025

BEAUMONT B20, VILLA and Warm Gold Finish

With two new collections and the launch of the Warm Gold finish, BARIL moves beyond purely traditional style and brings classical elegance into the contemporary era, creating a refined balance between tradition and innovation



2026

BARIL celebrates its 40th anniversary

BARIL marks 40 years of beauty and well-being with a limited edition of the ARCHIVE 40 faucet, an iconic piece that defined its early years. Proceeds are donated to a foundation supporting women affected by breast cancer.



EST. B 1986

Thank you for continuing to write our story with us!

Summary
CAD Price List

Introduction 3-42

Our Story 4
Legend 14
Selection of Finishes 16
BARIL Features 23

Electronics 43-46

Touchless Sensor 44

Kitchen 47-78

Kitchen Faucets 47
Kitchen Parts 75

Bathroom 79-278

Bathroom Faucets 79
Bathroom Accessories 263
Bathroom Parts 275

Shower 279-334

Shower Valves 279
Shower Components 299

Information 335-342

General Information 335
Care Instructions 336
Warranty 337
Customer Service Policies 339
FAQ 340

Price Index 343-390

BARILDESIGN.COM

1.800.463.3871
1.877.693.3005 [fax]
info@barildesign.com

MONTREAL | DESIGN STUDIO

5394, Blvd. St-Laurent
Montreal (Quebec)
Canada H2T 1S1

TROIS-RIVIERES | HEAD OFFICE

579, Blvd. Ste-Madeleine
Trois-Rivieres (Quebec)
Canada G8T 9J8

Overview
Kitchen Collections



GRANDS PRIX DU DESIGN

ANGLE
50



ARTE
51



MARIE
55



NOX
56



TUBE
58

Overview
Kitchen Collections



UNICK
60



VILLA
63



VISION ARCH
66



VISION STRAIGHT
69

Overview
Bathroom Collections



B04 PETITE
81



B05 REC
99



B16 NAUTICA
107



B18 RALPH
107



B20 BEAUMONT
115



B35 MARIE
135



B45 SENS
143



B46 PROFILE
159

Overview
Bathroom Collections



B47 FLORA
173



B56 ACCENT
183



B66 ZIP
191



B71 EVA
211



B72 TRADITION
211



B74 VICTOIRE
219



B80 AIR
225

Legend
Faucets

_ _ : Double Underscores
Collection's number

X: Capital Letters
The X included in the product code indicates that additional options are offered with the product. For example, a choice of regular or pressure-balanced version for a tub faucet.

xx: Finish
The xx included at the end of the product code indicates that you must choose the desired finish.

CEC
This icon indicates that the flow rate of this faucet meets the California Energy Commission requirements.

Touchless Sensor
This icon indicates that the faucet is compatible with the Touchless Sensor.

Order sensor ELE-1001-01-xx


Order sensor ELE-2001-01-xx

B__-8009-XXL-xx CEC

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG

48h **Promo Price The Essentials**





8" c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy to clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B04-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

The Essentials
Products that are part of The Essentials booklet are identified by this icon. These are our bestsellers, available at promotional prices and fast shipping.

Product Features

Measurements

Water Saving Options
This table shows the water saving options available and the equivalent reduced flow rates.

Legend
Shower Kits

One code for your complete shower kit

In order to facilitate the options, BARIL offers already pre-selected shower kits which include all the components necessary for the proper performance of your water accessories. Thereby, you only have to order one product code with a single price for the whole shower kit. The shower kits that include a rain head are offered with a wall-mounted arm (PRO) or with a ceiling-mounted arm (PRR). Alternatively, you can also purchase the rough(s) (RVA) and the trim kit (TRO or TRR for ceiling-mounted shower heads) separately, according to the step of your project. The pressure-balanced and thermostatic pressure-balanced roughs are offered in two versions: with PEX connections or with 1/2" male NPT or welded copper connections. When relevant, the option to choose a shower kit without a shared position is offered.

Your customer wants to be unique?

Customize your shower kit with the BARIL collection; there are thousands of custom shower kit possibilities with a complete selection of shower components. In each collection, we suggest a selection of shower components that harmoniously fit with the shower valves of the collection and a selection of ecological shower components on the following page.

You can either put together your own shower kit with the products from the shower section, or by modifying one or more products of an already assembled PRO/PRR shower kit! All you need to do is calculate the price difference. We also encourage you to visit our online shower configurator at barildesign.com

Products that are part of The Essentials booklet are identified by this icon. These are our bestsellers, available at promotional prices and fast shipping.

Complete product code

Price

PRO-4208-04-xx
PRR-4208-04-xx*

Complete thermostatic pressure-balanced shower kit

48h **Promo Price The Essentials**

CC	KK	LL/MM	NN	KM



Features

- 2 accessories kit
- Max: 2 gpm - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough (NPT / welded copper)
T04-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1054-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4208-04-xx-NS	- Max: 1.75 gpm - 80 psi (per accessory)
TRO-4208-04-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4208-04-xx
TRR-4208-04-xx*

CC	KK	LL/MM	NN	KM

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough - 1/2" male NPT or welded copper connections	
RVA-9501-P0-B	1-2-3-way TP rough - PEX connections	

Trim kit code: includes valve trims and shower components (sliding shower bar, wall-mount supply elbow, shower arm, rain head, etc.)

Rough(s) to order to complete the trim (TRO/TRR).

Product codes to order for a non-shared version of the shower kit.

Components

BARIL's Finishes

Because we believe you deserve access to the very best options, BARIL offers a wide range of finishes across all collections. Chrome (CC) and stainless steel (SS) finishes are kept in stock with a 48-hour shipping time. A selection of products in matte black (KK), white (BB), satin brass (LL), brushed nickel (NN), and warm gold (MM) is also available from inventory for shipment within 48 hours. All other finishes are generally available within four weeks or less.

* Some finishes are exclusive to specific collections.

** Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits

Fast Delivery Finishes



CC
Chrome
(shipping within 48h)



SS
Stainless Steel
(shipping within 48h)




KK
Matte Black
(shipping within 48h or 4 weeks depending on model)



BB
White
(shipping within 48h or 4 weeks depending on model)



LL
Satin Brass
(shipping within 48h or 4 to 12 weeks depending on model)



NN
Brushed Nickel
(shipping within 48h or 2 weeks depending on model)



MM**
Warm gold
(shipping within 48h or 6 to 12 weeks depending on model)



***KM**
Black Titanium
(shipping within 48h)



***CB**
Chrome White
(shipping within 48h)



***CF**
Smokey Chrome
(shipping within 48h)



***O**
Tangelo
(shipping within 48h)



***S2**
Natural Stainless Steel
(shipping within 48h)



***E**
Glossy Black
(shipping within 48h)

***H**
Blush
(shipping within 48h)

***I / II**
Mist
(shipping within 48h)



***J / JJ**
French Gold
(shipping within 48h)

Special Finishes



YY
Polished Nickel
(shipping within 2 weeks)



VV
Satin Copper
(shipping within 10 to 12 weeks)



TT
Venetian Bronze
(shipping within 10 to 12 weeks)

Premium Finish



GG
Gold
(shipping within 4 weeks)

BARIL's Finishes

Solid Finishes



Chrome (CC)



Matte Black (KK)



White (BB)



Satin Brass (LL)



Brushed Nickel (NN)



Polished Nickel (YY)



Satin Copper (VV)



Venetian Bronze (TT)



Black Titanium (KM)



Warm gold (MM)



Gold (GG)

Featured product: B66-1010-01L-xx

BARIL's Finishes

Two-tone Finishes



Chrome and
Matte Black (CK)

Featured product: CUI-9249-22L-CK



Matte Black and
Satin Brass (KL)

Featured product: CUI-9249-32L-KL




Stainless Steel and
Matte Black (SK)

Featured product: CUI-9250-22L-SK




Satin Brass and
Matte Black (LK)

Featured product: CUI-9250-32L-LK



Chrome
White (CB)



Smokey
Chrome (CF)

Featured product: B56-1010-00L-xx

Marketing Tools

The Displays

With its contemporary shades and its integrated lighting, the BARIL presentation wall has an attractive impact on the customer and brings a sophisticated touch to your showroom. Each faucet is installed on a plate and is simply placed on a shelf; it can thereby be moved as you wish. Podiums are also available to highlight BARIL kitchen faucets and floor-mounted tub faucets.








The Brochures

To help you explore our collections and find inspiration, our brochures are available at all times on our website and in printed format upon request.











Marketing Tools

Virtual Shower Configurator

BARIL revolutionizes high-end faucets with a constantly evolving configurator that redefines the concept of custom showers. Thanks to a fluid and elegant interface, the virtual configurator allows everyone to easily create ensembles tailored to every style and need. Awarded Gold Certification and the Public's Choice Award at the Grands Prix du Design 2025, this tool reflects BARIL's commitment to simplifying the lives of its ambassadors while offering beauty and well-being.

Its elegant, intuitive interface includes standout features:

- Realistic visualization on background settings to better project finish harmony
- Smooth navigation with advanced filters for personalized selection
- Smart compatibility that ensures accurate, error-free choices

Designed to meet the expectations of designers and retailers, this tool allows:

- Real-time presentation of finishes and configurations
- Integration of visuals into mood boards or project presentations
- Exporting to PDF with references and technical sheets to facilitate purchasing and installation

Retailer Portal

A simple, practical tool that gives you access at all times to up-to-date list pricing, directly from our website. This portal is designed to support your daily operations and is gradually enriched with online training, a media library, current promotions, and a messaging inbox to communicate with our customer service team.

Blog

Would you like to learn more about the features and innovations that shape our products? Our technical articles offer clear, accessible insight into BARIL's design, quality, and craftsmanship.

Product Availability

To simplify product management, use the search tool to quickly access the information you need. Start by entering a product code in the search bar. You also have the option to update inventory directly from the displayed results, or click "View more results" to access the full product offering.

Order Tracking

To track an order, begin by entering your order number in the tool. You can then access the following information:


- The ordered product code
- The date the order was placed
- The current order status
- The estimated or actual shipping date
- The carrier responsible for delivery
- The tracking number to follow your shipment

Marketing Tools

The Essentials Booklet

More than just a brochure, the The Essentials booklet is a powerful sales support tool. It brings together our best-selling products, timeless styles offered in our five most popular finishes. You also benefit from highly attractive promotional pricing and 48-hour shipping on all featured products.

Ask your representative for your copy!




You can also find them in the catalogue by searching for products identified as “The Essentials.”

B04-8009-00L-xx CEC

48h Promo Price
The Essentials

CC	KK	LL	BB	NN/YY	VV/TT	KM	GG





8” c/c lavatory faucet, drain included

- Max: 1.2 gpm - 60 psi
- Easy to clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced flow rates
B04-8009-00L-xx-100	3.7 l/min (1.0 gpm) - 60 psi
B04-8009-00L-xx-050	1.9 l/min (0.5 gpm) - 60 psi

Our Features

BARIL

BARIL in Short

STYLE x FUNCTION

At BARIL, we don't think only about faucets. Of course, they hold a central place in our identity, but above all, we think about you, your lifestyle, and the role faucets play at the heart of your everyday life. It is with this perspective that we inspire your imagination with distinctive styles and enhance your well-being through innovative products. Faucets designed to captivate at first glance, and to delight with every use.

The BARIL Family: *Robinetier** by love of the craft

Driven by its passion for the avant-garde, the family-owned business excels in the design, manufacture and distribution of unique faucets.

Robinetier (from French): a master craftsman in the art of faucet making.

Designed by BARIL in Montreal

Before being assembled in Canada, every BARIL faucet begins in the minds of our designers who, like their city, bring a European sensibility to the North American market.

Quality and Reliability since 1986

Relying on expertise finely developed for more than 40 years, our team focuses on research and constant improvement to craft durable, flawless faucets. BARIL faucets are robust, built with high-quality materials and advanced technical components. All products are carefully checked and tested by our quality department before being shipped to the customer.

Lifetime Warranty on Products and Service

We proudly warranty all our products for life against manufacturing defects, and we also provide professional, fast and personalized after-sales service. Just call us at 1.800.461.3871 or write to us at info@barildesign.com, and it will be our pleasure to answer any question about products or installation. Our sales representatives and customer service professionals are trained by our product experts. They know how to support you in case of any problem you might encounter, and replacement parts are available throughout the product's lifetime.

Shipping Within 48 hours

There is a sales office and a warehouse in Trois-Rivieres that will ship your orders in less than 48 hours. When you order from BARIL, we can answer your requests right away because your order is directly linked to our inventory management system. In less than 48 hours, the majority of your orders will be ready to be delivered to your doorstep.

Certifications

All BARIL products are compliant with the following standards:

ASME A112.18.1/CSA B125.1
Standard governing guarantee relating to the product's mechanisms and durability of its finish

NSF 372
Standard governing water quality for lavatory and sink faucets

NSF/ANSI 61
Standard governing materials that come into contact with drinking water

ASSE 1016
Standard governing water temperature control in shower systems

BARIL FAUCETS ARE COMPLIANT WITH ALL FEDERAL AND STATE DRINKING WATER LEGISLATION.

FOR SPECIFIC MASSACHUSETTS LEGISLATION, A LIST OF COMPLIANT SKUs IS AVAILABLE UPON REQUEST.

BARIL products are certified by at least one of the following organizations:

ADA CERTIFICATION
All products displaying the ADA logo comply with applicable ADA requirements as specified in the American with Disabilities Act as follows: lever and handle faucets displaying the ADA symbol comply with the actuation force Accessibility Guidelines, Section 309 Operation, of the Act.

WATERSENSE CERTIFICATION
All items with the WaterSense logo meet or exceed the certification criteria as of the EPA's WaterSense Program. WaterSense labelled bathroom sink faucets use a maximum of 1.5 gallons per minute (5.7 l/min), reducing a faucet's water flow by 30 percent or more from the standard flow of 2.2 gallons per minute (8.3 l/min), without sacrificing performance. Same for hand shower and shower head, for which the flow rate has been reduced to 1.75 gpm (6.6 l/min) instead of the industry standard of 2.0 gpm (7.6 l/min). WATERSENSE® is a registered mark of the U.S. Environmental Protection Agency.

CEC CERTIFICATIONS
All items with the CEC logo feature an option that meets the California Energy Commission requirements. To be CEC-listed, lavatory faucet must use a maximum of 1.2 gallons per minute (4.5 l/min), kitchen faucet and shower head must not exceed 1.8 gallons per minute (6.8 l/min) and shower valve must be without shared position. These measures ensure significant water saving and can be applied to many BARIL products.

CALGREEN CERTIFICATION
Many BARIL faucets and shower components comply with the California Green Building Standard Code (known as CALGreen). A faucet with a 20% reduction or over of the water flow meets the CALGreen certification criteria.

Intertek IAPMO Canadian Standards Association

Flow Rates

Faucet Flow Rate

BARIL offers faucets designed to meet most North American standards. Standard flow rates for BARIL products are as follows:

Kitchen Faucets
Max: 1.8 gpm to 5.85 gpm (6.8 to 22.2 l/min)
depending on the model - 60 psi

Lavatory Faucets
Max: 1.2 gpm (4.5 l/min) - 60 psi

Tub Faucets
Max: 5.3 gpm to 14.3 gpm (20 to 54 l/min)
depending on the model - 60 psi

Shower Components (hand shower, shower head, etc.)
Max: 2 gpm (7.6 l/min)
depending on the model - 80 psi

Shower Valves
Max: 5 gpm to 16 gpm (19 l/min to 60 l/min)
depending on the model - 60 psi

The thermostatic valves and T/P valves offer the best flow rates on the market with performances up to 16 gpm (60 l/min) - 60 psi.

* See specific products in the catalog to confirm their exact flow rate.

Water Saving Options

BARIL faucets offer different options to help you obtain LEED certification or comply with your local regulations. Add the water saving option of your choice for free.

Kitchen Faucets	Flow Rate	How to Order
Regular	Max: 1.8 gpm (6.8 l/min) - 60 psi	Use regular code
Option 1	Max: 1.5 gpm (5.7 l/min) - 60 psi	Add -150 at the end of the code

Lavatory Faucets	Flow Rate	How to Order
Regular	Max: 1.2 gpm (4.5 l/min) - 60 psi	Use regular code
Option 1	Max: 1.0 gpm (3.7 l/min) - 60 psi	Add -100 at the end of the code
Option 2	Max: 0.5 gpm (1.9 l/min) - 60 psi	Add -050 at the end of the code

Shower Components	Flow Rate	How to Order
Regular	Max: 2.0 gpm (7.6 l/min) - 80 psi	Use regular code
Option 1	Max: 1.75 gpm (6.6 l/min) - 80 psi	Add -175 at the end of the code
Option 2	Max: 1.5 gpm (5.7 l/min) - 80 psi	Add -150 at the end of the code

High-End Components

Quality Faucets

BARIL faucets are all **made of brass** and comply with the highest quality certifications and manufacturing standards, including low lead content and material thickness above standards. These advantages **lower the risks of manufacturing defects**.



Cartridges

BARIL uses **high-quality ceramic disk cartridges** made in Europe. The ceramic disk cartridges use a pair of ceramic disks that lie against each other to control water flow. Being an extremely strong material, ceramic **resists cracking and withstands extreme temperatures**. Because the disks are polished to a near-perfect flatness, the seal between them is watertight. This technology eliminates wear on rubber seals and extends the cartridge's service life.







High-End Components


Leak-Proof and Anti-Twist Water Inlet Hoses

At BARIL, we care about conceiving smart products. Therefore, we think about facilitating our products' installation, and we ensure that leaking risks are minimized. At BARIL, your kitchen and single-hole lavatory faucet water inlet hoses are **made of polyamide/PEX**, a material that doesn't rust and doesn't react to chemicals*. The kitchen and single hole faucet hoses, in addition to being **corrosion-resistant**, are mostly directly connected to the faucet's brass body, **reducing leaking risks** compared to faucets with a copper pipe extension. This assembly also ensures **easier installation** and facilitates tightening with fewer connections.

These BARIL inlet hoses, developed in collaboration with a leading manufacturer in this field, are **robust, flexible, lightweight and glide smoothly** thanks to their special braiding. The inner hose is made of Softpex (cross-linked polyethylene), a material proven millions of times in the market with a **0% failure rate**. BARIL's inlet hoses are **torsion-resistant** thanks to their quality material and are also designed with swivel connection nuts at the water inlets, avoiding torsion when tightening them.

* Please note that it's important to warn users to store corrosive products in a secure space, and away from corrodible parts, such as older faucets or products from other manufacturers. It is strongly recommended to verify your faucets' connections every six (6) months.





High-End Components

Aerators





The perfect stream with BARIL

While some faucet aerators serve only to control the flow rate, BARIL's faucet aerators do much more: they also **control the stream straightness**, **reduce splash** by aerating the stream and eliminating side spray, **save water and reduce energy costs**, help to **reduce lime build-up** and meet North American plumbing codes and standards. BARIL uses Neoperl®, a Swiss-German, family-owned company renowned for making some of the world's best aerators.

BARIL offers complementary options on some faucet models, such as adjustable aerators, low-flow aerators for your most demanding energy-saving projects and much more.



Adjustable Aerator

Sometimes, when a faucet is installed with a wash basin, the faucet stream's direction isn't optimal (water splashing, difficulty rinsing hands, etc.). BARIL solves this problem by offering this aerator to **allow for adjustments in the water stream's direction** on most of its faucets, to ease the choice of wash basin and to improve user comfort. The angle of the water stream can be adjusted directly at the aerator, simply by moving the adjustable tilting plate with your finger **(± 6° up to ± 10°, depending on the aerator model)**.

This benefit is integrated into some lavatory faucets of the following bathroom collections:

B04 PETITE / B05 REC / B16 NAUTICA / B18 RALPH / B20 BEAUMONT / B35 MARIE / B45 SENS / B46 PROFILE / B47 FLORA / B56 ACCENT / B66 ZIP / B71 EVA / B72 TRADITION / B74 VICTOIRE / B80 AIR


See all available products in the corresponding collections!

Kitchen Faucet Advantages



360° Swivel Spout

Allows easy access to all areas of the sink.



Excellent Ergonomics

Convenient for filling large pots and tall pitchers.




Easy-to-handle Hand Spray Hose

Glide without noise, lightweight and flexible.



Super Swivel Hand Spray

The integrated ball joint in the hand spray hose allows for smooth and effortless rotation.



Comfort of Use Even in Tight Spaces

The handle rotates only 15° toward the back to avoid knocking against the backsplash area.




Cool Start

Kitchen faucets open on cold water when the handle is in the upright position, helping reduce energy consumption and prevent the risk of burns.



Automatic Docking

Automatic docking ensures the spray head returns to its position after each use and remains securely in place.



Thick Counter

Installation tube length of 2-1/2", allowing installation on extra-thick countertops (up to 2").



Easy Installation

A stable and straightforward installation, thanks to our threaded nut with 3 easily accessible screws, even in tight spaces.



Solid Installation

All kitchen faucets include a spacer and mounting triangle designed for under-sink installation, providing added stability when installed on thin sinks.



Hand Spray Return Strength

The return strength of the hand spray can be adjusted to suit user preference by positioning the included weight.



Quick Connection

This connection simplifies attaching the hand spray hose to the water supply. Complete the connection with a simple click, no tools required.

Some features apply to a limited number of models.


Shower Product Advantages

External Thermostatic Shower Column

1. The temperature control handle is positioned on the hot water inlet side, ensuring the surface temperature never exceeds the shower water temperature.



Water distribution with temperature handle on the HOT water inlet side.



Water distribution with temperature handle on the COLD water inlet side.

2. Accessory indicator located on top of the diverter handle. The diverter handle rotates 360° in either direction.



3. With the external thermostatic valves on BARIL shower columns, your two water accessories can work individually or simultaneously.



No water flow



Water flow through the hand shower only



Water flow through both hand shower and shower head simultaneously



Water flow through the shower head only

4. The shower head arm is height-adjustable up to 20", allowing for maximum comfort in the shower.

5. Safety: The valve temperature is preset to 38 °C / 100 °F and can be increased by pressing the button and turning the handle counterclockwise.





Shower Products Advantages

Shower Valves

BARIL has specialized in shower faucets since its beginnings 40 years ago. BARIL has always integrated the best shower valve technologies, such as European technologies with thermostatic valves and North American technologies with pressure-balanced valves. BARIL uses the highest water flow cartridges on the market in their respective categories.

Here is a summary of the large selection of valves offered by BARIL, each of them responding to different and/or complementary needs:

Pressure-balanced (Type P valve)


- Pressure-balanced valve
- Pressure-balanced valve with 2-way diverter (available with shared or non-shared position)
- Pressure-balanced valve with 3-way diverter (available with shared or non-shared position)

Thermostatic (Type T valve)

- External thermostatic valve
- 3/4" thermostatic valve
- With several options of volume control valves or diverters with off (available with shared or non-shared position)

Thermostatic Pressure-Balanced (Type TP valve)

- 1-way thermostatic pressure-balanced valve
- 2-way thermostatic pressure-balanced valve (available with shared or non-shared position)
- 3-way thermostatic pressure-balanced valve (available with shared or non-shared position)



Compact valves with shared position and non-shared position

Some of our pressure-balanced, thermostatic or thermostatic pressure-balanced shower kits are equipped with a built-in diverter cartridge that allows the use of 1, 2 or 3 accessories individually or 2 accessories simultaneously. Alternatively, these same shower kits are also available in a non-shared position, allowing only one accessory to work at a time.





High quality trim and ease of installation

We thought about your decor and your clients: BARIL shower valve plates feature a clean look with no visible screws. In addition, installation is simplified thanks to flat-back rough-ins and depth-adjustable trims.

Shower Products Advantages

Shower Valve Cartridge Types



Pressure-Balanced Valve
Shower valve allows balancing the pressure fluctuations caused by the water use in the house. A piston or diaphragm system reacts to cold or hot water pressure variations and compensates by allowing more or less water to go through on the opposite side. This valve ensures a stable water temperature and no risk of burns.

Pressure-Balanced Cartridge Operation
The pressure-balanced cartridge works only on water pressure and not on temperature itself. It balances the cold water pressure with the hot water pressure. By keeping the same pressure on both sides, the water temperature stays almost the same.



Thermostatic Valve
The thermostatic valve is mostly used in the shower and its purpose is to ensure temperature stability. The thermostatic technology allows great water flow and the possibility of using two water outlets at the same time. The thermostatic valve cartridges react to the slightest water temperature variation, which allows precise temperature. This valve is safe with its 38 °C / 100 °F stop button (available in most collections). On a thermostatic valve, temperature selection isn't required at each use. The thermostatic valve must be installed with a diverter or a volume control valve for each accessory it supplies.

Thermostatic Cartridge Operation
A thermostatic component (paraffin) contracts or dilates depending on the mixed water temperature, thereby activating the opening or closing of the hot and cold water inlets to adjust the outlet water temperature. This mechanism allows the set temperature at the outlet to be maintained.



Thermostatic Pressure-Balanced Valve
This valve combines the benefits of pressure-balanced and thermostatic valves in terms of temperature regulation, with an intermediate flow between both valve types. The cartridge regulates the temperature to a precise temperature, which can be pre-selected, by reacting to the slightest temperature variations. Therefore, the outlet water temperature remains unchanged, regardless of the temperature and pressure variations of the hot and cold water inlets. Finally, this valve is safe with its 38 °C / 100 °F stop button (available in most collections). The T/P valve meets the most strict performance criteria in terms of temperature and pressure variations, as defined by the ASSE 1016 - 2011 standard.

Thermostatic Pressure-Balanced Cartridge Operation
This cartridge is a high-performance thermostatic cartridge (high flow, very low temperature fluctuations), whose thermostatic mechanism is developed and manufactured in Europe by the world leader in cartridge manufacturing.

Rough-in Valves Advantages

Pressure-Balanced Valve

RVA-9020-00-B RVA-9020-P0-B



1/2" male NPT or
welded copper connections



PEX inlets and 1/2" male NPT or
welded copper outlets connections

- Type P faucet
- Built-in check-stop valves accessible from the front of the rough-in
- Flow rate of 6 gpm - 60 psi

- Volume control with temperature memory
- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Ceramic disk cartridge made from high-strength, high-density materials allowing a longer life span
- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1/2" (13 mm)
- Wall mounting anchor points molded in the rough-in valve
- Lifetime warranty against manufacturing defects

Rough-in Valves Advantages

Pressure-Balanced Valve with 2-Way Diverter

RVA-9181-00-B
RVA-9181-00-NS-B



1/2" male NPT or
welded copper connections

RVA-9181-P0-B
RVA-9181-P0-NS-B



PEX connections

- Type P faucet
- RVA-9181-xx-B: 2-way diverter, shared ports
- RVA-9181-xx-NS-B: 2-way diverter, non-shared ports
- Built-in check-stop valves accessible from the front of the rough-in
- Water flow of 5 gpm - 60 psi

- Volume control with temperature memory
- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Ceramic disk cartridge made from high-strength, high-density materials allowing a longer life span
- Cartridge included with the rough-in
- Front access, easy-to-change cartridges
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1/2" (13 mm)
- Wall mounting anchor points molded in the rough-in valve
- Lifetime warranty against manufacturing defects

Pressure-Balanced Valve with 3-Way Diverter

RVA-9191-00-B
RVA-9191-00-NS-B



1/2" male NPT or
welded copper connections

RVA-9191-P0-B
RVA-9191-P0-NS-B



PEX connections


- Type P faucet
- RVA-9191-xx-B: 3-way diverter, shared ports
- RVA-9191-xx-NS-B: 3-way diverter, non-shared ports
- Built-in check-stop valves accessible from the front of the rough-in
- Water flow of 5 gpm - 60 psi

- Volume control with temperature memory
- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Ceramic disk cartridge made from high-strength, high-density materials allowing a longer life span
- Cartridge included with the rough-in
- Front access, easy-to-change cartridges
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1/2" (13 mm)
- Wall mounting anchor points molded in the rough-in valve
- Lifetime warranty against manufacturing defects


Rough-in Valves Advantages

NEW!

Pressure-balanced thermostatic valve now available in a universal "three-in-one" version!



RVA-9501-P0-B



RVA-9501-00-B

1-2-3-way Thermostatic Pressure-Balanced Valve

RVA-9501-00-B



1/2" male NPT or welded copper connections

RVA-9501-P0-B



PEX connections

- Type TP faucet
- Option 1 : 1-way diverter
- Option 2 : 2-way diverter, shared ports
- Option 3 : 3-way diverter, shared ports
- Built-in check-stop valves accessible from the front of the rough-in
- Flow rate 1 outlet: 7.1 gpm - 60 psi, 2 outlets: 3.6 gpm - 60 psi
- 2-way and 3-way diverter trims with non-shared positions (NS) also available.

- Thermostatic and diverter cartridges not included with the rough-in (included with the trim)
- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Reversible check / non-return valves in case of water supply inversion
- 2 manually adjustable temperature limiting rings included (43 °C / 109 °F and 49 °C / 120 °F) (included in the trim)
- Safety temperature stop preset at 38 ˚C / 100 ˚F
- Front access, easy-to-change cartridges
- Thicker brass compared to competitors
- Trim installation with a clip plate system (brass plate clipped on a plastic plate)
- Trim depth adjustment range of 1" (25 mm)
- 3 anchor points molded in the rough-in valve for wall mounting
- Included template for easy installation
- Flat back for easy installation
- Lifetime warranty against manufacturing defects
- Plugs for leak testing included with the rough-in

Rough-in Valves Advantages

3/4” Thermostatic Valve

RVA-3404-00-B



- Type T faucet
- Built-in check valves
- Built-in reversible check-stop valves with filters accessible from the front of the rough-in
- Water flow of 16 gpm if direct connection on 3/4” copper - 60 psi

- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Thermostatic cartridge
- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1” (25 mm)
- Wall mounting anchor points molded in the rough-in valve
- Can easily supply 3 accessories
- 3/4” female NPT connections
- Safety temperature stop, preset at 38 ˚C / 100 ˚F
- Must use with separate stop/volume control
- Lifetime warranty against manufacturing defects

3/4” Thermostatic Valve

RVA-3453-00-B



- Type T faucet
- Built-in check valves
- Built-in reversible check-stop valves with filters accessible from the front of the rough-in
- Water flow of 9 gpm if direct connection on 3/4” copper - 60 psi

- Temperature variation of less than 2 °C / 3.6 °F, making it one of the types of valves with the least temperature variation on the market
- Manually adjustable temperature limiting device
- Thermostatic cartridge
- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Included template for easy installation
- Flat back for easy installation
- Trim depth adjustment range of 1” (25 mm)
- Wall mounting anchor points molded in the rough-in valve
- Can easily supply 3 accessories
- 3/4” female NPT connections
- Must use with separate stop/volume control
- Lifetime warranty against manufacturing defects

The thermostatic shower valve must be installed with a volume control valve for each accessory it supplies.

The thermostatic valve can also be used with a 2-port or 3-port diverter with off.

Rough-in Valves Advantages

2-Port Diverter Rough Valve with Off

RVA-9562-00-B / RVA-9562-00-NS-B



- Can replace 2 volume control valves
- RVA-9562-xx-B: 2-way diverter, shared ports
- RVA-9562-xx-NS-B: 2-way diverter, non-shared ports
- Extra long cartridge for maximum depth adjustment
- Water flow of 10.5 gpm - 60 psi

- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Flat back for easy installation
- 2 anchor points molded in the rough-in valve for wall-mounting
- Lifetime warranty against manufacturing defects

3-Port Diverter Rough Valve with Off

RVA-9563-00-B / RVA-9563-00-NS-B



- Can replace 3 volume control valves
- RVA-9563-xx-B: 3-way diverter, shared ports
- RVA-9563-xx-NS-B: 3-way diverter, non-shared ports
- Extra long cartridge for maximum depth adjustment
- Water flow of 9.7 gpm - 60 psi

- Cartridge included with the rough-in
- Front access, easy-to-change cartridge
- Thicker brass compared to competitors
- Flat back for easy installation
- 4 anchor points molded in the rough-in valve (2 on each side) for wall mounting
- Lifetime warranty against manufacturing defects

Rough-in Valves Advantages

FEATURES AND BENEFITS	PRESSURE-BALANCED	THERMOSTATIC	THERMOSTATIC / PRESSURE-BALANCED
Allows temperature limitation at 49 °C	×	×	×
Stabilizes water temperature if the pressure drops by up to 50%	×		×
Stabilizes water temperature if the pressure drops by up to 20%	×	×	×
Temperature preset		×	×
Does not require a direct water connection to the water heater	×		×
Flow rate @ 60 psi	5 to 6 gpm	9 to 16 gpm	7.1 gpm
Allows connection of 3 accessories	×	×	×
Allows connection of more than 3 accessories		×	
Allows the use of 2 accessories at the same time	×	×	×
Allows the use of more than 2 accessories at the same time		×	

Rough-in Valves Advantages

VALVE TYPE	PRESSURE-BALANCED	PRESSURE-BALANCED + 2-WAY DIVERTER	PRESSURE-BALANCED + 3-WAY DIVERTER
ABBREVIATION	REGULAR PB	2-WAY PB	3-WAY PB
Photo			
Code	T66-9139-00-CC + RVA-9020-_0-B	T66-9181-00-CC + RVA-9181-_0-B	T66-9190-00-CC + RVA-9191-_0-B
High flow	+	+	+
Available flow - 60 psi	6 gpm	5 gpm	5 gpm
Collection handle	×	×	×
Connection of 2 accessories	×	×	×
Connection of 3 accessories			×
Connection of tub spout possible	×	×	×
Allows the use of 2 accessories at the same time		×	×
Temperature preset			
Easy installation	×	×	×

Rough-in Valves Advantages

THERMOSTATIC / PRESSURE-BALANCED + 1-WAY DIVERTER	THERMOSTATIC / PRESSURE-BALANCED + 2-WAY DIVERTER	THERMOSTATIC / PRESSURE-BALANCED + 3-WAY DIVERTER	3/4" THERMOSTATIC + VOLUME CONTROL VALVE OR DIVERTER	3/4" THERMOSTATIC + VOLUME CONTROL VALVE OR DIVERTER
1-WAY TP	2-WAY TP	3-WAY TP	3/4" THERMO	3/4" THERMO
				
T66-9511-01-CC + RVA-9501-_0-B	T66-9521-01-CC + RVA-9501-_0-B	T66-9531-01-CC + RVA-9501-_0-B	T66-9404-00-CC + RVA-3404-00-B	T66-9453-00-CC + RVA-3453-00-B
++	++	++	+++	+++
7.1 gpm	7.1 gpm	7.1 gpm	16 gpm	9 gpm
×	×	×	×	×
	×	×	×	×
		×	×	×
×	×	×	×	×
	×	×	×	×
×	×	×	×	×
×	×	×		

Electronics


BARIL

TOUCHLESS SENSOR

ELE-1001-01-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
751	885	885	885	885	885	916	885	955





Touchless infrared sensor to turn on and off the water flow of your BARIL faucet with a simple hand movement

- Separate mounting for optimal compatibility with the BARIL product line
- Installation kits included for both countertop mounting (max 2" countertop thickness) and wall mounting (max 2" wall thickness)
- Fast response
- 15° detection angle
- Adjustable detection range between 2" and 9-7/8" (preset at 2")
- Automatic shut-off after 3 minutes
- Electronic control valve is concealed in a ready-to-use housing that can be easily installed under the counter
- 5-year warranty*
- Batteries included (6 x AA)

ATTENTION!
Two options available:

ELE-1001-01-xx (p. 44)

ELE-2001-01-xx (p. 45)

Look for these icons in the catalog to identify the compatible option for the selected product.

Compatible with:

KITCHEN FAUCET
CUI-1940-02L-xx
CUI-2040-02L-xx
CUI-2040-35L-xx
CUI-9245-02L-xx
CUI-9247-02L-xx
CUI-9249-X2L-xx
CUI-9250-X2L-xx
CUI-9335-02L-xx
CUI-9340-02L-xx
CUI-9345-02L-xx
CUI-9350-02L-xx
CUI-9352-02L -xx
CUI-9355-02L-xx
CUI-9540-35L-xx

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, SS = stainless steel

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


*More details in the complete warranty.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

TOUCHLESS SENSOR

ELE-2001-01-xx	CC	SS	KK	LL/MM	BB	NN	YY	VV/TT	KM	II	JJ	EE	HH	GG
	825	972	972	972	972	972	972	1007	972	972	972	972	972	1049





Touchless infrared sensor to turn on and off the water flow of your BARIL faucet with a simple hand movement

- Separate mounting for optimal compatibility with the BARIL product line
- Installation kits included for both countertop mounting (max 2" countertop thickness) and wall mounting (max 2" wall thickness)
- Fast response
- 15° detection angle
- Adjustable detection range between 2" and 9-7/8" (preset at 2")
- Automatic shut-off after 3 minutes
- Electronic control valve is concealed in a ready-to-use housing that can be easily installed under the counter
- 5-year warranty*
- Batteries included (6 x AA)

Compatible with:

	LAVATORY FAUCET		
KITCHEN FAUCET	SINGLE-HOLE	WALL-MOUNTED	DECK-MOUNTED
CUI-9181-47L-xx	B04-1005-XXL-xx	B04-8041-00L-xx	B04-8009-00L-xx
CUI-3020-02L-xx	B04-1020-00L-xx	B04-8100-00L-xx	B05-8009-00L-xx
CUI-3040-02L-xx	B05-1005-XXL-xx	B04-8120-00L-xx	B16-8001-01L-xx
CUI-3045-02L-xx	B05-1020-00L-xx	B16-8041-00L-xx	B18-8001-00L-xx
CUI-9220-02L-xx	B20-1012-XXL-xx	B18-8041-00L-xx	B20-8012-00L-xx
CUI-9225-02L-xx	B20-1014-XXL-xx	B20-8042-00L-xx	B20-8014-00L-xx
CUI-9320-02L-xx	B20-1022-00L-xx	B20-8044-00L-xx	B20-8022-00L-xx
CUI-9635-02L-S2	B20-1024-00L-xx	B20-8102-04L-xx	B20-8024-00L-xx
CUI-9640-02L-S2	B45-1005-XXL-xx	B20-8104-04L-xx	B35-1020-00L-xKx
C35-3130-26-xx + M35-3130-80-xx	B45-1010-XXL-xx	B35-8100-00L-xxxx	B35-8009-00L-xxxx
	B45-1020-00L-xx	B45-8041-00L-xx	B45-8009-00L-xx
	B46-1010-XXL-xx	B45-8100-04L-xx	B46-8009-00L-xx
	B46-1020-00L-xx	B46-8041-00L-xx	B47-1080-00L-xx
	B46-1030-XXL-xx	B46-8100-04L-xx	B47-8009-00L-xx
	B46-1035-00L-xx	B47-8041-00L-xx	B56-8009-00L-xx
	B46-1040-00L-xx	B47-8100-00L-xx	B66-8009-00L-xx
	B56-1010-XXL-xx	B66-8041-00L-xx	B66-8029-00L-xx
	B66-1005-XXL-xx	B66-8100-04L-xx	B71-8001-01L-xx
	B66-1010-XXL-xx	B66-8120-04L-xx	B72-8001-01L-xx
	B66-1020-00L-xx	B71-8041-00L-xx	B80-8001-1PL-xx
	B66-1030-00L-xx	B72-8041-00L-xx	B80-8002-1PL-xx
	B80-1031-XXL-xx	B80-8042-00L-xx	B80-8003-1PL-xx
	B80-1032-XXL-xx	B80-8102-00L-xx	
	MON-2600-00L-xx		

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, SS = stainless steel, EE = glossy black, II = mist, JJ = french gold, HH = blush

*More details in the complete warranty.

Kitchen

BARIL

KITCHEN



BARIL

ANGLE


CUI-1940-02L-xx

ADA CEC

CC	SS	KK
910	1183	1198



GRANDS PRIX DU DESIGN



Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-1940-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

CUI-9335-02L-xx

ADA CEC

CC	SS	KK	LL/MM†	BB	YY	VV/TT	KM	GG
919	1196	1218	1471	1609	1333	2022	1471	2259





High single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9335-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9340-02L-xx

ADA CEC Promo Price 48h The Essentials

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
866	1127	1148	1386	1516	1256	1906	1386	2129





High single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9340-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9345-02L-xx

ADA CEC Promo Price 48h The Essentials

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
825	1073	1093	1320	1444	1196	1815	1320	2028





Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9345-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold,


ARTE

CUI-9320-02L-xx

CEC

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
1213	1579	1608	1942	2124	1759	2669	1942	2982





Bridge kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9320-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-4093-00L-xx

ADA 48h **Promo Price The Essentials**

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
299	389	396	478	523	514	799	478	925






Single-hole faucet for water filtration system


- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet

CUI-4293-00L-xx

ADA 48h **Promo Price The Essentials**

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
1084	1409	1436	1734	1789	1572	2285	1734	2492





Wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-5/8" (575 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only

Water Saving Option

Code	Reduced Flow Rate
CUI-4293-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

DIS-9030-00-xx

48h Promo Price
The Essentials

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
179	233	228	247	234	238	394	247	406






Modern soap dispenser

- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2" thickness

GAP-9330-00-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
90	118	109	118	129	123	162	118	200






Dishwasher air gap

- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

INA-9030-02-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
359	443	443	443	470	443	487	443	507






Air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold,

MARIE NEW!

LEGEND



Order

Items from the MARIE Kitchen faucet must be ordered in 2 steps:
1- Order the core product (spout + spout and handle flanges + rough)
2- Order the desired handle

You must order both codes to obtain a complete product.

NOTE: Custom installation, please refer to the installation manual and spec sheet.

1. Order the core product (spout)

C35-3130-26-xx CEC

Cx	Kx	Bx	Ex	Jx
1455	1595	1595	1595	1595



xx : Finish

The first x is the spout finish — chrome in this example.

The second x is the spout AND handle flange finish — matte black in this example.

The finish of this example is therefore CK: chrome matte black.

Spout Finish
(First x)

C= Chrome
K= Matte black
B= White
E= Glossy Black
J= French gold

Flanges finish
(Second x)

C= Chrome
K= Matte black
B= White
E= Glossy Black
J= French gold

Single handle 2-piece kitchen faucet (without handle)

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink
- Custom installation: please refer to the installation manual and spec sheet

Water Saving Option

Code	Reduced Flow Rate
C35-3130-26-xx-150	1.5 gpm (5.7 l/min) - 60 psi

2. Order the handle

M35-3130-80-xx

Cx	Kx	Bx	Ex	Jx
330	390	390	390	390



xx : Finish

The first x is the sphere finish — chrome in this example.

The second x is the handle stick finish — matte black in this example.

The finish of this example is therefore CK: chrome matte black.

Sphere Finish
(First x)

C= Chrome
K= Matte black
B= White
E= Glossy Black
J= French gold

Stick Finish
(Second x)

C= Chrome
K= Matte black
B= White
E= Glossy Black
J= French gold
O= Tangelo

Handle kit for single handle 2-piece kitchen faucet C35

- Handle kit required to complete the following products: C35-3130-26-xx
- Available in 2 tones

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


C35-3130-26-xx

CEC

Cx	Kx	Bx	Ex	Jx
1455	1595	1595	1595	1595

Available Q3 2026





Single handle 2-piece kitchen faucet (without handle)

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink
- Custom installation: please refer to the installation manual and spec sheet

Water Saving Option


Codes	Reduced Flow Rate
C35-3130-26-xx-150	1.5 gpm (5.7 l/min) - 60 psi

M35-3130-80-xx

Cx	Kx	Bx	Ex	Jx
330	390	390	390	390

Available Q3 2026





Handle kit for single handle 2-piece kitchen faucet C35


- Handle kit required to complete the following products: C35-3130-26-xx
- Available in 2 tones
- Custom installation: please refer to the installation manual and spec sheet

DIS-9035-00-xx

CC	KK	BB	EE*	JJ*
179	228	234	247	247

Available Q3 2026 *





Modern soap dispenser


- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2-1/8" thickness

GAP-9235-00-xx

CC	KK	BB	EE*	JJ*
80	97	115	105	105

Available Q3 2026 *





Dishwasher air gap


- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

INA-9035-02-xx

CC	KK	BB	EE*	JJ*
359	443	470	443	443

Available Q3 2026 *





Air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

Finishes:
C = chrome, K = matte black, B = white, E = glossy black, J = french gold, O = tangelo.

NOX NEW!


CUI-9635-02L-xx

CEC

S2
1395

MARINE GRADE 316L STAINLESS STEEL





Outdoor stainless steel kitchen faucet with 2-function pull-down spray

- Made from 316L marine-grade stainless steel
- Designed for installation in an outdoor or indoor kitchen
- 19" height and high-arch design
- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 316L stainless steel 2-function spray
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9635-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi


CUI-9640-02L-xx

CEC

S2
1295

MARINE GRADE 316L STAINLESS STEEL





Outdoor stainless steel kitchen faucet with 2-function pull-down spray

- Made from 316L marine-grade stainless steel
- Designed for installation in an outdoor or indoor kitchen
- 16" height and high-arch design
- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 316L stainless steel 2-function spray
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9640-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-4096-00L-xx

S2
545

MARINE GRADE 316L STAINLESS STEEL





Stainless steel single-hole faucet for water filtration system

- Made from 316L marine-grade stainless steel
- Designed for installation in an outdoor or indoor kitchen
- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1.0 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

CUI-4296-00L-xx

S2
1495

316L MARINE GRADE STAINLESS STEEL





Stainless steel wall-mounted pot filler with two handles

- Made from 316L marine-grade stainless steel
- Designed for installation in an outdoor or indoor kitchen
- Max: 5.85 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Laminar aerator
- Swivel double-jointed spout extends up to 23-7/8" (608 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only

Water Saving Option


Code	Reduced Flow Rate
CUI-4296-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

DIS-9060-00-xx

S2
295

316L MARINE GRADE STAINLESS STEEL





Stainless steel soap dispenser


- Custom designed to match BARIL NOX faucets
- Made from 316L marine-grade stainless steel, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2" thickness

GAP-9660-00-xx

S2
220

316L MARINE GRADE STAINLESS STEEL





Stainless steel dishwasher air gap


- Custom designed to match BARIL NOX faucets
- Made from 316L marine-grade stainless steel
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Fits 1-3/8" hole
- For counter up to 1-7/8" thickness

INA-9060-02-xx

S2
495

316L MARINE GRADE STAINLESS STEEL





Stainless steel air switch

- Custom designed to match BARIL NOX faucets
- Made from 316L marine-grade stainless steel
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

Finish:
S2 = 316L natural stainless steel

TUBE


CUI-9350-02L-xx

ADA CEC

Promo Price
48h The Essentials

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
899	1170	1192	1439	1574	1304	1978	2210





Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9350-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9352-02L-xx

ADA CEC

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
825	1073	1093	1320	1444	1196	1815	2028





Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9352-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9355-02L-xx

ADA CEC

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
1011	1316	1340	1618	1770	1466	2224	2485





Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9355-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi


CUI-4093-00L-xx

ADA

Promo Price
48h The Essentials

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
299	389	396	478	523	514	799	478	925





Single-hole faucet for water filtration system

- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet


† Warm Gold (MM) finish available across all products in Q3. See: baril design.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

CUI-4293-00L-xx

ADA | 48h Promo Price The Essentials

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
1084	1409	1436	1734	1789	1572	2285	1734	2492





Wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-5/8" (575 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only

Water Saving Option


Code	Reduced Flow Rate
CUI-4293-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

DIS-9030-00-xx

48h Promo Price The Essentials

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
179	233	228	247	234	238	394	247	406






Modern soap dispenser

- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2" thickness

GAP-9330-00-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
90	118	109	118	129	123	162	118	200






Dishwasher air gap

- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

INA-9030-02-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
359	443	443	443	470	443	487	443	507





Air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold,


UNICK

CUI-9540-35L-xx

ADA

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
625	763	763	1049	1149	1000	1444	1667





Modern single-hole kitchen faucet with single lever and 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9540-35L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-2040-02L-xx

ADA CEC

CC	SS	KK
525	683	699





Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function spray
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-2040-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-2040-35L-xx

ADA CEC

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
595	727	727	999	1094	952	1375	1588





Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-2040-35L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

CUI-9181-47L-xx

ADA CEC

CC	SS
698	898





Industrial style single-hole kitchen faucet with 2-function spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function spray
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9181-47L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-4095-00L-xx

ADA

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
299	389	396	478	523	514	799	925





Single-hole faucet for water filtration system


- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8” or 1/4” - adaptor included)
- Filtration system not included
- Non-air gap faucet

CUI-4295-00L-xx

ADA

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
1084	1409	1436	1734	1789	1572	2285	2492





Wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-5/8” (575 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2” female NPT connection
- Cold water supply connection only

Water Saving Option


Code	Reduced Flow Rate
CUI-4295-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold,

UNICK

DIS-9035-00-xx






CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
179	233	228	247	234	238	394	406

Modern soap dispenser

- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2-1/8" thickness

DIS-9040-00-xx






CC	SS	KK	LL/MM†	BB	YY	VV/TT	KM	GG
143	186	182	198	187	190	315	198	325

Modern soap dispenser

- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 2-3/8" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2-1/8" thickness

GAP-9235-00-xx






CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
80	105	97	105	115	110	145	179

Dishwasher air gap

- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

INA-9035-02-xx





CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
359	443	443	443	470	443	487	507

Air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

CUI-3040-02L-xx

CEC

CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
965	1256	1279	1545	1689	1400	2123	2372





High single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-3040-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-3045-02L-xx

CEC

CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
919	1196	1218	1471	1609	1333	2022	2259





Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-3045-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-3020-02L-xx

CEC

CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
1274	1658	1688	2039	2230	1847	2802	3131





Bridge kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-3020-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi


Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold,

VILLA

CUI-4030-00L-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
314	408	416	502	549	540	839	971






Single-hole faucet for water filtration system

- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet

CUI-4230-00L-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
1138	1479	1508	1821	1878	1651	2399	2617





Wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-1/4" (565 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only


Water Saving Option

Code	Reduced Flow Rate
CUI-4230-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

DIS-9050-00-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
192	249	244	264	250	255	422	434






Traditional soap dispenser

- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 1-1/2" thickness

GAP-3050-00-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
80	105	97	105	115	110	145	179





Dishwasher air gap


- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

INA-9050-02-xx





CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
377	465	465	465	494	465	511	532

Air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold,


VISION ARCH

CUI-9249-02L-xx

ADA CEC

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
866	1127	1148	1386	1516	1256	1906	2129





Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9249-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9255-02L-xx

ADA CEC

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
825	1073	1093	1320	1444	1196	1815	2028





Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9255-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9225-02L-xx

CEC

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
1213	1579	1608	1942	2124	1759	2669	2982





Bridge kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9225-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

CUI-4092-00L-xx

ADA

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
299	389	396	478	523	514	799	925





Single-hole faucet for water filtration system


- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet

CUI-4292-00L-xx

ADA

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
1138	1479	1508	1821	1878	1651	2399	2617





Wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-5/8" (575 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only


Water Saving Option

Code	Reduced Flow Rate
CUI-4292-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

DIS-9035-00-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
179	233	228	247	234	238	394	406






Modern soap dispenser

- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2-1/8" thickness

DIS-9040-00-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	KM	GG
143	186	182	198	187	190	315	198	325





Modern soap dispenser

- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 2-3/8" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2-1/8" thickness


Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold,

VISION ARCH

GAP-9235-00-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
80	105	97	105	115	110	145	179






Dishwasher air gap

- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

INA-9035-02-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
359	443	443	443	470	443	487	507





Air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


VISION STRAIGHT

CUI-9250-02L-xx

ADA CEC

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
866	1127	1148	1386	1516	1256	1906	2129





Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9250-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9220-02L-xx

CEC

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
1213	1579	1608	1942	2124	1759	2669	2982





Bridge kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9220-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-4192-00L-xx

ADA

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
299	389	396	478	523	514	799	925





Single-hole faucet for water filtration system

- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet

Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold,


VISION STRAIGHT

CUI-4292-00L-xx

ADA

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
1138	1479	1508	1821	1878	1651	2399	2617





Wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-5/8" (575 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only


Water Saving Option

Code	Reduced Flow Rate
CUI-4292-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

DIS-9035-00-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
179	233	228	247	234	238	394	406






Modern soap dispenser

- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2-1/8" thickness

DIS-9040-00-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	KM	GG
143	186	182	198	187	190	315	198	325






Modern soap dispenser

- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 2-3/8" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2-1/8" thickness

GAP-9235-00-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
80	105	97	105	115	110	145	179





Dishwasher air gap

- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness


† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

VISION STRAIGHT

INA-9035-02-xx





CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
359	443	443	443	470	443	487	507

Air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold,


VISION ASSORTED

CUI-9245-02L-xx

ADA CEC 48h Promo Price The Essentials

CC	SS	KK	LL	BB	YY	VV/TT	GG
899	1170	1192	1439	1574	1304	1978	2210





Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9245-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9247-02L-xx

ADA CEC

CC	SS	KK	LL	BB	YY	VV/TT	GG
825	1073	1093	1320	1444	1196	1815	2028





Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9247-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9249-22L-xx

CEC

CUI-9249-22L-xx



CC	SS	KK	LL
953	1248	1263	1525

CUI-9249-22L-KL




KL
1263

CUI-9249-22L-xK



CK	LK	SK
1001	1525	1248



Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9249-22L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

† Warm Gold (MM) finish available across all products in Q3.
See: baril design.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

VISION ASSORTED

CUI-9249-32L-xx

CEC

CUI-9249-32L-xx



CC	SS	KK	LL
919	1195	1218	1470

CUI-9249-32L-KL




KL
1218

CUI-9249-32L-xK



CK	LK	SK
965	1470	1195



Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9249-32L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9250-22L-xx

CEC

CUI-9250-22L-xx



CC	SS	KK	LL
953	1248	1263	1525

CUI-9250-22L-KL




KL
1263

CUI-9250-22L-xK



CK	LK	SK
1001	1525	1248



Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9250-22L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

Finishes: CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, KL = matte black and satin brass, SK = stainless steel and matte black, CK = chrome and matte black, LK = satin brass and matte black

VISION ASSORTED

CUI-9250-32L-xx

CEC

CUI-9250-32L-xx



CC	SS	KK	LL
919	1195	1218	1470

CUI-9250-32L-KL




KL
1218

CUI-9250-32L-xK



CK	LK	SK
965	1470	1195



Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9250-32L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

Parts


BARIL

PARTS

CAC-6023-01-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
40	53	53	64	59	62	96	64	99






Hole cover

- For counter up to 2-3/8" thickness

PLA-0813-01-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
73	119	102	119	228	152	242	119	291





Faucet hole cover plate


- Metal plate

DOU-6026-02-xx

Available Q3 2026

CC	KK	BB	EE	JJ
172	228	268	275	275






Brass 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Laminated stream
- Easy-to-clean ring spray
- 1/2'' connection
- Compatible with the MARIE faucet only

DOU-6030-M2-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
160	212	212	256	249	232	352	256	312






Brass 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 3/8'' connection

DOU-6032-02-xx

S2
249





Stainless steel 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 1/2'' connection

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PARTS

DOU-6033-02-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
172	228	228	275	268	249	378	336






Brass 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 1/2'' connection

DOU-6033-M2-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	KM	GG
172	228	228	275	268	249	378	275	336






Brass 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 3/8'' connection

DOU-6035-02-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
160	212	212	256	249	232	352	312






Brass 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 1/2'' connection

DOU-6036-02-xx

S2
284






Stainless steel 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 1/2'' connection

DOU-6037-02-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
242	315	321	387	424	351	532	653





Brass 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 1/2'' connection


Finishes:
CC = chrome, SS = stainless steel, KK = matte black, LL = satin brass, MM = warm gold, BB = white, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, EE = glossy black, JJ = french gold

PARTS

DOU-6038-M2-xx

CC	SS	KK	LL
220	292	292	352






Brass 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 3/8'' connection

DOU-6043-M2-xx

CC	SS	KK	LL/MM	BB	YY	VV/TT	GG
242	315	321	387	424	351	532	653






Brass 2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 3/8'' connection

DOU-6047-03-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
80	116	146	238	169	136	238	244






2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 1/2'' connection

DOU-6071-02-xx

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
80	116	146	238	169	136	238	244






2-function pull-down spray head

- Dual-spray functionality with ability to toggle between stream and spray settings
- Aerated stream
- Easy-to-clean ring spray
- 1/2'' connection

REN-6035-01-xx

CC	SS	KK	LL	MM	KM
170	119	180	190	215	190





Kitchen sink drain with strainer

- High-quality basket strainer prevents food particles and residue from clogging the drain
- Removable deep wastebasket
- Sink strainer fits perfectly in any sink with a 3-1/2" (8.9 cm) opening
- All stainless steel construction

† Warm Gold (MM) finish available across all products in Q3. See: baril design.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

Bathroom

BARIL

PETITE B04



BARIL

PETITE B04


B04-1005-1PL-xx

DRAIN INCLUDED WaterSense ADA CEC

48h **Promo Price The Essentials**

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
474	628	758	783	664	687	1043	758	1280





Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B04-1005-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-1005-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B04-1005-00L-xx Order your lavatory drain (pages 277-278)

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
434	578	703	723	614	637	963	703	1190


B04-1020-00L-xx

WaterSense ADA CEC

48h **Promo Price The Essentials**

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
599	794	958	998	839	869	1318	958	1597





High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B04-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


B04-8009-00L-xx

CEC

48h **Promo Price The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
761	999	1198	1255	1065	1103	1674	1198	1799





8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B04-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

PETITE B04

B04-8041-00L-xx COMPLETE FAUCET CEC

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
875	1159	1375	1445	1225	1269	1925	1375	2363





Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B04-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T04-8041-00L-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
443	727	943	1013	793	837	1493	943	1931



ROUGH Please order the following rough-in to complete the trim:


ROU-8041-00-B	Two handles wall-mounted lavatory rough-in - 1/2" female NPT	432

B04-8100-00L-xx COMPLETE FAUCET CEC ADA

48h Promo Price The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
620	768	992	1055	868	899	1364	992	1674





Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)


Water Saving Options

Codes	Reduced Flow Rates
B04-8100-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8100-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T04-8100-00L-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
338	486	710	773	586	617	1082	710	1392



ROUGH Please order the following rough-in to complete the trim:

ROU-8100-04-B	Single lever wall-mounted lavatory rough-in - 1/2" male NPT or welded copper connections	282


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

PETITE B04

B04-8120-00L-xx COMPLETE FAUCET

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
682	845	1091	1161	955	989	1500	1091	1841





Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough-in with wall plate for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)


Water Saving Options

Codes	Reduced Flow Rates
B04-8120-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B04-8120-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T04-8120-00L-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
400	563	809	879	673	707	1218	809	1559



ROUGH Please order the following rough-in to complete the trim:

ROU-8100-04-B Single lever wall-mounted lavatory rough-in - 1/2" male NPT or welded copper connections — 282


T04-1110-00-xx COMPLETE FAUCET

ADA CEC

48h Promo Price The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1999	2649	3198	3498	2799	2899	4398	3198	5397





Trim only for floor-mounted tub filler with hand shower

- Bath spout: 12.0 gpm (45,3 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

ROUGH-IN Please order **one** of the following rough-in to complete the trim:


ROU-110C-00-B — 225



Rough for floor-mounted tub filler

- For installation in a concrete floor or subfloor with top access
- Easily accessible services valves
- Allows for a 360° installation of the trim

ROU-110W-00-B — 195



Rough for floor-mounted tub filler

- For installation on a standard floor with bottom access
- Allows for a 360° installation of the trim

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


PETITE B04

B04-1249-00-xx

CEC | 48h Promo Price The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
957	1268	1504	1579	1320	1388	2105	1504	2288





2-piece tub filler with hand shower


- Bath spout: 7.6 gpm (28,7 l/min) - 60 psi
- Tub spout with integrated diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

T04-9139-00-xx

TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
209	316	418	502	334	387	732	773





Trim only for pressure-balanced shower control valve

- 6 gpm (23 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough code: RVA-9020-00-B or RVA-9020-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

T04-9180-00-xx

TRIM ONLY 48h The Essentials


CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
299	440	548	742	494	572	1082	548	1143





Trim only for pressure-balanced shower control valve with 2-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough-in code: RVA-9181-00-B, RVA-9181-00-NS-B, RVA-9181-P0-B or RVA-9181-P0-NS-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-00-NS-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-P0-NS-B	2-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold


PETITE B04

T04-9190-00-xx — TRIM ONLY

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
299	440	548	742	494	572	1082	1143








Trim only for pressure-balanced shower control valve with 3-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough-in code: RVA-9191-00-B, RVA-9191-00-NS-B, RVA-9191-P0-B or RVA-9191-P0-NS-B




ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9191-00-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-00-NS-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9191-P0-B	3-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-P0-NS-B	3-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

T04-9404-00-xx — TRIM ONLY ADA

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
251	379	502	602	401	464	878	928





Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B




ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628

T04-9453-00-xx — TRIM ONLY

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
346	458	554	606	484	502	761	554	934





Trim only for 3/4" thermostatic valve

- 9 gpm (34 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Washcloth hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Order the rough-in separately
- Rough-in code: RVA-3453-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


PETITE B04

T04-9511-01-xx

TRIM ONLY


CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
645	845	1032	1129	903	935	1419	1032	1742





Trim only for thermostatic pressure-balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


T04-9521-01-xx

TRIM ONLY 48h **The Essentials**


CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
645	845	1032	1129	903	935	1419	1032	1742



SHARED PORT



NON-SHARED PORT




Trim only for thermostatic pressure-balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T04-9521-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


T04-9531-01-xx

TRIM ONLY 48h **The Essentials**


CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
645	845	1032	1129	903	935	1419	1032	1742



SHARED PORT



NON-SHARED PORT




Trim only for thermostatic pressure-balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T04-9531-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

PETITE B04

T04-9649-00-xx TRIM ONLY

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
157	208	251	275	220	228	417	251	424





Trim only for 2 or 3-port diverter with stop or 3/4" stop valve


- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B


ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B

299







2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC


Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B

299







3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PETITE B04

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0815-01-xx

8" rounded square shower head



CC	KK	LL/MM	BB
310	411	499	447

BRA-1409-02-xx

15" L-shaped shower arm



CC	KK	BB
285	492	579

BRA-1612-66-xx

16" shower arm



CC	KK	LL/MM	BB
139	193	258	258

BRA-1815-02-xx

18" shower arm



CC	KK	LL/MM†	BB
264	367	490	490

TET-1054-01-xx

10" square shower head



CC	KK	LL/MM	NN
326	432	524	471

TET-1014-01-xx

10" square shower head



CC
341

TET-1208-01-xx

12" x 18" rectangular shower head



CC	KK
326	432

TET-1610-01-xx


16" x 10" rectangular shower head



CC	KK	LL/MM	NN
424	562	681	612

TET-2012-01-xx

20" x 12" rectangular shower head



CC
675

DGL-2584-53-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
373	494	684	747

DGL-3080-83-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
565	780	1058	1110

DSP-2604-19-xx

Hand shower on wall-mounted supply elbow



CC	KK	LL/MM	BB
355	478	623	612

RAC-0618-02-xx

6'' ceiling mount shower arm



CC	KK	LL/MM	BB
58	81	108	108

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
104	138	167	162

BEC-0520-46-xx

PROFILE tub spout without diverter



CC	KK	LL/MM†	BB
363	482	581	635

BEC-0520-73-xx

7" round tub spout without diverter



CC	KK	LL/MM†	BB
87	109	191	248

BEC-0520-74-xx

7" round tub spout with diverter



CC	KK	LL/MM†	BB
109	136	239	310

BEC-0520-83-xx


7" square tub spout without diverter



CC	KK	LL/MM†	BB
109	136	239	310

BEC-0520-84-xx

7" square tub spout with diverter



CC	KK	LL/MM†	BB
131	163	287	372

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-1104-53-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1573	2084	2516	3249	2202	2444	3460	4246



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 8" rounded square shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1104-53-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-2100-04-xx

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
885	1169	1474	1608	1291	1388	2581	2651



Features

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T04-9139-00-xx	Trim for type P valve
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2100-04-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2100-04-xx-175 + RVA-9020-X0-B	

TRIM ONLY

TRO-2100-04-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
617	901	1206	1340	1023	1120	2313	2383

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

PRO-2200-04-xx

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1023	1298	1701	1903	1494	1603	2912	3183



Features

- 2 accessories kit
- 6 gpm (23 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (hand shower)
- 3-spray hand shower
- 1 accessory works at a time

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T04-9139-00-xx	Trim for type P valve
BEC-0520-74-xx	7" round tub spout with diverter
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2200-04-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2200-04-xx-175 + RVA-9020-X0-B	

TRIM ONLY

TRO-2200-04-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
755	1030	1433	1635	1226	1335	2644	2915

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

PETITE B04

PRO-2805-04-xx
PRR-2805-04-xx*

Complete pressure balanced shower kit

Promo Price 48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1474	1852	2350	2540	2028	2266	3978	2350	4313



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T04-9180-00-xx	Trim for type P valve with 2-way diverter
TET-0815-01-xx	8" rounded square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2805-04-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2805-04-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2805-04-xx
TRR-2805-04-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1030	1408	1906	2096	1584	1822	3534	1906	3869

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2815-04-xx
PRR-2815-04-xx*

Complete pressure-balanced shower kit

CC	KK
1494	1881



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T04-9180-00-xx	Trim for type P valve with 2-way diverter
TET-1208-01-xx	12" x 8" rectangular shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2815-04-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2815-04-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2815-04-xx
TRR-2815-04-xx*

CC	KK
1050	1437

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2915-04-xx
PRR-2915-04-xx*

Complete pressure-balanced shower kit

CC	KK
1576	1985



Features

- 3 accessories kit
- 5 gpm (19 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9191-00-B	3-way type P rough-in (NPT / welded copper)
T04-9190-00-xx	Trim for type P valve with 3-way diverter
BEC-0520-73-xx	7" round tub spout without diverter
TET-1208-01-xx	12" x 8" rectangular shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2915-04-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-2915-04-xx-NS + RVA-9191-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2915-04-xx
TRR-2915-04-xx*

CC	KK
1132	1541

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9191-00-B	3-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9191-P0-B	3-way type P rough-in - PEX connections	444

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PETITE B04

PRO-3950-04-xx
PRR-3950-04-xx*

Complete thermostatic shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
3759	4614	5444	5707	4838	5068	7800	8276



Features

- 3 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 6 gpm (22,8 l/min) - 60 psi for 3 body jets
- 3-spray hand shower
- 3 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4'' female NPT)
RVA-2719-34-B	Volume control valve rough-in (3/4'' female NPT) (3)
T04-9404-00-xx	Trim for 3/4" type T valve
T04-9649-00-xx	Trim for 3/4" volume control valve (3)
TET-0815-01-xx	8" rounded square shower head
BRA-1812-02-xx	18" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow
BOD-5004-02-xx	Built-in body jet (3)

TRIM ONLY

TRO-3950-04-xx
TRR-3950-04-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2480	3335	4165	4428	3559	3789	6521	6997

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

1x **RVA-3404-00-B**	Type T rough-in - 3/4" female NPT connections	628
3x **RVA-2719-34-B**	Volume control valve rough-in - 3/4" female NPT connections	217

PRO-4151-04-xx

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1495	1832	2218	2365	1993	2070	3395	2218	3865



Features

- 1 accessory kit
- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9511-01-xx	Trim for type TP shower valve with 1-way diverter
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	Features are the same, except:
PRO-4151-04-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-4151-04-xx-175 + RVA-9501-X0-B	

TRIM ONLY

TRO-4151-04-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1066	1403	1789	1936	1564	1641	2966	1789	3436

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4206-04-xx
PRR-4206-04-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1845	2300	2795	2892	2490	2596	4283	2795	4867



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-0815-01-xx	8" rounded square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	Features are the same, except:
PRO-4206-04-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-4206-04-xx-NS + RVA-9501-X0-B	

TRIM ONLY

TRO-4206-04-xx
TRR-4206-04-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1416	1871	2366	2463	2061	2167	3854	2366	4438

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6'' ceiling mount shower arm

PETITE B04

PRO-4208-04-xx
PRR-4208-04-xx*

Complete thermostatic pressure-balanced shower kit

Promo Price 48h The Essentials

CC	KK	LL/MM†	NN	KM
1784	2220	2818	2520	2818



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1054-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	Features are the same, **except**:
PRO-4208-04-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4208-04-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4208-04-xx
TRR-4208-04-xx*

CC	KK	LL/MM†	NN	KM
1355	1791	2389	2091	2389

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4216-04-xx
PRR-4216-04-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK
1662	2059



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1208-01-xx	12" x 8" rectangular shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	Features are the same, **except**:
PRO-4216-04-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4216-04-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4216-04-xx
TRR-4216-04-xx*

CC	KK
1233	1630

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4297-04-xx
PRR-4297-04-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1729	2153	2578	2610	2299	2396	3538	2578	4114



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-0815-01-xx	8" rounded square shower head
BRA-1612-66-xx	16" shower arm
DSP-2584-19-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	Features are the same, **except**:
PRO-4297-04-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4297-04-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4297-04-xx
TRR-4297-04-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1300	1724	2149	2181	1870	1967	3109	2149	3685

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

† Warm Gold (MM) finish available across all products in Q3. See: baril design.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PETITE B04

PRO-4306-04-xx
PRR-4306-04-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
2189	2757	3346	3496	2973	3109	5042	3346	5800



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-46-xx	Profile tub spout without diverter
TET-0815-01-xx	8" rounded square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4306-04-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4306-04-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4306-04-xx
TRR-4306-04-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1760	2328	2917	3067	2544	2680	4613	2917	5371

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4308-04-xx
PRR-4308-04-xx*

Complete thermostatic pressure-balanced shower kit

48h **Promo Price The Essentials**

CC	KK	LL/MM†	NN	KM
2130	2654	3370	3004	3370



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-46-xx	Profile tub spout without diverter
TET-1054-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4308-04-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4308-04-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4308-04-xx
TRR-4308-04-xx*

CC	KK	LL/MM†	NN	KM
1701	2225	2941	2575	2941

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

PETITE B04

PRO-4317-04-xx
PRR-4317-04-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK
2021	2527



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-46-xx	Profile tub spout without diverter
TET-1208-01-xx	12" x 8" rectangular shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4317-04-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4317-04-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4317-04-xx
TRR-4317-04-xx*

CC	KK
1592	2098

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 263-274).

A04-1029-00-xx

PETITE
Wall-mounted toilet paper holder



48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	KM
102	122	163	195	124	154	163

A04-1069-00-xx

PETITE
Bathrobe holder



48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	KM
53	64	85	108	66	81	85

A04-6012-00-xx

PETITE
12" single towel bar



48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	KM
136	168	218	295	173	199	218

A04-6018-00-xx

PETITE
18" single towel bar



CC	KK	LL/MM†	BB	NN	YY	KM
162	200	259	351	227	237	259

A04-6024-00-xx

PETITE
24" single towel bar



48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	KM
182	225	292	395	232	277	292

A04-6030-00-xx

PETITE
30" single towel bar



CC	KK	LL/MM†	BB	NN	YY	KM
218	260	449	409	305	329	449

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

REC B05



BARIL

REC B05


B05-1005-1PL-xx

DRAIN INCLUDED

ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
495	656	792	816	693	718	1089	1337





Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B05-1005-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B05-1005-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B05-1005-00L-xx Order your lavatory drain (pages 277-278)


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
455	606	737	756	643	668	1009	1247

B05-1020-00L-xx

ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
699	926	1118	1223	979	1014	1538	1887





High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Order your lavatory drain (pages 277-278)


Water Saving Options


Codes	Reduced Flow Rates
B05-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B05-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B05-8009-00L-xx

CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1050	1391	1680	1856	1428	1523	2310	2495





8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Push-button drain with overflow included

Water Saving Options


Codes	Reduced Flow Rates
B05-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B05-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B05-1269-00-xx

CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
925	1298	1480	1731	1295	1341	2035	2498





2-piece tub filler with hand shower

- Bath spout: 7.3 gpm (27,6 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Double-walled faucet limiting heat conduction
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T05-9139-01-xx

TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
219	332	439	527	351	406	769	812





Trim only for pressure-balanced shower control valve

- 6 gpm (23 l/min) - 60 psi
- Volume control valve
- Order the rough-in separately
- Rough code: RVA-9020-00-B or RVA-9020-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9020-00-B	Brut de valve type P - connexions 1/2" mâle NPT ou cuivre soudé	268
RVA-9020-P0-B	Brut de valve type P - connexions PEX	268

T05-9181-00-xx

TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
314	462	575	779	519	601	1136	1200





Trim only for pressure-balanced shower control valve with 2-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Order the rough-in separately
- Rough-in code: RVA-9181-00-B, RVA-9181-00-NS-B, RVA-9181-P0-B or RVA-9181-P0-NS-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-00-NS-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-P0-NS-B	2-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

T05-9404-00-xx

TRIM ONLY ADA

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
264	398	527	632	421	487	922	974





Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

REC B05

T05-9511-01-xx — TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
645	845	1032	1129	903	935	1419	1742





Trim only for thermostatic pressure-balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B




ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

T05-9521-01-xx — TRIM ONLY

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
645	845	1032	1129	903	935	1419	1742






Trim only for thermostatic pressure-balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T05-9521-01-xx-NS	1 accessory works at a time




ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

T05-9531-01-xx — TRIM ONLY

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
645	845	1032	1129	903	935	1419	1742






Trim only for thermostatic pressure-balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T05-9531-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T05-9649-00-xx TRIM ONLY

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
188	250	301	330	264	274	500	509





Trim only for 2 or 3-port diverter with stop or 3/4" stop valve

- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B


ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B


299



SHARED PORT



NON-SHARED PORT



2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time

Water Saving Option CEC


Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B


299



SHARED PORT



NON-SHARED PORT



3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

REC B05

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0811-02-xx


8" square shower head



CC	KK	LL/MM†	BB
339	450	543	498

TET-1011-01-xx

10" square shower head



CC	KK	LL/MM†	BB
529	701	846	926

BRA-1812-14-xx

18" shower arm



CC	KK	LL/MM†	BB
150	209	278	278

BRA-1612-44-xx

16" shower arm



CC	KK	LL/MM†	BB
160	222	297	297

BRA-1614-04-xx

16" rectangular shower arm



CC	KK	LL/MM†	BB
222	309	413	413

RAC-0618-14-xx

6'' ceiling mount shower arm



CC	KK	LL/MM†	BB
81	113	151	151

TET-1054-01-xx

10" square shower head



CC	KK	LL/MM	NN
326	432	524	471

TET-1014-01-xx

10" square shower head



CC
341

TET-1208-01-xx


12" x 18" rectangular shower head



CC	KK
326	432

TET-2012-01-xx

20" x 12" rectangular shower head



CC
675

DGL-3070-53-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
454	603	880	978

DSP-2555-20-xx

Hand shower on wall-mounted supply elbow



CC
319

RAC-9001-18-xx

1/2"F square wall-mount supply elbow



CC	KK	LL/MM†	BB
130	173	209	203

BEC-0520-83-xx

7" square tub spout without diverter



CC	KK	LL/MM†	BB
109	136	239	310

BEC-0520-84-xx

7" square tub spout with diverter



CC	KK	LL/MM†	BB
131	163	287	372

BOD-5004-02-xx

Square lateral body jet



CC	KK	LL/MM†	BB
348	461	557	590

BOD-5006-01-xx

Square built-in lateral body jet



CC	KK	LL/MM†	BB
314	416	502	549

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-2175-95-xx

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
951	1321	1720	1891	1441	1607	2793	3038



Features

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T05-9139-01-xx	Trim for type P valve
DGL-3070-53-xx	3-spray sliding shower bar
RAC-9001-18-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2175-95-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2175-95-xx-175 **+** RVA-9020-X0-B	

TRIM ONLY

TRO-2175-95-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
683	1053	1452	1623	1173	1339	2525	2770

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

PRO-2805-95-xx

PRR-2805-95-xx*

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1696	2155	2684	2923	2405	2570	4335	4737



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T05-9181-00-xx	Trim for type P valve with 2-way diverter
TET-0811-02-xx	8" square shower head
BRA-1612-44-xx	16" shower arm
DGL-3070-53-xx	3-spray sliding shower bar
RAC-9001-18-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2805-95-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-2805-95-xx-NS **+** RVA-9181-X0-NS-B	

TRIM ONLY

TRO-2805-95-xx
TRR-2805-95-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1252	1711	2240	2479	1961	2126	3891	4293

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

REC B05

PRO-4151-05-xx

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1597	1978	2444	2624	2191	2270	3572	4083



Features

- 1 accessory kit
- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T05-9511-01-xx	Trim for type TP shower valve with 1-way diverter
DGL-3070-53-xx	3-spray sliding shower bar
RAC-9001-18-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4151-05-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-4151-05-xx-175 **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4151-05-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1168	1549	2015	2195	1762	1841	3143	3654

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4207-05-xx

PRR-4207-05-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1996	2513	3103	3240	2755	2872	4589	5237



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T05-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-0811-02-xx	8" square shower head
BRA-1612-44-xx	16" shower arm
DGL-3070-53-xx	3-spray sliding shower bar
RAC-9001-18-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4206-07-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4206-07-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4207-05-xx
TRR-4207-05-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1567	2084	2674	2811	2326	2443	4160	4808

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4217-05-xx

PRR-4217-05-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK
1920	2411



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T05-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1208-01-xx	12" x 8" rectangular shower head
BRA-1612-44-xx	16" shower arm
DGL-3070-53-xx	3-spray sliding shower bar
RAC-9001-28-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4217-05-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4217-05-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4217-05-xx
TRR-4217-05-xx*

CC	KK
1491	1982

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

† Warm Gold (MM) finish available across all products in Q3.
See: baridesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

NAUTICA B16 B18



BARIL


NAUTICA B16 B18

B1X-8001-XXL-xx

DRAIN INCLUDED CEC

B16-8001-01L-xx NAUTICA






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
698	1102	1170	1299	977	1028	1596	1885

B18-8001-00L-xx RALPH

xB Finish





CC/CB	KK/KB	LL/LB MM†/MB†	BB	NN/NB	YY/YB	VV/VB TT/TB	GG/GB
698	1102	1170	1299	977	1028	1596	1885

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Drain included

Water Saving Options


Codes	Reduced Flow Rates
B1X-8001-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B1X-8001-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B1X-8041-00L-xx

COMPLETE FAUCET CEC

B16-8041-00L-xx NAUTICA






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
925	1236	1480	1028	1245	1298	2035	2498

B18-8041-00L-xx RALPH

xB Finish





CC/CB	KK/KB	LL/LB MM†/MB†	BB	NN/NB	YY/YB	VV/VB TT/TB	GG/GB
925	1236	1480	1028	1245	1298	2035	2498

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B1X-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B1X-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


TRIM ONLY

T16-8041-00L-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
493	804	1048	596	813	866	1603	2066

T18-8041-00L-xx

CC/CB	KK/KB	LL/LB MM†/MB†	BB	NN/NB	YY/YB	VV/VB TT/TB	GG/GB
493	804	1048	596	813	866	1603	2066



ROUGH Please order the following rough-in to complete the trim:

ROU-8041-00-B	Two handles wall-mounted lavatory rough-in - 1/2" female NPT	432


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B1X-1201-01-xx


CEC

B16-1201-01-xx — NAUTICA



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1086	1560	1739	1950	1520	1575	2389	2932

B18-1201-01-xx — RALPH



CC/CB	KK/KB	LL/LB MM†/MB†	BB	NN/NB	YY/YB	VV/VB TT/TB	GG/GB
1086	1560	1739	1950	1520	1575	2389	2932


Wall-mounted tub faucet with hand shower

- Bath spout: 6 gpm (23 l/min) - 60 psi
- Vertical closed position of the handles
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Metal hand shower
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

OPTIONAL COMPONENTS

COL-3004-03-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
878	1473	1625	1698	1229	1393	1932	2371

Pair of 30" freestanding pillar legs

- Can be connected in:
  3/4" F / 3/4" M / 1/2" F / 1/2" M
- Installs from the top for easy installation by one person

EXC-6014-02-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
161	314	343	347	275	295	363	435

Pair of eccentric adapters

- Can be used to install a wall-mounted tub faucet
- For holes from 2" c/c to 10" c/c

REN-2018-27-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
474	989	1178	1194	916	946	1298	1781

Brass bath waste and overflow drain

- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Push-button pop-up

Finishes :
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MM = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper, GB = gold white


NAUTICA B16 B18

T1X-9404-00-xx

TRIM ONLY ADA

T16-9404-00-xx NAUTICA






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
301	455	602	722	481	557	1054	1114

T18-9404-00-xx RALPH







CC/CB	KK/KB	LL/LB MM†/MB†	BB	NN/NB	YY/YB	VV/VB TT/TB	GG/GB
301	455	602	722	481	557	1054	1114

Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	**628**


† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T1X-9641-00-xx TRIM ONLY

T16-9641-00-xx NAUTICA









CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
208	276	333	364	291	302	558	587

T18-9641-00-xx RALPH









CC/CB	KK/KB	LL/LB MM†/MB†	BB	NN/NB	YY/YB	VV/VB TT/TB	GG/GB
208	276	333	364	291	302	558	587

Trim only for 2 or 3-port diverter with stop or 3/4" stop valve


- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B


ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B

299







2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC


Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B

299







3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

Finishes :
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MM = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper, GB = gold white

NAUTICA B16 B18

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0810-01-xx


8" round shower head



CC	KK	LL/MM	BB
295	391	472	426

TET-1210-01-xx

12" round shower head



CC	KK	LL/MM†	BB
621	822	992	1206

BRA-1812-02-xx

18" shower arm



CC	KK	LL/MM	BB
125	174	232	232

RAC-0618-02-xx


6" ceiling mount shower arm



CC	KK	LL/MM	BB
58	81	108	108

TET-1616-01-xx

16" round shower head



CC	KK	LL/MM†	BB
1071	1418	1712	2081

TET-0812-03-xx

8" sunflower shower head



CC	KK	LL/MM†	BB
373	495	597	615

RAC-9001-13-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM†	BB
72	95	115	112

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
104	138	167	162

DGL-2160-03-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
499	706	978	1027

DGL-2170-63-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
250	326	513	572

BOD-5002-01-xx

Cylindrical lateral body jet



CC	KK	LL/MM†	BB
144	191	230	287

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL/MM†	BB
299	396	478	523

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-1101-16-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2035	2697	3256	4204	2850	3163	4477	5496



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 10" shower head
- 3-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1101-16-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-3420-16-xx

PRR-3420-16-xx*

Complete thermostatic shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2052	2470	2963	3116	2700	2835	4652	4902



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4" female NPT)
T16-9404-00-xx	Trim for 3/4" thermostatic valve
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T16-9641-00-xx	Trim for 2-port diverter with stop
TET-0810-01-xx	8" shower head
BRA-1812-02-xx	18" shower arm
DGL-2170-63-xx	3-spray sliding shower bar
RAC-9001-13-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3420-16-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3420-16-xx-NS **+** RVA-3404-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3420-16-xx

TRR-3420-16-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1125	1543	2036	2189	1773	1908	3725	3975

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

* With 6" ceiling mount shower arm

Finishes :
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MM = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper, GB = gold white

NAUTICA B16 B18

PRO-3420-18-xx
PRR-3420-18-xx*

Complete thermostatic shower kit

CC/CB	KK/KB	LL/LB MM†/MB†	BB	NN/NB	YY/YB	VV/VB TT/TB	GG/GB
2052	2470	2963	3116	2700	2835	4652	4902



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4" female NPT)
B18-9404-00-xx	Trim for 3/4" thermostatic valve
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T18-9641-00-xx	Trim for 2-port diverter with stop
TET-0810-01-xx	8" shower head
BRA-1812-02-xx	18" shower arm
DGL-2170-63-xx	3-spray sliding shower bar
RAC-9001-13-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3420-18-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3420-18-xx-NS **+** RVA-3404-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3420-18-xx
TRR-3420-18-xx*

CC/CB	KK/KB	LL/LB MM†/MB†	BB	NN/NB	YY/YB	VV/VB TT/TB	GG/GB
1125	1543	2036	2189	1773	1908	3725	3975

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	**628**
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	**299**

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

BEAUMONT B20



BARIL


BEAUMONT B20

B20-101X-1PL-xx

DRAIN INCLUDED CEC

B20-1012-1PL-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
695	921	1043	1136	973	1008	1529	1877

B20-1014-1PL-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
695	921	1043	1136	973	1008	1529	1877

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B20-101X-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-101X-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B20-1012-00L-xx Order your lavatory drain (pages 277-278)

CC	KK	LL /MM	BB	NN	YY	VV/TT	GG
655	871	988	1076	923	958	1449	1787

B20-1014-00L-xx Order your lavatory drain (pages 277-278)


CC	KK	LL /MM	BB	NN	YY	VV/TT	GG
655	871	988	1076	923	958	1449	1787

B20-102X-00L-xx

CEC

B20-1022-00L-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
799	1059	1278	1351	1124	1159	1758	2157

B20-1024-00L-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
799	1059	1278	1351	1124	1159	1758	2157

High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Order your lavatory drain (pages 277-278)

Water Saving Options


Codes	Reduced Flow Rates
B20-102X-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-102X-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B20-801X-1PL-xx


DRAIN INCLUDED CEC

B20-8012-1PL-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1149	1522	1798	1895	1609	1666	2528	3102

B20-8014-1PL-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1149	1522	1798	1895	1609	1666	2528	3102

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Push-button drain with overflow included


Water Saving Options

Codes	Reduced Flow Rates
B20-801X-1PL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-801X-1PL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B20-802X-1PL-xx


DRAIN INCLUDED CEC

B20-8022-1PL-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1149	1522	1798	1895	1609	1666	2528	3102

B20-8024-1PL-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1149	1522	1798	1895	1609	1666	2528	3102

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B20-802X-1PL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-802X-1PL-xx-050	0.5 gpm (1.9 l/min) - 60 psi


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

BEAUMONT B20

B20-804X-00L-xx COMPLETE FAUCET CEC

B20-8042-00L-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1183	1567	1893	1938	1656	1715	2603	3194

B20-8044-00L-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1183	1567	1893	1938	1656	1715	2603	3194

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B20-804X-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-804X-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


TRIM ONLY

T20-8042-00L-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
751	1135	1461	1506	1224	1283	2171	2762

T20-8044-00L-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
751	1135	1461	1506	1224	1283	2171	2762




ROUGH Please order the following rough-in to complete the trim:

ROU-8041-00-B	Two handles wall-mounted lavatory rough-in - 1/2" female NPT	432

B20-810X-04L-xx COMPLETE FAUCET CEC

B20-8102-04L-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
898	1190	1437	1487	1257	1302	1976	2425

B20-8104-04L-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
898	1190	1437	1487	1257	1302	1976	2425

Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B20-810X-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B20-810X-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


TRIM ONLY

T20-8102-04L-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
616	908	1155	1205	975	1020	1694	2143

T20-8104-04L-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
616	908	1155	1205	975	1020	1694	2143



ROUGH Please order the following rough-in to complete the trim:


ROU-8100-04-B	Single lever wall-mounted lavatory rough-in - 1/2" male NPT or welded copper connections	282

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T20-111X-00-xx


TRIM ONLY CEC

T20-1112-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2143	2839	3429	3750	3000	3107	4715	5786

T20-1114-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2143	2839	3429	3750	3000	3107	4715	5786

Trim only for floor-mounted tub filler with hand shower

- Bath spout: 12.0 gpm (45,3 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

ROUGH-IN Please order **one** of the following rough-ins to complete the trim:

ROU-110C-00-B

225



Rough-in for floor-mounted tub filler

- For installation in a concrete floor or subfloor with top access
- Easily accessible services valves
- Allows for a 360° installation of the trim

ROU-110W-00-B

195




Rough-in for floor-mounted tub filler

- For installation on a standard floor with bottom access
- Allows for a 360° installation of the trim

B20-124X-00-xx


CEC

B20-1248-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1175	1557	1880	2056	1645	1704	2585	3173

B20-1249-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1175	1557	1880	2056	1645	1704	2585	3173

2-piece tub filler with hand shower


- Bath spout: 11.4 gpm (43 l/min) - 60 psi
- Tub spout with integrated diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

BEAUMONT B20


T20-200X-00-xx TRIM ONLY CEC

T20-2003-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1145	1517	1832	2004	1603	1660	2519	3092

T20-2004-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1145	1517	1832	2004	1603	1660	2519	3092

Trim only for wall-mounted tub faucet with hand shower

- Bath spout: 13.6 gpm (51,5 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim




ROUGH Please order the following rough-in to complete the trim:

ROU-2003-99-B	Wall-mounted tub faucet rough-in (without cartridge) - 1/2" female NPT connections	480

T20-910X-00-xx TRIM ONLY

T20-9102-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
365	484	584	737	511	529	903	986


T20-9104-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
365	484	584	737	511	529	903	986

Trim only for pressure-balanced shower control valve

- 6 gpm (23 l/min) - 60 psi
- Volume control valve
- Order the rough-in separately
- Rough code: RVA-9020-00-B or RVA-9020-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T20-918X-00-xx TRIM ONLY

T20-9182-00-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
560	742	896	980	784	812	1265	1512

T20-9184-00-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
560	742	896	980	784	812	1265	1512

Trim only for pressure-balanced shower control valve with 2-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Order the rough-in separately
- Rough-in code: RVA-9181-00-B, RVA-9181-00-NS-B, RVA-9181-P0-B or RVA-9181-P0-NS-B




ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-00-NS-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-P0-NS-B	2-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

T20-919X-00-xx TRIM ONLY

T20-9192-00-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
560	742	896	980	784	812	1265	1512

T20-9194-00-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
560	742	896	980	784	812	1265	1512

Trim only for pressure-balanced shower control valve with 3-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Order the rough-in separately
- Rough-in code: RVA-9191-00-B, RVA-9191-00-NS-B, RVA-9191-P0-B or RVA-9191-P0-NS-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9191-00-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-00-NS-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9191-P0-B	3-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-P0-NS-B	3-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

BEAUMONT B20


T20-940X-00-xx TRIM ONLY

T20-9402-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
421	592	783	975	625	724	1370	1448

T20-9404-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
421	592	783	975	625	724	1370	1448

Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B




ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628


T20-945X-00-xx TRIM ONLY

T20-9452-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
404	535	646	707	566	586	898	1091

T20-9454-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
404	535	646	707	566	586	898	1091

Trim only for 3/4" thermostatic valve

- 9 gpm (34 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Washcloth hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Order the rough-in separately
- Rough-in code: RVA-3453-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:


RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T20-951X-01-xx TRIM ONLY

T20-9512-01-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
925	1226	1480	1619	1295	1341	2035	2498

T20-9514-01-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
925	1226	1480	1619	1295	1341	2035	2498

Trim only for thermostatic pressure-balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- You can use one accessory
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B




ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

T20-952X-01-xx TRIM ONLY

T20-9522-01-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
925	1226	1480	1619	1295	1341	2035	2498

T20-9524-01-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
925	1226	1480	1619	1295	1341	2035	2498

Trim only for thermostatic pressure-balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T20-952X-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

BEAUMONT B20

T20-953X-01-xx TRIM ONLY

T20-9532-01-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
925	1226	1480	1619	1295	1341	2035	2498

T20-9534-01-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
925	1226	1480	1619	1295	1341	2035	2498

Trim only for thermostatic pressure-balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T20-953X-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T20-9600-X0-xx TRIM ONLY

T20-9600-20-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
225	298	360	394	315	336	578	608

T20-9600-40-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
225	298	360	394	315	336	578	608

Trim only for 2 or 3-port diverter with stop or 3/4" stop valve


- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B

299





2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B

299





3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

BEAUMONT B20

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0620-05-xx

Round 6" 5-spray shower head



CC	KK	LL/MM	BB
105	139	178	238

TET-1020-01-xx

10" round shower head



CC	KK	LL/MM	BB
492	652	787	773

BRA-1012-20-xx

10" shower arm



CC	KK	LL/MM	BB
139	193	258	258

BRA-1812-20-xx

18" shower arm



CC	KK	LL/MM	BB
173	240	320	320

BRA-1212-20-xx

12" shower arm



CC	KK	LL/MM	BB
139	193	258	258

RAC-0318-20-xx

3'' ceiling mount shower arm



CC	KK	LL	BB
104	146	194	194

RAC-0618-20-xx

6'' ceiling mount shower arm



CC	KK	LL/MM	BB
116	162	216	216

RAC-0918-20-xx

9'' ceiling mount shower arm



CC	KK	LL/MM	BB
125	174	232	232

RAC-1218-20-xx

12'' ceiling mount shower arm



CC	KK	LL	BB
139	193	258	258

DGL-2068-53-xx

3-spray sliding shower bar



CC	KK	LL/MM	BB
622	819	1111	1166

DSP-2620-29-xx

Hand shower on wall-mounted supply elbow



CC	KK	LL/MM	BB
451	608	792	779

RAC-9001-29-xx

1/2"F wall-mount supply elbow with integrated volume control



CC	KK	LL/MM	BB
182	241	290	282

RAC-9001-49-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
150	199	240	233

BEC-0520-20-xx

Beaumont tub spout without diverter



CC	KK	LL/MM	BB
295	391	472	516

BOD-5002-01-xx

Cylindrical lateral body jet



CC	KK	LL/MM	BB
144	191	230	287

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL/MM	BB
299	396	478	523

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-2102-20-xx

Complete pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1348	1695	2106	2297	1874	1951	3262	3582



Features

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T20-9102-00-xx	Trim for type P valve
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2102-20-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2102-20-xx-175 **+** RVA-9020-X0-B	

TRIM ONLY

TRO-2102-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1080	1427	1838	2029	1606	1683	2994	3314

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

PRO-2104-20-xx

Complete pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1348	1695	2106	2297	1874	1951	3262	3582



Features

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T20-9104-00-xx	Trim for type P valve
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2104-20-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2104-20-xx-175 **+** RVA-9020-X0-B	

TRIM ONLY

TRO-2104-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1080	1427	1838	2029	1606	1683	2994	3314

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

Finishes:
CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

BEAUMONT B20

PRO-2802-20-xx
PRR-2802-20-xx*

Complete pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2287	2889	3532	3644	3124	3266	5253	5926



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T20-9182-00-xx	Trim for type P valve with 2-way diverter
TET-1020-01-xx	10" round shower head
BRA-1812-20-xx	18" shower arm
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2802-20-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2802-20-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2802-20-xx
TRR-2802-20-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1843	2445	3088	3200	2680	2822	4809	5482

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2804-20-xx
PRR-2804-20-xx*

Complete pressure-balanced shower kit



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T20-9184-00-xx	Trim for type P valve with 2-way diverter
TET-1020-01-xx	10" round shower head
BRA-1812-20-xx	18" shower arm
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2804-20-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2804-20-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2804-20-xx
TRR-2804-20-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1843	2445	3088	3200	2680	2822	4809	5482

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-3302-20-xx
PRR-3302-20-xx*

Complete thermostatic shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2502	3040	3559	3624	3205	3347	4835	5379



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

RVA-3453-00-B	Type T rough-in (3/4" female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T20-9452-00-xx	Trim for 3/4" thermostatic valve
T20-9600-20-xx	Trim for 2-port diverter with stop
TET-1020-01-xx	10" round shower head
BRA-1812-20-xx	18" shower arm
DSP-2620-29-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3302-20-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-3302-20-xx-NS + RVA-3453-00-B + RVA-9562-00-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-3302-20-xx
TRR-3302-20-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1604	2142	2661	2726	2307	2449	3937	4481

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

* With 6" ceiling mount shower arm

PRO-3304-20-xx
PRR-3304-20-xx*

Complete thermostatic shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2502	3040	3559	3624	3205	3347	4835	5379



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

RVA-3453-00-B	Type T rough-in (3/4'' female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T20-9454-00-xx	Trim for 3/4" thermostatic valve
T20-9600-40-xx	Trim for 2-port diverter with stop
TET-1020-01-xx	10" round shower head
BRA-1812-20-xx	18" shower arm
DSP-2620-29-xx	Hand shower on wall-mounted supply elbow



Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3304-20-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3304-20-xx-NS **+** RVA-3453-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3304-20-xx
TRR-3304-20-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1604	2142	2661	2726	2307	2449	3937	4481

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

PRO-4153-20-xx

Complete thermostatic pressure-balanced shower kit



Features

- 1 accessory kit
- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T20-9512-01-xx	Trim for type TP shower valve with 1-way diverter
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4152-20-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-4152-20-xx-175 **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4153-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1612	2132	2689	2867	2351	2455	4070	4750

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4155-20-xx

Complete thermostatic pressure-balanced shower kit



Features

- 1 accessory kit
- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T20-9514-01-xx	Trim for type TP shower valve with 1-way diverter
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4155-20-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-4155-20-xx-175 **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4155-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1612	2132	2689	2867	2351	2455	4070	4750

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6'' ceiling mount shower arm

BEAUMONT B20

PRO-4163-20-xx

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1540	1909	2249	2438	1989	2067	3084	3670



Features

- 1 accessory kit
- Max: 2 gpm (7,6 l/min) - 80 psi
- 5-spray shower head

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T20-9512-01-xx	Trim for type TP shower valve with 1-way diverter
TET-0620-05-xx	6" round shower head
BRA-1012-20-xx	10" shower arm

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4163-20-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (shower head)
TRO-4163-20-xx-175 **+** RVA-9501-X0-B	

TRIM ONLY



TRO-4163-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1111	1480	1820	2009	1560	1638	2655	3241

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4165-20-xx

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1540	1909	2249	2438	1989	2067	3084	3670



Features

- 1 accessory kit
- Max: 2 gpm (7,6 l/min) - 80 psi
- 5-spray shower head

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T20-9514-01-xx	Trim for type TP shower valve with 1-way diverter
TET-0620-05-xx	6" round shower head
BRA-1012-20-xx	10" shower arm

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4165-20-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (shower head)
TRO-4165-20-xx-175 **+** RVA-9501-X0-B	

TRIM ONLY



TRO-4165-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1111	1480	1820	2009	1560	1638	2655	3241

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4203-20-xx

PRR-4203-20-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2619	3334	4071	4236	3594	3754	5969	6847



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T20-9522-01-xx	Trim for type P valve with 2-way diverter
TET-1020-01-xx	10" round shower head
BRA-1812-20-xx	18" shower arm
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4203-20-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4203-20-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4203-20-xx
TRR-4203-20-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2190	2905	3642	3807	3165	3325	5540	6418

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-4205-20-xx
PRR-4205-20-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2619	3334	4071	4236	3594	3754	5969	6847



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T20-9524-01-xx	Trim for type P valve with 2-way diverter
TET-1020-01-xx	10" round shower head
BRA-1812-20-xx	18" shower arm
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4205-20-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-4205-20-xx-NS **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4205-20-xx
TRR-4205-20-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2190	2905	3642	3807	3165	3325	5540	6418

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4303-20-xx
PRR-4303-20-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2899	3706	4520	4726	3987	4170	6586	7604



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T20-9532-01-xx	Trim for type P valve with 3-way diverter
BEC-0520-20-xx	Beaumont tub spout without diverter
TET-1020-01-xx	10" round shower head
BRA-1812-20-xx	18" shower arm
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4303-20-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories) - 1 accessory works at a time
TRO-4303-20-xx-NS **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4303-20-xx
TRR-4303-20-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2470	3277	4091	4297	3558	3741	6157	7175

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

BEAUMONT B20

PRO-4305-20-xx
PRR-4305-20-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2899	3706	4520	4726	3987	4170	6586	7604



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T20-9534-01-xx	Trim for type P valve with 3-way diverter
BEC-0520-20-xx	Beaumont tub spout without diverter
TET-1020-01-xx	10" round shower head
BRA-1812-20-xx	18" shower arm
DGL-2068-53-xx	3-spray sliding shower bar
RAC-9001-49-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4305-20-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4305-20-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4305-20-xx
TRR-4305-20-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2470	3277	4091	4297	3558	3741	6157	7175

ROUGH-IN VALVES
Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 263-274).

A20-1029-00-xx

BEAUMONT
Wall-mounted toilet paper holder



CC	KK	LL/MM	BB	NN	YY	VV/TT
140	186	224	245	196	203	308

A20-1069-00-xx

BEAUMONT
Bathrobe holder



CC	KK	LL/MM†	BB	NN	YY	VV/TT
159	227	264	239	239	253	289

A20-1079-00-xx

BEAUMONT
Bathrobe holder



CC	KK	LL/MM	BB	NN	YY	VV/TT
105	139	168	184	147	152	231

A20-6012-00-xx

BEAUMONT
12” single towel bar



CC	KK	LL/MM	BB	NN	YY	VV/TT
225	298	360	394	315	326	559

A20-6018-00-xx

BEAUMONT
18” single towel bar



CC	KK	LL/MM	BB	NN	YY	VV/TT
248	328	396	433	347	359	615

A20-6024-00-xx

BEAUMONT
24” single towel bar



CC	KK	LL/MM	BB	NN	YY	VV/TT
273	361	436	476	382	395	677

A20-6030-00-xx

BEAUMONT
30” single towel bar



CC	KK	LL/MM	BB	NN	YY	VV/TT
314	415	501	547	439	454	779

Finishes: CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

MARIE B35



2022 DPOHA PRODUCT OF THE YEAR Honorable Mention

reddot winner 2023 best of the best

2022 Gold GRANDS PRIX DU DESIGN

AZ AWARDS 2022 Award of Merit + People's Choice

BEST OF CANADA

INTERIOR DESIGN BEST OF THE YEAR

GOOD DESIGN

ADEX PLATINUM 2023

IDA DESIGN AWARDS GOLD WINNER 2022

2023 awards WINNER

BARIL

MARIE B35

LEGEND

Finishes
The MARIE collection has 6 finishes.

C = chrome
E= glossy black
H= blush
I= mist
J= french gold
K= matte black


The choice of finishes must be made for each component of the faucet according to the legend.

Price
Lavatory Faucet:
The price is determined by the spout finish.
Shower/bath Valve:
The price is determined by the wall plate finish.

B35-8009-00L-xxxx

CEC

Spout - Chrome	Spout - Other finishes
1297	1477



Two-handle deck-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Custom installation: please refer to the installation manual and spec sheet
- Optional under handle flange: order ROS-4717-03-xx
- Order your lavatory drain in chrome, matte black, mist or french gold finish (pages 277-278)

Choose your finishes

1st x: Spout	Chrome (C), mist (I), french gold (J), matte black (K)
2nd x: Flange	Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)
3rd x: Handle 1	Chrome (C), glossy black (E), mist (I), french gold (J), matte black (K)
4th x: Handle 2	Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)

To Order
The 4 letters of finishes must be replaced by the desired finishes for each of the components.

The order of the components is indicated in the image as well as in the features.

For example, the faucet above includes:
- Spout in mist finish (I)
- Flange in matte black finish (K)
- Handle 1 (large, flow rate) in matte black finish (K)
- Handle 2 (small, temperature) in mist finish (I)


The product code is therefore: B35-8009-00L-IKKI

B35-1020-00L-xKx

CEC

Spout - Chrome	Spout - Other finishes
1226	1396





Single handle vessel lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Custom installation: please refer to the installation manual and spec sheet
- Optional under handle flange: order ROS-4717-03-xx
- Order your lavatory drain in chrome, matte black, mist or french gold finish (pages 277-278)

Choose your finishes

1st x: Spout	Chrome (C), mist (I), french gold (J), matte black (K)
2nd x: Flange	Matte black (K)
3rd x: Handle	Glossy black (E), mist (I), french gold (J), matte black (K)


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B35-8009-00L-xxxx

CEC

Spout - Chrome	Spout - Other finishes
1297	1477





Two-handle deck-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Custom installation: please refer to the installation manual and spec sheet
- Optional under handle flange: order ROS-4717-03-xx
- Order your lavatory drain in chrome, matte black, mist or french gold finish (pages 277-278)


Choose your finishes


1st x: Spout	Chrome (C), mist (I), french gold (J), matte black (K)
2nd x: Flange	Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)
3rd x: Handle 1	Chrome (C), glossy black (E), mist (I), french gold (J), matte black (K)
4th x: Handle 2	Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)

B35-8100-00L-xxxx

CEC

Spout - Chrome	Spout - Other finishes
1297	1477





Wall-mounted lavatory faucet spout with deck-mounted handles, drain not included


- Max: 1.2 gpm (4,5 l/min) - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Custom installation: please refer to the installation manual and spec sheet
- Optional under handle flange: order ROS-4717-03-xx
- Order your lavatory drain in chrome, matte black, mist or french gold finish (pages 277-278)


Choose your finishes

1st x: Spout	Chrome (C), mist (I), french gold (J), matte black (K)
2nd x: Flange	Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)
3rd x: Handle 1	Chrome (C), glossy black (E), mist (I), french gold (J), matte black (K)
4th x: Handle 2	Chrome (C), glossy black (E), blush (H), mist (I), french gold (J), matte black (K)

ROS-4717-03-xx

CC - Chrome	KK - Matte Black
26	35





Oversized under handle flange Ø 1-3/4" (47 mm)


- 1-3/4" outer diameter cover plate
- Required for installation over pre-drilled sinks or to cover countertop gaps, holes and damage


Finishes:
C = chrome, E = glossy black, H = blush, I = mist, J = french gold, K = matte black. For more details, please refer to page 136.

MARIE B35

B35-1100-00-KE

KE
1598





Floor-mounted tub spout

- This tub spout is a freestanding piece that does not include a control valve
- To control the water flow and temperature, it must be combined with a bath/shower valve without a spout

Finishes

1st letter: Spout Matte black (K)
2nd letter: Flange Glossy black (E)

OPTION 1

FLOOR-MOUNTED TUB SPOUT + TRIM FOR THERMOSTATIC VALVE WITH 2-WAY DIVERTER + ROUGH-IN VALVE (HAND SHOWER + SPOUT)



Floor-mounted tub spout + trim for thermostatic valve with 2-way diverter + rough-in valve (hand shower + spout)

- Spout code: B35-1100-00-KE
- Valve trim code: T35-9320-00-xxx
- Rough code: RVA-34B2-00-B
- For more details on the features and finishes of the tub spout or the valve, refer to their respective codes
- Total price: $5183

FLOOR-MOUNTED TUB SPOUT

	KE
B35-1100-00-KE	1598

TRIM FOR THERMOSTATIC VALVE WITH 2-WAY DIVERTER

	All finishes
T35-9320-00-xxx	1766

ROUGH-IN VALVE

RVA-34B2-00-B	1819

OPTION 2

FLOOR-MOUNTED TUB SPOUT + TRIM FOR THERMOSTATIC SHOWER CONTROL VALVE WITH 2-WAY DIVERTER + ROUGH-IN VALVE + HAND SHOWER ON WALL-MOUNTED HOLDER



Floor-mounted tub spout + trim for thermostatic valve with 2-way diverter + rough-in valve + hand shower on wall-mounted holder with supply elbow

- Spout code: B35-1100-00-KE
- Valve trim code: T35-9521-01-xx
- Rough valve: RVA-9501-00-B or RVA-9501-P0-B
- Hand shower code: RAC-9001-35-xx
- For more details on the features and finishes of the tub spout, valve or hand shower, refer to their respective codes
- Total price: Plate (chrome) : $4200-$4263
  Plate (other finishes) : $4300-$4363

FLOOR-MOUNTED TUB SPOUT

	KE
B35-1100-00-KE	1598

TRIM FOR THERMOSTATIC SHOWER CONTROL VALVE WITH 2-WAY DIVERTER

	Plate - Chrome	Plate - Other finishes
T35-9521-01-xx	1294	1394

ROUGH-IN VALVE

RVA-9501-X0-B	429

HAND SHOWER ON WALL-MOUNTED HOLDER WITH SUPPLY ELBOW

	KK - Matte Black	II - Mist
RAC-9001-35-xx	879	942


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


MARIE B35

T35-9320-00-xxx

TRIM ONLY

All finishes
1766





Trim for thermostatic valve with 2-way diverter (hand shower + tub spout or shower head)


- 8 gpm (30 l/min) - 60 psi
- Easy to install one-piece rough-in
- Solid brass plate
- Reversible check / non-return valves in case of water supply inversion
- Hand shower: max : 2 gpm (7,6 l/min) - 80 psi
- 2 positions shower holder
- Hand shower with 59" brass hose
- Order the rough-in separately
- Rough-in code: RVA-34B2-00-B

Choose your finishes

1st x: Plate	Mist (I), matte black (K)
2nd x: Handles	Mist (I), french gold (J), matte black (K)
3rd x: Hand shower	Mist (I), matte black (K)

Water Saving Option

Code	Reduced Flow Rate
T35-9320-00-xxx-175	1.75 gpm (6.6 l/min) - 80 psi CEC




ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:


RVA-34B2-00-B	Type T rough-in with 2-way diverter - inlet: 3/4"F NPT - outlets: 1/2" F NPT	1819

T35-9511-01-xx

TRIM ONLY

Plate - Chrome	Plate - Other finishes
1294	1394






Trim for thermostatic pressure-balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Choose your finishes

1st x: Plate	Chrome (C), mist (I), matte black (K)
2nd x: Handles	Mist (I), french gold (J), matte black (K)



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


Finishes:
C = chrome, E = glossy black, H = blush, I = mist, J = french gold, K = matte black. For more details, please refer to page 136.


MARIE B35

T35-9521-01-xx

TRIM ONLY

Plate - Chrome	Plate - Other finishes
1294	1394





Trim for thermostatic pressure-balanced shower control valve with 2-way diverter (shared port)


- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Choose your finishes

1st x: Plate Chrome (C), mist (I), matte black (K)
2nd x: Handles Mist (I), french gold (J), matte black (K)

Water Saving Option CEC

Code	Non-shared port
T35-9521-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

OPTION 1

SHOWER HEAD + TRIM FOR THERMOSTATIC VALVE WITH 2-WAY DIVERTER + ROUGH-IN VALVE (HAND SHOWER + SHOWER HEAD)



Shower head + trim for thermostatic valve with 2-way diverter + rough-in valve (hand shower + shower head)

- Shower head code: TET-1210-35-xxx
- Valve trim code: T35-9320-00-xxx
- Rough code: RVA-34B2-00-B
- For more details on the features and finishes of the shower head or the valve, refer to their respective codes
- Total price: $5184



SHOWER HEAD WITH WALL-MOUNTED SHOWER ARM

	All finishes
TET-1210-35-xxx	1599

TRIM FOR THERMOSTATIC VALVE WITH 2-WAY DIVERTER

	All finishes
T35-9320-00-xxx	1766

ROUGH-IN VALVE

RVA-34B2-00-B	1819

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

OPTION 2

SHOWER HEAD + TRIM FOR THERMOSTATIC PRESSURE-BALANCED VALVE WITH 2-WAY DIVERTER + ROUGH-IN VALVE + HAND SHOWER ON WALL-MOUNTED HOLDER WITH SUPPLY ELBOW



Shower head + trim for thermostatic pressure-balanced valve with 2-way diverter + rough-in valve + hand shower on wall-mounted holder with supply elbow

- Shower head code: TET-1210-35-xxx
- Valve trim code: T35-9521-01-xx
- Rough valve: RVA-9501-00-B or RVA-9501-P0-B
- Hand shower code: RAC-9001-35-xx
- For more details on the features and finishes of the shower head, valve or hand shower, refer to their respective codes
- Total price: Plate (chrome) : $4201-$4264
  Plate (other finishes) : $4301-$4364



SHOWER HEAD WITH WALL-MOUNTED SHOWER ARM

	All finishes
TET-1210-35-xxx	1599

TRIM FOR THERMOSTATIC SHOWER CONTROL VALVE WITH 2-WAY DIVERTER

	Plate - Chrome	Plate - Other finishes
T35-9521-01-xx	1294	1394

ROUGH-IN VALVE

RVA-9501-X0-B	429

HAND SHOWER ON WALL-MOUNTED HOLDER WITH SUPPLY ELBOW

	KK - Matte Black	II - Mist
RAC-9001-35-xx	879	942

OPTION 3

TRIM FOR THERMOSTATIC PRESSURE-BALANCED SHOWER CONTROL VALVE WITH 1-WAY DIVERTER + ROUGH-IN VALVE + 2-SPRAY SLIDING SHOWER BAR + WALL-MOUNT SUPPLY ELBOW

Trim for thermostatic pressure-balanced shower control valve with 1-way diverter + rough-in valve + 2-spray sliding shower bar + Wall-mount supply elbow

- Valve trim code: T35-9511-01-xx
- Rough valve: RVA-9501-00-B or RVA-9501-P0-B
- Sliding shower bar code: DGL-2070-62-xx
- Wall-mount supply elbow code: RAC-9001-16-xx
- For more details on the features and finishes of the valve, sliding shower bar or wall-mount supply elbow, refer to their respective codes
- Total price: Plate (chrome) : $2392-$2709
  Plate (other finishes) : $2492-$2809



TRIM FOR THERMOSTATIC SHOWER CONTROL VALVE WITH 1-WAY DIVERTER

	Plate - Chrome	Plate - Other finishes
T35-9511-01-xx	1294	1394

ROUGH-IN VALVE

RVA-9501-X0-B	429

2-SPRAY SLIDING SHOWER BAR

	CC	CI	CK	KK	KI
DGL-2070-62-xx	565	667	622	780	819

WALL-MOUNT SUPPLY ELBOW


	CC	KK	II
RAC-9001-16-xx	104	138	167


Finishes:
C = chrome, E = glossy black, H = blush, I = mist, J = french gold, K = matte black. For more details, please refer to page 136.

MARIE B35

TET-1210-35-xxx

All finishes
1599





Shower head with wall-mounted shower arm

- 2 gpm (7.6 l/min) - 80 psi
- 10" black anti-limestone shower head with 12" dome cover
- Install only with included wall mount straight shower arm

Choose your finishes

1st x: Head	Mist (I), french gold (J), matte black (K)
2nd x: Flange	Mist (I), matte black (K)
3rd x: Arm	Mist (I), matte black (K)


Water Saving Option

Code	Reduced Flow Rate	
TET-1210-35-xxx-175	1.75 gpm (6.6 l/min) - 80 psi	CEC

RAC-9001-35-xx

KK - Matte Black	II - Mist
879	942





Hand shower on wall-mounted holder with supply elbow

- 2 gpm (7,6 l/min) - 80 psi
- 2-spray hand shower
- 2-spray mechanism: rain, massage
- Easy-to-clean silicone nozzles
- 2 positions shower holder
- 59" (150 cm) double interlock brass flexible hose, rotating nut with 2 non-return valves

Water Saving Options

Codes	Reduced Flow Rates	
RAC-9001-35-xx-150	1.5 gpm (5.7 l/min) - 80 psi	
RAC-9001-35-xx-175	1.75 gpm (6.6 l/min) - 80 psi	CEC

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

SENS B45



BARIL


SENS B45

B45-1005-1PL-xx

DRAIN INCLUDED ADA CEC

Promo Price
The Essentials





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
495	656	792	816	693	718	1089	1337

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B45-1005-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-1005-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B45-1005-00L-xx Order your lavatory drain (pages 277-278)


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
455	606	737	756	643	668	1009	1247

B45-1010-1PL-xx

DRAIN INCLUDED ADA CEC

Promo Price
The Essentials





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
545	722	871	898	762	790	1198	1471

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B45-1010-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-1010-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED


B45-1010-00L-xx Order your lavatory drain (pages 277-278)

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
505	672	816	838	712	740	1118	1381

B45-1020-00L-xx

ADA CEC





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
646	856	1034	1098	904	937	1421	1744

High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Order your lavatory drain (pages 277-278)

Water Saving Options


Codes	Reduced Flow Rates
B45-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B45-8009-00L-xx

ADA CEC

Promo Price
The Essentials





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
838	1110	1341	1424	1173	1215	1844	2263

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B45-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B45-8041-00L-xx COMPLETE FAUCET CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
920	1219	1429	1610	1288	1334	2024	2484





Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)


Water Saving Options

Codes	Reduced Flow Rates
B45-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T45-8041-00L-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
488	787	997	1178	856	902	1592	2052




ROUGH Please order the following rough-in to complete the trim:

ROU-8041-00-B	Two handles wall-mounted lavatory rough-in - 1/2" female NPT	432

B45-8100-04L-xx COMPLETE FAUCET CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
657	871	1051	1150	920	953	1445	1774





Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B45-8100-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B45-8100-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T45-8100-04L-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
375	589	769	868	638	671	1163	1492



ROUGH Please order the following rough-in to complete the trim:

ROU-8100-04-B	Single lever wall-mounted lavatory rough-in - 1/2" male NPT or welded copper connections	282

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


SENS B45

T45-1110-00-xx

TRIM ONLY ADA CEC 48h **Promo Price The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1999	2649	3198	3498	2799	2899	4398	5397





Trim only for floor-mounted tub filler with hand shower

- Bath spout: 12.0 gpm (45,3 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

ROUGH-IN Please order **one** of the following rough-ins to complete the trim:


ROU-110C-00-B — 225



Rough for floor-mounted tub filler

- For installation in a concrete floor or subfloor with top access
- Easily accessible services valves
- Allows for a 360° installation of the trim

ROU-110W-00-B — 195



Rough for floor-mounted tub filler


- For installation on a standard floor with bottom access
- Allows for a 360° installation of the trim

B45-1269-01-xx

ADA CEC 48h **Promo Price The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
975	1292	1560	1683	1365	1414	2145	2633





2-piece tub filler with hand shower


- Bath spout: 10.4 gpm (39,4 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Double-walled faucet limiting heat conduction
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

T45-1600-00-xx

TRIM ONLY

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
516	735	956	1027	850	898	1588	1885





Trim only for wall-mounted tub faucet

- 9.1 gpm (34,5 l/min) - 60 psi
- Slip-on spout for easier adjustment
- One-piece rough-in with wall plate for easy installation (not included with the trim)



ROUGH Please order the following rough-in to complete the trim:

ROU-1600-06-B Wall-mounted tub faucet rough-in - 1/2" male NPT or welded copper connections — 282

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T45-2003-00-xx

TRIM ONLY CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1095	1451	1752	1916	1533	1588	2409	2957





Trim only for wall-mounted tub faucet with hand shower

- Bath spout: 14.3 gpm (54 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim



ROUGH Please order the following rough-in to complete the trim:


ROU-2003-99-B	Wall-mounted tub faucet rough-in (without cartridge) - 1/2" female NPT connections	480

T45-9139-01-xx

TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
209	316	418	502	334	387	732	773





Trim only for pressure-balanced shower control valve

- 6 gpm (23 l/min) - 60 psi
- Volume control valve
- Order the rough-in separately
- Rough code: RVA-9020-00-B or RVA-9020-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

T45-9180-01-xx

TRIM ONLY 48h **The Essentials**


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
299	440	548	742	494	572	1082	1143





Trim only for pressure-balanced shower control valve with 2-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Order the rough-in separately
- Rough-in code: RVA-9181-00-B, RVA-9181-00-NS-B, RVA-9181-P0-B or RVA-9181-P0-NS-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-00-NS-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-P0-NS-B	2-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


SENS B45

T45-9190-01-xx

TRIM ONLY

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
299	440	548	742	494	572	1082	1143






Trim only for pressure-balanced shower control valve with 3-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Order the rough-in separately
- Rough-in code: RVA-9191-00-B, RVA-9191-00-NS-B, RVA-9191-P0-B or RVA-9191-P0-NS-B

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:




RVA-9191-00-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-00-NS-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9191-P0-B	3-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-P0-NS-B	3-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

T45-9404-00-xx

TRIM ONLY ADA

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
251	379	502	602	401	464	878	928





Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:


RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628

T45-9453-00-xx

TRIM ONLY

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
346	458	554	606	484	502	761	934





Trim only for 3/4" thermostatic valve

- 9 gpm (34 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Washcloth hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Order the rough-in separately
- Rough-in code: RVA-3453-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T45-9511-01-xx

TRIM ONLY


CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
645	845	1032	1129	903	935	1419	1742





Trim only for thermostatic pressure-balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


T45-9521-01-xx

TRIM ONLY 48h **The Essentials**


CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
645	845	1032	1129	903	935	1419	1742



SHARED PORT



NON-SHARED PORT




Trim only for thermostatic pressure-balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T45-9521-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


T45-9531-01-xx

TRIM ONLY 48h **The Essentials**


CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
645	845	1032	1129	903	935	1419	1742



SHARED PORT



NON-SHARED PORT




Trim only for thermostatic pressure-balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T45-9531-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

SENS B45

T45-9649-00-xx TRIM ONLY

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
157	208	251	275	220	228	417	424





Trim only for 2 or 3-port diverter with stop or 3/4" stop valve

- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B


ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B


299



SHARED PORT



NON-SHARED PORT



2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time

Water Saving Option CEC


Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B


299



SHARED PORT



NON-SHARED PORT



3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

SENS B45

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0810-01-xx

8" round shower head



CC	KK	LL/MM	BB
295	391	472	426

TET-1010-01-xx

10" round shower head



CC	KK	LL/MM	BB
428	567	684	703

BRA-1409-02-xx

15" L-shaped shower arm



CC	KK	BB
285	492	579

BRA-1812-02-xx

18" shower arm



CC	KK	LL/MM	BB
125	174	232	232

BRA-1815-02-xx

18" shower arm



CC	KK	LL/MM†	BB
264	367	490	490

TET-0813-01-xx

8" round shower head



CC	KK	LL/MM	NN
213	261	298	278

TET-1013-01-xx

10" round shower head



CC	KK	LL/MM	NN
310	411	499	449

TET-1208-01-xx


12" x 8" rectangular shower head



CC	KK
326	432

TET-2012-01-xx

20" x 12" rectangular shower head



CC
675

DGL-2070-57-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
549	757	1027	1078

DGL-2580-53-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
373	494	684	747

DGL-3080-73-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
565	780	1058	1110

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
104	138	167	162

RAC-9201-02-xx

1/2"F wall-mount supply elbow with integrated volume control



CC	KK	LL/MM†	BB
165	219	264	256

BEC-0520-45-xx

Sens tub spout without diverter



CC	KK	LL/MM†	BB
333	442	533	583

BEC-0520-73-xx

7" round tub spout without diverter



CC	KK	LL/MM†	BB
87	109	191	248

BEC-0520-74-xx

7" round tub spout with diverter



CC	KK	LL/MM†	BB
109	136	239	310

BOD-5002-01-xx

Cylindrical lateral body jet



CC	KK	LL/MM†	BB
144	191	230	287

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL/MM†	BB
299	396	478	523

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-1100-53-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1542	2043	2467	3185	2159	2396	3392	4163



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 8" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1100-53-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-2105-45-xx

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
885	1169	1474	1608	1291	1388	2581	2784



Features

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T45-9139-01-xx	Trim for type P valve
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2105-45-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2105-45-xx-175 **+** RVA-9020-X0-B	

TRIM ONLY

TRO-2105-45-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
617	901	1206	1340	1023	1120	2313	2516

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

PRO-2805-45-xx

PRR-2805-45-xx*

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1517	1911	2324	2520	2091	2245	3943	4274



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T45-9180-01-xx	Trim for type P valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2805-45-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-2805-45-xx-NS **+** RVA-9181-X0-NS-B	

TRIM ONLY

TRO-2805-45-xx

TRR-2805-45-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1073	1467	1880	2076	1647	1801	3499	3830

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

SENS B45

PRO-2806-45-xx
PRR-2806-45-xx*

Complete pressure-balanced shower kit

48h **Promo Price** The Essentials

CC	KK	LL/MM†	NN
1386	1719	2074	1814



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T45-9180-01-xx	Trim for type P valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2806-45-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2806-45-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2806-45-xx
TRR-2806-45-xx*

CC	KK	LL/MM†	NN
942	1275	1630	1370

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2815-45-xx
PRR-2815-45-xx*

Complete pressure-balanced shower kit

CC	KK
1479	1861



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T45-9180-01-xx	Trim for type P valve with 2-way diverter
TET-1013-01-xx	10" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2815-45-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2815-45-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2815-45-xx
TRR-2815-45-xx*

CC	KK
1035	1417

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2915-45-xx
PRR-2915-45-xx*

Complete pressure-balanced shower kit

CC	KK
1561	1965



Features

- 3 accessories kit
- 5 gpm (19 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9191-00-B	3-way type P rough-in (NPT / welded copper)
T45-9190-01-xx	Trim for type P valve with 3-way diverter
BEC-0520-73-xx	7" round tub spout without diverter
TET-1013-01-xx	10" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2915-45-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-2915-45-xx-NS + RVA-9191-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2915-45-xx
TRR-2915-45-xx*

CC	KK
1117	1521

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9191-00-B	3-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9191-P0-B	3-way type P rough-in - PEX connections	444

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-3302-45-xx
PRR-3302-45-xx*

Complete thermostatic shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2360	2840	3264	3308	2928	3068	4303	4727



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

RVA-3453-00-B	Type T rough-in (3/4" female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T45-9453-00-xx	Trim for 3/4" thermostatic valve
T45-9649-00-xx	Trim for 2-port diverter with stop
TET-1010-01-xx	10" round shower head
BRA-1812-02-xx	18" shower arm
DSP-2604-21-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3302-45-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3302-45-xx-NS **+** RVA-3453-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3302-45-xx
TRR-3302-45-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1462	1942	2366	2410	2030	2170	3405	3829

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

PRO-4151-45-xx

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1495	1832	2218	2365	1993	2070	3395	3865



Features

- 1 accessory kit
- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T45-9511-01-xx	Trim for type TP shower valve with 1-way diverter
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4151-45-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-4151-45-xx-175 **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4151-45-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1066	1403	1789	1936	1564	1641	2966	3436

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4207-45-xx
PRR-4207-45-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1830	2281	2769	2872	2465	2575	4248	4828



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T45-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4207-45-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-4207-45-xx-NS **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4207-45-xx
TRR-4207-45-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1401	1852	2340	2443	2036	2146	3819	4399

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

SENS B45

PRO-4209-45-xx
PRR-4209-45-xx*

Complete thermostatic pressure-balanced shower kit

48h Promo Price The Essentials

CC	KK	LL/MM†	NN
1770	2300	2795	2499



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T45-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1050-01-xx	10" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	Features are the same, **except**:
PRO-4209-45-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4209-45-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4209-45-xx
TRR-4209-45-xx*

CC	KK	LL/MM†	NN
1341	1871	2366	2070

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4307-45-xx
PRR-4307-45-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2147	2700	3275	3426	2909	3045	4944	5684



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T45-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-45-xx	Sens tub spout without diverter
TET-0810-01-xx	8" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	Features are the same, **except**:
PRO-4307-45-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4307-45-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4307-45-xx
TRR-4307-45-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1718	2271	2846	2997	2480	2616	4515	5255

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4309-45-xx
PRR-4309-45-xx*

Complete thermostatic pressure-balanced shower kit

48h Promo Price The Essentials

CC	KK	LL/MM†	NN
2070	2599	3301	2943



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T45-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-45-xx	Sens tub spout without diverter
TET-1050-01-xx	10" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	Features are the same, **except**:
PRO-4309-45-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4309-45-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4309-45-xx
TRR-4309-45-xx*

CC	KK	LL/MM†	NN
1641	2170	2872	2514

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

† Warm Gold (MM) finish available across all products in Q3.
See: baril design.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 263-274).

A46-1029-00-xx

PROFILE
Wall-mounted toilet paper holder



CC	KK	LL/MM†	BB	NN	YY	VV/TT
124	158	199	234	164	185	299

A46-1069-00-xx

PROFILE
Bathrobe holder



CC	KK	LL/MM†	BB	NN	YY	VV/TT
80	99	128	140	109	116	201

A46-6012-00-xx

PROFILE
12" single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
211	256	338	389	268	308	494

A46-6018-00-xx

PROFILE
18" single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
236	299	376	454	329	344	518

A46-6024-00-xx

PROFILE
24" single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
252	315	403	498	325	388	598

A46-6030-00-xx

PROFILE
30" single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
298	364	545	573	417	461	646

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

PROFILE B46



BARIL


PROFILE B46

B46-1010-1PL-xx

DRAIN INCLUDED WaterSense ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
575	762	920	949	805	834	1265	1553





Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B46-1010-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1010-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B46-1010-00L-xx Order your lavatory drain (pages 277-278)


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
535	712	865	889	755	784	1185	1463

B46-1020-00L-xx

WaterSense ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
690	914	1104	1198	966	1001	1518	1863





High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Order your lavatory drain (pages 277-278)

Water Saving Options


Codes	Reduced Flow Rates
B46-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B46-1030-1PL-xx

DRAIN INCLUDED WaterSense ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
644	853	1030	1087	902	934	1417	1739





Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Side handle
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B46-1030-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1030-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B46-1030-00L-xx Order your lavatory drain (pages 277-278)


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
604	803	975	1027	852	884	1337	1649

B46-1035-1PL-xx

DRAIN INCLUDED WaterSense ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
753	998	1205	1272	1055	1093	1658	2035





Medium single-hole lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- For semi-recessed sink with high rim
- Side handle
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B46-1035-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1035-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B46-1035-00L-xx Order your lavatory drain (pages 277-278)

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
713	948	1150	1212	1005	1043	1578	1945

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B46-1040-00L-xx

ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
753	998	1205	1272	1055	1093	1658	2035





High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Side handle
- Order your lavatory drain (pages 277-278)

Water Saving Options


Codes	Reduced Flow Rates
B46-1040-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-1040-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B46-8009-00L-xx

ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
884	1171	1414	1647	1238	1282	1945	2387





8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options


Codes	Reduced Flow Rates
B46-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B46-8041-00L-xx

COMPLETE FAUCET CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
948	1256	1472	1658	1327	1374	2085	2559





Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)


Water Saving Options

Codes	Reduced Flow Rates
B46-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

T46-8041-00L-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
516	824	1040	1226	895	942	1653	2127



ROUGH Please order the following rough-in to complete the trim:

ROU-8041-00-B	Two handles wall-mounted lavatory rough-in - 1/2" female NPT	432


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

PROFILE B46

B46-8100-04L-xx COMPLETE FAUCET CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
696	923	1114	1219	975	1010	1532	1880






Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B46-8100-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B46-8100-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY



T46-8100-04L-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
414	641	832	937	693	728	1250	1598


ROUGH Please order the following rough-in to complete the trim:

ROU-8100-04-B	Single lever wall-mounted lavatory rough-in - 1/2" male NPT or welded copper connections	282

T46-1110-00-xx TRIM ONLY ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2195	2908	3512	3841	3073	3183	4829	5927





Trim only for floor-mounted tub filler with hand shower

- Bath spout: 8.0 gpm (30,4 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

ROUGH-IN Please order **one** of the following rough-ins to complete the trim:


ROU-110C-00-B 225



Rough for floor-mounted tub filler

- For installation in a concrete floor or subfloor with top access
- Easily accessible services valves
- Allows for a 360° installation of the trim

ROU-110W-00-B 195



Rough for floor-mounted tub filler

- For installation on a standard floor with bottom access
- Allows for a 360° installation of the trim


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

B46-1249-00-xx CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1037	1374	1659	1815	1452	1504	2281	2800






2-piece tub filler with hand shower

- Bath spout: 8.0 gpm (30,4 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean easy-to-clean hand shower

T46-2003-00-xx TRIM ONLY CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1125	1491	1800	1969	1575	1631	2475	3038





Trim only for wall-mounted tub faucet with hand shower

- Bath spout: 12.7 gpm (48 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim




ROUGH Please order the following rough-in to complete the trim:

ROU-2003-99-B	Wall-mounted tub faucet rough-in (without cartridge) - 1/2" female NPT connections	480

T46-9139-00-xx TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
219	332	439	527	351	406	769	812





Trim only for pressure-balanced shower control valve

- 6 gpm (23 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough code: RVA-9020-00-B or RVA-9020-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


PROFILE B46

T46-9180-00-xx — TRIM ONLY

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
314	462	575	779	519	601	1136	1200








Trim only for pressure-balanced shower control valve with 2-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Order the rough-in separately
- Rough-in code: RVA-9181-00-B, RVA-9181-00-NS-B, RVA-9181-P0-B or RVA-9181-P0-NS-B

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:




RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-00-NS-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-P0-NS-B	2-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

T46-9404-00-xx — TRIM ONLY ADA

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
264	398	527	632	421	487	922	974





Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B




ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628

T46-9453-00-xx — TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
363	481	582	636	508	527	799	981





Trim only for 3/4" thermostatic valve

- 9 gpm (34 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Washcloth hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Order the rough-in separately
- Rough-in code: RVA-3453-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599


† Warm Gold (MM) finish available across all products in Q3.
See: baril design.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T46-9511-01-xx — TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
677	887	1084	1185	948	982	1490	1829





Trim only for thermostatic pressure-balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

T46-9521-01-xx — TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
677	887	1084	1185	948	982	1490	1829



SHARED PORT



NON-SHARED PORT




Trim only for thermostatic pressure-balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T46-9521-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

T46-9531-01-xx — TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
677	887	1084	1185	948	982	1490	1829



SHARED PORT



NON-SHARED PORT




Trim only for thermostatic pressure-balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T46-9531-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

PROFILE B46

T46-9649-00-xx TRIM ONLY

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
165	218	264	289	231	239	438	445





Trim only for 2 or 3-port diverter with stop or 3/4" stop valve


- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B

299





2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B

299





3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PROFILE B46

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0810-01-xx

8" round shower head



CC	KK	LL/MM	BB
295	391	472	426

TET-1010-01-xx

10" round shower head



CC	KK	LL/MM	BB
428	567	684	703

BRA-1409-02-xx

15" L-shaped shower arm



CC	KK	BB
285	492	579

BRA-1612-66-xx

16" shower arm



CC	KK	LL/MM	BB
139	193	258	258

BRA-1815-02-xx

18" shower arm



CC	KK	LL/MM†	BB
264	367	490	490

TET-0813-01-xx

8" round shower head



CC	KK	LL/MM	NN
213	261	298	278

TET-1013-01-xx

10" round shower head



CC	KK	LL/MM	NN
310	411	499	449

TET-1208-01-xx


12" x 8" rectangular shower head



CC	KK
326	432

TET-2012-01-xx

20" x 12" rectangular shower head



CC
675

DGL-2070-57-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
549	757	1027	1078

DGL-2580-53-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
373	494	684	747

DGL-3080-73-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
565	780	1058	1110

RAC-0618-02-xx

6'' ceiling mount shower arm



CC	KK	LL/MM	BB
58	81	108	108

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
104	138	167	162

BEC-0520-45-xx

Sens tub spout without diverter



CC	KK	LL/MM†	BB
333	442	533	583

BEC-0520-73-xx

7" round tub spout without diverter



CC	KK	LL/MM†	BB
87	109	191	248

BEC-0520-74-xx

7" round tub spout with diverter



CC	KK	LL/MM†	BB
109	136	239	310

BOD-5002-01-xx

Cylindrical lateral body jet



CC	KK	LL/MM†	BB
144	191	230	287

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL/MM†	BB
299	396	478	523

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-1100-53-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1542	2043	2467	3185	2159	2396	3392	4163



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 8" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1100-53-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-2815-46-xx

PRR-2815-46-xx*

Complete pressure-balanced shower kit

CC	KK	LL/MM†	NN
1493	1882	2291	2076



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T46-9180-00-xx	Trim for type P valve with 2-way diverter
TET-1013-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2815-46-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-2815-46-xx-NS + RVA-9181-X0-NS-B	

TRIM ONLY

TRO-2815-46-xx
TRR-2815-46-xx*

CC	KK	LL/MM†	NN
1049	1438	1847	1632

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2896-46-xx

PRR-2896-46-xx*

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1415	1785	2133	2273	1924	2073	3249	3575



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T46-9180-00-xx	Trim for type P valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DSP-2604-19-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2896-46-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-2896-46-xx-NS + RVA-9181-X0-NS-B	

TRIM ONLY

TRO-2896-46-xx
TRR-2896-46-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
971	1341	1689	1829	1480	1629	2805	3131

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

PROFILE B46

PRO-3950-46-xx
PRR-3950-46-xx*

Complete thermostatic shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
3949	4895	5811	6172	5197	5426	8406	8775



Features

- 3 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 6 gpm (22,8 l/min) - 60 psi for 3 body jets
- 3-spray hand shower
- 59" PVC hose in CC and KK finishes or brass for other finishes
- 3 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4'' female NPT)
RVA-2719-34-B	Volume control valve rough-in (3/4'' female NPT) (3)
T46-9404-00-xx	Trim for 3/4" thermostatic valve
T46-9649-00-xx	Complete 3/4'' shut-off valve (3)
TET-1010-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-3080-73-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow
BOD-5007-01-xx	Round built-in lateral body jet (3)

TRIM ONLY

TRO-3950-46-xx
TRR-3950-46-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2670	3616	4532	4893	3918	4147	7127	7496

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

1x **RVA-3404-00-B**	Type T rough-in - 3/4" female NPT connections	628
3x **RVA-2719-34-B**	Volume control valve rough-in - 3/4" female NPT connections	217

PRO-4151-46-xx

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1525	1872	2267	2418	2035	2114	3462	3948



Features

- 1 accessory kit
- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T46-9511-01-xx	Trim for type TP shower valve with 1-way diverter
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4151-46-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-4151-46-xx-175 **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4151-46-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1096	1443	1838	1989	1606	1685	3033	3519

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4207-46-xx
PRR-4207-46-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2043	2592	3174	3270	2818	2939	4653	5295



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 59" PVC hose in CC and KK finishes or brass for other finishes
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T46-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DGL-3080-73-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4207-46-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4207-46-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4207-46-xx
TRR-4207-46-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1614	2163	2745	2841	2389	2510	4224	4866

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

* With 6'' ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-4217-46-xx
PRR-4217-46-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	NN
1823	2271	2759	2469



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T46-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1050-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4217-46-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4217-46-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4217-46-xx
TRR-4217-46-xx*

CC	KK	LL/MM†	NN
1394	1842	2330	2040

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4307-46-xx
PRR-4307-46-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2388	3050	3726	3874	3302	3452	5412	6228



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 59" PVC hose in CC and KK finishes or brass for other finishes
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T46-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-46-xx	Profile tub spout without diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DGL-3080-73-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4307-46-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4307-46-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4307-46-xx
TRR-4307-46-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1959	2621	3297	3445	2873	3023	4983	5799

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

PROFILE B46

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 263-274).

A46-1029-00-xx

PROFILE
Wall-mounted toilet paper holder



CC	KK	LL/MM†	BB	NN	YY	VV/TT
124	158	199	234	164	185	299

A46-1069-00-xx

PROFILE
Bathrobe holder



CC	KK	LL/MM†	BB	NN	YY	VV/TT
80	99	128	140	109	116	201

A46-6012-00-xx

PROFILE
12” single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
211	256	338	389	268	308	494

A46-6018-00-xx

PROFILE
18” single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
236	299	376	454	329	344	518

A46-6024-00-xx

PROFILE
24” single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
252	315	403	498	325	388	598

A46-6030-00-xx

PROFILE
30” single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
298	364	545	573	417	461	646

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

FLORA B47



reddot winner 2022

IDA DESIGN AWARDS SILVER WINNER 2021

2022 Gold GRANDS PRIX DU DESIGN

ADEX PLATINUM 2022

BARIL

FLORA B47

LEGEND

xx: Finish
The first x is the main finish of the faucet, including the handle cover and the spout — chrome in this example.

The second x is the color accent — smokey grey in this example.

The finish of this example is therefore CF: smokey chrome.

Order
The first letter designates the main finish.
The x designates the color accent.

Prices vary depending on the main finish only.

B47-1349-00-xx

CEC

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
1347	2020	2250	2357	1886	1953	2963	3000



Main Finish
Complete list at the bottom of the page.

C= Chrome
K= Matte Black
L= Satin Brass
M= Warm Gold
B= White
N= Brushed Nickel
Y= Polished Nickel
V= Satin Copper
T= Venetian Bronze
G= Gold

3-piece tub filler with hand shower

- Bath spout: 8.7 gpm (33 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

Color Accent
Complete list at the bottom of the page.

A= Matte Silver
B= White
C= Chrome
F= Smokey
M= Warm Gold
N= Brushed Nickel
K= Matte Black
Q= Marble
L= Satin Brass
T= Venetian Bronze
V= Satin Copper
Y= Polished Nickel
G= Gold
W= Wood


B47-1080-1PL-xx

DRAIN INCLUDED CEC

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
919	1380	1599	1548	1287	1333	2022	1991

reddot winner 2022 IDA 2022 Gold GRANDS PRIX DU DESIGN ADEX PLATINUM 2022





Single handle 2-piece lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Remote mixer controls temperature and flow
- Adjustable widespread installation: 4" to 12" c/c
- Spout flange included is optional
- Push-button drain with overflow included

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B47-8009-00L-xx

CEC

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
1220	1749	1972	1898	1728	1769	2348	2625





8" c/c lavatory faucet, drain included


- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Spout flange included is optional
- Push-button drain with overflow included

B47-8041-00L-xx

COMPLETE FAUCET CEC

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
1214	1715	1942	1995	1700	1760	2471	2748






Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

TRIM ONLY

T47-8041-00L-xx

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
782	1283	1510	1563	1268	1328	2039	2316



ROUGH Please order the following rough-in to complete the trim:


ROU-8041-00-B	Two handles wall-mounted lavatory rough-in - 1/2" female NPT	432

B47-8100-00L-xx

COMPLETE FAUCET CEC

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
911	1201	1359	1496	1190	1232	1730	1924





Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

TRIM ONLY

T47-8100-00L-xx

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
629	919	1077	1214	908	950	1448	1642



ROUGH Please order the following rough-in to complete the trim:

ROU-8147-04-B	Single lever wall-mounted lavatory rough-in - 1/2" male NPT or welded copper connections	282

MAIN FINISHES (faucet body, flanges and handle covers):
C= chrome, N= brushed nickel, K= matte black, L= satin brass, M= warm gold, B= white, Y= polished nickel T= venetian bronze, V= satin copper, G= gold
SECONDARY FINISHES (color accent):
A= matte silver, B= white, C= chrome, F= smokey, G= gold, M= warm gold, N= brushed nickel, K= matte black,
Q= marble, W= wood, L= satin brass, T= venetian bronze, V= satin copper, Y= polished nickel
The products in this section are shown in smokey chrome (CF).


FLORA B47


T47-1100-00-xx

TRIM ONLY CEC

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
2896	4404	4634	4703	3951	3951	5837	5909







Trim only for floor-mounted tub filler with hand shower

- Bath spout: 7.6 gpm (28,7 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes



MOUNTING KIT Please order the following kit to complete the trim:


FIX-1100-00-B	Floor mounting kit for floor-mounted tub filler with hand shower	100

B47-1349-00-xx

CEC

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
1347	2020	2250	2357	1886	1953	2963	3000





3-piece tub filler with hand shower

- Bath spout: 8.7 gpm (33 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

T47-3304-00-xx

TRIM ONLY

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
1399	1843	2323	2471	2008	2128	3161	3730





Trim only for tub filler kit with hand shower (non-shared port)

- Bath spout: 8.5 gpm (32 l/min) - 60 psi
- Hand shower: 1.75 gpm (6,6 l/min) - 80 psi
- 1-spray hand shower
- Non-conductive brass hand shower
- Easy-to-clean hand shower
- 1 accessory works at a time
- Hook as part of the thermostatic valve trim
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes



ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:


RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-NS-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

T47-9453-00-xx

TRIM ONLY


Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
495	656	792	866	693	718	1089	1337





Trim only for 3/4" thermostatic valve

- 9 gpm (34 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Washcloth hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Order the rough-in separately
- Rough-in code: RVA-3453-00-B
- Extra large Ø 3-1/2" round wall flange available; order ROS-9453-47-xx



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599


MAIN FINISHES (faucet body, flanges and handle covers):
C= chrome, N= brushed nickel, K= matte black, L= satin brass, M= warm gold, B= white, Y= polished nickel T= venetian bronze, V= satin copper, G= gold
SECONDARY FINISHES (color accent):
A= matte silver, B= white, C= chrome, F= smokey, G= gold, M= warm gold, N= brushed nickel, K= matte black,
Q= marble, W= wood, L= satin brass, T= venetian bronze, V= satin copper, Y= polished nickel
The products in this section are shown in smokey chrome (CF).

FLORA B47

T47-9649-00-xx TRIM ONLY

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
295	391	472	516	413	428	649	797





Trim only for 2 or 3-port diverter with stop or 3/4" stop valve

- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B
- Extra large Ø 3-1/2" round wall flange available; order ROS-9453-47-xx


ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B


299



SHARED PORT



NON-SHARED PORT



2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time

Water Saving Option CEC


Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B


299



SHARED PORT



NON-SHARED PORT



3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow


† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

ROS-9453-47-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
45	73	104	79	56	65	114	137





Extra large round wall flange Ø 3-1/2”

- 3-1/2” outer diameter flange
- Extra large diameter to cover gaps, holes and damage on wall

MAIN FINISHES (faucet body, flanges and handle covers):
C= chrome, N= brushed nickel, K= matte black, L= satin brass, M= warm gold, B= white, Y= polished nickel T= venetian bronze, V= satin copper, G= gold
SECONDARY FINISHES (color accent):
A= matte silver, B= white, C= chrome, F= smokey, G= gold, M= warm gold, N= brushed nickel, K= matte black,
Q= marble, W= wood, L= satin brass, T= venetian bronze, V= satin copper, Y= polished nickel
The products in this section are shown in smokey chrome (CF).

FLORA B47

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-1010-47-xx

10" Flora round shower head



Cx	Kx	Lx/Mx†	Bx
879	1474	1597	1694

TET-1010-01-xx

10" round shower head



CC	KK	LL/MM	BB
428	567	684	703

BRA-1608-00-xx

17" L-shaped shower arm



CC	KK	LL/MM†	BB
361	502	671	671

BRA-1812-02-xx

18" shower arm



CC	KK	LL/MM	BB
125	174	232	232

BRA-1815-02-xx

18" shower arm



CC	KK	LL/MM†	BB
264	367	490	490

TET-0813-01-xx

8" round shower head



CC	KK	LL/MM	NN
213	261	298	278

TET-1013-01-xx

10" round shower head



CC	KK	LL/MM	NN
310	411	499	449

TET-1208-01-xx


12" x 8" rectangular shower head



CC	KK
326	432

TET-2012-01-xx

20" x 12" rectangular shower head



CC
675

DGL-2070-53-xx

3-spray sliding shower bar



CC	KK	LL/MM	BB
499	706	978	1027

DGL-2580-53-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
373	494	684	747

DGL-3080-73-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
565	780	1058	1110

DSP-2604-21-xx

Hand shower on wall-mounted supply elbow



CC	KK	LL/MM†	BB
550	730	894	845

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
104	138	167	162

RAC-9201-02-xx

1/2"F wall-mount supply elbow with integrated volume control



CC	KK	LL/MM†	BB
165	219	264	256

BEC-0520-37-xx

Round modern tub spout without diverter



CC	KK	LL/MM	BB
131	163	287	372

BEC-0520-73-xx

7" round tub spout without diverter



CC	KK	LL/MM†	BB
87	109	191	248

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL/MM†	BB
299	396	478	523

RAC-9001-21-xx

Wall-mount handshower holder and supply elbow



Cx	Kx	Lx/Mx†	Bx
354	468	537	515

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-3302-47-xx
PRR-3302-47-xx*

Complete thermostatic shower kit

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
3175	4269	4813	4927	4069	4231	5859	7033



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Double hook as part of the thermostatic valve trim

Includes

RVA-3453-00-B	Type T rough-in (3/4'' female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T47-9453-00-xx	Trim for 3/4" thermostatic valve
T47-9649-00-xx	Trim for 2-port diverter with stop
TET-1010-47-xx	10" Flora round shower head
BRA-1608-00-xx	17" L-shaped shower arm
DSP-2604-21-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	Features are the same, **except**:
PRO-3302-47-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3302-47-xx-NS **+** RVA-3453-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3302-47-xx
TRR-3302-47-xx*

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
2277	3371	3915	4029	3171	3333	4961	6135

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

PRO-3352-47-xx
PRR-3352-47-xx*

Complete thermostatic shower kit

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
3196	4301	4960	5221	4274	4416	6536	7642



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together
- Double hook as part of the thermostatic valve trim

Includes

RVA-3453-00-B	Type T rough-in (3/4'' female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T47-9453-00-xx	Trim for 3/4" thermostatic valve
T47-9649-00-xx	Trim for 2-port diverter with stop
TET-1010-47-xx	10" Flora round shower head
BRA-1608-00-xx	17" L-shaped shower arm
DGL-2070-53-xx	3-spray sliding shower bar
RAC-9001-13-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	Features are the same, **except**:
PRO-3352-47-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3352-47-xx-NS **+** RVA-3453-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3352-47-xx
TRR-3352-47-xx*

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
2298	3403	4062	4323	3376	3518	5638	6744

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

MAIN FINISHES (faucet body, flanges and handle covers):
C= chrome, N= brushed nickel, K= matte black, L= satin brass, M= warm gold, B= white, Y= polished nickel T= venetian bronze, V= satin copper, G= gold
SECONDARY FINISHES (color accent):
A= matte silver, B= white, C= chrome, F= smokey, G= gold, M= warm gold, N= brushed nickel, K= matte black, Q= marble, W= wood, L= satin brass, T= venetian bronze, V= satin copper, Y= polished nickel
The products in this section are shown in smokey chrome (CF).

* With 6'' ceiling mount shower arm

FLORA B47

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 263-274).

A46-1029-00-xx

PROFILE
Wall-mounted toilet paper holder



CC/CF	KK	LL/MM†	BB	NN	YY	VV/TT
124	158	199	234	164	185	299

A47-1069-00-xx

FLORA
Bathrobe holder



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx
199	264	318	348	253	264	379

A46-6012-00-xx

PROFILE
12" single towel bar



CC/CF	KK	LL/MM†	BB	NN	YY	VV/TT
211	256	338	389	268	308	494

A46-6018-00-xx

PROFILE
18" single towel bar



CC/CF	KK	LL/MM†	BB	NN	YY	VV/TT
236	299	376	454	329	344	518

A46-6024-00-xx

PROFILE
24" single towel bar



CC/CF	KK	LL/MM†	BB	NN	YY	VV/TT
252	315	403	498	325	388	598

A46-6030-00-xx

PROFILE
30" single towel bar



CC/CF	KK	LL/MM†	BB	NN	YY	VV/TT
298	364	545	573	417	461	646

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

ACCENT B56



BARIL


ACCENT B56

B56-1010-1PL-xx

ADA CEC

CC	CB	CF
664	757	757





Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B56-1010-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B56-1010-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B56-1010-00L-xx Order your lavatory drain (pages 277-278)


CC	CB	CF
624	717	717

B56-8009-00L-xx

CEC

CC	CB	CF
999	1052	1052





8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Easy-to-clean adjustable silicone aerator
- Push-button drain with overflow included

Water Saving Options


Codes	Reduced Flow Rates
B56-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B56-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

T56-1100-00-xx

TRIM ONLY ADA CEC

CC	CB	CF
2845	2995	2995





Trim only for floor-mounted tub filler with hand shower

- Bath spout: 9.0 gpm (34,2 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves



MOUNTING KIT Please order the following kit to complete the trim:

FIX-1100-00-B Floor mounting kit for floor-mounted tub filler with hand shower

	100


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B56-1249-00-xx

CEC

CC	CB	CF
1323	1459	1459





2-piece tub filler with hand shower

- Bath spout: 8.4 gpm (31,6 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Easy-to-clean hand shower


T56-9404-00-xx

TRIM ONLY

ADA

CC	CB	CF
263	289	289





Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628


Finishes:
CC = chrome, CB = chrome white, CF = smokey chrome
The products in this section are shown in smokey chrome.

ACCENT B56

T56-9511-01-xx — TRIM ONLY


CC	CB	CF
750	825	825





Trim only for thermostatic pressure-balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9501-00-B	1-2-3-way TP rough-in - 1/2” male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

T56-9521-01-xx — TRIM ONLY


CC	CB	CF
750	825	825



SHARED PORT



NON-SHARED PORT




Trim only for thermostatic pressure-balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T56-9521-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9501-00-B	1-2-3-way TP rough-in - 1/2” male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

T56-9531-01-xx — TRIM ONLY


CC	CB	CF
750	825	825



SHARED PORT



NON-SHARED PORT




Trim only for thermostatic pressure-balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T56-9531-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9501-00-B	1-2-3-way TP rough-in - 1/2” male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T56-9649-00-xx TRIM ONLY

CC	CB	CF
185	204	204





Trim only for 2 or 3-port diverter with stop or 3/4" stop valve

- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B


ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B


299



SHARED PORT



NON-SHARED PORT



2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time

Water Saving Option CEC


Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B


299



SHARED PORT



NON-SHARED PORT



3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

Finishes:
CC = chrome, CB = chrome white, CF = smokey chrome
The products in this section are shown in smokey chrome.

ACCENT B56

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0813-01-xx

8" round shower head



CC	KK	LL/MM	NN
213	261	298	278

TET-1013-01-xx

10" round shower head



CC	KK	LL/MM	NN
310	411	499	449

TET-1050-01-xx

10" round shower head



CC	KK	LL/MM	NN
310	411	499	449

TET-1610-01-xx

Rectangular 16" x 10" shower head



CC	KK	LL/MM	NN
424	562	681	612

TET-1208-01-xx


12" x 8" rectangular shower head



CC	KK
326	432

TET-2012-01-xx

20" x 12" rectangular shower head



CC
675

BRA-1409-02-xx

15" L-shaped shower arm



CC	KK	BB
285	492	579

BRA-1612-66-xx

16" shower arm



CC	KK	LL/MM	BB
139	193	258	258

BRA-1815-02-xx

18" shower arm



CC	KK	LL/MM	BB
264	367	490	490

DGL-3080-83-xx

3-spray sliding shower bar



CC	KK	LL/MM	BB
565	780	1058	1110

DSP-2604-19-xx

Hand shower on wall-mounted supply elbow



CC	KK	LL/MM	BB
355	478	623	612

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
104	138	167	162

RAC-0618-02-xx

6'' ceiling mount shower arm



CC	KK	LL/MM	BB
58	81	108	108

BEC-0520-46-xx

Profile tub spout without diverter



CC	KK	LL/MM	BB
363	482	581	635

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-4227-56-Cx
PRR-4227-56-Cx*

Complete thermostatic pressure-balanced shower kit

CC	CB	CF
2127	2198	2198



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 59" PVC hose
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T56-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1050-01-CC	10" round shower head
BRA-1815-02-CC	18" shower arm
DGL-3080-83-CC	3-spray sliding shower bar
RAC-9001-16-CC	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4227-56-Cx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4227-56-Cx-NS **+** RVA-9501-00-B	- 1 accessory works at a time

TRIM ONLY

TRO-4227-56-Cx
TRR-4227-56-Cx*

CC	CB	CF
1698	1769	1769

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4237-56-Cx
PRR-4237-56-Cx*

Complete thermostatic pressure-balanced shower kit

CC	CB	CF
2235	2306	2306



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 59" PVC hose
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T56-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1610-01-CC	16" x 10" rectangular shower head
BRA-1815-02-CC	18" shower arm
DGL-3080-83-CC	3-spray sliding shower bar
RAC-9001-16-CC	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4237-56-Cx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4237-56-Cx-NS **+** RVA-9501-00-B	- 1 accessory works at a time

TRIM ONLY

TRO-4237-56-Cx
TRR-4237-56-Cx*

CC	CB	CF
1806	1877	1877

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, CB = chrome white, CF = smokey chrome
The products in this section are shown in smokey chrome.

* With 6" ceiling mount shower arm

ACCENT B56

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 263-274).

A56-1029-00-xx

ACCENT
Wall-mounted toilet paper holder



CC	KK	LL/MM	BB	NN	YY	VV/TT
99	125	158	173	134	144	253

A56-1069-00-xx

ACCENT
Bathrobe holder



CC	KK	LL/MM	BB	NN	YY	VV/TT
49	61	78	86	64	76	133

A56-6018-00-xx

ACCENT
18” single towel bar



CC	KK	LL/MM	BB	NN	YY	VV/TT
147	176	235	264	187	236	359

A56-6024-00-xx

ACCENT
24” single towel bar



CC	KK	LL/MM	BB	NN	YY	VV/TT
162	194	259	290	206	260	395

A56-6028-00-xx

ACCENT
28” single towel bar



CC	KK	LL/MM	BB	NN	YY	VV/TT
186	223	298	334	237	299	454

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

ZIP B66



BARIL


ZIP B66

B66-1005-1PL-xx

DRAIN INCLUDED CEC

Promo Price
The Essentials





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
420	557	639	642	588	609	924	1134

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B66-1005-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-1005-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B66-1005-00L-xx Order your lavatory drain (pages 277-278)


CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
380	507	584	582	538	559	844	1044

B66-1010-1PL-xx

DRAIN INCLUDED ADA CEC

Promo Price
The Essentials





CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
470	624	716	719	659	682	1035	716	1270

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B66-1010-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-1010-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B66-1010-01L-xx Order your lavatory drain (pages 277-278)


CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
430	574	661	659	609	632	955	661	1180

B66-1020-00L-xx

ADA CEC

Promo Price
The Essentials





CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
495	656	759	729	693	718	1089	759	1297

High single-hole lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Order your lavatory drain (pages 277-278)


Water Saving Options

Codes	Reduced Flow Rates
B66-1020-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-1020-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B66-1030-1PL-xx

DRAIN INCLUDED ADA CEC





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
547	725	875	957	766	793	1203	1477

Single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B66-1030-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-1030-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED

B66-1030-00L-xx Order your lavatory drain (pages 277-278)

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
507	675	820	897	716	743	1123	1387


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B66-8009-00L-xx

ADA CEC





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
775	997	1240	1245	1048	1124	1705	2093

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Swivel spout
- Mechanical pop-up drain included


Water Saving Options

Codes	Reduced Flow Rates
B66-8009-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8009-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B66-8029-00L-xx

CEC 48h **Promo Price The Essentials**





CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
825	1108	1321	1326	1116	1197	1816	1321	2229

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B66-8029-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8029-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


B66-8041-00L-xx

COMPLETE FAUCET CEC






T66-8041-00L-xx



T66-8046-00L-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
834	1105	1298	1376	1168	1209	1835	1298	2154

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)


Water Saving Options

Codes	Reduced Flow Rates
B66-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

		CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
T66-8041-00L-xx	8" spout	402	673	866	944	736	777	1403	866	1722

		CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
T66-8046-00L-xx	6" spout	442	740	953	1038	810	855	1543	1894



ROUGH Please order the following rough-in to complete the trim:

ROU-8041-00-B	Two handles wall-mounted lavatory rough-in - 1/2" female NPT	432

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ZIP B66

B66-8100-04L-xx


COMPLETE FAUCET

Promo Price
48h The Essentials






T66-8100-04L-xx



T66-8106-04L-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
590	752	894	914	826	856	1298	894	1593

Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Sleeve on the spout is optional: 2 choices of installation
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)


Water Saving Options

Codes	Reduced Flow Rates
B66-8100-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8100-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

		CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
T66-8100-04L-xx	8'' spout	308	470	612	632	544	574	1016	612	1311

		CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
T66-8106-04L-xx	6'' spout	323	494	643	664	571	631	1067	1377



ROUGH Please order the following rough-in to complete the trim:

ROU-8100-04-B	Single lever wall-mounted lavatory rough-in - 1/2" male NPT or welded copper connections	282


B66-8120-04L-xx

COMPLETE FAUCET






T66-8120-04L-xx



T66-8126-04L-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
582	771	931	1019	815	844	1280	931	1571

Single lever wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
  - Sleeve on the spout is optional: 2 choices of installation
- Slip-on spout for easier adjustment
- One-piece rough-in with wall plate for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B66-8120-04L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B66-8120-04L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY

		CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
T66-8120-04L-xx	8'' spout	300	489	649	737	533	562	998	649	1289

		CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
T66-8126-04L-xx	6'' spout	360	538	681	811	560	618	1098	1353



ROUGH Please order the following rough-in to complete the trim:

ROU-8100-04-B	Single lever wall-mounted lavatory rough-in - 1/2" male NPT or welded copper connections	282

† Warm Gold (MM) finish available across all products in Q3.
See: baridesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T66-1110-00-xx

TRIM ONLY ADA CEC 48h **Promo Price The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
1795	2378	2872	3141	2513	2603	3949	2872	4847





Trim only for floor-mounted tub filler with hand shower

- Bath spout: 12.0 gpm (45,3 l/min)
- Tub spout with integrated push-button diverter
- Swivel spout
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

ROUGH-IN Please order **one** of the following rough-ins to complete the trim:


ROU-110C-00-B — 225



Rough for floor-mounted tub filler

- For installation in a concrete floor or subfloor with top access
- Easily accessible services valves
- Allows for a 360° installation of the trim

ROU-110W-00-B — 195



Rough for floor-mounted tub filler

- For installation on a standard floor with bottom access
- Allows for a 360° installation of the trim


B66-1249-00-xx

COMPLETE FAUCET CEC

48h **Promo Price The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
875	1159	1400	1291	1225	1269	1925	1400	2363





2-piece tub filler with hand shower


- Bath spout: 9.7 gpm (36,6 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

B66-1369-03-xx

COMPLETE FAUCET CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
945	1393	1633	1754	1338	1371	2079	2552





3-piece tub filler with hand shower

- Bath spout: 8.3 gpm (31,3 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Swivel spout
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold


ZIP B66

T66-1600-00-xx

TRIM ONLY 48h **Promo Price The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
385	588	765	790	680	718	1270	765	1639





Trim only for wall-mounted tub faucet

- 5.0 gpm (19 l/min) - 60 psi
- Slip-on spout for easier adjustment
- One-piece rough-in with wall plate for easy installation



ROUGH Please order the following rough-in to complete the trim:


ROU-1600-06-B	Wall-mounted tub faucet rough-in - 1/2" male NPT or welded copper connections	282

T66-2003-00-xx

TRIM ONLY CEC

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
945	1252	1512	1654	1323	1370	2079	1512	2552





Trim only for wall-mounted tub faucet with hand shower

- Bath spout: 12.3 gpm (46,5 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim



ROUGH Please order the following rough-in to complete the trim:


ROU-2003-99-B	Wall-mounted tub faucet rough-in (without cartridge) - 1/2" female NPT connections	480

T66-9139-00-xx

TRIM ONLY


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
188	284	376	452	301	348	659	696





Trim only or pressure-balanced shower control valve

- 6 gpm (23 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough code: RVA-9020-00-B or RVA-9020-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


T66-9181-00-xx

TRIM ONLY 48h **The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
269	396	493	668	445	515	974	493	1029








Trim only for pressure-balanced shower control valve with 2-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough-in code: RVA-9181-00-B, RVA-9181-00-NS-B, RVA-9181-P0-B or RVA-9181-P0-NS-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-00-NS-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-P0-NS-B	2-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444


T66-9190-00-xx

TRIM ONLY

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
269	396	493	668	445	515	974	1029








Trim only for pressure-balanced shower control valve with 3-way diverter

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough-in code: RVA-9191-00-B, RVA-9191-00-NS-B, RVA-9191-P0-B or RVA-9191-P0-NS-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9191-00-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-00-NS-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9191-P0-B	3-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-P0-NS-B	3-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold


ZIP B66

T66-9404-00-xx

TRIM ONLY ADA

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
226	341	452	542	361	418	790	835





Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:


RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628

T66-9453-00-xx

TRIM ONLY


CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
346	458	554	606	484	502	761	554	934





Trim only for 3/4" thermostatic valve

- 9 gpm (34 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Washcloth hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Order the rough-in separately
- Rough-in code: RVA-3453-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

T66-9511-01-xx

TRIM ONLY


CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
613	803	980	1073	858	888	1348	980	1655





Trim only for thermostatic pressure-balanced shower control valve with 1-way diverter

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

T66-9521-01-xx

TRIM ONLY 48h **The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
613	803	980	1073	858	888	1348	980	1655






Trim only for thermostatic pressure-balanced shower control valve with 2-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T66-9521-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:


RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

T66-9531-01-xx

TRIM ONLY 48h **The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
613	803	980	1073	858	888	1348	980	1655






Trim only for thermostatic pressure-balanced shower control valve with 3-way diverter (shared port)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T66-9531-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ZIP B66

T66-9649-00-xx TRIM ONLY

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
157	208	251	275	220	228	417	251	424





Trim only for 2 or 3-port diverter with stop or 3/4" stop valve

- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B


ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B


299



SHARED PORT



NON-SHARED PORT



2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time

Water Saving Option CEC


Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B


299



SHARED PORT



NON-SHARED PORT



3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

ZIP B66

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0810-01-xx

8" round shower head



CC	KK	LL/MM	BB
295	391	472	426

TET-1010-01-xx

10" round shower head



CC	KK	LL/MM	BB
428	567	684	703

TET-1050-01-xx

10" round shower head



CC	KK	LL/MM	NN
310	411	499	449

BRA-1612-66-xx

16" shower arm



CC	KK	LL/MM	BB
139	193	258	258

BRA-1815-02-xx

18" shower arm



CC	KK	LL/MM†	BB
264	367	490	490

BRA-1812-02-xx

18" shower arm



CC	KK	LL/MM	BB
125	174	232	232

RAC-0618-02-xx

6'' ceiling mount shower arm



CC	KK	LL/MM	BB
58	81	108	108

TET-0813-01-xx

8" round shower head



CC	KK	LL/MM	NN
213	261	298	278

TET-1013-01-xx

10" round shower head



CC	KK	LL/MM	NN
310	411	499	449

TET-1208-01-xx


12" x 8" rectangular shower head



CC	KK
326	432

TET-2012-01-xx

20" x 12" rectangular shower head



CC
675

DGL-2175-52-xx

3-spray sliding shower bar with built-in supply elbow



CC	KK	LL/MM†	BB
373	494	684	747

DGL-2175-53-xx

3-spray sliding shower bar



CC	KK	LL/MM	BB
336	445	616	675

DSP-2566-19-xx

Hand shower on wall-mounted supply elbow



CC	KK	LL/MM	BB
309	416	542	532

DSP-2604-19-xx

Hand shower on wall-mounted supply elbow



CC	KK	LL/MM	BB
355	478	623	612

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
104	138	167	162

RAC-9201-02-xx

1/2"F wall-mount supply elbow with integrated volume control



CC	KK	LL/MM†	BB
165	219	264	256

BEC-0520-37-xx

Round modern tub spout without diverter



CC	KK	LL/MM	BB
131	163	287	372

BEC-0520-73-xx

7" round tub spout without diverter



CC	KK	LL/MM†	BB
87	109	191	248

BEC-0520-74-xx

7" round tub spout with diverter



CC	KK	LL/MM†	BB
109	136	239	310

BOD-5002-01-xx

Cylindrical lateral body jet



CC	KK	LL/MM†	BB
144	191	230	287

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL/MM†	BB
299	396	478	523

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-1100-53-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1542	2043	2467	3185	2159	2396	3392	4163



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 8" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1100-53-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-2115-66-xx

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
833	1092	1369	1493	1203	1302	2372	2560



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (hand shower)
- 3-spray hand shower

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T66-9139-00-xx	Trim for type P valve
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2115-66-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2115-66-xx-175 **+** RVA-9020-X0-B	

TRIM ONLY

TRO-2115-66-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
565	824	1101	1225	935	1034	2104	2292

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

PRO-2210-66-xx

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
677	834	1101	1302	962	1038	1653	1822







Features

- 2 accessories kit
- 6 gpm (23 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower head)
- 5-spray shower head
- 1 accessory works at a time

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T66-9139-00-xx	Trim for type P valve
BEC-0520-74-xx	7" round tub spout with diverter
TET-0304-05-xx	5-spray modern shower head
BRA-0612-02-xx	6" shower arm

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2210-66-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (shower head)
TRO-2210-66-xx-175 **+** RVA-9020-X0-B	

TRIM ONLY

TRO-2210-66-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
409	566	833	1034	694	770	1385	1554

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

ZIP B66

PRO-2220-66-xx

Complete pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
894	1221	1596	1787	1406	1516	2703	2959



Features

- 2 accessories kit
- 6 gpm (23 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (hand shower)
- 3-spray hand shower
- 1 accessory works at a time

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T66-9139-00-xx	Trim for type P valve
BEC-0520-74-xx	7" round tub spout with diverter
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2220-66-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2220-66-xx-175 **+** RVA-9020-X0-B	

TRIM ONLY

TRO-2220-66-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
626	953	1328	1519	1138	1248	2435	2691

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

PRO-2805-66-xx

PRR-2805-66-xx*

Complete pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
1453	1822	2207	2381	1988	2142	3701	2207	4016



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T66-9181-00-xx	Trim for type P valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2805-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2805-66-xx-NS **+** RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2805-66-xx
TRR-2805-66-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
1009	1378	1763	1937	1544	1698	3257	1763	3572

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2810-66-xx

PRR-2810-66-xx*

Complete pressure-balanced shower kit

CC	KK	LL/MM	NN
1323	1631	1957	1786



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T66-9181-00-xx	Trim for type P valve with 2-way diverter
TET-0813-01-xx	8" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2810-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2810-66-xx-NS **+** RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2810-66-xx
TRR-2810-66-xx*

CC	KK	LL/MM	NN
879	1187	1513	1342

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

† Warm Gold (MM) finish available across all products in Q3.
See: baridesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-2816-66-xx
PRR-2816-66-xx*

Complete pressure-balanced shower kit

CC	KK
1404	1757



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T66-9181-00-xx	Trim for type P valve with 2-way diverter
TET-1013-01-xx	10" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2175-52-xx	Sliding shower bar with built-in supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2816-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2816-66-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2816-66-xx
TRR-2816-66-xx*

CC	KK
960	1313

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2826-66-xx
PRR-2826-66-xx*

Complete pressure-balanced shower kit

48h **Promo Price The Essentials**

CC	KK	LL/MM	NN
1364	1703	2148	1870



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T66-9181-00-xx	Trim for type P valve with 2-way diverter
TET-1013-01-xx	10" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2826-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2826-66-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2826-66-xx
TRR-2826-66-xx*

CC	KK	LL/MM	NN
920	1259	1704	1426

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2896-66-xx
PRR-2896-66-xx*

Complete pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1372	1723	2055	2167	1854	1992	3095	3413



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T66-9181-00-xx	Trim for type P valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DSP-2604-19-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2896-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2896-66-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2896-66-xx
TRR-2896-66-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
928	1279	1611	1723	1410	1548	2651	2969

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

ZIP B66

PRO-2915-66-xx
PRR-2915-66-xx*

Complete pressure-balanced shower kit

CC
1405



Features

- 3 accessories kit
- 5 gpm (19 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9191-00-B	3-way type P rough-in (NPT / welded copper)
T66-9191-00-xx	Trim for type P valve with 3-way diverter
BEC-0520-73-xx	7" round tub spout without diverter
TET-0813-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2915-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-2915-66-xx-NS **+** RVA-9191-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2915-66-xx
TRR-2915-66-xx*

CC
961

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9191-00-B	3-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9191-P0-B	3-way type P rough-in - PEX connections	444

PRO-3302-66-xx
PRR-3302-66-xx*

Complete thermostatic shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2360	2840	3264	3308	2928	3068	4303	4727



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

RVA-3453-00-B	Type T rough-in (3/4" female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T66-9453-00-xx	Trim for 3/4" thermostatic valve
T66-9649-00-xx	Trim for 2-port diverter with stop
TET-1010-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DSP-2604-21-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3302-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-3302-66-xx-NS **+** RVA-3453-00-B **+** RVA-9562-00-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-3302-66-xx
TRR-3302-66-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1462	1942	2366	2410	2030	2170	3405	3829

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

PRO-4151-66-xx

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
1429	1746	2104	2244	1893	1976	3188	2104	3632



Features

- 1 accessory kit
- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9511-01-xx	Trim for type TP shower valve with 1-way diverter
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4151-66-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-4151-66-xx-175 **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4151-66-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
1000	1317	1675	1815	1464	1547	2759	1675	3203

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-4208-66-xx
PRR-4208-66-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1765	2213	2681	2751	2399	2481	4041	4596



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4208-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4208-66-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4208-66-xx
TRR-4208-66-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1336	1784	2252	2322	1970	2052	3612	4167

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4209-66-xx
PRR-4209-66-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	NN	KM
1779	2213	2681	2399	2681



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1050-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4209-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4209-66-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4209-66-xx
TRR-4209-66-xx*

CC	KK	LL/MM	NN	KM
1350	1784	2252	1970	2552

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4217-66-xx
PRR-4217-66-xx*

Complete thermostatic pressure-balanced shower kit

48h **Promo Price The Essentials**

CC	KK	LL/MM	NN
1686	1964	2596	2326



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1013-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4217-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4217-66-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4217-66-xx
TRR-4217-66-xx*

CC	KK	LL/MM	NN
1257	1535	2167	1897

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

ZIP B66

PRO-4298-66-xx
PRR-4298-66-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1640	2035	2426	2461	2164	2267	3353	3859





Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DSP-2566-19-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4298-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4298-66-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4298-66-xx
TRR-4298-66-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1211	1606	1997	2032	1735	1838	2924	3430

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4303-66-xx
PRR-4303-66-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2044	2597	3271	3439	2910	3038	4784	5466



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-37-xx	Round modern tub spout without diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2070-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4303-66-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4303-66-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4303-66-xx
TRR-4303-66-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1615	2168	2842	3010	2481	2609	4355	5037

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4308-66-xx
PRR-4308-66-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1889	2349	2928	3104	2609	2738	4438	5075



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-37-xx	Round modern tub spout without diverter
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4308-66-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4308-66-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4308-66-xx
TRR-4308-66-xx*

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1460	1920	2499	2675	2180	2309	4009	4646

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-4309-66-xx
PRR-4309-66-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM	NN	KM
1903	2368	2953	2643	2953



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-37-xx	Round modern tub spout without diverter
TET-1050-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Ecological Options CEC

Codes	**Features** are the same, **except**:
PRO-4309-66-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4309-66-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4309-66-xx
TRR-4309-66-xx*

CC	KK	LL/MM	NN	KM
1474	1939	2524	2214	2524

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4317-66-xx
PRR-4317-66-xx*

Complete thermostatic pressure-balanced shower kit

48h **Promo Price The Essentials**

CC	KK	LL/MM	NN
1776	2123	2869	2570



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-37-xx	Round modern tub spout without diverter
TET-1013-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Ecological Options CEC

Codes	**Features** are the same, **except**:
PRO-4317-66-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4317-66-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4317-66-xx
TRR-4317-66-xx*

CC	KK	LL/MM	NN
1347	1694	2440	2141

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4393-66-xx
PRR-4393-66-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2301	2906	3512	3832	3118	3266	5315	6069



Features

- 3 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 5.3 gpm (17 l/min) for 3 body jets
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T66-9531-01-xx	Trim for type TP shower valve with 3-way diverter
TET-1010-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow
BOD-5002-01-xx	Cylindrical lateral body jet (3)

TRIM ONLY

TRO-4393-66-xx
TRR-4393-66-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1872	2477	3083	3403	2689	2837	4886	5640

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

* With 6" ceiling mount shower arm

ZIP B66

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 263-274).

A66-1029-01-xx

ZIP
Wall-mounted toilet paper holder



48h The Essentials

CC	KK	LL/MM	BB	NN	YY	KM
96	122	154	168	129	149	154

A66-1069-01-xx

ZIP
Bathrobe holder



48h The Essentials

CC	KK	LL/MM	BB	NN	YY	KM
60	80	96	114	72	87	96

A66-1079-00-xx

ZIP
Bathrobe holder



CC	KK	LL/MM	BB	NN	YY	KM
45	63	72	82	63	65	72

A66-6012-00-xx

ZIP
12" single towel bar




Available Q3 2026 *

CC	KK	LL/MM†	BB	NN	YY	KM*
131	178	238	268	176	218	238

A66-6018-00-xx

ZIP
18" single towel bar




48h The Essentials

CC	KK	LL/MM	BB	NN	YY	KM
145	198	264	298	196	242	264

A66-6024-00-xx

ZIP
24" single towel bar



48h The Essentials

CC	KK	LL/MM	BB	NN	YY	KM
164	224	298	337	221	273	298

A66-6030-00-xx


ZIP
30" single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
200	273	364	411	270	333	495

A66-6315-00-xx

ZIP
Triple towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
230	314	419	473	311	383	569

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

EVA B71 B72




BARIL

EVA B71 B72

B7X-8001-01L-xx


DRAIN INCLUDED CEC

B71-8001-01L-xx EVA



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
945	1335	1512	1669	1323	1370	2079	2552

B72-8001-01L-xx TRADITION



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
945	1335	1512	1669	1323	1370	2079	2552

8" c/c lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Mechanical pop-up drain included


Water Saving Options

Codes	Reduced Flow Rates
B7X-8001-01L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B7X-8001-01L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B7X-8041-00L-xx

COMPLETE FAUCET CEC

B71-8041-00L-xx EVA



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
995	1358	1592	1691	1393	1443	2189	2687

B72-8041-00L-xx TRADITION



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
995	1358	1592	1691	1393	1443	2189	2687

Two handles wall-mounted lavatory faucet, drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B7X-8041-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B7X-8041-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


TRIM ONLY

T71-8041-00L-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
563	926	1160	1259	961	1011	1757	2255

T72-8041-00L-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
563	926	1160	1259	961	1011	1757	2255



ROUGH Please order the following rough-in to complete the trim:

ROU-8041-00-B	Two handles wall-mounted lavatory rough-in - 1/2" female NPT	432

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B7X-1201-01-xx

CEC

B71-1201-01-xx EVA






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1086	1560	1739	1950	1520	1575	2389	2932

B72-1201-01-xx TRADITION





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1086	1560	1739	1950	1520	1575	2389	2932


Wall-mounted tub faucet with hand shower

- Bath spout: 6 gpm (23 l/min) - 60 psi
- Vertical closed position of the handles
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Metal hand shower
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

OPTIONAL COMPONENTS

COL-3004-03-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
878	1473	1625	1698	1229	1393	1932	2371

Pair of 30" freestanding pillar legs

- Can be connected in:
  3/4" F / 3/4" M / 1/2" F / 1/2" M
- Installs from the top for easy installation by one person

EXC-6014-02-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
161	314	343	347	275	295	363	435

Pair of eccentric adapters

- Can be used to install a wall-mounted tub faucet
- For holes from 2" c/c to 10" c/c

REN-2018-27-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
474	989	1178	1194	916	946	1298	1781

Brass bath waste and overflow drain

- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Push-button pop-up


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

EVA B71 B72

T7X-9404-00-xx TRIM ONLY ADA

T71-9404-00-xx EVA






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
301	455	602	722	481	557	1054	1114

T72-9404-00-xx TRADITION





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
301	455	602	722	481	557	1054	1114

Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

T7X-9641-00-xx TRIM ONLY

T71-9641-00-xx

EVA






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
208	276	333	364	291	302	558	587

T72-9641-00-xx

TRADITION





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
208	276	333	364	291	302	558	587

Trim only for 2 or 3-port diverter with stop or 3/4" stop valve


- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B

299





2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B

299





3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

EVA B71 B72

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0812-03-xx

8" sunflower shower head



CC	KK	LL/MM†	BB
373	495	597	615

BRA-1812-02-xx

18" shower arm



CC	KK	LL/MM	BB
125	174	232	232

RAC-0618-02-xx

6'' ceiling mount shower arm



CC	KK	LL/MM	BB
58	81	108	108

DGL-2160-03-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
499	706	978	1027

BOD-5002-01-xx

Cylindrical lateral body jet



CC	KK	LL/MM†	BB
144	191	230	287

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL/MM†	BB
299	396	478	523

RAC-9001-13-xx

1/2''F wall-mount supply elbow



CC	KK	LL/MM†	BB
72	95	115	112

RAC-9001-16-xx

1/2''F wall-mount supply elbow



CC	KK	LL/MM	BB
104	138	167	162

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-1101-71-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2035	2697	3256	4204	2850	3163	4477	5496



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 10" shower head
- 2-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Options CEC

Code	**Features** are the same, **except**:
PRO-1101-71-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-3421-71-xx

PRR-3421-71-xx*

Complete thermostatic shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2362	2930	3523	3728	3144	3317	5256	5652



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4'' female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T71-3404-00-xx	Trim for 3/4" thermostatic valve
T71-9641-00-xx	Trim for 2-port diverter with stop
TET-0812-03-xx	8" sunflower shower head
BRA-1812-02-xx	18" shower arm
DGL-2160-03-xx	3-spray sliding shower bar
RAC-9001-13-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3421-71-xx-NS TRO-3421-71-xx-NS **+** RVA-3404-00-B **+** RVA-9562-00-NS-B	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

TRIM ONLY

TRO-3421-71-xx

TRR-3421-71-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1435	2003	2596	2801	2217	2390	4329	4725

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6'' ceiling mount shower arm

EVA B71 B72

PRO-3421-72-xx
PRR-3421-72-xx*

Complete thermostatic shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2362	2930	3523	3728	3144	3317	5256	5652



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4'' female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T72-3404-00-xx	Trim for 3/4" thermostatic valve
T72-9641-00-xx	Trim for 2-port diverter with stop
TET-0812-03-xx	8" sunflower shower head
BRA-1812-02-xx	18" shower arm
DGL-2160-03-xx	3-spray sliding shower bar
RAC-9001-13-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3421-72-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3421-72-xx-NS **+** RVA-3404-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3421-72-xx
TRR-3421-72-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1435	2003	2596	2801	2217	2390	4329	4725

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	**628**
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	**299**

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6'' ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

VICTOIRE B74



BARIL


VICTOIRE B74

MON-2600-00L-xx

ADA CEC

CB	KB	LB/MB†	BB	NB	YB	VB/TB	GB
775	1027	1240	1463	1085	1124	1705	2093





Antique style single-hole lavatory faucet, drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Adjustable aerator
- Swivel spout
- Mechanical pop-up drain included

Water Saving Options


Codes	Reduced Flow Rates
MON-2600-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
MON-2600-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

B74-1201-01-xx

CEC

CB	KB	LB/MB†	BB	NB	YB	VB/TB	GB
1086	1560	1739	1950	1520	1575	2389	2932





Wall-mounted tub faucet with hand shower


- Bath spout: 6 gpm (23 l/min) - 60 psi
- Vertical closed position of the handles
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Metal hand shower
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

OPTIONAL COMPONENTS

COL-3004-03-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
878	1473	1625	1698	1229	1393	1932	2371






Pair of 30" freestanding pillar legs

- Can be connected in:
  3/4" F / 3/4" M / 1/2" F / 1/2" M
- Installs from the top for easy installation by one person

EXC-6014-02-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
161	314	343	347	275	295	363	435






Pair of eccentric adapters

- Can be used to install a wall-mounted tub faucet
- For holes from 2" c/c to 10" c/c

REN-2018-27-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
474	989	1178	1194	916	946	1298	1781





Brass bath waste and overflow drain

- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Push-button pop-up

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T74-9404-00-xx

TRIM ONLY ADA

CB	KB	LB/MB†	BB	NB	YB	VB/TB	GB
301	455	602	722	481	557	1054	1114





Trim only for 3/4" thermostatic valve

- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:


RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628

T74-9641-00-xx

TRIM ONLY

CB	KB	LB/MB†	BB	NB	YB	VB/TB	GB
208	276	333	364	291	302	558	587





Trim only for 2 or 3-port diverter with stop or 3/4" stop valve


- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B

299





2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B

299





3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217





Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

Finishes :
CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper white, GB = gold white

VICTOIRE B74

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0810-01-xx


8" round shower head



CC	KK	LL/MM	BB
295	391	472	426

TET-1210-01-xx

12" round shower head



CC	KK	LL/MM†	BB
621	822	992	1206

BRA-1812-02-xx

18" shower arm



CC	KK	LL/MM	BB
125	174	232	232

RAC-0618-02-xx


6" ceiling mount shower arm



CC	KK	LL/MM	BB
58	81	108	108

TET-1616-01-xx

16" round shower head



CC	KK	LL/MM†	BB
1071	1418	1712	2081

TET-0812-03-xx

8" sunflower shower head



CC	KK	LL/MM†	BB
373	495	597	615

RAC-9001-13-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM†	BB
72	95	115	112

RAC-9001-16-xx

1/2"F wall-mount supply elbow



CC	KK	LL/MM	BB
104	138	167	162

DGL-2160-03-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
499	706	978	1027

BOD-5002-01-xx

Cylindrical lateral body jet



CC	KK	LL/MM†	BB
144	191	230	287

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL/MM†	BB
299	396	478	523

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-1100-74-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1850	2452	2960	3822	2591	2875	4070	4996



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 8" shower head
- 2-spray hand shower
- 2 accessories can work together
- Temperature handle on the hot water inlet side, allowing the surface temperature to never exceed the shower water temperature
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Options CEC

Code	**Features** are the same, **except**:
PRO-1100-74-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-3421-74-xx

PRR-3421-74-xx*

Complete thermostatic shower kit

CB	KB	LB/MB†	BB	NB	YB	VB/TB	GB
2362	2930	3523	3728	3144	3317	5256	5652



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4'' female NPT)
T74-3404-00-xx	Trim for 3/4" thermostatic valve
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T74-9641-00-xx	Trim for 2-port diverter with stop
TET-0812-03-xx	8" sunflower shower head
BRA-1812-02-xx	18" shower arm
DGL-2160-03-xx	3-spray sliding shower bar
RAC-9001-13-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3421-74-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3421-74-xx-NS **+** RVA-3404-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3421-74-xx

TRR-3421-74-xx*

CB	KB	LB/MB†	BB	NB	YB	VB/TB	GB
1435	2003	2596	2801	2217	2390	4329	4725

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

Finishes :
CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze white, VB = satin copper white, GB = gold white

* With 6'' ceiling mount shower arm

AIR B80



ADEX PLATINUM 2025

DESIGN BEST of 2024 JOURNAL

IDA DESIGN AWARDS SILVER WINNER 2024

BARIL

LEGEND

Order

Items from the AIR collection must be ordered in 2 steps:
1- Order the core product (spout + handle rough-in)
2- Order the desired handle trim

You must order both codes to obtain a complete product.



1. Order the core product

B80-800X-1PL-xx

FAUCET WITHOUT HANDLE
DRAIN INCLUDED

CEC

B80-8001-1PL-xx



The core product includes:
- The faucet spout
- The handle rough-in

Available in all solid finishes.

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
634	873	1089	1084	924	966	1584	1984

Single-hole lavatory faucet (without handle), drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B80-800X-1PL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-800X-1PL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

Order

The first letter designates the main finish.
The x designates the color accent.

Prices vary depending on the main finish only.

M80-8000-XX0-xx

Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356



xx: Finish

The first x is the main finish (handle base) — chrome in this example.

The second x is the accent finish (handle top) — matte black in this example.

The finish of this example is therefore CK: chrome matte black


Handle kit for 8" c/c lavatory faucet

- Handle kit required to complete products B80-800X-1PL-xx and B80-8042-00L-xx
- Comes in pair
- Made of brass parts

M80-8000-110-xx



M80-8000-220-xx



M80-8000-330-xx



M80-8000-440-xx



Recommendation

We recommend that the faucet CORE FINISH (code B) and the handle base (code M) be the same.
Ex: B80-8001-1PL-CC + M80-8000-110-Cx

However, it is possible to mix and match finishes according to your preferences.

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B80-103X-1PL-xx

FAUCET WITHOUT HANDLE
DRAIN INCLUDED

B80-1031-1PL-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
488	647	781	854	683	708	1074	1318

B80-1032-1PL-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
488	647	781	854	683	708	1074	1318

Single-hole lavatory faucet (without handle), drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B80-103X-XXL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-103X-XXL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

DRAIN NOT INCLUDED


B80-1031-00L-xx Order your lavatory drain (pages 277-278)

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
448	597	726	794	633	658	994	1228

B80-1032-00L-xx Order your lavatory drain (pages 277-278)

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
448	597	726	794	633	658	994	1228

M80-1030-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178

Handle kit for single-hole lavatory faucet

- Handle kit required to complete product B80-103X-XXL-xx
- Made of brass parts

M80-1030-10-xx



M80-1030-20-xx



M80-1030-30-xx



M80-1030-40-xx



COMPLETE PRODUCTS



B80-1031-XXL-xx + M80-1030-10-xx



B80-1031-XXL-xx + M80-1030-20-xx



B80-1031-XXL-xx + M80-1030-30-xx



B80-1031-XXL-xx + M80-1030-40-xx



B80-1032-XXL-xx + M80-1030-10-xx



B80-1032-XXL-xx + M80-1030-20-xx



B80-1032-XXL-xx + M80-1030-30-xx



B80-1032-XXL-xx + M80-1030-40-xx


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

B80-800X-1PL-xx


FAUCET WITHOUT HANDLE
DRAIN INCLUDED

B80-8001-1PL-xx




CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
634	873	1089	1084	924	966	1584	1984

B80-8002-1PL-xx



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
634	873	1089	1084	924	966	1584	1984

B80-8003-1PL-xx



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
634	873	1089	1084	924	966	1584	1984


8" c/c lavatory faucet (without handle), drain included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- Laminar stream
- Push-button drain with overflow included

Water Saving Options

Codes	Reduced Flow Rates
B80-800X-1PL-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-800X-1PL-xx-050	0.5 gpm (1.9 l/min) - 60 psi

M80-8000-XX0-xx



Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356

Handle kit for 8" c/c lavatory faucet

- Handle kit required to complete products B80-800X-1PL-xx and B80-8042-00L-xx
- Comes in pair
- Made of brass parts

M80-8000-110-xx



M80-8000-220-xx



M80-8000-330-xx



M80-8000-440-xx



COMPLETE PRODUCTS



B80-8001-1PL-xx + M80-8000-110-xx



B80-8001-1PL-xx + M80-8000-220-xx



B80-8001-1PL-xx + M80-8000-330-xx



B80-8001-1PL-xx + M80-8000-440-xx



B80-8002-1PL-xx + M80-8000-110-xx



B80-8002-1PL-xx + M80-8000-220-xx



B80-8002-1PL-xx + M80-8000-330-xx



B80-8002-1PL-xx + M80-8000-440-xx



B80-8003-1PL-xx + M80-8000-110-xx



B80-8003-1PL-xx + M80-8000-220-xx



B80-8003-1PL-xx + M80-8000-330-xx



B80-8003-1PL-xx + M80-8000-440-xx

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

B80-8042-00L-xx


FAUCET WITHOUT HANDLE

CEC






T80-8042-00L-xx



T80-8046-00L-xx



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
706	889	1065	1136	936	1014	1604	1906

Two handles wall-mounted lavatory faucet (without handle), drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B80-8042-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-8042-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi


TRIM ONLY

T80-8042-00L-xx 8" spout

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
274	457	633	704	504	582	1172	1474

T80-8046-00L-xx 6" spout


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
301	503	696	774	554	640	1289	1621



ROUGH Please order the following rough-in to complete the trim:

ROU-8041-00-B	Two handles wall-mounted lavatory rough-in - 1/2" female NPT	432

M80-8000-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for two handles wall-mounted lavatory faucet

- Handle kit required to complete products B80-800X-1PL-xx and B80-8042-00L-xx
- Comes in pair
- Made of brass parts

M80-8000-110-xx




M80-8000-220-xx




M80-8000-330-xx




M80-8000-440-xx



COMPLETE PRODUCTS



B80-8042-00L-xx + M80-8000-110-xx



B80-8042-00L-xx + M80-8000-220-xx



B80-8042-00L-xx + M80-8000-330-xx



B80-8042-00L-xx + M80-8000-440-xx

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

B80-8102-00L-xx


FAUCET WITHOUT HANDLE

CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
580	765	889	925	812	841	1276	1595




T80-8102-00L-xx





T80-8106-00L-xx



Single lever wall-mounted lavatory faucet (without handle), drain not included

- Max: 1.2 gpm (4,5 l/min) - 60 psi
- 2 choices of aerator included: non-adjustable laminar or adjustable aerated
- Slip-on spout for easier adjustment
- One-piece rough-in for easy installation
- Large depth adjustment range
- Order your lavatory drain (pages 277-278)

Water Saving Options

Codes	Reduced Flow Rates
B80-8102-00L-xx-100	1.0 gpm (3.7 l/min) - 60 psi
B80-8102-00L-xx-050	0.5 gpm (1.9 l/min) - 60 psi

TRIM ONLY



T80-8102-00L-xx 8'' spout

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
298	483	607	643	530	559	994	1313

T80-8106-00L-xx 6'' spout


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
313	507	637	675	557	587	1044	1379

ROUGH Please order the following rough-in to complete the trim:

ROU-8100-04-B Single lever wall-mounted lavatory rough-in - 1/2" male NPT or welded copper connections — 282

M80-8100-X0-xx

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178



Handle kit for single lever wall-mounted lavatory faucet

- Handle kit required to complete product B80-8102-00L-xx
- Made of brass parts

M80-8100-10-xx




M80-8100-20-xx



M80-8100-30-xx



M80-8100-40-xx



COMPLETE PRODUCTS



B80-8102-00L-xx + M80-8100-10-xx



B80-8102-00L-xx + M80-8100-20-xx



B80-8102-00L-xx + M80-8100-30-xx



B80-8102-00L-xx + M80-8100-40-xx


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T80-111X-00-xx


TRIM ONLY WITHOUT HANDLE

T80-1111-00-xx



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1768	2358	2866	3144	2494	2588	3985	4911

T80-1112-00-xx



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1768	2358	2866	3144	2494	2588	3985	4911

Trim only for floor-mounted tub filler with hand shower (without handle)

- Bath spout: 12.0 gpm (45,3 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

ROUGH-IN Please order **one** of the following rough-ins to complete the trim:

ROU-110C-00-B

225




Rough for floor-mounted tub filler

- For installation in a concrete floor or subfloor with top access
- Easily accessible services valves
- Allows for a 360° installation of the trim

ROU-110W-00-B


195



Rough for floor-mounted tub filler

- For installation on a standard floor with bottom access
- Allows for a 360° installation of the trim

M80-1100-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178


Handle kit for floor-mounted tub filler with hand shower

- Handle kit required to complete product B80-110X-00-xx
- Made of brass parts

M80-1100-10-xx



M80-1100-20-xx



M80-1100-30-xx



M80-1100-40-xx



COMPLETE PRODUCTS



T80-1111-00-xx + M80-1100-10-xx



T80-1111-00-xx + M80-1100-20-xx




T80-1111-00-xx + M80-1100-30-xx



T80-1111-00-xx + M80-1100-40-xx



T80-1112-00-xx + M80-1100-10-xx



T80-1112-00-xx + M80-1100-20-xx



T80-1112-00-xx + M80-1100-30-xx



T80-1112-00-xx + M80-1100-40-xx

Finishes: CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


AIR B80

B80-1249-00-xx

FAUCET WITHOUT HANDLE

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
812	1078	1321	1202	1144	1187	1860	2298






2-piece tub filler with hand shower (without handle)

- Bath spout: 9.7 gpm (36,6 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

M80-1249-X0-xx


Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178



Handle kit for 2-piece tub filler with hand shower

- Handle kit required to complete product B80-1249-00-xx
- Made of brass parts

M80-1249-10-xx



M80-1249-20-xx



M80-1249-30-xx



M80-1249-40-xx



COMPLETE PRODUCTS



B80-1249-00-xx + M80-1249-10-xx



B80-1249-00-xx + M80-1249-20-xx



B80-1249-00-xx + M80-1249-30-xx



B80-1249-00-xx + M80-1249-40-xx

† Warm Gold (MM) finish available across all products in Q3. See: baril design.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


T80-2003-00-xx

TRIM ONLY WITHOUT HANDLE

CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
845	1120	1352	1479	1183	1225	1859	2282





Trim only for wall-mounted tub faucet with hand shower (without handle)


- Bath spout: 12.3 gpm (46,5 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim



ROUGH Please order the following rough-in to complete the trim:

ROU-2003-99-B	Wall-mounted tub faucet rough-in (without cartridge) - 1/2" female NPT connections	480

M80-9100-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178

Handle kit for wall-mounted tub faucet with hand shower

- Handle kit required to complete product T80-2003-00-xx
- Made of brass parts

M80-9100-10-xx



M80-9100-20-xx



M80-9100-30-xx



M80-9100-40-xx



COMPLETE PRODUCTS



T80-2003-00-xx + M80-9100-10-xx



T80-2003-00-xx + M80-9100-20-xx



T80-2003-00-xx + M80-9100-30-xx



T80-2003-00-xx + M80-9100-40-xx

Finishes: CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


AIR B80

T80-3311-00-xx

TRIM ONLY WITHOUT HANDLE

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
725	961	1160	1269	1015	1051	1595	1958





Trim only for tub filler kit with hand shower (without handle / non-shared port)

- Bath spout: 9.7 gpm (37 l/min) - 60 psi
- Hand shower: 1.75 gpm (6,6 l/min) - 80 psi
- 1-spray hand shower
- Non-conductive brass hand shower
- Easy-to-clean hand shower
- 1 accessory works at a time
- Hook as part of the thermostatic valve trim
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes




ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-NS-B	2-port diverter rough-in - 1/2» male NPT or welded copper connections	299

! To complete this shower kit, you must order TWO handle kits (M80-9453-X0-xx and M80-9500-X0-xx).

M80-9453-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
294	410	470	586	399	399	645	733

Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product T80-9453-00-xx
- Made of brass parts
- Hook accessory covers up the check valves

M80-9453-10-xx



M80-9453-20-xx




M80-9453-30-xx



M80-9453-40-xx



M80-9500-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178

Handle kit for diverter with stop

- Handle kit required to complete products T80-9649-00-xx
- Made of brass parts

M80-9500-10-xx



M80-9500-20-xx



M80-9500-30-xx



M80-9500-40-xx



† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

LEGEND

Order

Product from the AIR collection must be ordered in 3 steps:

1- Order the core product (wall plate)
2- Order the desired rough-in
3- Order the desired handle trim




You must order both codes to obtain a complete product.

1. Order the core product

T80-952X-01-xx — VALVE WITHOUT HANDLE

T80-9521-01-xx



The core product includes the wall plate or flange.
Available in all solid finishes.


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
575	762	920	1006	805	834	1265	1553

Trim only for thermostatic pressure-balanced shower valve with 2-way diverter (without handle)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC

Code	Non-shared port
T80-9521-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

2. Order the desired rough-in valve

3. Order the desired handle trim

M80-9520-XX0-xx

Order

The first letter designates the main finish.
The x designates the color accent.

Prices vary depending on the main finish only.

Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356



xx: Finish

The first x is the main finish (handle base) — chrome in this example.


The second x is the accent finish (handle top) — matte black in this example.

The finish of this example is therefore CK: chrome matte black


Handle kit for thermostatic pressure-balanced shower valve with 2-way diverter

- Handle kit required to complete productT80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx



M80-9520-120-xx



M80-9520-230-xx



The arrow indicates that the handle trims are interchangeable and can be installed on the top or bottom of the TP valves.

Recommendation

We recommend that the faucet CORE FINISH (code T) and the handle base (code M) be the same.
Ex: T80-9522-01-CC + M80-9520-XX0-Cx

However, it is possible to mix and match finishes according to your preferences.

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T80-910X-00-xx

TRIM ONLY WITHOUT HANDLE

T80-9101-00-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
167	271	344	412	291	310	648	688

T80-9102-00-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
167	271	344	412	291	310	648	688

Trim only for pressure-balanced shower control valve (without handle)


- 6 gpm (23 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough code: RVA-9020-00-B or RVA-9020-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

M80-9100-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178

Handle kit for pressure-balanced shower control valve

- Handle kit required to complete product T80-910X-00-xx
- Made of brass parts

M80-9100-10-xx





M80-9100-20-xx





M80-9100-30-xx





M80-9100-40-xx





Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


AIR B80

T80-918X-00-xx

TRIM ONLY WITHOUT HANDLE

T80-9181-00-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
201	284	345	452	291	372	813	833

T80-9182-00-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
201	284	345	452	291	372	813	833

Trim only for pressure-balanced shower control valve with 2-way diverter (without handle / shared port)


- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough-in code: RVA-9181-00-B, RVA-9181-00-NS-B, RVA-9181-P0-B or RVA-9181-P0-NS-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-00-NS-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-P0-NS-B	2-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

M80-9180-X4-xx




Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for pressure-balanced shower control valve with diverter

- Handle kit required to complete products T80-918X-00-xx and T80-919X-00-xx
- Comes in pair
- Made of brass parts


M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



† Warm Gold (MM) finish available across all products in Q3.
See: baridesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T80-919X-00-xx

TRIM ONLY WITHOUT HANDLE

T80-9191-00-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
201	284	345	452	291	372	813	833

T80-9192-00-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
201	284	345	452	291	372	813	833

Trim only for pressure-balanced shower control valve with 3-way diverter (without handle / shared port)


- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Volume control valve
- Thin brass plate
- Order the rough-in separately
- Rough-in code: RVA-9191-00-B, RVA-9191-00-NS-B, RVA-9191-P0-B or RVA-9191-P0-NS-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9191-00-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-00-NS-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9191-P0-B	3-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-P0-NS-B	3-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

M80-9180-X4-xx




Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for pressure-balanced shower control valve with diverter

- Handle kit required to complete products T80-918X-00-xx andT80-919X-00-xx
- Comes in pair
- Made of brass parts


M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


AIR B80

T80-940X-00-xx

TRIM ONLY WITHOUT HANDLE

T80-9401-00-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
167	271	344	412	291	310	648	688

T80-9402-00-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
167	271	344	412	291	310	648	688

Trim only for 3/4" thermostatic valve (without handle)


- 16 gpm (60 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Order the rough-in separately
- Rough-in code: RVA-3404-00-B



ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628

M80-9400-X0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178


Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product T80-940X-00-xx
- Made of brass parts

M80-9400-10-xx



M80-9400-20-xx



M80-9400-30-xx



M80-9400-40-xx



Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

T80-9453-00-xx

TRIM ONLY WITHOUT HANDLE


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
116	154	184	203	162	168	255	325





Trim only for 3/4" thermostatic valve (without handle)

- 9 gpm (34 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Washcloth hook on the side of the valve can be removed to give access to the check valves
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- Order the rough-in separately
- Rough-in code: RVA-3453-00-B




ROUGH-IN VALVE Please order the following rough-in valve to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599

M80-9453-X0-xx

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
294	410	470	586	399	399	645	733




Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product T80-9453-00-xx
- Made of brass parts
- Hook accessory covers up the check valves

M80-9453-10-xx



M80-9453-20-xx



M80-9453-30-xx



M80-9453-40-xx



Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


AIR B80

T80-951X-01-xx

TRIM ONLY WITHOUT HANDLE

T80-9511-01-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
575	762	920	1006	805	834	1265	1553

T80-9512-01-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
575	762	920	1006	805	834	1265	1553

Trim only for thermostatic pressure-balanced shower valve with 1-way diverter (without handle)


- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- You can use one accessory
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

M80-9520-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for thermostatic pressure-balanced shower valve with diverter

- Handle kit required to complete products T80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T80-952X-01-xx

TRIM ONLY WITHOUT HANDLE

T80-9521-01-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
575	762	920	1006	805	834	1265	1553

T80-9522-01-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
575	762	920	1006	805	834	1265	1553

Trim only for thermostatic pressure-balanced shower valve with 2-way diverter (without handle)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC


Code	Non-shared port
T80-952X-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

M80-9520-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for thermostatic pressure-balanced shower valve with diverter

- Handle kit required to complete products T80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold


AIR B80

T80-953X-01-xx

TRIM ONLY WITHOUT HANDLE

T80-9531-01-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
575	762	920	1006	805	834	1265	1553

T80-9532-01-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
575	762	920	1006	805	834	1265	1553

Trim only for thermostatic pressure-balanced shower valve with 3-way diverter (without handle)

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Thin brass plate
- Reversible check / non-return valves in case of water supply inversion
- Cartridges supplied with the trim
- Order the rough-in separately
- Rough-in code: RVA-9501-00-B or RVA-9501-P0-B

Water Saving Option CEC


Code	Non-shared port
T80-95X-01-xx-NS	1 accessory works at a time



ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

M80-9520-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for thermostatic pressure-balanced shower valve with diverter

- Handle kit required to complete products T80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

T80-9649-00-xx

TRIM ONLY WITHOUT HANDLE

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
85	113	136	149	119	123	258	267





Trim only for 2 or 3-port diverter with stop or 3/4" stop valve (without handle)


- Extra long cartridge for maximum adjustment, that can be cut to required length, included in the rough-in valve
- Order one of the rough-in separately
- Rough-in codes: RVA-9562-00-B, RVA-9563-00-B or RVA-2719-34-B

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9562-00-B

299





2-port diverter with stop rough-in (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- 1/2" male NPT or welded copper connections
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9562-00-NS-B	1 accessory works at a time

RVA-9563-00-B

299





3-port diverter with stop rough-in (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time


Water Saving Option CEC

Code	Non-shared port
RVA-9563-00-NS-B	1 accessory works at a time

RVA-2719-34-B

217






Volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- 3/4" female NPT connections
- Volume control valve
- Offers higher flow

M80-9500-X0-xx


Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178



Handle kit for 2 and 3-port diverter with stop and 3/4" volume control valve

- Handle kit required to complete product T80-9649-00-xx
- Made of brass parts

M80-9500-10-xx



M80-9500-20-xx



M80-9500-30-xx



M80-9500-40-xx



Finishes: CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

SELECTION OF SHOWER COMPONENTS

For more shower components and for water saving options, please refer to the shower components section (see p. 299-334).

TET-0810-01-xx

8" round shower head



CC	KK	LL/MM	BB
295	391	472	426

TET-1010-01-xx

10" round shower head



CC	KK	LL/MM	BB
428	567	684	703

BRA-1612-66-xx

16" shower arm



CC	KK	LL/MM	BB
139	193	258	258

BRA-1815-02-xx

18" shower arm



CC	KK	LL/MM†	BB
264	367	490	490

BRA-1812-02-xx

18" shower arm



CC	KK	LL/MM	BB
125	174	232	232

RAC-0618-02-xx

6'' ceiling mount shower arm



CC	KK	LL/MM	BB
58	81	108	108

TET-0813-01-xx

8" round shower head



CC	KK	LL/MM	NN
213	261	298	278

TET-1013-01-xx

10" round shower head



CC	KK	LL/MM	NN
310	411	499	449

TET-1208-01-xx


12" x 18" rectangular shower head



CC	KK
326	432

TET-2012-01-xx

20" x 12" rectangular shower head



CC
675

DGL-2584-53-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
373	494	684	747

DGL-2580-53-xx

3-spray sliding shower bar



CC	KK	LL/MM†	BB
373	494	684	747

DSP-2574-19-xx

Hand shower on wall-mounted supply elbow



CC	KK	LL/MM†	BB
355	478	623	612

DSP-2604-19-xx

Hand shower on wall-mounted supply elbow



CC	KK	LL/MM	BB
355	478	623	612

RAC-9001-16-xx

Wall-mount supply elbow 1/2"F



CC	KK	LL/MM	BB
104	138	167	162

RAC-9201-02-xx

1/2"F wall-mount supply elbow with integrated volume control



CC	KK	LL/MM†	BB
165	219	264	256

BEC-0520-37-xx

Round modern tub spout without diverter



CC	KK	LL/MM	BB
131	163	287	372

BEC-0520-73-xx

7" tub spout without diverter



CC	KK	LL/MM†	BB
87	109	191	248

BEC-0520-74-xx

7" round tub spout with diverter



CC	KK	LL/MM†	BB
109	136	239	310

BOD-5002-01-xx

Cylindrical lateral body jet



CC	KK	LL/MM†	BB
144	191	230	287

BOD-5007-01-xx

Round built-in lateral body jet



CC	KK	LL/MM†	BB
299	396	478	523

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPLETE SHOWER KITS

PRO-1101-53-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1696	2247	2714	3504	2375	2636	3731	4579



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 10" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1101-53-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-2101-80-xx

Complete pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
880	1126	1403	1523	1250	1315	2501	2703



Features

- Max: 2 gpm (7,6 l/min) - 80 psi
- Order a handle kit to complete the product
- 3-spray hand shower

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T80-9101-00-xx	Trim for type P valve (without handle)
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2101-80-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2101-80-xx-175 **+** RVA-9020-X0-B	

TRIM ONLY


TRO-2101-80-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
612	858	1135	1255	982	1047	2233	2435

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

M80-9100-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178

Handle kit for pressure-balanced shower control valve

- Handle kit required to complete product T80-910X-00-xx
- Made of brass parts

M80-9100-10-xx



M80-9100-20-xx



M80-9100-30-xx



M80-9100-40-xx



Finishes: CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

PRO-2201-80-xx

Complete pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
983	1255	1630	1817	1454	1530	2832	3102



Features

- Max: 2 gpm (7,6 l/min) - 80 psi
- Order a handle kit to complete the product
- 3-spray hand shower

Includes

RVA-9020-00-B	Type P rough-in (NPT / welded copper)
T80-9101-00-xx	Trim for type P valve (without handle)
BEC-0520-74-xx	7" round tub spout with diverter
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2201-80-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-2201-80-xx-175 + RVA-9020-X0-B	

TRIM ONLY


TRO-2201-80-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
715	987	1362	1549	1186	1262	2564	2834

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

M80-9100-X0-xx




Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178

Handle kit for pressure-balanced shower control valve

- Handle kit required to complete product T80-910X-00-xx
- Made of brass parts

M80-9100-10-xx



M80-9100-20-xx



M80-9100-30-xx



M80-9100-40-xx



† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-2801-80-xx
PRR-2801-80-xx*

Complete pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1423	1763	2131	2244	1898	2055	3687	3980



Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T80-9181-00-xx	Trim for type P valve with 2-way diverter (without handle)
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2801-80-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2801-80-xx-NS **+** RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY


TRO-2801-80-xx
TRR-2801-80-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
979	1319	1687	1800	1454	1611	3243	3536

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

M80-9180-X4-xx




Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for pressure-balanced shower control valve with diverter

- Handle kit required to complete products T80-918X-00-xx and T80-919X-00-xx
- Comes in pair
- Made of brass parts


M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-2811-80-xx
PRR-2811-80-xx*

Complete pressure-balanced shower kit without handle

CC	KK
1438	1782



Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T80-9181-00-xx	Trim for type P valve with 2-way diverter (without handle)
TET-1013-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2811-80-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2811-80-xx-NS **+** RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY


TRO-2811-80-xx
TRR-2811-80-xx*

CC	KK
994	1338

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

M80-9180-X4-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356

Handle kit for pressure-balanced shower control valve with diverter

- Handle kit required to complete products T80-918X-00-xx and T80-919X-00-xx
- Comes in pair
- Made of brass parts


M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-2891-80-xx
PRR-2891-80-xx*

Complete pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1308	1616	1915	1962	1708	1856	2943	3227





Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T80-9181-00-xx	Trim for type P valve with 2-way diverter (without handle)
TET-0810-01-xx	8" round shower head
BRA-1612-66-xx	16" shower arm
DSP-2604-19-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2891-80-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2891-80-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY


TRO-2891-80-xx
TRR-2891-80-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
864	1172	1471	1518	1264	1412	2499	2783

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

M80-9180-X4-xx




Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for pressure-balanced shower control valve with diverter

- Handle kit required to complete products T80-918X-00-xx and T80-919X-00-xx
- Comes in pair
- Made of brass parts


M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-2892-80-xx
PRR-2892-80-xx*

Complete pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1349	1672	1982	2031	1766	1918	3049	3343





Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T80-9182-00-xx	Trim for type P valve with 2-way diverter (without handle)
TET-0811-02-xx	8" square shower head
BRA-1612-66-xx	16" shower arm
DSP-2604-19-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2892-80-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2892-80-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY


TRO-2892-80-xx
TRR-2892-80-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
905	1228	1538	1587	1322	1474	2605	2899

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

M80-9180-X4-xx




Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for pressure-balanced shower control valve with diverter

- Handle kit required to complete products T80-918X-00-xx and T80-919X-00-xx
- Comes in pair
- Made of brass parts


M80-9180-14-xx



M80-9180-24-xx



M80-9180-34-xx



† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-3301-80-xx
PRR-3301-80-xx*

Complete thermostatic shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2073	2461	2804	2806	2526	2651	3671	3999





Features

- 2 accessories kit
- Order **two** handle kits to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

RVA-3453-00-B	Type T rough-in (3/4'' female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T80-9453-00-xx	Trim for 3/4" thermostatic valve (without handle)
T80-9649-00-xx	Trim for 2-port diverter with off (without handle)
TET-1010-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DSP-2604-21-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3301-80-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3301-80-xx-NS **+** RVA-3453-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3301-80-xx
TRR-3301-80-xx*


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1175	1563	1906	1908	1628	1753	2773	3101

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

! To complete this shower kit, you must order <u>TWO</u> handle kits (M80-9453-X0-xx and M80-9500-X0-xx).

M80-9453-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
294	410	470	586	399	399	645	733

Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product T80-9453-00-xx
- Made of brass parts
- Hook accessory covers up the check valves

M80-9453-10-xx



M80-9453-20-xx




M80-9453-30-xx



M80-9453-40-xx



M80-9500-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178

Handle kit for diverter with stop

- Handle kit required to complete products T80-9649-00-xx
- Made of brass parts

M80-9500-10-xx



M80-9500-20-xx



M80-9500-30-xx



M80-9500-40-xx



Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6'' ceiling mount shower arm

AIR B80

PRO-3302-80-xx
PRR-3302-80-xx*

Complete thermostatic shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2169	2588	2958	3017	2661	2773	3901	4227





Features

- 2 accessories kit
- Order **two** handle kits to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 1-spray hand shower
- 2 accessories can work together
- Hook as part of the thermostatic valve trim

Includes

RVA-3453-00-B	Type T rough-in (3/4'' female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T80-9453-00-xx	Trim for 3/4" thermostatic valve (without handle)
T80-9649-00-xx	Trim for 2-port diverter with off (without handle)
TET-1011-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DSP-2604-21-xx	Hand shower on wall-mounted supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3302-80-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3302-80-xx-NS + RVA-3453-00-B + RVA-9562-00-NS-B	

TRIM ONLY

TRO-3302-80-xx
TRR-3302-80-xx*


CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1271	1690	2060	2119	1763	1875	3003	3329

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3453-00-B	Type T rough-in - 3/4" female NPT connections	599
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

! To complete this shower kit, you must order <u>TWO</u> handle kits (M80-9453-X0-xx and M80-9500-X0-xx).


M80-9453-X0-xx





Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
294	410	470	586	399	399	645	733

Handle kit for 3/4" thermostatic valve

- Handle kit required to complete product T80-9453-00-xx
- Made of brass parts
- Hook accessory covers up the check valves


M80-9453-10-xx


M80-9453-20-xx


M80-9453-30-xx


M80-9453-40-xx


M80-9500-X0-xx



Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178

Handle kit for diverter with stop

- Handle kit required to complete products T80-9649-00-xx
- Made of brass parts

M80-9500-10-xx


M80-9500-20-xx


M80-9500-30-xx


M80-9500-40-xx


† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6'' ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-4153-80-xx

Complete thermostatic pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1428	1753	2111	2248	1900	1974	3249	3686



Features

- 1 accessory kit
- Order a handle kit to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T80-9511-01-xx	Trim for TP shower valve with 1-way diverter (without handle)
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4153-80-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-4153-80-xx-175 **+** RVA-9501-X0-B	

TRIM ONLY


TRO-4153-80-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
999	1324	1682	1819	1471	1545	2820	3257

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

M80-9520-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for thermostatic pressure-balanced shower valve with diverter

- Handle kit required to complete products T80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

AIR B80

PRO-4154-80-xx

Complete thermostatic pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1428	1753	2111	2248	1900	1974	3249	3686



Features

- 1 accessory kit
- Order a handle kit to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T80-9512-01-xx	Trim for TP shower valve with 1-way diverter (without handle)
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4154-80-xx-175	- Max: 1.75 gpm (6,6 l/min) - 80 psi (hand shower)
TRO-4154-80-xx-175 + RVA-9501-X0-B	

TRIM ONLY


TRO-4154-80-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
999	1324	1682	1819	1471	1545	2820	3257

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

M80-9520-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for thermostatic pressure-balanced shower valve with diverter

- Handle kit required to complete products T80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-4203-80-xx
PRR-4203-80-xx*

Complete thermostatic pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1890	2369	2864	3019	2548	2668	4421	4999



Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T80-9521-01-xx	Trim for TP shower valve with 2-way diverter (without handle)
TET-1010-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4203-80-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4203-80-xx-NS + RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY


TRO-4203-80-xx
TRR-4203-80-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1461	1940	2435	2590	2119	2239	3992	4570

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

M80-9520-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for thermostatic pressure-balanced shower valve with diverter

- Handle kit required to complete products T80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-4204-80-xx
PRR-4204-80-xx*

Complete thermostatic pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1986	2496	3018	3231	2683	2791	4651	5227



Features

- 2 accessories kit
- Order a handle kit to complete the product
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T80-9522-01-xx	Trim for TP shower valve with 2-way diverter (without handle)
TET-1011-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4204-80-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4204-80-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY


TRO-4204-80-xx
TRR-4204-80-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1557	2067	2589	2802	2254	2362	4222	4798

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

M80-9520-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for thermostatic pressure-balanced shower valve with diverter

- Handle kit required to complete products T80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-4303-80-xx
PRR-4303-80-xx*

Complete thermostatic pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2015	2524	3137	3372	2793	2926	4818	5478



Features

- 3 accessories kit
- Order a handle kit to complete the product
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T80-9531-01-xx	Trim for TP shower valve with 3-way diverter (without handle)
BEC-0520-37-xx	Modern round tub spout without diverter
TET-1010-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4301-80-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4301-80-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY


TRO-4303-80-xx
TRR-4303-80-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1586	2095	2708	2943	2364	2497	4389	5049

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

M80-9520-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for thermostatic pressure-balanced shower valve with diverter

- Handle kit required to complete products T80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

* With 6" ceiling mount shower arm

AIR B80

PRO-4304-80-xx
PRR-4304-80-xx*

Complete thermostatic pressure-balanced shower kit without handle

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2111	2651	3290	3584	2928	3048	5048	5706



Features

- 3 accessories kit
- Order a handle kit to complete the product
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T80-9532-01-xx	Trim for TP shower valve with 3-way diverter (without handle)
BEC-0520-37-xx	Modern round tub spout without diverter
TET-1011-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4302-80-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4302-80-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY


TRO-4304-80-xx
TRR-4304-80-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1682	2222	2861	3155	2499	2619	4619	5277

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

M80-9520-XX0-xx




Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
232	276	298	308	290	290	322	356


Handle kit for thermostatic pressure-balanced shower valve with diverter

- Handle kit required to complete products T80-951X-01-xx, T80-952X-01-xx and T80-953X-01-xx
- Comes in pair
- Made of brass parts


M80-9520-110-xx




M80-9520-120-xx




M80-9520-130-xx




M80-9520-220-xx



M80-9520-230-xx



M80-9520-330-xx



† Warm Gold (MM) finish available across all products in Q3. See: baridesign.com/en/disponibilite-produits.

* With 6" ceiling mount shower arm

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

SELECTION OF BATHROOM ACCESSORIES

For more bathroom accessories, please refer to the bathroom accessories section (see p. 263-274).

A04-1029-00-xx

PETITE
Wall-mounted toilet paper holder



48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT
102	122	163	195	124	154	249

A04-1069-00-xx

PETITE
Bathrobe holder



48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT
53	64	85	108	66	81	134

A80-1069-00-xx

AIR
Bathrobe holder



Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx
167	213	231	231	187	225	248

A04-6012-00-xx

PETITE
12" single towel bar



48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT
136	168	218	295	173	199	319

A04-6018-00-xx

PETITE
18" single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
162	200	259	351	227	237	380

A04-6024-00-xx

PETITE
24" single towel bar



48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT
182	225	292	395	232	277	427

A04-6030-00-xx

PETITE
30" single towel bar



CC	KK	LL/MM†	BB	NN	YY	VV/TT
218	260	449	409	305	329	499

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

ACCESSORIES



BARIL


ACCESSORIES

A04-1029-00-xx

48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
102	122	163	195	124	154	249	163	339





PETITE / AIR


Wall-mounted toilet paper holder

A04-1069-00-xx

48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
53	64	85	108	66	81	134	85	188





PETITE / AIR


Bathrobe holder

A04-6012-00-xx

48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
136	168	218	295	173	199	319	218	468






PETITE / AIR

12" single towel bar

A04-6018-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
162	200	259	351	227	237	380	259	557





PETITE / AIR


18" single towel bar

A04-6024-00-xx

48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
182	225	292	395	232	277	427	292	627





PETITE / AIR

24" single towel bar

† Warm Gold (MM) finish available across all products in Q3.
See: baridesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

ACCESSORIES

A04-6030-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
218	260	449	409	305	329	499	449	649





PETITE / AIR


30” single towel bar

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white,
NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

A20-1029-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
140	186	224	245	196	203	308	378






BEAUMONT

Wall-mounted toilet paper holder

A20-1069-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
159	227	264	239	239	253	289	299






BEAUMONT

Bathrobe holder

A20-1079-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
105	139	168	184	147	152	231	284






BEAUMONT

Bathrobe holder

A20-6012-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
225	298	360	394	315	326	559	608






BEAUMONT

12" single towel bar

A20-6018-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
248	328	396	433	347	359	615	669





BEAUMONT

18" single towel bar


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

A20-6024-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
273	361	436	476	382	395	677	736






BEAUMONT

24" single towel bar

A20-6030-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
314	415	501	547	439	454	779	846





BEAUMONT

30" single towel bar


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white,
NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ACCESSORIES

A46-1029-00-xx

CC	CF	KK	LL/MM†	BB	NN	YY	VV/TT	GG
124	134	158	199	234	164	185	299	407






PROFILE / SENS

Wall-mounted toilet paper holder

A46-1069-00-xx

CC	CF	KK	LL/MM†	BB	NN	YY	VV/TT	GG
80	90	99	128	140	109	116	201	282






PROFILE / SENS

Bathrobe holder

A46-6012-00-xx

CC	CF	KK	LL/MM†	BB	NN	YY	VV/TT	GG
211	231	256	338	389	268	308	494	725






PROFILE / SENS

12” single towel bar

A46-6018-00-xx

CC	CF	KK	LL/MM†	BB	NN	YY	VV/TT	GG
236	256	299	376	454	329	344	518	745






PROFILE / SENS

18” single towel bar

A46-6024-00-xx

CC	CF	KK	LL/MM†	BB	NN	YY	VV/TT	GG
252	272	315	403	498	325	388	598	799





PROFILE / SENS

24” single towel bar


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

A46-6030-00-xx

CC	CF	KK	LL/MM†	BB	NN	YY	VV/TT	GG
298	318	364	545	573	417	461	646	909





PROFILE / SENS

30” single towel bar


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white,
NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ACCESSORIES

A56-1029-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
99	125	158	173	134	144	253	332






ACCENT

Wall-mounted toilet paper holder

A56-1069-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
49	61	78	86	64	76	133	171






ACCENT

Bathrobe holder

A56-6018-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
147	176	235	264	187	236	359	497






ACCENT

18” single towel bar

A56-6024-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
162	194	259	290	206	260	395	547






ACCENT

24” single towel bar

A56-6028-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
186	223	298	334	237	299	454	629





ACCENT

28” single towel bar

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


ACCESSORIES

A66-1029-01-xx

48h The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
96	122	154	168	129	149	224	154	324





ZIP


Wall-mounted toilet paper holder

A66-1069-01-xx

48h The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
60	80	96	114	72	87	139	96	216






ZIP

Bathrobe holder

A66-1079-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
45	63	72	82	63	65	109	72	160





ZIP


Bathrobe holder

A66-6012-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM*	GG
131	178	238	268	176	218	323	238	476

Available Q3 2026 *





ZIP


12" single towel bar

A66-6018-00-xx

48h The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
145	198	264	298	196	242	359	264	529





ZIP

18" single towel bar


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white,
NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

A66-6024-00-xx

48h The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
164	224	298	337	221	273	406	298	598






ZIP

24" single towel bar

A66-6030-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
200	273	364	411	270	333	495	730







ZIP

30" single towel bar

A66-6315-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
230	314	419	473	311	383	569	840





ZIP

Triple towel bar

- 180° swivel arms

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

ACCESSORIES

A47-1069-00-xx

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
199	264	318	348	253	264	379	487





FLORA

Bathrobe holder


- Double hook

x= color accent, see FLORA B47 Collection
Product shown here in CF

A80-1069-00-xx

Cx	Kx	Lx/Mx	Bx	Nx	Yx	Vx/Tx	Gx
167	213	231	231	187	225	248	277





AIR

Bathrobe holder

x= color accent, see AIR B80 Collection
Product shown here in CC


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white,
NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

ACCESSORIES

A87-7012-00-xx

CC	KK	LL/MM	NN	KM
145	194	232	204	232






12" Grab bar

- Grab bar compliant with ADA specifications
- Made of high-quality stainless steel
- No visible screw
- Tested to over 400 lbs when installed according to ADA standards

A87-7018-00-xx

CC	KK	LL/MM	NN	KM
165	219	264	231	264






18" Grab bar

- Grab bar compliant with ADA specifications
- Made of high-quality stainless steel
- No visible screw
- Tested to over 400 lbs when installed according to ADA standards

A87-7024-00-xx

CC	KK	LL/MM	NN	KM
200	265	320	280	320





24" Grab bar

- Grab bar compliant with ADA specifications
- Made of high-quality stainless steel
- No visible screw
- Tested to over 400 lbs when installed according to ADA standards

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


Parts

BARIL

PARTS

COL-3004-03-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
878	1473	1625	1698	1229	1393	1932	2371

Pair of 30" freestanding pillar legs

- Can be connected in:
  3/4" F / 3/4" M / 1/2" F / 1/2" M
- Installs from the top for easy installation by one person

EXC-6014-02-xx







CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
161	314	343	347	275	295	363	435

Pair of eccentric adapters

- Can be used to install a wall-mounted tub faucet
- For holes from 2" c/c to 10" c/c

PLA-0423-01-xx







CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
47	120	196	149	104	115	239	225

Single hole lavatory faucet plate

- Metal plate

PLA-0430-00-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
47	120	196	149	104	115	239	196	225

Single hole lavatory faucet oblong plate

- Metal plate

PLA-0440-00-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
50	128	210	159	111	123	256	241

Single hole lavatory faucet rectangular plate


- Metal plate

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

REN-0020-01-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
105	139	168	159	147	152	303	375

Mechanical lavatory pop-up Drain

- Fits 1-1/2" drain opening
- Tailpiece is 1-1/4" OD
- Solid brass construction
- With overflow

REN-2007-10-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
277	367	443	440	388	402	610	650

Turn control cable-operated brass bath waste and overflow drain

- Flexible brass tube conforms to any bath model
- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Function to prevent unwanted cap closure
- Non-water contact cable operation
- For tub thicknesses from 1/32" to 7/16" (1 to 11 mm)

REN-2008-14-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
264	352	422	419	370	383	581	422	619

Brass bath push-button waste and overflow drain

- Flexible brass tube to fit different baths
- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- For tub thicknesses from 1/32" to 7/16" (1 to 11 mm)
- Push-button pop-up

REN-2018-27-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
474	989	1178	1194	916	946	1298	1781


Brass bath waste and overflow drain

- Fits most tubs from 17" to 24" (43 to 61 cm) deep
- Push-button pop-up

REN-8422-02-xx

48h The Essentials





CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	II	JJ	GG
86	134	158	138	142	148	319	158	158	158	324

Push-button pop-up drain for lavatory with overflow

- For lavatory with overflow (P.O. plug)
- Decorative cap diameter: 2-5/8" (66 mm)
- Easy-to-clean removable cap
- Easy-to-clean built-in strainer

Finishes:
CC = chrome, KK = matte black, LL = satin brass, BB = white, MM = warm gold, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, II = mist, JJ = french gold


PARTS

REN-8423-02-xx

48h The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	II	JJ	GG
86	134	158	138	142	148	319	158	158	158	324






Push-button pop-up drain for lavatory without overflow

- For lavatory without overflow (C.O. plug)
- Decorative cap diameter: 2-5/8" (66 mm)
- Easy-to-clean removable cap
- Easy-to-clean built-in strainer

REN-8800-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
232	325	401	406	345	383	603	401	726





Round decorative bottle trap

- Solid brass construction
- Clean-out plug is removable for easy cleaning
- 1-1/4" diameter slip-fit inlet
- Includes flange and reducer seal to attach 1-1/4'' drain tube to 1-1/2'' wall drain

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

Shower

BARIL


SHOWER VALVES



BARIL

SHOWER VALVES

RVA-9020-X0-B



Pressure-balanced rough-in

- 6 gpm (23 l/min) - 60 psi
- Volume control valve
- Built-in check / non-return valves

RVA-9020-00-B	Type P rough-in - 1/2" male NPT or welded copper connections	268
RVA-9020-P0-B	Type P rough-in - PEX connections	268

T04-9139-00-xx

PETITE



TRIM ONLY

CC	KK	LL/MM†	BB
209	316	418	502

T05-9139-01-xx

REC



TRIM ONLY

CC	KK	LL/MM†	BB
219	332	439	527

T20-9102-00-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
365	484	584	737

T20-9104-00-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
365	484	584	737

T45-9139-01-xx

SENS



TRIM ONLY

CC	KK	LL/MM†	BB
209	316	418	502

T46-9139-00-xx

PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
219	332	439	527

T66-9139-00-xx

ZIP



TRIM ONLY

CC	KK	LL/MM†	BB
188	284	376	452

T80-9101-00-xx

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
167	271	344	412

T80-9102-00-xx

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
167	271	344	412


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

PRESSURE-BALANCED WITH 2-WAY DIVERTER

RVA-9181-X0-B

48h **The Essentials**



RVA-9181-**00**-B

RVA-9181-**P0**-B

2-way pressure-balanced rough-in
(shared port)

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Volume control valve
- 2-way diverter with shared port
- Built-in check / non-return valves

Water Saving Options CEC

Codes	Features
RVA-9181-00-NS-B	1 accessory works at a time
RVA-9181-P0-NS-B	2-way diverter with non-shared port

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-00-NS-B	2-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9181-P0-NS-B	2-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

T04-9180-00-xx

PETITE



TRIM ONLY

CC	KK	LL/MM†	BB
299	440	548	742

T05-9181-00-xx

REC



TRIM ONLY

CC	KK	LL/MM†	BB
314	462	575	779

T20-9182-00-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
560	742	896	980

T20-9184-00-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
560	742	896	980

T45-9180-01-xx

SENS



TRIM ONLY

CC	KK	LL/MM†	BB
299	440	548	742

T46-9180-00-xx

PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
314	462	575	779

T66-9181-00-xx

ZIP



TRIM ONLY

CC	KK	LL/MM	BB
269	396	493	668

T80-9181-00-xx

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
201	284	345	452

T80-9182-00-xx

AIR




TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
201	284	345	452

† Warm Gold (MM) finish available across all products in Q3.
See: baridesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

RVA-9191-X0-B



3-way pressure-balanced rough-in
(shared port)

- 1 outlet: 5 gpm (19 l/min) - 60 psi
- 2 outlets: 2.6 gpm (10 l/min) - 60 psi
- Up to 2 accessories can be used at the same time
- Volume control valve
- 3-way diverter with shared port
- Built-in check / non-return valves

Water Saving Options CEC

Codes	Features
RVA-9191-00-NS-B	1 accessory works at a time
RVA-9191-P0-NS-B	3-way diverter with non-shared port

RVA-9191-00-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-00-NS-B	3-way type P rough-in - 1/2" male NPT or welded copper connections Non-shared port: 1 accessory works at a time	CEC	444
RVA-9191-P0-B	3-way type P rough-in - PEX connections Shared port: Up to 2 accessories can be used at the same time		444
RVA-9191-P0-NS-B	3-way type P rough-in - PEX connections Non-shared port: 1 accessory works at a time	CEC	444

T04-9190-00-xx

PETITE



TRIM ONLY

CC	KK	LL/MM†	BB
299	440	548	742

T20-9192-00-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
560	742	896	980

T20-9194-00-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
560	742	896	980

T45-9190-01-xx

SENS



TRIM ONLY

CC	KK	LL/MM†	BB
299	440	548	742

T66-9190-00-xx

ZIP



TRIM ONLY

CC	KK	LL/MM†	BB
269	396	493	668

T80-9191-00-xx

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
201	284	345	452

T80-9192-00-xx

AIR




TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
201	284	345	452

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

RVA-3404-00-B



3/4” thermostatic rough-in valve

- 16 gpm (60 l/min) - 60 psi
- Separate shut-offs or diverter required
- Can easily supply 3 accessories
- Built-in stop check valves
- 3/4” female NPT connections
- Reversible check / non-return valves in case of water supply inversion
- 1-3/8” decorative extension for thick wall or to correct deep rough-ins: order EXT-3404-00-xx

RVA-3404-00-B Type T rough-in - 3/4” female NPT connections — 628

T04-9404-00-xx
PETITE



TRIM ONLY

CC	KK	LL/MM	BB
251	379	502	602

T05-9404-00-xx
REC



TRIM ONLY

CC	KK	LL/MM†	BB
264	398	527	632

T16-9404-00-xx
NAUTICA



TRIM ONLY

CC	KK	LL/MM†	BB
301	455	602	722

T18-9404-00-xx
RALPH



TRIM ONLY

CC/CB	KK/KB	LL/LB MM/MB†	BB
301	455	602	722

T20-9402-00-xx
BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
421	592	783	975

T20-9404-00-xx
BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
421	592	783	975

T45-9404-00-xx
SENS



TRIM ONLY

CC	KK	LL/MM	BB
251	379	502	602

T46-9404-00-xx
PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
264	398	527	632

T56-9404-00-xx
ACCENT



TRIM ONLY

CC	CB	CF
263	289	289

T66-9404-00-xx
ZIP



TRIM ONLY

CC	KK	LL/MM	BB
226	341	452	542

T71-9404-00-xx
EVA



TRIM ONLY

CC	KK	LL/MM†	BB
301	455	602	722

T72-9404-00-xx
TRADITION



TRIM ONLY

CC	KK	LL/MM†	BB
301	455	602	722

T74-9404-00-xx
VICTOIRE



TRIM ONLY

CB	KB	LB/MB†	BB
301	455	602	602

T80-9401-00-xx
AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM	BB
167	271	344	412

T80-9402-00-xx
AIR




TRIM (WITHOUT HANDLE)

CC	KK	LL/MM	BB
167	271	344	412

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

RVA-34B2-00-B



2-way 3/4” thermostatic rough-in (shared port)

- 8 gpm (30 l/min) - 60 psi
- Easy to install one-piece rough-in with stainless steel case
- 2-way diverter with non-shared port

RVA-34B2-00-B	Type T rough-in with 2-way diverter - inlet: 3/4”F NPT - outlets: 1/2”F NPT	1819

T35-9320-00-xx

MARIE



TRIM ONLY


All finishes

1766

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

RVA-3453-00-B



3/4” thermostatic rough-in valve

- 9 gpm (34 l/min) - 60 psi
- Separate volume control or diverter valve required
- Can easily supply 3 accessories
- Reversible check / non-return valves in case of water supply inversion
- 3/4” female NPT connections

RVA-3453-00-B Type T rough-in - 3/4” female NPT connections 599

T04-9453-00-xx

PETITE




TRIM ONLY

CC	KK	LL/MM	BB
346	458	554	606

T20-9452-00-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
404	535	646	707

T20-9454-00-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
404	535	646	707

T45-9453-00-xx

SENS



TRIM ONLY

CC	KK	LL/MM	BB
346	458	554	606

T46-9453-00-xx

PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
363	481	582	636

T47-9453-00-xx

FLORA



TRIM ONLY

Cx	Kx	Lx/Mx†	Bx
495	656	792	866

T66-9453-00-xx

ZIP



TRIM ONLY

CC	KK	LL/MM	BB
346	458	554	606

T80-9453-00-xx

AIR




TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
116	154	184	203

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

RVA-9501-X0-B



1-2-3-way thermostatic pressure-balanced rough-in

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Use with 1, 2 and 3-way trims
- You can use one accessory with 1-way trims
- The best solution to minimize temperature fluctuations
- Cartridges supplied with the trim
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-9521-31

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

1-WAY TRIMS

T04-9511-01-xx

PETITE



TRIM ONLY

CC	KK	LL/MM	BB
645	845	1032	1129

T05-9511-01-xx

REC



TRIM ONLY

CC	KK	LL/MM†	BB
645	845	1032	1129

T20-9512-01-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
925	1226	1480	1619

T20-9514-01-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
925	1226	1480	1619

T35-9511-01-xx

MARIE



TRIM ONLY

Plaque - CC	Plaque - Autres
1294	1394

T45-9511-01-xx

SENS



TRIM ONLY

CC	KK	LL/MM	BB
645	845	1032	1129

T46-9511-01-xx

PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
677	887	1084	1185

T56-9511-01-xx

ACCENT



TRIM ONLY

CC	CB	CF
750	825	825

T66-9511-01-xx

ZIP



TRIM ONLY

CC	KK	LL/MM	BB
613	803	980	1073

T80-9511-01-xx

AIR



TRIM ONLY

CC	KK	LL/MM†	BB
575	762	920	1006

T80-9512-01-xx

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
575	762	920	1006


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

1, 2 AND 3-WAY THERMOSTATIC PRESSURE-BALANCED

RVA-9501-X0-B

48h The Essentials



1-2-3-way thermostatic pressure-balanced rough-in

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Use with 1, 2 and 3-way trims
- Up to 2 accessories can be used at the same time with 2-way trims
- The best solution to minimize temperature fluctuations
- Cartridges supplied with the trim
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-9521-31

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

2-WAY TRIMS

T04-9521-01-xx
T04-9521-01-xx-NS

PETITE



TRIM ONLY

CC	KK	LL/MM	BB
645	845	1032	1129

T05-9521-01-xx
T05-9521-01-xx-NS

REC



TRIM ONLY

CC	KK	LL/MM†	BB
645	845	1032	1129

T20-9522-01-xx
T20-9522-01-xx-NS

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
925	1226	1480	1619

T20-9524-01-xx
T20-9524-01-xx-NS

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
925	1226	1480	1619

T35-9521-01-xx
T35-9521-01-xx-NS

MARIE



TRIM ONLY

Plaque - CC	Plaque - Autres
1294	1394

T45-9521-01-xx
T45-9521-01-xx-NS

SENS



TRIM ONLY

CC	KK	LL/MM	BB
645	845	1032	1129

T46-9521-01-xx
T46-9521-01-xx-NS

PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
677	887	1084	1185

T56-9521-01-xx
T56-9521-01-xx-NS

ACCENT



TRIM ONLY

CC	CB	CF
750	825	825

T66-9521-01-xx
T66-9521-01-xx-NS

ZIP



TRIM ONLY

CC	KK	LL/MM	BB
613	803	980	1073

T80-9521-01-xx
T80-9521-01-xx-NS

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
575	762	920	1006

T80-9522-01-xx
T80-9522-01-xx-NS

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
575	762	920	1006


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

SHOWER VALVES

RVA-9501-X0-B

48h The Essentials



1-2-3-way thermostatic pressure-balanced rough-in

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Use with 1, 2 and 3-way trims
- Up to 2 accessories can be used at the same time with 3-way trims
- The best solution to minimize temperature fluctuations
- Cartridges supplied with the trim
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-9521-31

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

3-WAY TRIMS

T04-9531-01-xx
T04-9531-01-xx-NS

PETITE



TRIM ONLY

CC	KK	LL/MM	BB
645	845	1032	1129

T05-9531-01-xx
T05-9531-01-xx-NS

REC



TRIM ONLY

CC	KK	LL/MM†	BB
645	845	1032	1129

T20-9532-01-xx
T20-9532-01-xx-NS

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
925	1226	1480	1619

T20-9534-01-xx
T20-9534-01-xx-NS

BEAUMONT



TRIM ONLY

CC	KK	LL/MM	BB
925	1226	1480	1619

T45-9531-01-xx
T45-9531-01-xx-NS

SENS



TRIM ONLY

CC	KK	LL/MM	BB
645	845	1032	1129

T46-9531-01-xx
T46-9531-01-xx-NS

PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
677	887	1084	1185

T56-9531-01-xx
T56-9531-01-xx-NS

ACCENT



TRIM ONLY

CC	CB	CF
750	825	825

T66-9531-01-xx
T66-9531-01-xx-NS

ZIP



TRIM ONLY

CC	KK	LL/MM	BB
613	803	980	1073

T80-9531-01-xx
T80-9531-01-xx-NS

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
575	762	920	1006

T80-9532-01-xx
T80-9532-01-xx-NS

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
575	762	920	1006

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

RVA-9562-00-B



2-port diverter rough-in valve with off (shared port)

- 1 outlet: 10.5 gpm (40 l/min) - 60 psi
- 2 outlets: 4 gpm (15 l/min) - 60 psi
- Can replace 2 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment
- 1/2" male NPT or welded copper connections

Water Saving Option CEC

Code	Features
RVA-9562-00-NS-B	1 accessory works at a time
RVA-9562-P0-NS-B	2-port diverter with non-shared port

RVA-9562-00-B	2-port diverter with stop rough-in (shared port) - 1/2" male NPT or welded copper connections	299
RVA-9562-00-NS-B	2-port diverter with stop rough-in (non-shared port) - 1/2" male NPT or welded copper connections	299

T04-9649-00-xx
PETITE



TRIM ONLY

CC	KK	LL/MM	BB
157	208	251	275

T05-9649-00-xx
REC



TRIM ONLY

CC	KK	LL/MM†	BB
188	250	301	330

T16-9641-00-xx
NAUTICA



TRIM ONLY

CC	KK	LL/MM†	BB
208	276	333	364

T18-9641-00-xx
RALPH



TRIM ONLY

CC/CB	KK/KB	LL/ LB	MM/MB†
208	276	333	364

T20-9600-20-xx
BEAUMONT



TRIM ONLY

CC	KK	LL/ MM	BB
225	298	360	394

T20-9600-40-xx
BEAUMONT



TRIM ONLY

CC	KK	LL/ MM	BB
225	298	360	394

T45-9649-00-xx
SENS



TRIM ONLY

CC	KK	LL/MM	BB
157	208	251	275

T46-9649-00-xx
PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
165	218	264	289

T47-9649-00-xx
FLORA



TRIM ONLY

Cx	Kx	Lx/Mx†	Bx
295	391	472	516

T56-9649-00-xx
ACCENT



TRIM ONLY

CC	CB	CF
185	204	204

T66-9649-00-xx
ZIP



TRIM ONLY

CC	KK	LL/MM	BB
157	208	251	275

T71-9641-00-xx
EVA



TRIM ONLY

CC	KK	LL/MM†	BB
208	276	333	364

T72-9641-00-xx
TRADITION



TRIM ONLY

CC	KK	LL/MM†	BB
208	276	333	364

T74-9641-00-xx
VICTOIRE



TRIM ONLY

CB	KB	LB/MB†	BB
208	276	333	333

T80-9649-00-xx
AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
85	113	136	149

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

SHOWER VALVES

RVA-9563-00-B



3-port diverter rough-in valve with off (shared port)

- 1 outlet: 9.7 gpm (37 l/min) - 60 psi
- 2 outlets: 5.2 gpm (20 l/min) - 60 psi
- Can replace 3 volume control valves
- Up to 2 accessories can be used at the same time
- Extra long cartridge for maximum adjustment
- Inlet: 3/4"F NPT - outlets: 1/2"F NPT

Water Saving Option CEC

Code	Features
RVA-9563-00-NS-B	1 accessory works at a time
RVA-9563-P0-NS-B	3-port diverter with non-shared port

RVA-9563-00-B	3-port diverter with stop rough-in (shared port) - inlet: 3/4"F NPT - outlets: 1/2"F NPT	299
RVA-9563-00-NS-B	3-port diverter with stop rough-in (non-shared port) - inlet: 3/4"F NPT - outlets: 1/2"F NPT	299

T04-9649-00-xx
PETITE



TRIM ONLY

CC	KK	LL/MM	BB
157	208	251	275

T05-9649-00-xx
REC



TRIM ONLY

CC	KK	LL/MM†	BB
188	250	301	330

T16-9641-00-xx
NAUTICA



TRIM ONLY

CC	KK	LL/MM†	BB
208	276	333	364

T18-9641-00-xx
RALPH



TRIM ONLY

CC/CB	KK/KB	LL/ LB	MM/MB†
208	276	333	364

T20-9600-20-xx
BEAUMONT



TRIM ONLY

CC	KK	LL/ MM	BB
225	298	360	394

T20-9600-40-xx
BEAUMONT



TRIM ONLY

CC	KK	LL/ MM	BB
225	298	360	394

T45-9649-00-xx
SENS



TRIM ONLY

CC	KK	LL/MM	BB
157	208	251	275

T46-9649-00-xx
PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
165	218	264	289

T47-9649-00-xx
FLORA



TRIM ONLY

Cx	Kx	Lx/Mx†	Bx
295	391	472	516

T56-9649-00-xx
ACCENT



TRIM ONLY

CC	CB	CF
185	204	204

T66-9649-00-xx
ZIP



TRIM ONLY

CC	KK	LL/MM	BB
157	208	251	275

T71-9641-00-xx
EVA



TRIM ONLY

CC	KK	LL/MM†	BB
208	276	333	364

T72-9641-00-xx
TRADITION



TRIM ONLY

CC	KK	LL/MM†	BB
208	276	333	364

T74-9641-00-xx
VICTOIRE



TRIM ONLY

CB	KB	LB/MB†	BB
208	276	333	333

T80-9649-00-xx
AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
85	113	136	149

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

RVA-2719-34-B



3/4” volume control valve rough-in

- 11.1 gpm (42 l/min) - 60 psi
- On/off volume control rough-in valve
- Offers higher flow
- Extra long cartridge for maximum adjustment
- 3/4” female NPT connections
- Extension may be cut to the length required
- Counterclockwise opening

RVA-2719-34-B Volume control valve rough-in - 3/4” female NPT connections 217

T04-9649-00-xx

PETITE



TRIM ONLY

CC	KK	LL/MM	BB
157	208	251	275

T05-9649-00-xx

REC



TRIM ONLY

CC	KK	LL/MM†	BB
188	250	301	330

T16-9641-00-xx

NAUTICA



TRIM ONLY

CC	KK	LL/MM†	BB
208	276	333	364

T18-9641-00-xx

RALPH



TRIM ONLY

CC/CB	KK/KB	LL/ LB	MM/MB†
208	276	333	364

T20-9600-20-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/ MM	BB
225	298	360	394

T20-9600-40-xx

BEAUMONT



TRIM ONLY

CC	KK	LL/ MM	BB
225	298	360	394

T45-9649-00-xx

SENS



TRIM ONLY

CC	KK	LL/MM	BB
157	208	251	275

T46-9649-00-xx

PROFILE



TRIM ONLY

CC	KK	LL/MM†	BB
165	218	264	289

T47-9649-00-xx

FLORA



TRIM ONLY

Cx	Kx	Lx/Mx†	Bx
295	391	472	516

T56-9649-00-xx

ACCENT



TRIM ONLY

CC	CB	CF
185	204	204

T66-9649-00-xx

ZIP



TRIM ONLY

CC	KK	LL/MM	BB
157	208	251	275

T71-9641-00-xx

EVA



TRIM ONLY

CC	KK	LL/MM†	BB
208	276	333	364

T72-9641-00-xx

TRADITION



TRIM ONLY

CC	KK	LL/MM†	BB
208	276	333	364

T74-9641-00-xx

VICTOIRE



TRIM ONLY

CB	KB	LB/MB†	BB
208	276	333	333

T80-9649-00-xx

AIR



TRIM (WITHOUT HANDLE)

CC	KK	LL/MM†	BB
85	113	136	149

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

RAC-9201-02-xx



CC	KK	LL/MM†	BB
165	219	264	256

Wall-mount supply elbow with
integrated volume control


- 6.9 gpm (26 l/min) - 60 psi
- Volume control valve
- Can be used to replace a volume control valve and a wall-mount supply elbow

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

VAL-2650-00-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
549	811	1048	1159	811	841	1274	1482

External thermostatic shower valve

- 5.4 gpm (20 l/min) - 60 psi
- Centred outlet
- To be paired with a sliding shower bar or a hand shower on wall-mounted supply elbow

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRO-1100-53-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1542	2043	2467	3185	2159	2396	3392	4163



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 8" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1100-53-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-1100-74-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1850	2452	2960	3822	2591	2875	4070	4996



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 8" shower head
- 2-spray hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1100-74-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-1101-16-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2035	2697	3256	4204	2850	3163	4477	5496



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 10" shower head
- 3-spray hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1100-16-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-1101-53-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1696	2247	2714	3504	2375	2636	3731	4579



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 10" round shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1101-53-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

Finishes: CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold, CB = chrome white, KB = matte black white, LB = satin brass white, MB = warm gold white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

SHOWER VALVES

PRO-1101-71-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2035	2697	3256	4204	2850	3163	4477	5496



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 10" shower head
- 2-spray hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1100-71-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-1104-53-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1573	2084	2516	3249	2202	2444	3460	4246



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 8" rounded square shower head
- 3-spray push-button hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1104-53-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPONENTS




BARIL

DSP-2555-20-xx

CC
319





1-spray hand shower on wall-mounted supply elbow

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes


Water Saving Options

Codes	Reduced Flow Rates
DSP-2555-20-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2555-20-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DSP-2561-19-xx

CC	KK
286	390





1-spray hand shower on wall-mounted supply elbow

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes


Water Saving Options

Codes	Reduced Flow Rates
DSP-2561-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2561-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DSP-2566-19-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
309	416	542	532	471	515	832	941





3-spray hand shower on wall-mounted supply elbow

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options

Codes	Reduced Flow Rates
DSP-2566-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2566-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

DSP-2574-19-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
355	478	623	612	542	582	919	1082





3-spray hand shower on wall-mounted supply elbow

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options


Codes	Reduced Flow Rates
DSP-2574-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2574-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DSP-2584-19-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
355	478	623	612	542	582	919	623	1082





3-spray hand shower on wall-mounted supply elbow

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options


Codes	Reduced Flow Rates
DSP-2584-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2584-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DSP-2584-20-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
376	507	660	649	575	617	974	1147





3-spray hand shower on wall-mounted supply elbow

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options

Codes	Reduced Flow Rates
DSP-2584-20-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2584-20-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

DSP-2604-19-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
355	478	623	612	542	582	919	1082





1-spray hand shower on wall-mounted supply elbow

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles
- Brass construction

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes


Water Saving Options

Codes	Reduced Flow Rates
DSP-2604-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2604-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DSP-2604-21-xx

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
550	730	894	845	750	823	1172	1289





1-spray hand shower on wall-mounted supply elbow

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles
- Brass construction

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

x= color accent, see FLORA B47 collection
Product shown here in CC


Water Saving Options

Codes	Reduced Flow Rates
DSP-2604-21-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2604-21-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DSP-2620-29-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
451	608	792	779	690	740	1120	1262





1-spray hand shower on wall-mounted supply elbow

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- Brass hose for all finishes

Water Saving Options

Codes	Reduced Flow Rates
DSP-2620-29-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2620-29-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

DSP-2635-19-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
376	507	660	649	575	617	974	1147





2-spray sliding shower bar

Hand shower:
- 2 gpm (7,6 l/min) - 80 psi
- 3-1/4" diameter mechanism
- 2-spray mechanism: rain, mist
- Easy-to-clean silicone nozzles

Wall-mounted supply elbow:
- 1/2" F connection
- Brass elbow

Hose:
- Conical nut 1/2" female
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options

Codes	Reduced Flow Rates
DSP-2635-19-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DSP-2635-19-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

DGL-2068-53-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
622	819	1111	1166	970	1026	1920	2098





3-spray sliding shower bar


- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- Brass hose for all finishes

Water Saving Options


Codes	Reduced Flow Rates
DGL-2068-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2068-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DGL-2070-51-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
549	757	1027	1078	897	949	1776	1940







1-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 1-spray hand shower
- Single spray pattern
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes
- Ø 2" decorative flange included

Water Saving Options


Codes	Reduced Flow Rates
DGL-2070-51-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2070-51-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DGL-2070-53-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
499	706	978	1027	854	904	1691	1848







3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes
- Ø 2" decorative flange included

Water Saving Options

Codes	Reduced Flow Rates
DGL-2070-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2070-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

† Warm Gold (MM) finish available across all products in Q3.
See: baril design.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPONENTS

DGL-2070-57-xx







CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
549	757	1027	1078	897	949	1776	1940

3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray push-button hand shower
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes
- Ø 2" decorative flange included

Water Saving Options

Codes	Reduced Flow Rates
DGL-2070-57-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2070-57-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

DGL-2070-62-xx

CC	CI	CK	KK	KI	LL/MM†	BB	NN	YY	VV/TT	GG
565	667	622	780	819	1058	1110	924	977	1829	1998







2-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 2-spray hand shower
- 3-1/4" diameter mechanism
- 2-spray mechanism: rain, mist
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes- Ø 2" decorative flange included

Water Saving Options


Codes	Reduced Flow Rates
DGL-2070-62-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2070-62-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-2160-03-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
499	706	978	1027	854	904	1691	1848





3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options

Codes	Reduced Flow Rates
DGL-2160-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2160-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, CI = chrome mist, CK = chrome matte black, KI = matte black mist, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

DGL-2170-63-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
250	326	513	572	496	513	1253	1275





3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes


Water Saving Options

Codes	Reduced Flow Rates
DGL-2170-63-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2170-63-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DGL-2175-52-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
373	494	684	747	597	641	1474	1594





3-spray sliding shower bar with built-in supply elbow

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- Built-in wall supply elbow (1/2" F connection)
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options


Codes	Reduced Flow Rates
DGL-2175-52-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2175-52-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DGL-2175-53-xx

48h **Promo Price**
The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
336	445	616	675	537	589	1327	616	1436





3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray hand shower
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options

Codes	Reduced Flow Rates
DGL-2175-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2175-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

† Warm Gold (MM) finish available across all products in Q3.
See: baril design.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

DGL-2580-53-xx

Promo Price
The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
373	494	684	747	597	641	1474	1594





3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray push-button hand shower
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options

Codes	Reduced Flow Rates
DGL-2580-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2580-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

DGL-2584-53-xx

Promo Price
The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
373	494	684	747	597	641	1474	684	1594





3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray push-button hand shower
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options


Codes	Reduced Flow Rates
DGL-2584-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-2584-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DGL-3070-53-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
454	603	880	978	769	814	1603	1753





3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray push-button hand shower
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options

Codes	Reduced Flow Rates
DGL-3070-53-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-3070-53-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

COMPONENTS

DGL-3080-73-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
565	780	1058	1110	924	977	1829	1998





3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray push-button hand shower
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes


Water Saving Options

Codes	Reduced Flow Rates
DGL-3080-73-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-3080-73-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DGL-3080-83-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
565	780	1058	1110	924	977	1829	1998





3-spray sliding shower bar

- Max: 2 gpm (7,6 l/min) - 80 psi
- 3-spray push-button hand shower
- 3-spray mechanism: rain, mist and mix of the two
- Easy-to-clean silicone nozzles
- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Water Saving Options


Codes	Reduced Flow Rates
DGL-3080-83-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DGL-3080-83-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

BGL-2068-50-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
498	655	889	933	776	821	1536	1678


Shower bar with slider

- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- Metal construction

BGL-2070-50-xx








CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
439	606	822	862	718	759	1421	1552

Shower bar with slider

- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- Metal construction
- Ø 2" decorative flange included

BGL-2160-00-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
399	565	782	822	683	723	1353	1478

Shower bar with slider

- Metal construction

BGL-2175-50-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
269	356	493	540	430	471	1062	1149

Shower bar with slider


- Easy-to-move metal slider with patented design
- Built-in hook on the slider

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, II = mist, GG = gold

COMPONENTS

BGL-2175-70-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
200	261	410	458	397	410	1002	1020

Shower bar with slider

BGL-2175-90-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
298	395	547	598	478	513	1179	1275

Shower bar with slider

- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- Built-in wall supply elbow 1/2" F connection

BGL-2580-50-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
298	395	547	598	478	513	1179	1275

Shower bar with slider

- Easy-to-move metal slider with patented design
- Built-in hook on the slider

BGL-3070-50-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
363	482	704	782	615	651	1282	1402

Shower bar with slider

- Easy-to-move metal slider with patented design
- Built-in hook on the slider


† Warm Gold (MM) finish available across all products in Q3.
See: baril design.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

BGL-3080-50-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
452	624	846	888	739	782	1463	1598





Shower bar with slider

- Easy-to-move metal slider with patented design
- Built-in hook on the slider
- Metal construction


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

DOU-1219-01-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
122	171	196	201	179	186	374	418





1-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Brass construction

Water Saving Options


Codes	Reduced Flow Rates
DOU-1219-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-1219-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DOU-2551-03-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
79	104	138	138	131	147	302	318





3-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles

Water Saving Options


Codes	Reduced Flow Rates
DOU-2551-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2551-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DOU-2555-01-xx

CC
72





1-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Water Saving Options


Codes	Reduced Flow Rates
DOU-2555-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2555-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

DOU-2561-01-xx

CC	KK
60	89





1-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles

Water Saving Options

Codes	Reduced Flow Rates
DOU-2561-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2561-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

† Warm Gold (MM) finish available across all products in Q3.
See: baril design.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

COMPONENTS

DOU-2566-03-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
87	114	148	148	138	162	324	148	350





3-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles


Water Saving Options

Codes	Reduced Flow Rates
DOU-2566-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2566-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi

DOU-2574-03-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
140	186	224	225	196	213	394	444





3-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- 4-3/4" diameter mechanism
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles


Water Saving Options

Codes	Reduced Flow Rates
DOU-2574-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2574-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi

DOU-2584-03-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
140	186	224	225	196	213	394	224	444





3-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- 3-spray mechanism: rain, mist and mix of the two
- Push-button mechanism
- Easy-to-clean silicone nozzles


Water Saving Options

Codes	Reduced Flow Rates
DOU-2584-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2584-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi

DOU-2604-01-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
140	186	224	225	196	213	394	224	444





1-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles
- Brass construction

Water Saving Options

Codes	Reduced Flow Rates
DOU-2604-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2604-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

COMPONENTS

DOU-2620-01-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
210	284	336	338	305	320	532	578





1-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- Single spray pattern
- Easy-to-clean silicone nozzles
- Brass construction


Water Saving Options

Codes	Reduced Flow Rates
DOU-2620-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2620-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DOU-2625-03-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
140	186	224	225	196	213	394	444





3-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- 4" diameter mechanism
- 3-spray mechanism: rain, massage and mix of the two
- Easy-to-clean silicone nozzles


Water Saving Options

Codes	Reduced Flow Rates
DOU-2625-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2625-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

DOU-2635-02-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	II	GG
161	229	269	259	225	255	453	299	511





2-spray hand shower

- 2 gpm (7,6 l/min) - 80 psi
- 3-1/4" diameter mechanism
- 2-spray mechanism: rain, mist
- Easy-to-clean silicone nozzles

Water Saving Options


Codes	Reduced Flow Rates
DOU-2635-02-xx-150	1.5 gpm (5.7 l/min) - 80 psi
DOU-2635-02-xx-175	1.75 gpm (6.6 l/min) - 80 psi CEC

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

BOY-2012-01-xx

CC	NN
112	195



79” (200 cm) hand shower hose

- Conical nut 1/2” female
- 79” (200 cm) double interlock flexible hose, rotating nut with 2 non-return valves

BOY-2700-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	II	KM	GG
85	158	185	173	158	158	198	185	185	240



59” (150 cm) hand shower hose

- Conical nut 1/2” female
- 59” (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves

Water Saving Options

Codes	Reduced Flow Rates
BOY-2700-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi
BOY-2700-00-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

BOY-2800-00-xx

CC	KK
86	115



59” (150 cm) PVC hand shower hose

- Conical nut 1/2” female
- 59” (150 cm) flexible hose, rotating nut with 2 non-return valves

Water Saving Options

Codes	Reduced Flow Rates
BOY-2800-00-xx-150	1.5 gpm (5.7 l/min) - 80 psi
BOY-2800-00-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, II = mist, KM = black titanium, GG = gold

COMPONENTS

RAC-9001-13-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
72	95	115	112	101	104	158	194





Wall-mounted supply elbow


- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet

RAC-9001-16-xx

48h The Essentials

CC	KK	LL /MM	BB	NN	YY	VV/TT	II	KM	GG
104	138	167	162	146	151	229	167	167	281






Wall-mounted supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-18-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
130	173	209	203	183	189	286	351






Square wall-mounted supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-19-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
165	219	264	256	231	239	362	264	444






Wall-mounted hand shower holder and supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-20-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
190	252	304	294	266	275	416	511






Wall-mounted hand shower holder and supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-21-xx

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
354	468	537	515	439	499	779	749





Wall-mounted hand shower holder and supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet

x= color accent, see FLORA B47 collection
Product shown here in CF

† Warm Gold (MM) finish available across all products in Q3.
See: baridesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

RAC-9001-26-xx

48h The Essentials

CC	KK	LL/MM	NN
49	66	78	69






Wall-mounted supply elbow 1/2" F

- Adjustable depth
- G 1/2" male water outlet

RAC-9001-28-xx

CC	KK
63	83






Square wall-mounted supply elbow

- Adjustable depth
- G 1/2" male water outlet

RAC-9001-29-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
182	241	290	282	254	263	398	488






Wall-mounted hand shower holder and supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9001-49-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
150	199	240	233	210	217	329	404






Wall-mounted supply elbow

- Brass elbow
- 1/2" F NPT connection
- G 1/2" male water outlet
- Adjustable depth

RAC-9201-02-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
165	219	264	256	231	239	362	444





Wall-mounted 1/2" F supply elbow with integrated volume control

- 6.9 gpm (26 l/min) - 60 psi
- Volume control valve
- Brass elbow
- G 1/2" male water outlet
- Can be used to replace a volume control valve and a wall-mounted supply elbow


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, II = mist, KM = black titanium, GG = gold

COMPONENTS

SUP-1015-14-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
169	264	312	328	237	255	381	449





Wall-mounted hand shower support


- Made of solid brass
- Swivel hand shower bracket

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

TET-0304-05-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
75	95	154	218	132	148	299	325

5-spray modern shower head

- 2 gpm (7,6 l/min) - 80 psi
- Easy-to-clean silicone nozzles


Water Saving Options

Codes	Reduced Flow Rates
TET-0304-05-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0304-05-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-0620-05-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
105	139	178	238	147	172	399	449

Round 6" 5-spray shower head

- 2 gpm (7,6 l/min) - 80 psi
- Easy-to-clean silicone nozzles

Water Saving Options


Codes	Reduced Flow Rates
TET-0620-05-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0620-05-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-0810-01-xx

48h The Essentials





CC	KK	LL /MM	BB	NN	YY	VV/TT	KM	GG
295	391	472	426	413	443	746	472	819

Round 8" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles


Water Saving Options

Codes	Reduced Flow Rates
TET-0810-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0810-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-0811-02-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
339	450	543	498	475	509	858	942

Square 8" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles


Water Saving Options

Codes	Reduced Flow Rates
TET-0811-02-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0811-02-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-0812-03-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
373	495	597	615	523	560	944	1036

Sunflower 8" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles

Water Saving Options

Codes	Reduced Flow Rates
TET-0812-03-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0812-03-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

COMPONENTS

TET-0813-01-xx

CC	KK	LL/MM	NN
213	261	298	278





Round 8" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Polished stainless steel thin shower head
- Easy-to-clean silicone nozzles

Water Saving Options

Codes	Reduced Flow Rates
TET-0813-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0813-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

TET-0815-01-xx

48h The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
310	411	499	447	439	465	783	499	860





Rounded square 8" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles

Water Saving Options


Codes	Reduced Flow Rates
TET-0815-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-0815-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-1010-01-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
428	567	684	703	599	642	1082	1188





Round 10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles

Water Saving Options


Codes	Reduced Flow Rates
TET-1010-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1010-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-1010-47-xx

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
879	1474	1597	1694	1231	1275	1899	2373





Flora round 10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles

Water Saving Options


Codes	Reduced Flow Rates
TET-1010-47-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1010-47-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

x= color accent, see FLORA B47 collection
Product shown here in CF

TET-1011-01-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
529	701	846	926	741	771	1324	1428





Square 10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles

Water Saving Options

Codes	Reduced Flow Rates
TET-1011-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1011-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

TET-1013-01-xx

48h The Essentials

CC	KK	LL/MM	NN
310	411	499	449





Round 10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Polished stainless steel thin shower head
- Easy-to-clean silicone nozzles

Water Saving Options

Codes	Reduced Flow Rates
TET-1013-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1013-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

TET-1014-01-xx

WaterSense

CC
341





Square 10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Polished stainless steel thin shower head
- Easy-to-clean silicone nozzles

Water Saving Options


Codes	Reduced Flow Rates
TET-1014-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1014-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC WaterSense

TET-1020-01-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
492	652	787	773	689	738	1244	1366





Round 10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles

Water Saving Options

Codes	Reduced Flow Rates
TET-1020-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1020-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

TET-1050-01-xx

48h The Essentials

CC	KK	LL/MM	NN	KM
310	411	499	449	499





Round 10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Stainless steel shower head
- Easy-to-clean silicone nozzles

Water Saving Options

Codes	Reduced Flow Rates
TET-1050-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1050-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

TET-1054-01-xx

48h The Essentials

CC	KK	LL/MM	NN	KM
326	432	524	471	524





Square 10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Polished stainless steel thin shower head
- Easy-to-clean silicone nozzles

Water Saving Options

Codes	Reduced Flow Rates
TET-1054-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1054-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

COMPONENTS

TET-1208-01-xx

CC	KK
326	432





Rectangular 12" x 8" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Polished stainless steel thin shower head
- Easy-to-clean silicone nozzles


Water Saving Option


Codes	Reduced Flow Rates
TET-1208-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1208-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-1210-01-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
621	822	992	1206	869	931	1569	1586





Round 12" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles

Water Saving Option


Code	Reduced Flow Rates
TET-1210-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-1212-04-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
714	945	1141	1387	999	1071	1804	1824





Square 12" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles

Water Saving Option


Code	Reduced Flow Rate
TET-1212-04-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-1610-01-xx

CC	KK	LL/MM	NN	KM
424	562	681	612	681





Rectangular 16" x10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Polished stainless steel thin shower head
- Easy-to-clean silicone nozzles


Water Saving Options


Codes	Reduced Flow Rates
TET-1610-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1610-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-1616-01-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1071	1418	1712	2081	1499	1607	2706	2736





Round 16" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles
- Install with a straight ceiling mount only

Water Saving Option


Code	Reduced Flow Rate
TET-1616-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi


CEC

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

TET-1616-02-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1178	1560	1883	2289	1649	1768	2977	3010


Square 16" shower head


- 2 gpm (7,6 l/min) - 80 psi
- Brass shower head
- Easy-to-clean silicone nozzles
- Install with a straight ceiling mount only

Water Saving Option

Code	Reduced Flow Rate
TET-1616-02-xx-175	1.75 gpm (6.6 l/min) - 80 psi

TET-2012-01-xx





CC
675

Rectangular 20" x 12" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Polished stainless steel thin shower head
- Easy-to-clean silicone nozzles

Water Saving Option

Code	Reduced Flow Rate
TET-2012-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi


Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

COMPONENTS

BRA-0612-02-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
58	81	108	108	84	89	152	195






6" wall-mounted shower arm

- 1/2" M NPT connection

BRA-0612-14-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
81	113	151	151	118	125	213	273






6" wall-mounted shower arm, square flange

- 1/2" M NPT connection

BRA-1012-02-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
99	138	184	184	143	151	258	332






10" wall-mounted shower arm

- 1/2" M NPT connection

BRA-1012-14-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
105	147	196	196	153	163	277	355






10" wall-mounted shower arm, square flange

- 1/2" M NPT connection

BRA-1012-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
139	193	258	258	200	211	361	465





10" wall-mounted shower arm

- 1/2" M NPT connection


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

BRA-1212-02-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
99	138	184	184	143	151	258	332






12" wall-mounted shower arm

- 1/2" M NPT connection

BRA-1212-14-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
105	147	196	196	153	163	277	355







12" wall-mounted shower arm, square flange

- 1/2" M NPT connection

BRA-1212-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
139	193	258	258	200	211	361	465






12" wall-mounted shower arm

- 1/2" M NPT connection

BRA-1409-02-xx

CC	KK	BB
285	492	579






15" L-shaped wall-mounted shower arm

- 1/2" F NPT connection
- Ø 2" optional round flange

BRA-1608-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
361	502	671	671	520	549	939	1209





17" L-shaped wall-mounted shower arm


- 1/2" F NPT connection

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

BRA-1612-44-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
160	222	297	297	230	243	415	535





16" wall-mounted shower arm, square flange


- 1/2" M NPT connection

BRA-1612-66-xx

48h The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
139	193	258	258	200	211	361	258	465






16" wall-mounted shower arm

- 1/2" M NPT connection

BRA-1614-04-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
222	309	413	413	320	338	578	744





16" rectangular wall-mounted shower arm


- 1/2" F NPT connection

BRA-1812-02-xx

48h The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
125	174	232	232	180	190	325	419






18" wall-mounted shower arm

- 1/2" M NPT connection

BRA-1812-14-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
150	209	278	278	216	228	390	503





18" wall-mounted shower arm, square flange

- 1/2" M NPT connection


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

BRA-1812-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
173	240	320	320	248	262	449	578







18" wall-mounted shower arm

- 1/2" M NPT connection

BRA-1815-02-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
264	367	490	490	380	401	686	884






18" wall-mounted shower arm

- 1/2" F NPT connection

BRA-1816-02-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
139	193	258	258	200	211	361	465





18" wall-mounted shower arm


- 1/2" M NPT connection

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

COMPONENTS

RAC-0318-02-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
52	73	97	97	76	80	137	176

3'' ceiling mounted shower arm

- 1/2" M NPT connection

RAC-0318-14-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
69	96	128	128	100	113	181	232

3'' ceiling mounted shower arm, square flange

- 1/2" M NPT connection

RAC-0318-20-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
104	146	194	194	151	160	274	351

3'' ceiling mounted shower arm

- 1/2" M NPT connection

RAC-0618-02-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
58	81	108	108	84	89	152	152	195

6'' ceiling mounted shower arm

- 1/2" M NPT connection

RAC-0618-14-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
81	113	151	151	118	125	213	273

6'' ceiling mounted shower arm, square flange


- 1/2" M NPT connection

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

RAC-0618-20-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
116	162	216	216	168	178	304	390

6'' ceiling mounted shower arm

- 1/2" M NPT connection

RAC-0918-02-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
87	122	162	162	126	134	228	293

9'' ceiling mounted shower arm

- 1/2" M NPT connection

RAC-0918-14-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
97	136	181	181	142	150	256	328

9'' ceiling mounted shower arm, square flange

- 1/2" M NPT connection

RAC-0918-20-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
125	174	232	232	180	190	325	419

9'' ceiling mounted shower arm

- 1/2" M NPT connection

RAC-1218-02-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
99	138	184	184	143	151	258	332

12'' ceiling mounted shower arm


- 1/2" M NPT connection

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

COMPONENTS

RAC-1218-14-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
105	147	196	196	153	163	277	355

12'' ceiling mounted shower arm, square flange

- 1/2" M NPT connection

RAC-1218-20-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
139	193	258	258	200	211	361	465

12'' ceiling mounted shower arm

- 1/2" M NPT connection


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

BEC-0520-20-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
295	391	472	516	413	438	649	797





Beaumont tub spout without diverter


- Slip-on installation
- Laminar stream

BEC-0520-37-xx

48h The Essentials

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
131	163	287	372	257	271	418	287	504





Round modern tub spout without diverter 1/2" F


- 1/2" F NPT connection
- Laminar stream

BEC-0520-45-xx

48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
333	442	533	583	467	495	733	901





Sens tub spout without diverter


- Slip-on installation
- Laminar stream

BEC-0520-46-xx

48h The Essentials

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
363	482	581	635	509	540	799	581	982






Profile tub spout without diverter

- Slip-on installation
- Laminar stream

BEC-0520-73-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
87	109	191	248	171	181	278	191	336





Round 7" tub spout without diverter


- Slip-on installation
- Laminar stream

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, KM = black titanium, GG = gold

BEC-0520-74-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
109	136	239	310	214	226	348	420







Round 7” tub spout with diverter

- Slip-on installation
- Laminar stream

BEC-0520-83-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
109	136	239	310	214	226	348	420






Square 7” tub spout without diverter

- Slip-on installation
- Laminar stream

BEC-0520-84-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
131	163	287	372	257	271	418	504





Square 7” tub spout with diverter


- Slip-on installation
- Laminar stream

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

BOD-5002-01-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
144	191	230	287	202	209	335	394

Cylindrical lateral body jet

- 2 gpm (7,6 l/min) - 80 psi
- Swivel body jet
- Easy-to-clean silicone nozzles
- Hard rain spray pattern and mist central spray pattern

BOD-5004-02-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
348	461	557	590	473	498	699	745

Square lateral body jet

- 2 gpm (7,6 l/min) - 80 psi
- Swivel body jet
- Easy-to-clean silicone nozzles
- Hard rain spray pattern

BOD-5006-01-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
314	416	502	549	440	456	691	672

Square built-in lateral body jet

- 2 gpm (7,6 l/min) - 80 psi
- Swivel body jet
- Easy-to-clean silicone nozzles
- Rain spray pattern

BOD-5007-01-xx





CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
299	396	478	523	419	434	658	640

Round built-in lateral body jet

- 2 gpm (7,6 l/min) - 80 psi
- Swivel body jet
- Easy-to-clean silicone nozzles
- Rain spray pattern

Water Saving Options

Codes	Reduced Flow Rates
BOD-5007-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
BOD-5007-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

Finishes:
CC = chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold

COMPONENTS

EXT-2600-01

76



Fittings for external thermostatic valve

- Extension may be cut to the required lenght
- 1/2" F NPT connection

EXT-3404-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
76	101	122	133	106	110	191	205



1-3/8" decorative extension for thick wall or to correct deep rough-ins

- For rough-in valve RVA-3404-00-B only

EXT-9521-31

120



1-1/2" decorative extension for thick wall or to correct deep rough-ins

- For the following rough-in valves:
  RVA-9501-00-B and RVA-9501-P0-B

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

General Information

Authorized retailer for BARIL

To be an authorized retailer for BARIL, a retailer must:
- Be in a non-protected territory
- Have a showroom that represents BARIL's standards
- Be accepted as an authorized retailer by BARIL's management
- Present a minimum of 20 BARIL products in the showroom
- Obtain credit approval
- Present BARIL's brand image
- Offer an acceptable discount to its customers

Terms and conditions

Price: The prices are subject to change without notice. Taxes will be added if applicable.

Terms of payment: Payment terms are net 30 days. An interest charge of 2% per month (24% per year) will be charged on late payments. No delivery will be made to clients who don't comply with the terms of payment.

Delivery: Prices are F.O.B. from our warehouses. BARIL's responsibility ends when the merchandise is given to the carrier. Claims for damage related to transportation must be made by the retailer.

Merchandise return:
- Merchandise may not be returned without BARIL's authorization
- BARIL reserves the right to refuse a merchandise return at all times
- A 25% return fee with be charged to the client
- Merchandise must be returned in its original packaging
- Merchandise must not be damaged
- Parts with a manufacturing defect will be replaced at no charge
- BARIL will replace or repair the defective part at its discretion

Recommendations:
BARIL recommends the use of services offered by a professional plumber for any installation or repair work. BARIL recommends that products be wiped dry after each use to prevent water-spotting and mineral build-up.

Do not allow water to come into prolonged contact with faucet's surface, wipe down after each use. Do not allow water to accumulate at base of faucet.

BARIL recommends that products be cleaned with a mild, non-abrasive liquid soap, warm water and soft cloth.

Never use abrasive products, chemicals, corrosives that are very strong or in powder form, including toothpaste, detergents, scouring products, window cleaners and disinfectants.

Failure to give the faucet the proper care may void the warranty.

Care Instructions

To keep your BARIL faucet looking its best, please follow these simple care instructions:

Do:

1. Rinse the faucet with clear water.
2. Dry the faucet with a soft cotton cloth.

Regular and routine cleaning will allow you to maintain your faucet in good condition. Wipe dry after each use with a soft dry cotton cloth to prevent water-spotting and mineral build-up.

If heavy cleaning is required, the following procedures are recommended:

1. Remove surface dirt and film using clear water and a soft cotton cloth.
2. To remove tough surface film and build-up dirt, use a non-acidic, non-abrasive gentle liquid soap without detergent.
3. Once clean, rinse faucet with clear water to thorough-inly remove cleaner and blot dry with a soft cotton cloth.

While all BARIL finishes are designed for maximum durability, failure to properly care for your faucet may void the warranty. As a result, here are a few helpful tips:

Do not:

1. Use abrasive cloths, cleaning pads or paper towels.
2. Use any abrasive cleansers (like Vim®, etc.).
3. Use any cleaning agents containing acids, polish, waxes, alcohol, ammonia, bleach, solvents or any other corrosive or harsh chemical cleansers.
4. Allow water to come into prolonged contact with faucet surface or to accumulate at base of faucet: preferably wipe down after each use.

Special finishes:

24K gold is a precious and soft finish, which must be treated gently, as you would treat fine jewelry.

The other special finishes like nickel, copper, bronze, matte black, etc. are unique handcrafted finishes, created so no two finishes look exactly alike.

Follow all the recommendations listed above and make sure to wipe dry after each use with a soft dry cotton cloth.

Thanks to proper care, you will enjoy the glance of BARIL faucets for years.

Warranty

BARIL offers a limited* lifetime warranty on all of its products[1] against any defect affecting materials or any manufacturing defect. This warranty is offered and will benefit only the original purchaser of the product, for as long as such person remains the owner of the residence of the original installation and of the product. This warranty covers residential and multi-residential projects.[2]

The BARIL warranty covers all finishes as long as the product has been used under normal conditions and by strictly applying the maintenance conditions described on the website at barildesign.com/maintenance.

Proof of purchase or the original purchase invoice must accompany any claim submitted to BARIL.

BARIL agrees, following its analysis, to provide as a replacement, as the case may be, one or more spare parts or the same product (or, if it is no longer available, a comparable product of equivalent value).

BARIL recommends retaining the services of a professional installer, competent and able to carry out the installation strictly and only according to the instructions provided by the manufacturer.

The owner-user is responsible for access to the residence for the installation or repair of the product. BARIL's aggregate obligation under this warranty shall in no event exceed the original purchase price of the faucet.

***Limitations:**

- This warranty is limited to original BARIL products purchased from an **authorized BARIL retailer.**
- **All electrical and/or electronic parts and/or components are covered by a limited five (5) year warranty**. Batteries are excluded from any BARIL's warranty.
- The warranty period for any product installed as part of a **hospitality project (hotel, restaurant, spa, gym) is (1) one year** from the original purchase date from an authorized BARIL retailer/distributor.
- This warranty is **not transferable**.

***The warranty does not cover:**

- Any BARIL product cleaned with abrasive, irritating or corrosive products or more generally any product not specifically recommended for cleaning faucets;
- Any BARIL product that has **not been installed in accordance with the manufacturer's instructions and the applicable laws and codes** in force;
- Normal wear of components and finishes;
- Any **application and/or use of an industrial, institutional or commercial type not expressly mentioned above[3];**
- Damage caused by or originating from:
    - The presence of hard water, lime deposits or sediment;
    - The storage of any cleaning product — household or industrial — regardless of its chemical composition or content, in the immediate environment of the BARIL product, including cabinets and vanities located under the sink and plumbing fixtures. These cleaning products may attack and corrupt the integrity of the plumbing fixtures, including their various components;
    - A disaster, natural or not, such as fire, flood, earthquake, thunder, electrical storm or any other phenomenon of the same nature;
    - Hot water with a temperature above 158°F (70°C) and/or water pressure at the tap exceeding 5.5 bars (80 psi);
    - Freezing and/or clogging of supply pipes;
    - Any other case resulting from a lack of use, negligent or abusive, or maintenance of BARIL products;
    - Installation error, negligence or abusive use.
- Any BARIL product installed **outdoors** (outside a residence) except for BARIL products that are specifically designed and advertised for such use;
- Any damages caused if "Winterization Instructions" were not properly followed (for specific Outdoor-Kitchen products);
- Any BARIL products installed **outside of North America**;
- Any claim including false information, false and/or misleading statements, or voluntary or involuntary omissions about the context of the claim and/or installation of the product;
- BARIL is not responsible for any damages, losses, injuries, or costs of any kind, indirect, incidental, or consequential, including, but not limited to, loss of use, related to parts and/or products from BARIL.

Notes and definitions:

[1] The BARIL PRO line of products is covered by a separate warranty available at barilpro.com/warranty.

[2] **"RESIDENTIAL AND MULTI-RESIDENTIAL" define and include:**

- Owner-occupied houses and condos;
- Rental condos and apartments with a long-term lease of 12 months;
- Residential rental apartments for elderly people, excluding common and public areas, as well as kitchen and dining areas.

[3] **"INDUSTRIAL, INSTITUTIONNAL AND COMMERCIAL" define and include:**

- Buildings or establishments for commercial use, where transactions are carried out with clients;
- Health network establishments (hospitals, CLSCs, medical clinics, health professionals' offices);
- Industrial establishments (e.g. warehouses, distribution centres, production plants, etc.);
- Office buildings;
- Any other public area using sanitary facilities.

Legal provisions:

This warranty excludes all other warranties, including, but not limited to, any mandatory warranties that relate to merchantability or fitness for use. This warranty and its limitations and exclusions may not apply to you or may apply in addition to other rights and remedies due to legal provisions applicable in certain states, provinces or countries.

Notwithstanding any provision of this warranty, BARIL shall not be liable for any punitive, special, incidental or consequential damages arising out of or in any way related to BARIL products, whether under contract, warranty, tort, statute or otherwise. Excluded damages include, but are not limited to, damages for loss of use, loss of time, inconvenience, impairment or any other loss howsoever arising. THE EXCLUSION OF INCIDENTAL AND CONSEQUENTIAL DAMAGES PROVIDED HEREIN SHALL APPLY NOTWITHSTANDING ANY OTHER TERMS OF THIS WARRANTY AND SHALL APPLY TO ALL WARRANTIES, REMEDIES AND OTHER TERMS OF THIS WARRANTY. This disclaimer shall not be construed as affecting in any way BARIL's obligations, if any, with respect to third-party claims for property damage, personal injury or death. This warranty shall not be construed as conferring any rights with respect to the foregoing.

BARIL accepts no responsibility for any labor or shipping costs as well as any damage in whole or in part caused by the improper installation of the product, its removal, its reinstallation or its repair or caused to the product as a result of the use of one or more spare parts other than BARIL's original parts. BARIL is not responsible for costs related to an installation that does not comply with the laws and codes in force at the place of installation.

The owner-user will remain solely responsible for all claims, damages, losses, liabilities, obligations and judgments, of whatever nature, including all costs and expenses, including costs and reasonable attorneys' fees relating thereto (hereinafter, collectively, "claims"), related to the BARIL product, which arises on or after the original date of purchase (including, but not limited to, any replacement parts) and for the period during which the owner-user remains the owner of the BARIL product and the residence of the original installation, and which derives directly or indirectly, in any way, from (a) the ownership of the BARIL product by the owner-user or after it, or (b) the use, possession, dispossession, repossession, control, operation or location of the BARIL product by the user owner or by a third party on the original date of purchase or after it, or (c) any condition or defect in the BARIL product, whether concealed or not, regardless of when such defect is discovered, but only with respect to claims for material damage or bodily injury are not actionable prior to the original date of purchase, to the extent such condition arose, or was discovered or reported, on or after the original date of purchase. The foregoing indemnity applies to all claims for which the owner-user is liable under the preceding sentence, whether such claims are in tort (including, but not limited to, strict liability).

Customer Service Policies

After 40 years in the industry, BARIL is well known for the quality of its products and the excellence of its after-sale customer service.

Technical support

In case of any issue, you may contact us at 1.800.463.3871 or at info@barildesign.com. For any questions related to our products, their installation or their use, our team of specialists is here to guide you. Our customer service advisors are trained by our product designers, who are responsible for designing BARIL faucets.

Parts box

BARIL's authorized retailers can receive a parts box. It will be personalized according to your purchases and will provide you the most needed parts. The replacement parts are distributed free of charge to enable you to offer an excellent after-sale service to your customers.

For parts replacement, BARIL's sales representative will make sure to take back the defective parts and replace them if needed. All defective parts will be exchanged free of charge.

It is important to keep, at all times, the defective parts returned by your customer. Only parts with manufacturing defect will be replaced free of charge.

Service call policy

In order to offer you the best after-sale service possible, here is how to proceed when making a service call. We remind you that BARIL is only responsible for the cost of the parts and does not cover fees related to products being installed and/or uninstalled.

Not only do you have the support of our representatives, but our technical service is always ready to help you with the installation or repair of a product. To make sure you get a quick answer, here is how to proceed when making a service call:

1. For each service call, please fill out the service call form with as much details as possible concerning the problem, diagnosis or solution;

2. Send the form by fax at the following number: 1.877.693.3005 or by e-mail at the following address: info@barildesign.com and remember to give us all the necessary information;

3. Please send your customer's invoice with the exact product's code as well as the exact date of purchase along with the form;

4. Our employee will take the dispositions needed to accommodate your client. If the situation needs an immediate action, please specify it on the document. All service calls will be answered within 48 hours, from Monday to Friday;

5. If a replacement part is needed, it will be sent to the distributor under the name of the consumer;

6. If necessary, we will contact the consumer directly in order to help him solve his problem;

7. In the most extreme cases, a BARIL representative could go on site to evaluate the situation. If this happens and the problem is not due to a manufacturing defect of a BARIL product, the client will be charged a 50$ fee;

8. If requested, the form will be returned to you with the confirmation of the repairs being done and the closing of the file.

For any other information, you can contact our technical department at 1.800.463.3871 or at info@barildesign.com.

With the desire to keep a strong partnership with our privileged clients, we know this procedure will assure you a quality after-sale service.

Thank you for your trust,

BARIL

FAQ

BARIL's technical team proposes you different examples.

When a customer enters your store, you must be ready to answer all questions on our faucets.

01 How long does the faucet warranty last?

The faucets have a lifetime warranty against all manufacturing defects. BARIL will replace free of charge any defective part upon presentation of the invoice of purchase showing the product code and the date of purchase. A manufacturing defect usually appears during the first months of use.

02 What is covered by the warranty?

Any defective part is covered by the warranty. BARIL will replace the faulty part free of charge. An original or similar replacement part will be sent to you. The warranty does not cover shipping and handling or labor fees. Warranty is void if the installation does not comply with the rules and regulations in effect or the manufacturer's instructions. The warranty does not cover damages that occurred during installation, transport or any other accidental or indirect damage.

03 What is the difference between manufacture defects from the normal use of a product?

The time of purchase is a determinant factor in diagnosing a defect. Our experience taught us that a manufacture defect occurs within a year of purchase in most products. Hand sprays, shower heads, finishes and all plastic parts show defects in the first 12 months of usage. As for diverter or seal, the defect can appear within 36 months of usage. The ceramic and thermostatic cartridges should be functional for a few years. Although, you should note that after 8 years of daily usage and hard water, etc., it is reasonable to consider it of normal use and it's possible for the customer to replace its cartridge. This can be done easily and at low costs. Finishes should last for many years if you use a gentle cleaning product. All parts not under warranty can be ordered at BARIL. They will be treated as a regular order and retail price will be applied.

04 How to order replacement parts?

You should have the original date of purchase and the product code. This information will help you find the code of the part you need as listed in our products file on our website; www.BARILdesign.com. You can also find the numerated parts in the instruction manual provided in the product packaging. Regarding discontinued products, or if you have questions, problems or any other requests, you can reach BARIL's customer service. They can help you find a part code or explain what is not working properly. Once you have the part code (or the date of purchase and product code), you can send your request by fax: 1.877.693.3005, by e-mail: info@barildesign.com, or by phone: 1.800.463.3871. The parts under warranty are free and the parts that are not under warranty will be charged which is why it is important to provide us the date of purchase along with your order.

05 How do I care for the faucets?

We recommend washing your faucets with warm water and a gentle, non-abrasive liquid soap. Wipe with a soft cotton cloth. Never use products that are abrasive, corrosive, or contain chemicals, powder cleaners or heavy-duty products such as tooth paste, detergents, scouring products, window cleaners and disinfectants. Cartridges can be cleaned with a small brush under running warm water. Limestone on hand spray can be removed by letting it soak in water with a drop of vinegar. As for the anti-limestone hand spray, you can use your fingers to wipe off excess sediment. Taking good care of your faucets will keep them working for many years.

06 Why is ceramic the best material to make cartridges?

Ceramic is strong, tear proof and able to adjust thus providing waterproofness. Ceramic discs are made to assure maximal pressure of your faucets. Their construction allows you to turn the water on and off with a 1/4 turn movement making it user friendly.

07 Do you offer after-sale services?

After 40 years in the faucet industry, BARIL is known for its expertise and the quality of its after-sale service. For any questions regarding our products, installation, various technical problems you may encounter during installation or if you have any requests regarding

the use of our products, our faucet professionals will be happy to help. The members of our customer service team are trained by the product experts and designers of BARIL faucets. We also have a Quality Department in charge of limiting as much as possible faucet-related problems. From design to sales, the Quality Department ensures the reliability of BARIL products.

08 Can I install the faucets myself?

BARIL recommends you to hire a professional to install all our products. This will assure you the best installation possible. For instance, making sure a sufficient water flow reaches your faucet (depending on the floor level, the various appliances connected to the water line, etc.), making sure the connections are strong and waterproof, offering you a labor warranty on the installation, etc. In short, by hiring a professional, you will avoid all kinds of problems that could occur during installation and while using your faucets. Also, the installation will be made according to the norms in effect. An installation made according to the rules and regulations in effect ensures that the warranty will be honored, if ever needed.

09 Is there a system within these faucets for water saving?

BARIL is sensitive to the environment and offers many eco-friendly solutions. For example, the majority of BARIL lavatory faucets offer eco-friendly options allowing flow rates of 1.0 gpm or 0.5 gpm instead of the regular 1.2 gpm, for water savings of up to 45%. As for kitchen faucets, the majority offer ecological options allowing a flow rate of 1.5 gpm instead of the regular 1.8 gpm, a water saving of up to 18%. Shower reducers are also available to gain even more efficiency and help achieve LEED certification.

10 Can I replace my faucets by new ones?

It is reasonable to think that all faucets are standard. It is usually possible to update your faucets with existing connections. Make sure to get new faucets that can fill the void left by the old ones. The installation of new faucets requires access to the rough-in and connections. You will find a variety of options in the complementary parts that will help you install new faucets on existing sinks, basins or bathtubs. You will find decorative plates, small columns for old fashioned bathtubs, etc. The majority of the BARIL products are made so the rough-in and the trim are installed at the same time. It is not necessary or possible to update a BARIL trim to the rough-in product of another manufacturer. If you change your mind and wish to choose a different trim offered in the BARIL collection, it is possible to interchange some collections due to the standard settings of the rough-in faucet. You can contact BARIL customer service if needed.

What questions have we forgotten?

Send us your questions and we will add them in our next catalogue edition.

info@barildesign.com

Price Index

BARIL

PRICE INDEX

CODE	PAGE	PRICE
A04-1029-00-BB	264	**195**
A04-1029-00-CC	264	**102**
A04-1029-00-GG	264	**339**
A04-1029-00-KK	264	**122**
A04-1029-00-KM	264	**163**
A04-1029-00-LL	264	**163**
A04-1029-00-MM†	264	**163**
A04-1029-00-NN	264	**124**
A04-1029-00-TT	264	**249**
A04-1029-00-VV	264	**249**
A04-1029-00-YY	264	**154**
A04-1069-00-BB	264	**108**
A04-1069-00-CC	264	**53**
A04-1069-00-GG	264	**188**
A04-1069-00-KK	264	**64**
A04-1069-00-KM	264	**85**
A04-1069-00-LL	264	**85**
A04-1069-00-MM†	264	**85**
A04-1069-00-NN	264	**66**
A04-1069-00-TT	264	**134**
A04-1069-00-VV	264	**134**
A04-1069-00-YY	264	**81**
A04-6012-00-BB	264	**295**
A04-6012-00-CC	264	**136**
A04-6012-00-GG	264	**468**
A04-6012-00-KK	264	**168**
A04-6012-00-KM	264	**218**
A04-6012-00-LL	264	**218**
A04-6012-00-MM†	264	**218**
A04-6012-00-NN	264	**173**
A04-6012-00-TT	264	**319**
A04-6012-00-VV	264	**319**
A04-6012-00-YY	264	**199**
A04-6018-00-BB	264	**351**
A04-6018-00-CC	264	**162**
A04-6018-00-GG	264	**557**
A04-6018-00-KK	264	**200**
A04-6018-00-KM	264	**259**
A04-6018-00-LL	264	**259**
A04-6018-00-MM†	264	**259**
A04-6018-00-NN	264	**227**
A04-6018-00-TT	264	**380**
A04-6018-00-VV	264	**380**
A04-6018-00-YY	264	**237**
A04-6024-00-BB	264	**395**
A04-6024-00-CC	264	**182**
A04-6024-00-GG	264	**627**
A04-6024-00-KK	264	**225**
A04-6024-00-KM	264	**292**
A04-6024-00-LL	264	**292**
A04-6024-00-MM†	264	**292**
A04-6024-00-NN	264	**232**
A04-6024-00-TT	264	**427**
A04-6024-00-VV	264	**427**
A04-6024-00-YY	264	**277**
A04-6030-00-BB	265	**409**
A04-6030-00-CC	265	**218**
A04-6030-00-GG	265	**649**
A04-6030-00-KK	265	**260**
A04-6030-00-KM	265	**449**
A04-6030-00-LL	265	**449**
A04-6030-00-MM†	265	**449**
A04-6030-00-NN	265	**305**
A04-6030-00-TT	265	**499**
A04-6030-00-VV	265	**499**
A04-6030-00-YY	265	**329**
A20-1029-00-BB	266	**245**
A20-1029-00-CC	266	**140**
A20-1029-00-GG	266	**378**
A20-1029-00-KK	266	**186**
A20-1029-00-LL	266	**224**
A20-1029-00-MM	266	**224**
A20-1029-00-NN	266	**196**
A20-1029-00-TT	266	**308**
A20-1029-00-VV	266	**308**
A20-1029-00-YY	266	**203**
A20-1069-00-BB	266	**239**
A20-1069-00-CC	266	**159**
A20-1069-00-GG	266	**299**
A20-1069-00-KK	266	**227**
A20-1069-00-LL	266	**264**
A20-1069-00-MM†	266	**264**
A20-1069-00-NN	266	**239**
A20-1069-00-TT	266	**289**
A20-1069-00-VV	266	**289**
A20-1069-00-YY	266	**253**
A20-1079-00-BB	266	**184**
A20-1079-00-CC	266	**105**
A20-1079-00-GG	266	**284**
A20-1079-00-KK	266	**139**
A20-1079-00-LL	266	**168**
A20-1079-00-MM	266	**168**
A20-1079-00-NN	266	**147**
A20-1079-00-TT	266	**231**
A20-1079-00-VV	266	**231**
A20-1079-00-YY	266	**152**
A20-6012-00-BB	266	**394**
A20-6012-00-CC	266	**225**
A20-6012-00-GG	266	**608**
A20-6012-00-KK	266	**298**
A20-6012-00-LL	266	**360**
A20-6012-00-MM	266	**360**
A20-6012-00-NN	266	**315**
A20-6012-00-TT	266	**559**
A20-6012-00-VV	266	**559**
A20-6012-00-YY	266	**326**
A20-6018-00-BB	266	**433**
A20-6018-00-CC	266	**248**
A20-6018-00-GG	266	**669**
A20-6018-00-KK	266	**328**
A20-6018-00-LL	266	**396**
A20-6018-00-MM	266	**396**
A20-6018-00-NN	266	**347**
A20-6018-00-TT	266	**615**
A20-6018-00-VV	266	**615**
A20-6018-00-YY	266	**359**
A20-6024-00-BB	267	**476**
A20-6024-00-CC	267	**273**
A20-6024-00-GG	267	**736**
A20-6024-00-KK	267	**361**
A20-6024-00-LL	267	**436**
A20-6024-00-MM	267	**436**
A20-6024-00-NN	267	**382**
A20-6024-00-TT	267	**677**
A20-6024-00-VV	267	**677**
A20-6024-00-YY	267	**395**
A20-6030-00-BB	267	**547**
A20-6030-00-CC	267	**314**
A20-6030-00-GG	267	**846**
A20-6030-00-KK	267	**415**
A20-6030-00-LL	267	**501**
A20-6030-00-MM	267	**501**
A20-6030-00-NN	267	**439**
A20-6030-00-TT	267	**779**
A20-6030-00-VV	267	**779**
A20-6030-00-YY	267	**454**
A46-1029-00-BB	268	**234**
A46-1029-00-CC	268	**124**
A46-1029-00-CF	268	**134**
A46-1029-00-GG	268	**407**
A46-1029-00-KK	268	**158**
A46-1029-00-LL	268	**199**
A46-1029-00-MM†	268	**199**
A46-1029-00-NN	268	**164**
A46-1029-00-TT	268	**299**
A46-1029-00-VV	268	**299**
A46-1029-00-YY	268	**185**
A46-1069-00-BB	268	**140**
A46-1069-00-CC	268	**80**
A46-1069-00-CF	268	**90**
A46-1069-00-GG	268	**282**
A46-1069-00-KK	268	**99**
A46-1069-00-LL	268	**128**
A46-1069-00-MM†	268	**128**
A46-1069-00-NN	268	**109**
A46-1069-00-TT	268	**201**
A46-1069-00-VV	268	**201**
A46-1069-00-YY	268	**116**
A46-6012-00-BB	268	**389**
A46-6012-00-CC	268	**211**
A46-6012-00-CF	268	**231**
A46-6012-00-GG	268	**725**
A46-6012-00-KK	268	**256**
A46-6012-00-LL	268	**338**
A46-6012-00-MM†	268	**338**
A46-6012-00-NN	268	**268**
A46-6012-00-TT	268	**494**
A46-6012-00-VV	268	**494**
A46-6012-00-YY	268	**308**
A46-6018-00-BB	268	**454**
A46-6018-00-CC	268	**236**
A46-6018-00-CF	268	**256**
A46-6018-00-GG	268	**745**
A46-6018-00-KK	268	**299**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
A46-6018-00-LL	268	**376**
A46-6018-00-MM†	268	**376**
A46-6018-00-NN	268	**329**
A46-6018-00-TT	268	**518**
A46-6018-00-VV	268	**518**
A46-6018-00-YY	268	**344**
A46-6024-00-BB	268	**498**
A46-6024-00-CC	268	**252**
A46-6024-00-CF	268	**272**
A46-6024-00-GG	268	**799**
A46-6024-00-KK	268	**315**
A46-6024-00-LL	268	**403**
A46-6024-00-MM†	268	**403**
A46-6024-00-NN	268	**325**
A46-6024-00-TT	268	**598**
A46-6024-00-VV	268	**598**
A46-6024-00-YY	268	**388**
A46-6030-00-BB	269	**573**
A46-6030-00-CC	269	**298**
A46-6030-00-CF	269	**318**
A46-6030-00-GG	269	**909**
A46-6030-00-KK	269	**364**
A46-6030-00-LL	269	**545**
A46-6030-00-MM†	269	**545**
A46-6030-00-NN	269	**417**
A46-6030-00-TT	269	**646**
A46-6030-00-VV	269	**646**
A46-6030-00-YY	269	**461**
A47-1069-00-BA	273	**348**
A47-1069-00-CA	273	**199**
A47-1069-00-GA	273	**487**
A47-1069-00-KA	273	**264**
A47-1069-00-LA	273	**318**
A47-1069-00-MA	273	**318**
A47-1069-00-NA	273	**253**
A47-1069-00-TA	273	**379**
A47-1069-00-VA	273	**379**
A47-1069-00-YA	273	**264**
A56-1029-00-BB	270	**173**
A56-1029-00-CC	270	**99**
A56-1029-00-GG	270	**332**
A56-1029-00-KK	270	**125**
A56-1029-00-LL	270	**158**
A56-1029-00-MM†	270	**158**
A56-1029-00-NN	270	**134**
A56-1029-00-TT	270	**253**
A56-1029-00-VV	270	**253**
A56-1029-00-YY	270	**144**
A56-1069-00-BB	270	**86**
A56-1069-00-CC	270	**49**
A56-1069-00-GG	270	**171**
A56-1069-00-KK	270	**61**
A56-1069-00-LL	270	**78**
A56-1069-00-MM†	270	**78**
A56-1069-00-NN	270	**64**
A56-1069-00-TT	270	**133**
A56-1069-00-VV	270	**133**
A56-1069-00-YY	270	**76**

CODE	PAGE	PRICE
A56-6018-00-BB	270	**264**
A56-6018-00-CC	270	**147**
A56-6018-00-GG	270	**497**
A56-6018-00-KK	270	**176**
A56-6018-00-LL	270	**235**
A56-6018-00-MM†	270	**235**
A56-6018-00-NN	270	**187**
A56-6018-00-TT	270	**359**
A56-6018-00-VV	270	**359**
A56-6018-00-YY	270	**236**
A56-6024-00-BB	270	**290**
A56-6024-00-CC	270	**162**
A56-6024-00-GG	270	**547**
A56-6024-00-KK	270	**194**
A56-6024-00-LL	270	**259**
A56-6024-00-MM†	270	**259**
A56-6024-00-NN	270	**206**
A56-6024-00-TT	270	**395**
A56-6024-00-VV	270	**395**
A56-6024-00-YY	270	**260**
A56-6028-00-BB	270	**334**
A56-6028-00-CC	270	**186**
A56-6028-00-GG	270	**629**
A56-6028-00-KK	270	**223**
A56-6028-00-LL	270	**298**
A56-6028-00-MM†	270	**298**
A56-6028-00-NN	270	**237**
A56-6028-00-TT	270	**454**
A56-6028-00-VV	270	**454**
A56-6028-00-YY	270	**299**
A66-1029-01-BB	271	**168**
A66-1029-01-CC	271	**96**
A66-1029-01-GG	271	**324**
A66-1029-01-KK	271	**122**
A66-1029-01-KM	271	**154**
A66-1029-01-LL	271	**154**
A66-1029-01-MM	271	**154**
A66-1029-01-NN	271	**129**
A66-1029-01-TT	271	**224**
A66-1029-01-VV	271	**224**
A66-1029-01-YY	271	**149**
A66-1069-01-BB	271	**114**
A66-1069-01-CC	271	**60**
A66-1069-01-GG	271	**216**
A66-1069-01-KK	271	**80**
A66-1069-01-KM	271	**96**
A66-1069-01-LL	271	**96**
A66-1069-01-MM	271	**96**
A66-1069-01-NN	271	**72**
A66-1069-01-TT	271	**139**
A66-1069-01-VV	271	**139**
A66-1069-01-YY	271	**87**
A66-1079-00-BB	271	**82**
A66-1079-00-CC	271	**45**
A66-1079-00-GG	271	**160**
A66-1079-00-KK	271	**63**
A66-1079-00-KM	271	**72**
A66-1079-00-LL	271	**72**

CODE	PAGE	PRICE
A66-1079-00-MM	271	**72**
A66-1079-00-NN	271	**63**
A66-1079-00-TT	271	**109**
A66-1079-00-VV	271	**109**
A66-1079-00-YY	271	**65**
A66-6012-00-BB	271	**268**
A66-6012-00-CC	271	**131**
A66-6012-00-GG	271	**476**
A66-6012-00-KK	271	**178**
A66-6012-00-KM	271	**238**
A66-6012-00-LL	271	**238**
A66-6012-00-MM†	271	**238**
A66-6012-00-NN	271	**176**
A66-6012-00-TT	271	**323**
A66-6012-00-VV	271	**323**
A66-6012-00-YY	271	**218**
A66-6018-00-BB	271	**298**
A66-6018-00-CC	271	**145**
A66-6018-00-GG	271	**529**
A66-6018-00-KK	271	**198**
A66-6018-00-KM	271	**264**
A66-6018-00-LL	271	**264**
A66-6018-00-MM	271	**264**
A66-6018-00-NN	271	**196**
A66-6018-00-TT	271	**359**
A66-6018-00-VV	271	**359**
A66-6018-00-YY	271	**242**
A66-6024-00-BB	272	**337**
A66-6024-00-CC	272	**164**
A66-6024-00-GG	272	**598**
A66-6024-00-KK	272	**224**
A66-6024-00-KM	272	**298**
A66-6024-00-LL	272	**298**
A66-6024-00-MM	272	**298**
A66-6024-00-NN	272	**221**
A66-6024-00-TT	272	**406**
A66-6024-00-VV	272	**406**
A66-6024-00-YY	272	**273**
A66-6030-00-BB	272	**411**
A66-6030-00-CC	272	**200**
A66-6030-00-GG	272	**730**
A66-6030-00-KK	272	**273**
A66-6030-00-LL	272	**364**
A66-6030-00-MM†	272	**364**
A66-6030-00-NN	272	**270**
A66-6030-00-TT	272	**495**
A66-6030-00-VV	272	**495**
A66-6030-00-YY	272	**333**
A66-6315-00-BB	272	**473**
A66-6315-00-CC	272	**230**
A66-6315-00-GG	272	**840**
A66-6315-00-KK	272	**314**
A66-6315-00-LL	272	**419**
A66-6315-00-MM†	272	**419**
A66-6315-00-NN	272	**311**
A66-6315-00-TT	272	**569**
A66-6315-00-VV	272	**569**
A66-6315-00-YY	272	**383**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
A80-1069-00-BB	273	**231**
A80-1069-00-CB	273	**167**
A80-1069-00-GB	273	**277**
A80-1069-00-KB	273	**213**
A80-1069-00-LB	273	**231**
A80-1069-00-MB	273	**231**
A80-1069-00-NB	273	**187**
A80-1069-00-TB	273	**248**
A80-1069-00-VB	273	**248**
A80-1069-00-YB	273	**225**
A87-7012-00-CC	274	**145**
A87-7012-00-KK	274	**194**
A87-7012-00-KM	274	**232**
A87-7012-00-LL	274	**232**
A87-7012-00-MM	274	**232**
A87-7012-00-NN	274	**204**
A87-7018-00-CC	274	**165**
A87-7018-00-KK	274	**219**
A87-7018-00-KM	274	**264**
A87-7018-00-LL	274	**264**
A87-7018-00-MM	274	**264**
A87-7018-00-NN	274	**231**
A87-7024-00-CC	274	**200**
A87-7024-00-KK	274	**265**
A87-7024-00-KM	274	**320**
A87-7024-00-LL	274	**320**
A87-7024-00-MM	274	**320**
A87-7024-00-NN	274	**280**
B04-1005-00L-BB	82	**723**
B04-1005-00L-CC	82	**434**
B04-1005-00L-GG	82	**1190**
B04-1005-00L-KK	82	**578**
B04-1005-00L-KM	82	**703**
B04-1005-00L-LL	82	**703**
B04-1005-00L-MM†	82	**703**
B04-1005-00L-NN	82	**614**
B04-1005-00L-TT	82	**963**
B04-1005-00L-VV	82	**963**
B04-1005-00L-YY	82	**637**
B04-1005-1PL-BB	82	**783**
B04-1005-1PL-CC	82	**474**
B04-1005-1PL-GG	82	**1280**
B04-1005-1PL-KK	82	**628**
B04-1005-1PL-KM	82	**758**
B04-1005-1PL-LL	82	**758**
B04-1005-1PL-MM†	82	**758**
B04-1005-1PL-NN	82	**664**
B04-1005-1PL-TT	82	**1043**
B04-1005-1PL-VV	82	**1043**
B04-1005-1PL-YY	82	**687**
B04-1020-00L-BB	82	**998**
B04-1020-00L-CC	82	**599**
B04-1020-00L-GG	82	**1597**
B04-1020-00L-KK	82	**794**
B04-1020-00L-KM	82	**958**
B04-1020-00L-LL	82	**958**
B04-1020-00L-MM†	82	**958**
B04-1020-00L-NN	82	**839**

CODE	PAGE	PRICE
B04-1020-00L-TT	82	**1318**
B04-1020-00L-VV	82	**1318**
B04-1020-00L-YY	82	**869**
B04-1249-00-BB	85	**1579**
B04-1249-00-CC	85	**957**
B04-1249-00-GG	85	**2288**
B04-1249-00-KK	85	**1268**
B04-1249-00-KM	85	**1504**
B04-1249-00-LL	85	**1504**
B04-1249-00-MM	85	**1504**
B04-1249-00-NN	85	**1320**
B04-1249-00-TT	85	**2105**
B04-1249-00-VV	85	**2105**
B04-1249-00-YY	85	**1388**
B04-8009-00L-BB	82	**1255**
B04-8009-00L-CC	82	**761**
B04-8009-00L-GG	82	**1799**
B04-8009-00L-KK	82	**999**
B04-8009-00L-KM	82	**1198**
B04-8009-00L-LL	82	**1198**
B04-8009-00L-MM	82	**1198**
B04-8009-00L-NN	82	**1065**
B04-8009-00L-TT	82	**1674**
B04-8009-00L-VV	82	**1674**
B04-8009-00L-YY	82	**1103**
B04-8041-00L-BB	83	**1445**
B04-8041-00L-CC	83	**875**
B04-8041-00L-GG	83	**2363**
B04-8041-00L-KK	83	**1159**
B04-8041-00L-KM	83	**1375**
B04-8041-00L-LL	83	**1375**
B04-8041-00L-MM	83	**1375**
B04-8041-00L-NN	83	**1225**
B04-8041-00L-TT	83	**1925**
B04-8041-00L-VV	83	**1925**
B04-8041-00L-YY	83	**1269**
B04-8100-00L-BB	83	**1055**
B04-8100-00L-CC	83	**620**
B04-8100-00L-GG	83	**1674**
B04-8100-00L-KK	83	**768**
B04-8100-00L-KM	83	**992**
B04-8100-00L-LL	83	**992**
B04-8100-00L-MM	83	**992**
B04-8100-00L-NN	83	**868**
B04-8100-00L-TT	83	**1364**
B04-8100-00L-VV	83	**1364**
B04-8100-00L-YY	83	**899**
B04-8120-00L-BB	84	**1161**
B04-8120-00L-CC	84	**682**
B04-8120-00L-GG	84	**1841**
B04-8120-00L-KK	84	**845**
B04-8120-00L-KM	84	**1091**
B04-8120-00L-LL	84	**1091**
B04-8120-00L-MM	84	**1091**
B04-8120-00L-NN	84	**955**
B04-8120-00L-TT	84	**1500**
B04-8120-00L-VV	84	**1500**
B04-8120-00L-YY	84	**989**

CODE	PAGE	PRICE
B05-1005-00L-BB	100	**756**
B05-1005-00L-CC	100	**455**
B05-1005-00L-GG	100	**1247**
B05-1005-00L-KK	100	**606**
B05-1005-00L-LL	100	**737**
B05-1005-00L-MM†	100	**737**
B05-1005-00L-NN	100	**643**
B05-1005-00L-TT	100	**1009**
B05-1005-00L-VV	100	**1009**
B05-1005-00L-YY	100	**668**
B05-1005-1PL-BB	100	**816**
B05-1005-1PL-CC	100	**495**
B05-1005-1PL-GG	100	**1337**
B05-1005-1PL-KK	100	**656**
B05-1005-1PL-LL	100	**792**
B05-1005-1PL-MM†	100	**792**
B05-1005-1PL-NN	100	**693**
B05-1005-1PL-TT	100	**1089**
B05-1005-1PL-VV	100	**1089**
B05-1005-1PL-YY	100	**718**
B05-1020-00L-BB	100	**1223**
B05-1020-00L-CC	100	**699**
B05-1020-00L-GG	100	**1887**
B05-1020-00L-KK	100	**926**
B05-1020-00L-LL	100	**1118**
B05-1020-00L-MM†	100	**1118**
B05-1020-00L-NN	100	**979**
B05-1020-00L-TT	100	**1538**
B05-1020-00L-VV	100	**1538**
B05-1020-00L-YY	100	**1014**
B05-1269-00-BB	100	**1731**
B05-1269-00-CC	100	**925**
B05-1269-00-GG	100	**2498**
B05-1269-00-KK	100	**1298**
B05-1269-00-LL	100	**1480**
B05-1269-00-MM†	100	**1480**
B05-1269-00-NN	100	**1295**
B05-1269-00-TT	100	**2035**
B05-1269-00-VV	100	**2035**
B05-1269-00-YY	100	**1341**
B05-8009-00L-BB	100	**1856**
B05-8009-00L-CC	100	**1050**
B05-8009-00L-GG	100	**2495**
B05-8009-00L-KK	100	**1391**
B05-8009-00L-LL	100	**1680**
B05-8009-00L-MM†	100	**1680**
B05-8009-00L-NN	100	**1428**
B05-8009-00L-TT	100	**2310**
B05-8009-00L-VV	100	**2310**
B05-8009-00L-YY	100	**1523**
B16-1201-01-BB	109	**1950**
B16-1201-01-CC	109	**1086**
B16-1201-01-GG	109	**2932**
B16-1201-01-KK	109	**1560**
B16-1201-01-LL	109	**1739**
B16-1201-01-MM†	109	**1739**
B16-1201-01-NN	109	**1520**
B16-1201-01-TT	109	**2389**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
B16-1201-01-VV	109	**2389**
B16-1201-01-YY	109	**1575**
B16-8001-01L-BB	108	**1299**
B16-8001-01L-CC	108	**698**
B16-8001-01L-GG	108	**1885**
B16-8001-01L-KK	108	**1102**
B16-8001-01L-LL	108	**1170**
B16-8001-01L-MM†	108	**1170**
B16-8001-01L-NN	108	**977**
B16-8001-01L-TT	108	**1596**
B16-8001-01L-VV	108	**1596**
B16-8001-01L-YY	108	**1028**
B16-8041-00L-BB	108	**1028**
B16-8041-00L-CC	108	**925**
B16-8041-00L-GG	108	**2498**
B16-8041-00L-KK	108	**1236**
B16-8041-00L-LL	108	**1480**
B16-8041-00L-MM†	108	**1480**
B16-8041-00L-NN	108	**1245**
B16-8041-00L-TT	108	**2035**
B16-8041-00L-VV	108	**2035**
B16-8041-00L-YY	108	**1298**
B18-1201-01-BB	109	**1950**
B18-1201-01-CB	109	**1086**
B18-1201-01-CC	109	**1086**
B18-1201-01-GB	109	**2932**
B18-1201-01-GG	109	**2932**
B18-1201-01-KB	109	**1560**
B18-1201-01-KK	109	**1560**
B18-1201-01-LB	109	**1739**
B18-1201-01-LL	109	**1739**
B18-1201-01-MB	109	**1739**
B18-1201-01-MM†	109	**1739**
B18-1201-01-NB	109	**1520**
B18-1201-01-NN	109	**1520**
B18-1201-01-TB	109	**2389**
B18-1201-01-TT	109	**2389**
B18-1201-01-VB	109	**2389**
B18-1201-01-VV	109	**2389**
B18-1201-01-YB	109	**1575**
B18-1201-01-YY	109	**1575**
B18-8001-00L-BB	108	**1299**
B18-8001-00L-CB	108	**698**
B18-8001-00L-CC	108	**698**
B18-8001-00L-GB	108	**1885**
B18-8001-00L-GG	108	**1885**
B18-8001-00L-KB	108	**1102**
B18-8001-00L-KK	108	**1102**
B18-8001-00L-LB	108	**1170**
B18-8001-00L-LL	108	**1170**
B18-8001-00L-MB	108	**1170**
B18-8001-00L-MM†	108	**1170**
B18-8001-00L-NB	108	**977**
B18-8001-00L-NN	108	**977**
B18-8001-00L-TB	108	**1596**
B18-8001-00L-TT	108	**1596**
B18-8001-00L-VB	108	**1596**
B18-8001-00L-VV	108	**1596**

CODE	PAGE	PRICE
B18-8001-00L-YB	108	**1028**
B18-8001-00L-YY	108	**1028**
B18-8041-00L-BB	108	**1028**
B18-8041-00L-CB	108	**925**
B18-8041-00L-CC	108	**925**
B18-8041-00L-GB	108	**2498**
B18-8041-00L-GG	108	**2498**
B18-8041-00L-KB	108	**1236**
B18-8041-00L-KK	108	**1236**
B18-8041-00L-LB	108	**1480**
B18-8041-00L-LL	108	**1480**
B18-8041-00L-MB	108	**1480**
B18-8041-00L-MM†	108	**1480**
B18-8041-00L-NB	108	**1245**
B18-8041-00L-NN	108	**1245**
B18-8041-00L-TB	108	**2035**
B18-8041-00L-TT	108	**2035**
B18-8041-00L-VB	108	**2035**
B18-8041-00L-VV	108	**2035**
B18-8041-00L-YB	108	**1298**
B18-8041-00L-YY	108	**1298**
B20-1012-00L-BB	116	**1076**
B20-1012-00L-CC	116	**655**
B20-1012-00L-GG	116	**1787**
B20-1012-00L-KK	116	**871**
B20-1012-00L-LL	116	**988**
B20-1012-00L-MM	116	**988**
B20-1012-00L-NN	116	**923**
B20-1012-00L-TT	116	**1449**
B20-1012-00L-VV	116	**1449**
B20-1012-00L-YY	116	**958**
B20-1012-1PL-BB	116	**1136**
B20-1012-1PL-CC	116	**695**
B20-1012-1PL-GG	116	**1877**
B20-1012-1PL-KK	116	**921**
B20-1012-1PL-LL	116	**1043**
B20-1012-1PL-MM	116	**1043**
B20-1012-1PL-NN	116	**973**
B20-1012-1PL-TT	116	**1529**
B20-1012-1PL-VV	116	**1529**
B20-1012-1PL-YY	116	**1008**
B20-1014-00L-BB	116	**1076**
B20-1014-00L-CC	116	**655**
B20-1014-00L-GG	116	**1787**
B20-1014-00L-KK	116	**871**
B20-1014-00L-LL	116	**988**
B20-1014-00L-MM	116	**988**
B20-1014-00L-NN	116	**923**
B20-1014-00L-TT	116	**1449**
B20-1014-00L-VV	116	**1449**
B20-1014-00L-YY	116	**958**
B20-1014-1PL-BB	116	**1136**
B20-1014-1PL-CC	116	**695**
B20-1014-1PL-GG	116	**1877**
B20-1014-1PL-KK	116	**921**
B20-1014-1PL-LL	116	**1043**
B20-1014-1PL-MM	116	**1043**
B20-1014-1PL-NN	116	**973**

CODE	PAGE	PRICE
B20-1014-1PL-TT	116	**1529**
B20-1014-1PL-VV	116	**1529**
B20-1014-1PL-YY	116	**1008**
B20-1022-00L-BB	116	**1351**
B20-1022-00L-CC	116	**799**
B20-1022-00L-GG	116	**2157**
B20-1022-00L-KK	116	**1059**
B20-1022-00L-LL	116	**1278**
B20-1022-00L-MM	116	**1278**
B20-1022-00L-NN	116	**1124**
B20-1022-00L-TT	116	**1758**
B20-1022-00L-VV	116	**1758**
B20-1022-00L-YY	116	**1159**
B20-1024-00L-BB	116	**1351**
B20-1024-00L-CC	116	**799**
B20-1024-00L-GG	116	**2157**
B20-1024-00L-KK	116	**1059**
B20-1024-00L-LL	116	**1278**
B20-1024-00L-MM	116	**1278**
B20-1024-00L-NN	116	**1124**
B20-1024-00L-TT	116	**1758**
B20-1024-00L-VV	116	**1758**
B20-1024-00L-YY	116	**1159**
B20-1248-00-BB	119	**2056**
B20-1248-00-CC	119	**1175**
B20-1248-00-GG	119	**3173**
B20-1248-00-KK	119	**1557**
B20-1248-00-LL	119	**1880**
B20-1248-00-MM	119	**1880**
B20-1248-00-NN	119	**1645**
B20-1248-00-TT	119	**2585**
B20-1248-00-VV	119	**2585**
B20-1248-00-YY	119	**1704**
B20-1249-00-BB	119	**2056**
B20-1249-00-CC	119	**1175**
B20-1249-00-GG	119	**3173**
B20-1249-00-KK	119	**1557**
B20-1249-00-LL	119	**1880**
B20-1249-00-MM	119	**1880**
B20-1249-00-NN	119	**1645**
B20-1249-00-TT	119	**2585**
B20-1249-00-VV	119	**2585**
B20-1249-00-YY	119	**1704**
B20-8012-1PL-BB	117	**1895**
B20-8012-1PL-CC	117	**1149**
B20-8012-1PL-GG	117	**3102**
B20-8012-1PL-KK	117	**1522**
B20-8012-1PL-LL	117	**1798**
B20-8012-1PL-MM	117	**1798**
B20-8012-1PL-NN	117	**1609**
B20-8012-1PL-TT	117	**2528**
B20-8012-1PL-VV	117	**2528**
B20-8012-1PL-YY	117	**1666**
B20-8014-1PL-BB	117	**1895**
B20-8014-1PL-CC	117	**1149**
B20-8014-1PL-GG	117	**3102**
B20-8014-1PL-KK	117	**1522**
B20-8014-1PL-LL	117	**1798**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
B20-8014-1PL-MM	117	**1798**
B20-8014-1PL-NN	117	**1609**
B20-8014-1PL-TT	117	**2528**
B20-8014-1PL-VV	117	**2528**
B20-8014-1PL-YY	117	**1666**
B20-8022-1PL-BB	117	**1895**
B20-8022-1PL-CC	117	**1149**
B20-8022-1PL-GG	117	**3102**
B20-8022-1PL-KK	117	**1522**
B20-8022-1PL-LL	117	**1798**
B20-8022-1PL-MM	117	**1798**
B20-8022-1PL-NN	117	**1609**
B20-8022-1PL-TT	117	**2528**
B20-8022-1PL-VV	117	**2528**
B20-8022-1PL-YY	117	**1666**
B20-8024-1PL-BB	117	**1895**
B20-8024-1PL-CC	117	**1149**
B20-8024-1PL-GG	117	**3102**
B20-8024-1PL-KK	117	**1522**
B20-8024-1PL-LL	117	**1798**
B20-8024-1PL-MM	117	**1798**
B20-8024-1PL-NN	117	**1609**
B20-8024-1PL-TT	117	**2528**
B20-8024-1PL-VV	117	**2528**
B20-8024-1PL-YY	117	**1666**
B20-8042-00L-BB	118	**1938**
B20-8042-00L-CC	118	**1183**
B20-8042-00L-GG	118	**3194**
B20-8042-00L-KK	118	**1567**
B20-8042-00L-LL	118	**1893**
B20-8042-00L-MM	118	**1893**
B20-8042-00L-NN	118	**1656**
B20-8042-00L-TT	118	**2603**
B20-8042-00L-VV	118	**2603**
B20-8042-00L-YY	118	**1715**
B20-8044-00L-BB	118	**1938**
B20-8044-00L-CC	118	**1183**
B20-8044-00L-GG	118	**3194**
B20-8044-00L-KK	118	**1567**
B20-8044-00L-LL	118	**1893**
B20-8044-00L-MM	118	**1893**
B20-8044-00L-NN	118	**1656**
B20-8044-00L-TT	118	**2603**
B20-8044-00L-VV	118	**2603**
B20-8044-00L-YY	118	**1715**
B20-8102-04L-BB	118	**1487**
B20-8102-04L-CC	118	**898**
B20-8102-04L-GG	118	**2425**
B20-8102-04L-KK	118	**1190**
B20-8102-04L-LL	118	**1437**
B20-8102-04L-MM	118	**1437**
B20-8102-04L-NN	118	**1257**
B20-8102-04L-TT	118	**1976**
B20-8102-04L-VV	118	**1976**
B20-8102-04L-YY	118	**1302**
B20-8104-04L-BB	118	**1487**
B20-8104-04L-CC	118	**898**
B20-8104-04L-GG	118	**2425**

CODE	PAGE	PRICE
B20-8104-04L-KK	118	**1190**
B20-8104-04L-LL	118	**1437**
B20-8104-04L-MM	118	**1437**
B20-8104-04L-NN	118	**1257**
B20-8104-04L-TT	118	**1976**
B20-8104-04L-VV	118	**1976**
B20-8104-04L-YY	118	**1302**
B35-1020-00L-CKE	136	**1226**
B35-1020-00L-CKI	136	**1226**
B35-1020-00L-CKJ	136	**1226**
B35-1020-00L-CKK	136	**1226**
B35-1020-00L-IKE	136	**1396**
B35-1020-00L-IKI	136	**1396**
B35-1020-00L-IKJ	136	**1396**
B35-1020-00L-IKK	136	**1396**
B35-1020-00L-JKE	136	**1396**
B35-1020-00L-JKI	136	**1396**
B35-1020-00L-JKJ	136	**1396**
B35-1020-00L-JKK	136	**1396**
B35-1020-00L-KKE	136	**1396**
B35-1020-00L-KKI	136	**1396**
B35-1020-00L-KKJ	136	**1396**
B35-1020-00L-KKK	136	**1396**
B35-1100-00-KE	138	**1598**
B35-8009-00L-CCCC	136	**1297**
B35-8009-00L-ICCC	136	**1477**
B35-8009-00L-JCCC	136	**1477**
B35-8009-00L-KCCC	136	**1477**
B35-8100-00L-CCCC	137	**1297**
B35-8100-00L-ICCC	137	**1477**
B35-8100-00L-JCCC	137	**1477**
B35-8100-00L-KCCC	137	**1477**
B45-1005-00L-BB	144	**756**
B45-1005-00L-CC	144	**455**
B45-1005-00L-GG	144	**1247**
B45-1005-00L-KK	144	**606**
B45-1005-00L-LL	144	**737**
B45-1005-00L-MM†	144	**737**
B45-1005-00L-NN	144	**643**
B45-1005-00L-TT	144	**1009**
B45-1005-00L-VV	144	**1009**
B45-1005-00L-YY	144	**668**
B45-1005-1PL-BB	144	**816**
B45-1005-1PL-CC	144	**495**
B45-1005-1PL-GG	144	**1337**
B45-1005-1PL-KK	144	**656**
B45-1005-1PL-LL	144	**792**
B45-1005-1PL-MM†	144	**792**
B45-1005-1PL-NN	144	**693**
B45-1005-1PL-TT	144	**1089**
B45-1005-1PL-VV	144	**1089**
B45-1005-1PL-YY	144	**718**
B45-1010-00L-BB	144	**838**
B45-1010-00L-CC	144	**505**
B45-1010-00L-GG	144	**1381**
B45-1010-00L-KK	144	**672**
B45-1010-00L-LL	144	**816**
B45-1010-00L-MM†	144	**816**

CODE	PAGE	PRICE
B45-1010-00L-NN	144	**712**
B45-1010-00L-TT	144	**1118**
B45-1010-00L-VV	144	**1118**
B45-1010-00L-YY	144	**740**
B45-1010-1PL-BB	144	**898**
B45-1010-1PL-CC	144	**545**
B45-1010-1PL-GG	144	**1471**
B45-1010-1PL-KK	144	**722**
B45-1010-1PL-LL	144	**871**
B45-1010-1PL-MM†	144	**871**
B45-1010-1PL-NN	144	**762**
B45-1010-1PL-TT	144	**1198**
B45-1010-1PL-VV	144	**1198**
B45-1010-1PL-YY	144	**790**
B45-1020-00L-BB	144	**1098**
B45-1020-00L-CC	144	**646**
B45-1020-00L-GG	144	**1744**
B45-1020-00L-KK	144	**856**
B45-1020-00L-LL	144	**1034**
B45-1020-00L-MM†	144	**1034**
B45-1020-00L-NN	144	**904**
B45-1020-00L-TT	144	**1421**
B45-1020-00L-VV	144	**1421**
B45-1020-00L-YY	144	**937**
B45-1269-01-BB	146	**1683**
B45-1269-01-CC	146	**975**
B45-1269-01-GG	146	**2633**
B45-1269-01-KK	146	**1292**
B45-1269-01-LL	146	**1560**
B45-1269-01-MM	146	**1560**
B45-1269-01-NN	146	**1365**
B45-1269-01-TT	146	**2145**
B45-1269-01-VV	146	**2145**
B45-1269-01-YY	146	**1414**
B45-8009-00L-BB	144	**1424**
B45-8009-00L-CC	144	**838**
B45-8009-00L-GG	144	**2263**
B45-8009-00L-KK	144	**1110**
B45-8009-00L-LL	144	**1341**
B45-8009-00L-MM†	144	**1341**
B45-8009-00L-NN	144	**1173**
B45-8009-00L-TT	144	**1844**
B45-8009-00L-VV	144	**1844**
B45-8009-00L-YY	144	**1215**
B45-8041-00L-BB	145	**1610**
B45-8041-00L-CC	145	**920**
B45-8041-00L-GG	145	**2484**
B45-8041-00L-KK	145	**1219**
B45-8041-00L-LL	145	**1429**
B45-8041-00L-MM†	145	**1429**
B45-8041-00L-NN	145	**1288**
B45-8041-00L-TT	145	**2024**
B45-8041-00L-VV	145	**2024**
B45-8041-00L-YY	145	**1334**
B45-8100-04L-BB	145	**1150**
B45-8100-04L-CC	145	**657**
B45-8100-04L-GG	145	**1774**
B45-8100-04L-KK	145	**871**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
B45-8100-04L-LL	145	**1051**
B45-8100-04L-MM†	145	**1051**
B45-8100-04L-NN	145	**920**
B45-8100-04L-TT	145	**1445**
B45-8100-04L-VV	145	**1445**
B45-8100-04L-YY	145	**953**
B46-1010-00L-BB	160	**889**
B46-1010-00L-CC	160	**535**
B46-1010-00L-GG	160	**1463**
B46-1010-00L-KK	160	**712**
B46-1010-00L-LL	160	**865**
B46-1010-00L-MM†	160	**865**
B46-1010-00L-NN	160	**755**
B46-1010-00L-TT	160	**1185**
B46-1010-00L-VV	160	**1185**
B46-1010-00L-YY	160	**784**
B46-1010-1PL-BB	160	**949**
B46-1010-1PL-CC	160	**575**
B46-1010-1PL-GG	160	**1553**
B46-1010-1PL-KK	160	**762**
B46-1010-1PL-LL	160	**920**
B46-1010-1PL-MM†	160	**920**
B46-1010-1PL-NN	160	**805**
B46-1010-1PL-TT	160	**1265**
B46-1010-1PL-VV	160	**1265**
B46-1010-1PL-YY	160	**834**
B46-1020-00L-BB	160	**1198**
B46-1020-00L-CC	160	**690**
B46-1020-00L-GG	160	**1863**
B46-1020-00L-KK	160	**914**
B46-1020-00L-LL	160	**1104**
B46-1020-00L-MM†	160	**1104**
B46-1020-00L-NN	160	**966**
B46-1020-00L-TT	160	**1518**
B46-1020-00L-VV	160	**1518**
B46-1020-00L-YY	160	**1001**
B46-1030-00L-BB	160	**1027**
B46-1030-00L-CC	160	**604**
B46-1030-00L-GG	160	**1649**
B46-1030-00L-KK	160	**803**
B46-1030-00L-LL	160	**975**
B46-1030-00L-MM†	160	**975**
B46-1030-00L-NN	160	**852**
B46-1030-00L-TT	160	**1337**
B46-1030-00L-VV	160	**1337**
B46-1030-00L-YY	160	**884**
B46-1030-1PL-BB	160	**1087**
B46-1030-1PL-CC	160	**644**
B46-1030-1PL-GG	160	**1739**
B46-1030-1PL-KK	160	**853**
B46-1030-1PL-LL	160	**1030**
B46-1030-1PL-MM†	160	**1030**
B46-1030-1PL-NN	160	**902**
B46-1030-1PL-TT	160	**1417**
B46-1030-1PL-VV	160	**1417**
B46-1030-1PL-YY	160	**934**
B46-1035-00L-BB	160	**1212**
B46-1035-00L-CC	160	**713**

CODE	PAGE	PRICE
B46-1035-00L-GG	160	**1945**
B46-1035-00L-KK	160	**948**
B46-1035-00L-LL	160	**1150**
B46-1035-00L-MM†	160	**1150**
B46-1035-00L-NN	160	**1005**
B46-1035-00L-TT	160	**1578**
B46-1035-00L-VV	160	**1578**
B46-1035-00L-YY	160	**1043**
B46-1035-1PL-BB	160	**1272**
B46-1035-1PL-CC	160	**753**
B46-1035-1PL-GG	160	**2035**
B46-1035-1PL-KK	160	**998**
B46-1035-1PL-LL	160	**1205**
B46-1035-1PL-MM†	160	**1205**
B46-1035-1PL-NN	160	**1055**
B46-1035-1PL-TT	160	**1658**
B46-1035-1PL-VV	160	**1658**
B46-1035-1PL-YY	160	**1093**
B46-1040-00L-BB	161	**1272**
B46-1040-00L-CC	161	**753**
B46-1040-00L-GG	161	**2035**
B46-1040-00L-KK	161	**998**
B46-1040-00L-LL	161	**1205**
B46-1040-00L-MM†	161	**1205**
B46-1040-00L-NN	161	**1055**
B46-1040-00L-TT	161	**1658**
B46-1040-00L-VV	161	**1658**
B46-1040-00L-YY	161	**1093**
B46-1249-00-BB	163	**1815**
B46-1249-00-CC	163	**1037**
B46-1249-00-GG	163	**2800**
B46-1249-00-KK	163	**1374**
B46-1249-00-LL	163	**1659**
B46-1249-00-MM†	163	**1659**
B46-1249-00-NN	163	**1452**
B46-1249-00-TT	163	**2281**
B46-1249-00-VV	163	**2281**
B46-1249-00-YY	163	**1504**
B46-8009-00L-BB	161	**1647**
B46-8009-00L-CC	161	**884**
B46-8009-00L-GG	161	**2387**
B46-8009-00L-KK	161	**1171**
B46-8009-00L-LL	161	**1414**
B46-8009-00L-MM†	161	**1414**
B46-8009-00L-NN	161	**1238**
B46-8009-00L-TT	161	**1945**
B46-8009-00L-VV	161	**1945**
B46-8009-00L-YY	161	**1282**
B46-8041-00L-BB	161	**1658**
B46-8041-00L-CC	161	**948**
B46-8041-00L-GG	161	**2559**
B46-8041-00L-KK	161	**1256**
B46-8041-00L-LL	161	**1472**
B46-8041-00L-MM†	161	**1472**
B46-8041-00L-NN	161	**1327**
B46-8041-00L-TT	161	**2085**
B46-8041-00L-VV	161	**2085**
B46-8041-00L-YY	161	**1374**

CODE	PAGE	PRICE
B46-8100-04L-BB	162	**1219**
B46-8100-04L-CC	162	**696**
B46-8100-04L-GG	162	**1880**
B46-8100-04L-KK	162	**923**
B46-8100-04L-LL	162	**1114**
B46-8100-04L-MM†	162	**1114**
B46-8100-04L-NN	162	**975**
B46-8100-04L-TT	162	**1532**
B46-8100-04L-VV	162	**1532**
B46-8100-04L-YY	162	**1010**
B47-1080-1PL-BA	174	**1548**
B47-1080-1PL-CA	174	**919**
B47-1080-1PL-GA	174	**1991**
B47-1080-1PL-KA	174	**1380**
B47-1080-1PL-LA	174	**1599**
B47-1080-1PL-MA	174	**1599**
B47-1080-1PL-NA	174	**1287**
B47-1080-1PL-TA	174	**2022**
B47-1080-1PL-VA	174	**2022**
B47-1080-1PL-YA	174	**1333**
B47-1349-00-BA	176	**2357**
B47-1349-00-CA	176	**1347**
B47-1349-00-GA	176	**3000**
B47-1349-00-KA	176	**2020**
B47-1349-00-LA	176	**2250**
B47-1349-00-MA	176	**2250**
B47-1349-00-NA	176	**1886**
B47-1349-00-TA	176	**2963**
B47-1349-00-VA	176	**2963**
B47-1349-00-YA	176	**1953**
B47-8009-00L-BA	175	**1898**
B47-8009-00L-CA	175	**1220**
B47-8009-00L-GA	175	**2625**
B47-8009-00L-KA	175	**1749**
B47-8009-00L-LA	175	**1972**
B47-8009-00L-MA	175	**1972**
B47-8009-00L-NA	175	**1728**
B47-8009-00L-TA	175	**2348**
B47-8009-00L-VA	175	**2348**
B47-8009-00L-YA	175	**1769**
B47-8041-00L-BA	175	**1995**
B47-8041-00L-CA	175	**1214**
B47-8041-00L-GA	175	**2748**
B47-8041-00L-KA	175	**1715**
B47-8041-00L-LA	175	**1942**
B47-8041-00L-MA	175	**1942**
B47-8041-00L-NA	175	**1700**
B47-8041-00L-TA	175	**2471**
B47-8041-00L-VA	175	**2471**
B47-8041-00L-YA	175	**1760**
B47-8100-00L-BA	175	**1496**
B47-8100-00L-CA	175	**911**
B47-8100-00L-GA	175	**1924**
B47-8100-00L-KA	175	**1201**
B47-8100-00L-LA	175	**1359**
B47-8100-00L-MA	175	**1359**
B47-8100-00L-NA	175	**1190**
B47-8100-00L-TA	175	**1730**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
B47-8100-00L-VA	175	**1730**
B47-8100-00L-YA	175	**1232**
B56-1010-00L-CB	184	**717**
B56-1010-00L-CC	184	**624**
B56-1010-00L-CF	184	**717**
B56-1010-1PL-CB	184	**757**
B56-1010-1PL-CC	184	**664**
B56-1010-1PL-CF	184	**757**
B56-1249-00-CB	185	**1459**
B56-1249-00-CC	185	**1323**
B56-1249-00-CF	185	**1459**
B56-8009-00L-CB	184	**1052**
B56-8009-00L-CC	184	**999**
B56-8009-00L-CF	184	**1052**
B66-1005-00L-BB	192	**582**
B66-1005-00L-CC	192	**380**
B66-1005-00L-GG	192	**1044**
B66-1005-00L-KK	192	**507**
B66-1005-00L-LL	192	**584**
B66-1005-00L-MM	192	**584**
B66-1005-00L-NN	192	**538**
B66-1005-00L-TT	192	**844**
B66-1005-00L-VV	192	**844**
B66-1005-00L-YY	192	**559**
B66-1005-1PL-BB	192	**642**
B66-1005-1PL-CC	192	**420**
B66-1005-1PL-GG	192	**1134**
B66-1005-1PL-KK	192	**557**
B66-1005-1PL-LL	192	**639**
B66-1005-1PL-MM	192	**639**
B66-1005-1PL-NN	192	**588**
B66-1005-1PL-TT	192	**924**
B66-1005-1PL-VV	192	**924**
B66-1005-1PL-YY	192	**609**
B66-1010-01L-BB	192	**659**
B66-1010-01L-CC	192	**430**
B66-1010-01L-GG	192	**1180**
B66-1010-01L-KK	192	**574**
B66-1010-01L-KM	192	**661**
B66-1010-01L-LL	192	**661**
B66-1010-01L-MM	192	**661**
B66-1010-01L-NN	192	**609**
B66-1010-01L-TT	192	**955**
B66-1010-01L-VV	192	**955**
B66-1010-01L-YY	192	**632**
B66-1010-1PL-BB	192	**719**
B66-1010-1PL-CC	192	**470**
B66-1010-1PL-GG	192	**1270**
B66-1010-1PL-KK	192	**624**
B66-1010-1PL-KM	192	**716**
B66-1010-1PL-LL	192	**716**
B66-1010-1PL-MM	192	**716**
B66-1010-1PL-NN	192	**659**
B66-1010-1PL-TT	192	**1035**
B66-1010-1PL-VV	192	**1035**
B66-1010-1PL-YY	192	**682**
B66-1020-00L-BB	192	**729**
B66-1020-00L-CC	192	**495**

CODE	PAGE	PRICE
B66-1020-00L-GG	192	**1297**
B66-1020-00L-KK	192	**656**
B66-1020-00L-KM	192	**759**
B66-1020-00L-LL	192	**759**
B66-1020-00L-MM	192	**759**
B66-1020-00L-NN	192	**693**
B66-1020-00L-TT	192	**1089**
B66-1020-00L-VV	192	**1089**
B66-1020-00L-YY	192	**718**
B66-1030-00L-BB	192	**897**
B66-1030-00L-CC	192	**507**
B66-1030-00L-GG	192	**1387**
B66-1030-00L-KK	192	**675**
B66-1030-00L-LL	192	**820**
B66-1030-00L-MM†	192	**820**
B66-1030-00L-NN	192	**716**
B66-1030-00L-TT	192	**1123**
B66-1030-00L-VV	192	**1123**
B66-1030-00L-YY	192	**743**
B66-1030-1PL-BB	192	**957**
B66-1030-1PL-CC	192	**547**
B66-1030-1PL-GG	192	**1477**
B66-1030-1PL-KK	192	**725**
B66-1030-1PL-LL	192	**875**
B66-1030-1PL-MM†	192	**875**
B66-1030-1PL-NN	192	**766**
B66-1030-1PL-TT	192	**1203**
B66-1030-1PL-VV	192	**1203**
B66-1030-1PL-YY	192	**793**
B66-1249-00-BB	195	**1291**
B66-1249-00-CC	195	**875**
B66-1249-00-GG	195	**2363**
B66-1249-00-KK	195	**1159**
B66-1249-00-KM	195	**1400**
B66-1249-00-LL	195	**1400**
B66-1249-00-MM	195	**1400**
B66-1249-00-NN	195	**1225**
B66-1249-00-TT	195	**1925**
B66-1249-00-VV	195	**1925**
B66-1249-00-YY	195	**1269**
B66-1369-03-BB	195	**1754**
B66-1369-03-CC	195	**945**
B66-1369-03-GG	195	**2552**
B66-1369-03-KK	195	**1393**
B66-1369-03-LL	195	**1633**
B66-1369-03-MM†	195	**1633**
B66-1369-03-NN	195	**1338**
B66-1369-03-TT	195	**2079**
B66-1369-03-VV	195	**2079**
B66-1369-03-YY	195	**1371**
B66-8009-00L-BB	193	**1245**
B66-8009-00L-CC	193	**775**
B66-8009-00L-GG	193	**2093**
B66-8009-00L-KK	193	**997**
B66-8009-00L-LL	193	**1240**
B66-8009-00L-MM†	193	**1240**
B66-8009-00L-NN	193	**1048**
B66-8009-00L-TT	193	**1705**

CODE	PAGE	PRICE
B66-8009-00L-VV	193	**1705**
B66-8009-00L-YY	193	**1124**
B66-8029-00L-BB	193	**1326**
B66-8029-00L-CC	193	**825**
B66-8029-00L-GG	193	**2229**
B66-8029-00L-KK	193	**1108**
B66-8029-00L-KM	193	**1321**
B66-8029-00L-LL	193	**1321**
B66-8029-00L-MM	193	**1321**
B66-8029-00L-NN	193	**1116**
B66-8029-00L-TT	193	**1816**
B66-8029-00L-VV	193	**1816**
B66-8029-00L-YY	193	**1197**
B66-8041-00L-BB	193	**1376**
B66-8041-00L-CC	193	**834**
B66-8041-00L-GG	193	**2154**
B66-8041-00L-KK	193	**1105**
B66-8041-00L-KM	193	**1298**
B66-8041-00L-LL	193	**1298**
B66-8041-00L-MM	193	**1298**
B66-8041-00L-NN	193	**1168**
B66-8041-00L-TT	193	**1835**
B66-8041-00L-VV	193	**1835**
B66-8041-00L-YY	193	**1209**
B66-8100-04L-BB	194	**914**
B66-8100-04L-CC	194	**590**
B66-8100-04L-GG	194	**1593**
B66-8100-04L-KK	194	**752**
B66-8100-04L-KM	194	**894**
B66-8100-04L-LL	194	**894**
B66-8100-04L-MM	194	**894**
B66-8100-04L-NN	194	**826**
B66-8100-04L-TT	194	**1298**
B66-8100-04L-VV	194	**1298**
B66-8100-04L-YY	194	**856**
B66-8120-04L-BB	194	**1019**
B66-8120-04L-CC	194	**582**
B66-8120-04L-GG	194	**1571**
B66-8120-04L-KK	194	**771**
B66-8120-04L-KM	194	**931**
B66-8120-04L-LL	194	**931**
B66-8120-04L-MM	194	**931**
B66-8120-04L-NN	194	**815**
B66-8120-04L-TT	194	**1280**
B66-8120-04L-VV	194	**1280**
B66-8120-04L-YY	194	**844**
B71-1201-01-BB	213	**1950**
B71-1201-01-CC	213	**1086**
B71-1201-01-GG	213	**2932**
B71-1201-01-KK	213	**1560**
B71-1201-01-LL	213	**1739**
B71-1201-01-MM†	213	**1739**
B71-1201-01-NN	213	**1520**
B71-1201-01-TT	213	**2389**
B71-1201-01-VV	213	**2389**
B71-1201-01-YY	213	**1575**
B71-8001-01L-BB	212	**1669**
B71-8001-01L-CC	212	**945**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
B71-8001-01L-GG	212	**2552**
B71-8001-01L-KK	212	**1335**
B71-8001-01L-LL	212	**1512**
B71-8001-01L-MM†	212	**1512**
B71-8001-01L-NN	212	**1323**
B71-8001-01L-TT	212	**2079**
B71-8001-01L-VV	212	**2079**
B71-8001-01L-YY	212	**1370**
B71-8041-00L-BB	212	**1691**
B71-8041-00L-CC	212	**995**
B71-8041-00L-GG	212	**2687**
B71-8041-00L-KK	212	**1358**
B71-8041-00L-LL	212	**1592**
B71-8041-00L-MM†	212	**1592**
B71-8041-00L-NN	212	**1393**
B71-8041-00L-TT	212	**2189**
B71-8041-00L-VV	212	**2189**
B71-8041-00L-YY	212	**1443**
B72-1201-01-BB	213	**1950**
B72-1201-01-CC	213	**1086**
B72-1201-01-GG	213	**2932**
B72-1201-01-KK	213	**1560**
B72-1201-01-LL	213	**1739**
B72-1201-01-MM†	213	**1739**
B72-1201-01-NN	213	**1520**
B72-1201-01-TT	213	**2389**
B72-1201-01-VV	213	**2389**
B72-1201-01-YY	213	**1575**
B72-8001-01L-BB	212	**1669**
B72-8001-01L-CC	212	**945**
B72-8001-01L-GG	212	**2552**
B72-8001-01L-KK	212	**1335**
B72-8001-01L-LL	212	**1512**
B72-8001-01L-MM†	212	**1512**
B72-8001-01L-NN	212	**1323**
B72-8001-01L-TT	212	**2079**
B72-8001-01L-VV	212	**2079**
B72-8001-01L-YY	212	**1370**
B72-8041-00L-BB	212	**1691**
B72-8041-00L-CC	212	**995**
B72-8041-00L-GG	212	**2687**
B72-8041-00L-KK	212	**1358**
B72-8041-00L-LL	212	**1592**
B72-8041-00L-MM†	212	**1592**
B72-8041-00L-NN	212	**1393**
B72-8041-00L-TT	212	**2189**
B72-8041-00L-VV	212	**2189**
B72-8041-00L-YY	212	**1443**
B74-1201-01-BB	220	**1950**
B74-1201-01-CB	220	**1086**
B74-1201-01-GB	220	**2932**
B74-1201-01-KB	220	**1560**
B74-1201-01-LB	220	**1739**
B74-1201-01-MB	220	**1739**
B74-1201-01-NB	220	**1520**
B74-1201-01-TB	220	**2389**
B74-1201-01-VB	220	**2389**
B74-1201-01-YB	220	**1575**

CODE	PAGE	PRICE
B80-1031-00L-BB	227	**794**
B80-1031-00L-CC	227	**448**
B80-1031-00L-GG	227	**1228**
B80-1031-00L-KK	227	**597**
B80-1031-00L-LL	227	**726**
B80-1031-00L-MM†	227	**726**
B80-1031-00L-NN	227	**633**
B80-1031-00L-TT	227	**994**
B80-1031-00L-VV	227	**994**
B80-1031-00L-YY	227	**658**
B80-1031-1PL-BB	227	**854**
B80-1031-1PL-CC	227	**488**
B80-1031-1PL-GG	227	**1318**
B80-1031-1PL-KK	227	**647**
B80-1031-1PL-LL	227	**781**
B80-1031-1PL-MM†	227	**781**
B80-1031-1PL-NN	227	**683**
B80-1031-1PL-TT	227	**1074**
B80-1031-1PL-VV	227	**1074**
B80-1031-1PL-YY	227	**708**
B80-1032-00L-BB	227	**794**
B80-1032-00L-CC	227	**448**
B80-1032-00L-GG	227	**1228**
B80-1032-00L-KK	227	**597**
B80-1032-00L-LL	227	**726**
B80-1032-00L-MM†	227	**726**
B80-1032-00L-NN	227	**633**
B80-1032-00L-TT	227	**994**
B80-1032-00L-VV	227	**994**
B80-1032-00L-YY	227	**658**
B80-1032-1PL-BB	227	**854**
B80-1032-1PL-CC	227	**488**
B80-1032-1PL-GG	227	**1318**
B80-1032-1PL-KK	227	**647**
B80-1032-1PL-LL	227	**781**
B80-1032-1PL-MM†	227	**781**
B80-1032-1PL-NN	227	**683**
B80-1032-1PL-TT	227	**1074**
B80-1032-1PL-VV	227	**1074**
B80-1032-1PL-YY	227	**708**
B80-1249-00-BB	232	**1202**
B80-1249-00-CC	232	**812**
B80-1249-00-GG	232	**2298**
B80-1249-00-KK	232	**1078**
B80-1249-00-LL	232	**1321**
B80-1249-00-MM†	232	**1321**
B80-1249-00-NN	232	**1144**
B80-1249-00-TT	232	**1860**
B80-1249-00-VV	232	**1860**
B80-1249-00-YY	232	**1187**
B80-8001-1PL-BB	228	**1084**
B80-8001-1PL-CC	228	**634**
B80-8001-1PL-GG	228	**1984**
B80-8001-1PL-KK	228	**873**
B80-8001-1PL-LL	228	**1089**
B80-8001-1PL-MM	228	**1089**
B80-8001-1PL-NN	228	**924**
B80-8001-1PL-TT	228	**1584**

CODE	PAGE	PRICE
B80-8001-1PL-VV	228	**1584**
B80-8001-1PL-YY	228	**966**
B80-8002-1PL-BB	228	**1084**
B80-8002-1PL-CC	228	**634**
B80-8002-1PL-GG	228	**1984**
B80-8002-1PL-KK	228	**873**
B80-8002-1PL-LL	228	**1089**
B80-8002-1PL-MM†	228	**1089**
B80-8002-1PL-NN	228	**924**
B80-8002-1PL-TT	228	**1584**
B80-8002-1PL-VV	228	**1584**
B80-8002-1PL-YY	228	**966**
B80-8003-1PL-BB	228	**1084**
B80-8003-1PL-CC	228	**634**
B80-8003-1PL-GG	228	**1984**
B80-8003-1PL-KK	228	**873**
B80-8003-1PL-LL	228	**1089**
B80-8003-1PL-MM†	228	**1089**
B80-8003-1PL-NN	228	**924**
B80-8003-1PL-TT	228	**1584**
B80-8003-1PL-VV	228	**1584**
B80-8003-1PL-YY	228	**966**
B80-8042-00L-BB	229	**1136**
B80-8042-00L-CC	229	**706**
B80-8042-00L-GG	229	**1906**
B80-8042-00L-KK	229	**889**
B80-8042-00L-LL	229	**1065**
B80-8042-00L-MM†	229	**1065**
B80-8042-00L-NN	229	**936**
B80-8042-00L-TT	229	**1604**
B80-8042-00L-VV	229	**1604**
B80-8042-00L-YY	229	**1014**
B80-8102-00L-BB	230	**925**
B80-8102-00L-CC	230	**580**
B80-8102-00L-GG	230	**1595**
B80-8102-00L-KK	230	**765**
B80-8102-00L-LL	230	**889**
B80-8102-00L-MM†	230	**889**
B80-8102-00L-NN	230	**812**
B80-8102-00L-TT	230	**1276**
B80-8102-00L-VV	230	**1276**
B80-8102-00L-YY	230	**841**
BEC-0520-20-BB	331	**516**
BEC-0520-20-CC	331	**295**
BEC-0520-20-GG	331	**797**
BEC-0520-20-KK	331	**391**
BEC-0520-20-LL	331	**472**
BEC-0520-20-MM	331	**472**
BEC-0520-20-NN	331	**413**
BEC-0520-20-TT	331	**649**
BEC-0520-20-VV	331	**649**
BEC-0520-20-YY	331	**438**
BEC-0520-37-BB	331	**372**
BEC-0520-37-CC	331	**131**
BEC-0520-37-GG	331	**504**
BEC-0520-37-KK	331	**163**
BEC-0520-37-KM	331	**287**
BEC-0520-37-LL	331	**287**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
BEC-0520-37-MM	331	**287**
BEC-0520-37-NN	331	**257**
BEC-0520-37-TT	331	**418**
BEC-0520-37-VV	331	**418**
BEC-0520-37-YY	331	**271**
BEC-0520-45-BB	331	**583**
BEC-0520-45-CC	331	**333**
BEC-0520-45-GG	331	**901**
BEC-0520-45-KK	331	**442**
BEC-0520-45-LL	331	**533**
BEC-0520-45-MM†	331	**533**
BEC-0520-45-NN	331	**467**
BEC-0520-45-TT	331	**733**
BEC-0520-45-VV	331	**733**
BEC-0520-45-YY	331	**495**
BEC-0520-46-BB	331	**635**
BEC-0520-46-CC	331	**363**
BEC-0520-46-GG	331	**982**
BEC-0520-46-KK	331	**482**
BEC-0520-46-KM	331	**581**
BEC-0520-46-LL	331	**581**
BEC-0520-46-MM†	331	**581**
BEC-0520-46-NN	331	**509**
BEC-0520-46-TT	331	**799**
BEC-0520-46-VV	331	**799**
BEC-0520-46-YY	331	**540**
BEC-0520-73-BB	331	**248**
BEC-0520-73-CC	331	**87**
BEC-0520-73-GG	331	**336**
BEC-0520-73-KK	331	**109**
BEC-0520-73-KM	331	**191**
BEC-0520-73-LL	331	**191**
BEC-0520-73-MM†	331	**191**
BEC-0520-73-NN	331	**171**
BEC-0520-73-TT	331	**278**
BEC-0520-73-VV	331	**278**
BEC-0520-73-YY	331	**181**
BEC-0520-74-BB	332	**310**
BEC-0520-74-CC	332	**109**
BEC-0520-74-GG	332	**420**
BEC-0520-74-KK	332	**136**
BEC-0520-74-LL	332	**239**
BEC-0520-74-MM†	332	**239**
BEC-0520-74-NN	332	**214**
BEC-0520-74-TT	332	**348**
BEC-0520-74-VV	332	**348**
BEC-0520-74-YY	332	**226**
BEC-0520-83-BB	332	**310**
BEC-0520-83-CC	332	**109**
BEC-0520-83-GG	332	**420**
BEC-0520-83-KK	332	**136**
BEC-0520-83-LL	332	**239**
BEC-0520-83-MM†	332	**239**
BEC-0520-83-NN	332	**214**
BEC-0520-83-TT	332	**348**
BEC-0520-83-VV	332	**348**
BEC-0520-83-YY	332	**226**
BEC-0520-84-BB	332	**372**
BEC-0520-84-CC	332	**131**
BEC-0520-84-GG	332	**504**
BEC-0520-84-KK	332	**163**
BEC-0520-84-LL	332	**287**
BEC-0520-84-MM†	332	**287**
BEC-0520-84-NN	332	**257**
BEC-0520-84-TT	332	**418**
BEC-0520-84-VV	332	**418**
BEC-0520-84-YY	332	**271**
BGL-2068-50-BB	309	**933**
BGL-2068-50-CC	309	**498**
BGL-2068-50-GG	309	**1678**
BGL-2068-50-KK	309	**655**
BGL-2068-50-LL	309	**889**
BGL-2068-50-MM	309	**889**
BGL-2068-50-NN	309	**776**
BGL-2068-50-TT	309	**1536**
BGL-2068-50-VV	309	**1536**
BGL-2068-50-YY	309	**821**
BGL-2070-50-BB	309	**862**
BGL-2070-50-CC	309	**439**
BGL-2070-50-GG	309	**1552**
BGL-2070-50-KK	309	**606**
BGL-2070-50-LL	309	**822**
BGL-2070-50-MM	309	**822**
BGL-2070-50-NN	309	**718**
BGL-2070-50-TT	309	**1421**
BGL-2070-50-VV	309	**1421**
BGL-2070-50-YY	309	**759**
BGL-2160-00-BB	309	**822**
BGL-2160-00-CC	309	**399**
BGL-2160-00-GG	309	**1478**
BGL-2160-00-KK	309	**565**
BGL-2160-00-LL	309	**782**
BGL-2160-00-MM†	309	**782**
BGL-2160-00-NN	309	**683**
BGL-2160-00-TT	309	**1353**
BGL-2160-00-VV	309	**1353**
BGL-2160-00-YY	309	**723**
BGL-2175-50-BB	309	**540**
BGL-2175-50-CC	309	**269**
BGL-2175-50-GG	309	**1149**
BGL-2175-50-KK	309	**356**
BGL-2175-50-LL	309	**493**
BGL-2175-50-MM	309	**493**
BGL-2175-50-NN	309	**430**
BGL-2175-50-TT	309	**1062**
BGL-2175-50-VV	309	**1062**
BGL-2175-50-YY	309	**471**
BGL-2175-70-BB	310	**458**
BGL-2175-70-CC	310	**200**
BGL-2175-70-GG	310	**1020**
BGL-2175-70-KK	310	**261**
BGL-2175-70-LL	310	**410**
BGL-2175-70-MM†	310	**410**
BGL-2175-70-NN	310	**397**
BGL-2175-70-TT	310	**1002**
BGL-2175-70-VV	310	**1002**
BGL-2175-70-YY	310	**410**
BGL-2175-90-BB	310	**598**
BGL-2175-90-CC	310	**298**
BGL-2175-90-GG	310	**1275**
BGL-2175-90-KK	310	**395**
BGL-2175-90-LL	310	**547**
BGL-2175-90-MM†	310	**547**
BGL-2175-90-NN	310	**478**
BGL-2175-90-TT	310	**1179**
BGL-2175-90-VV	310	**1179**
BGL-2175-90-YY	310	**513**
BGL-2580-50-BB	310	**598**
BGL-2580-50-CC	310	**298**
BGL-2580-50-GG	310	**1275**
BGL-2580-50-KK	310	**395**
BGL-2580-50-LL	310	**547**
BGL-2580-50-MM	310	**547**
BGL-2580-50-NN	310	**478**
BGL-2580-50-TT	310	**1179**
BGL-2580-50-VV	310	**1179**
BGL-2580-50-YY	310	**513**
BGL-3070-50-BB	310	**782**
BGL-3070-50-CC	310	**363**
BGL-3070-50-GG	310	**1402**
BGL-3070-50-KK	310	**482**
BGL-3070-50-LL	310	**704**
BGL-3070-50-MM†	310	**704**
BGL-3070-50-NN	310	**615**
BGL-3070-50-TT	310	**1282**
BGL-3070-50-VV	310	**1282**
BGL-3070-50-YY	310	**651**
BGL-3080-50-BB	311	**888**
BGL-3080-50-CC	311	**452**
BGL-3080-50-GG	311	**1598**
BGL-3080-50-KK	311	**624**
BGL-3080-50-LL	311	**846**
BGL-3080-50-MM†	311	**846**
BGL-3080-50-NN	311	**739**
BGL-3080-50-TT	311	**1463**
BGL-3080-50-VV	311	**1463**
BGL-3080-50-YY	311	**782**
BOD-5002-01-BB	333	**287**
BOD-5002-01-CC	333	**144**
BOD-5002-01-GG	333	**394**
BOD-5002-01-KK	333	**191**
BOD-5002-01-LL	333	**230**
BOD-5002-01-MM†	333	**230**
BOD-5002-01-NN	333	**202**
BOD-5002-01-TT	333	**335**
BOD-5002-01-VV	333	**335**
BOD-5002-01-YY	333	**209**
BOD-5004-02-BB	333	**590**
BOD-5004-02-CC	333	**348**
BOD-5004-02-GG	333	**745**
BOD-5004-02-KK	333	**461**
BOD-5004-02-LL	333	**557**
BOD-5004-02-MM†	333	**557**
BOD-5004-02-NN	333	**473**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
BOD-5004-02-TT	333	**699**
BOD-5004-02-VV	333	**699**
BOD-5004-02-YY	333	**498**
BOD-5006-01-BB	333	**549**
BOD-5006-01-CC	333	**314**
BOD-5006-01-GG	333	**672**
BOD-5006-01-KK	333	**416**
BOD-5006-01-LL	333	**502**
BOD-5006-01-MM†	333	**502**
BOD-5006-01-NN	333	**440**
BOD-5006-01-TT	333	**691**
BOD-5006-01-VV	333	**691**
BOD-5006-01-YY	333	**456**
BOD-5007-01-BB	333	**523**
BOD-5007-01-CC	333	**299**
BOD-5007-01-GG	333	**640**
BOD-5007-01-KK	333	**396**
BOD-5007-01-LL	333	**478**
BOD-5007-01-MM†	333	**478**
BOD-5007-01-NN	333	**419**
BOD-5007-01-TT	333	**658**
BOD-5007-01-VV	333	**658**
BOD-5007-01-YY	333	**434**
BOY-2012-01-CC	315	**112**
BOY-2012-01-NN	315	**195**
BOY-2700-00-BB	315	**173**
BOY-2700-00-CC	315	**85**
BOY-2700-00-GG	315	**240**
BOY-2700-00-II	315	**185**
BOY-2700-00-KK	315	**158**
BOY-2700-00-KM	315	**185**
BOY-2700-00-LL	315	**185**
BOY-2700-00-MM	315	**185**
BOY-2700-00-NN	315	**158**
BOY-2700-00-TT	315	**198**
BOY-2700-00-VV	315	**198**
BOY-2700-00-YY	315	**158**
BOY-2800-00-CC	315	**86**
BOY-2800-00-KK	315	**115**
BRA-0612-02-BB	324	**108**
BRA-0612-02-CC	324	**58**
BRA-0612-02-GG	324	**195**
BRA-0612-02-KK	324	**81**
BRA-0612-02-LL	324	**108**
BRA-0612-02-MM	324	**108**
BRA-0612-02-NN	324	**84**
BRA-0612-02-TT	324	**152**
BRA-0612-02-VV	324	**152**
BRA-0612-02-YY	324	**89**
BRA-0612-14-BB	324	**151**
BRA-0612-14-CC	324	**81**
BRA-0612-14-GG	324	**273**
BRA-0612-14-KK	324	**113**
BRA-0612-14-LL	324	**151**
BRA-0612-14-MM†	324	**151**
BRA-0612-14-NN	324	**118**
BRA-0612-14-TT	324	**213**
BRA-0612-14-VV	324	**213**
BRA-0612-14-YY	324	**125**
BRA-1012-02-BB	324	**184**
BRA-1012-02-CC	324	**99**
BRA-1012-02-GG	324	**332**
BRA-1012-02-KK	324	**138**
BRA-1012-02-LL	324	**184**
BRA-1012-02-MM	324	**184**
BRA-1012-02-NN	324	**143**
BRA-1012-02-TT	324	**258**
BRA-1012-02-VV	324	**258**
BRA-1012-02-YY	324	**151**
BRA-1012-14-BB	324	**196**
BRA-1012-14-CC	324	**105**
BRA-1012-14-GG	324	**355**
BRA-1012-14-KK	324	**147**
BRA-1012-14-LL	324	**196**
BRA-1012-14-MM	324	**196**
BRA-1012-14-NN	324	**153**
BRA-1012-14-TT	324	**277**
BRA-1012-14-VV	324	**277**
BRA-1012-14-YY	324	**163**
BRA-1012-20-BB	324	**258**
BRA-1012-20-CC	324	**139**
BRA-1012-20-GG	324	**465**
BRA-1012-20-KK	324	**193**
BRA-1012-20-LL	324	**258**
BRA-1012-20-MM	324	**258**
BRA-1012-20-NN	324	**200**
BRA-1012-20-TT	324	**361**
BRA-1012-20-VV	324	**361**
BRA-1012-20-YY	324	**211**
BRA-1212-02-BB	325	**184**
BRA-1212-02-CC	325	**99**
BRA-1212-02-GG	325	**332**
BRA-1212-02-KK	325	**138**
BRA-1212-02-LL	325	**184**
BRA-1212-02-MM	325	**184**
BRA-1212-02-NN	325	**143**
BRA-1212-02-TT	325	**258**
BRA-1212-02-VV	325	**258**
BRA-1212-02-YY	325	**151**
BRA-1212-14-BB	325	**196**
BRA-1212-14-CC	325	**105**
BRA-1212-14-GG	325	**355**
BRA-1212-14-KK	325	**147**
BRA-1212-14-LL	325	**196**
BRA-1212-14-MM†	325	**196**
BRA-1212-14-NN	325	**153**
BRA-1212-14-TT	325	**277**
BRA-1212-14-VV	325	**277**
BRA-1212-14-YY	325	**163**
BRA-1212-20-BB	325	**258**
BRA-1212-20-CC	325	**139**
BRA-1212-20-GG	325	**465**
BRA-1212-20-KK	325	**193**
BRA-1212-20-LL	325	**258**
BRA-1212-20-MM	325	**258**
BRA-1212-20-NN	325	**200**
BRA-1212-20-TT	325	**361**
BRA-1212-20-VV	325	**361**
BRA-1212-20-YY	325	**211**
BRA-1409-02-BB	325	**579**
BRA-1409-02-CC	325	**285**
BRA-1409-02-KK	325	**492**
BRA-1608-00-BB	325	**671**
BRA-1608-00-CC	325	**361**
BRA-1608-00-GG	325	**1209**
BRA-1608-00-KK	325	**502**
BRA-1608-00-LL	325	**671**
BRA-1608-00-MM†	325	**671**
BRA-1608-00-NN	325	**520**
BRA-1608-00-TT	325	**939**
BRA-1608-00-VV	325	**939**
BRA-1608-00-YY	325	**549**
BRA-1612-44-BB	326	**297**
BRA-1612-44-CC	326	**160**
BRA-1612-44-GG	326	**535**
BRA-1612-44-KK	326	**222**
BRA-1612-44-LL	326	**297**
BRA-1612-44-MM†	326	**297**
BRA-1612-44-NN	326	**230**
BRA-1612-44-TT	326	**415**
BRA-1612-44-VV	326	**415**
BRA-1612-44-YY	326	**243**
BRA-1612-66-BB	326	**258**
BRA-1612-66-CC	326	**139**
BRA-1612-66-GG	326	**465**
BRA-1612-66-KK	326	**193**
BRA-1612-66-KM	326	**258**
BRA-1612-66-LL	326	**258**
BRA-1612-66-MM	326	**258**
BRA-1612-66-NN	326	**200**
BRA-1612-66-TT	326	**361**
BRA-1612-66-VV	326	**361**
BRA-1612-66-YY	326	**211**
BRA-1614-04-BB	326	**413**
BRA-1614-04-CC	326	**222**
BRA-1614-04-GG	326	**744**
BRA-1614-04-KK	326	**309**
BRA-1614-04-LL	326	**413**
BRA-1614-04-MM†	326	**413**
BRA-1614-04-NN	326	**320**
BRA-1614-04-TT	326	**578**
BRA-1614-04-VV	326	**578**
BRA-1614-04-YY	326	**338**
BRA-1812-02-BB	326	**232**
BRA-1812-02-CC	326	**125**
BRA-1812-02-GG	326	**419**
BRA-1812-02-KK	326	**174**
BRA-1812-02-LL	326	**232**
BRA-1812-02-MM	326	**232**
BRA-1812-02-NN	326	**180**
BRA-1812-02-TT	326	**325**
BRA-1812-02-VV	326	**325**
BRA-1812-02-YY	326	**190**
BRA-1812-14-BB	326	**278**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
BRA-1812-14-CC	326	**150**
BRA-1812-14-GG	326	**503**
BRA-1812-14-KK	326	**209**
BRA-1812-14-LL	326	**278**
BRA-1812-14-MM†	326	**278**
BRA-1812-14-NN	326	**216**
BRA-1812-14-TT	326	**390**
BRA-1812-14-VV	326	**390**
BRA-1812-14-YY	326	**228**
BRA-1812-20-BB	327	**320**
BRA-1812-20-CC	327	**173**
BRA-1812-20-GG	327	**578**
BRA-1812-20-KK	327	**240**
BRA-1812-20-LL	327	**320**
BRA-1812-20-MM	327	**320**
BRA-1812-20-NN	327	**248**
BRA-1812-20-TT	327	**449**
BRA-1812-20-VV	327	**449**
BRA-1812-20-YY	327	**262**
BRA-1815-02-BB	327	**490**
BRA-1815-02-CC	327	**264**
BRA-1815-02-GG	327	**884**
BRA-1815-02-KK	327	**367**
BRA-1815-02-LL	327	**490**
BRA-1815-02-MM†	327	**490**
BRA-1815-02-NN	327	**380**
BRA-1815-02-TT	327	**686**
BRA-1815-02-VV	327	**686**
BRA-1815-02-YY	327	**401**
BRA-1816-02-BB	327	**258**
BRA-1816-02-CC	327	**139**
BRA-1816-02-GG	327	**465**
BRA-1816-02-KK	327	**193**
BRA-1816-02-LL	327	**258**
BRA-1816-02-MM†	327	**258**
BRA-1816-02-NN	327	**200**
BRA-1816-02-TT	327	**361**
BRA-1816-02-VV	327	**361**
BRA-1816-02-YY	327	**211**
C35-3130-26-BB	55	**1595**
C35-3130-26-BC	55	**1595**
C35-3130-26-BE	55	**1595**
C35-3130-26-BJ	55	**1595**
C35-3130-26-BK	55	**1595**
C35-3130-26-CB	55	**1455**
C35-3130-26-CC	55	**1455**
C35-3130-26-CE	55	**1455**
C35-3130-26-CJ	55	**1455**
C35-3130-26-CK	55	**1455**
C35-3130-26-EB	55	**1595**
C35-3130-26-EC	55	**1595**
C35-3130-26-EE	55	**1595**
C35-3130-26-EJ	55	**1595**
C35-3130-26-EK	55	**1595**
C35-3130-26-JB	55	**1595**
C35-3130-26-JC	55	**1595**
C35-3130-26-JE	55	**1595**
C35-3130-26-JJ	55	**1595**
C35-3130-26-JK	55	**1595**
C35-3130-26-KB	55	**1595**
C35-3130-26-KC	55	**1595**
C35-3130-26-KE	55	**1595**
C35-3130-26-KJ	55	**1595**
C35-3130-26-KK	55	**1595**
CAC-6023-01-BB	76	**59**
CAC-6023-01-CC	76	**40**
CAC-6023-01-GG	76	**99**
CAC-6023-01-KK	76	**53**
CAC-6023-01-KM	76	**64**
CAC-6023-01-LL	76	**64**
CAC-6023-01-MM	76	**64**
CAC-6023-01-SS	76	**53**
CAC-6023-01-TT	76	**96**
CAC-6023-01-VV	76	**96**
CAC-6023-01-YY	76	**62**
COL-3004-03-BB	276	**1698**
COL-3004-03-CC	276	**878**
COL-3004-03-GG	276	**2371**
COL-3004-03-KK	276	**1473**
COL-3004-03-LL	276	**1625**
COL-3004-03-MM†	276	**1625**
COL-3004-03-NN	276	**1229**
COL-3004-03-TT	276	**1932**
COL-3004-03-VV	276	**1932**
COL-3004-03-YY	276	**1393**
CUI-1940-02L-CC	50	**910**
CUI-1940-02L-KK	50	**1198**
CUI-1940-02L-SS	50	**1183**
CUI-2040-02L-CC	60	**525**
CUI-2040-02L-KK	60	**699**
CUI-2040-02L-SS	60	**683**
CUI-2040-35L-BB	60	**1094**
CUI-2040-35L-CC	60	**595**
CUI-2040-35L-GG	60	**1588**
CUI-2040-35L-KK	60	**727**
CUI-2040-35L-LL	60	**999**
CUI-2040-35L-MM†	60	**999**
CUI-2040-35L-SS	60	**727**
CUI-2040-35L-TT	60	**1375**
CUI-2040-35L-VV	60	**1375**
CUI-2040-35L-YY	60	**952**
CUI-3020-02L-BB	63	**2230**
CUI-3020-02L-CC	63	**1274**
CUI-3020-02L-GG	63	**3131**
CUI-3020-02L-KK	63	**1688**
CUI-3020-02L-LL	63	**2039**
CUI-3020-02L-MM	63	**2039**
CUI-3020-02L-SS	63	**1658**
CUI-3020-02L-TT	63	**2802**
CUI-3020-02L-VV	63	**2802**
CUI-3020-02L-YY	63	**1847**
CUI-3040-02L-BB	63	**1689**
CUI-3040-02L-CC	63	**965**
CUI-3040-02L-GG	63	**2372**
CUI-3040-02L-KK	63	**1279**
CUI-3040-02L-LL	63	**1545**
CUI-3040-02L-MM	63	**1545**
CUI-3040-02L-SS	63	**1256**
CUI-3040-02L-TT	63	**2123**
CUI-3040-02L-VV	63	**2123**
CUI-3040-02L-YY	63	**1400**
CUI-3045-02L-BB	63	**1609**
CUI-3045-02L-CC	63	**919**
CUI-3045-02L-GG	63	**2259**
CUI-3045-02L-KK	63	**1218**
CUI-3045-02L-LL	63	**1471**
CUI-3045-02L-MM	63	**1471**
CUI-3045-02L-SS	63	**1196**
CUI-3045-02L-TT	63	**2022**
CUI-3045-02L-VV	63	**2022**
CUI-3045-02L-YY	63	**1333**
CUI-4030-00L-BB	64	**549**
CUI-4030-00L-CC	64	**314**
CUI-4030-00L-GG	64	**971**
CUI-4030-00L-KK	64	**416**
CUI-4030-00L-LL	64	**502**
CUI-4030-00L-MM	64	**502**
CUI-4030-00L-SS	64	**408**
CUI-4030-00L-TT	64	**839**
CUI-4030-00L-VV	64	**839**
CUI-4030-00L-YY	64	**540**
CUI-4092-00L-BB	67	**523**
CUI-4092-00L-CC	67	**299**
CUI-4092-00L-GG	67	**925**
CUI-4092-00L-KK	67	**396**
CUI-4092-00L-LL	67	**478**
CUI-4092-00L-MM†	67	**478**
CUI-4092-00L-SS	67	**389**
CUI-4092-00L-TT	67	**799**
CUI-4092-00L-VV	67	**799**
CUI-4092-00L-YY	67	**514**
CUI-4093-00L-BB	52	**523**
CUI-4093-00L-CC	52	**299**
CUI-4093-00L-GG	52	**925**
CUI-4093-00L-KK	52	**396**
CUI-4093-00L-KM	52	**478**
CUI-4093-00L-LL	52	**478**
CUI-4093-00L-MM	52	**478**
CUI-4093-00L-SS	52	**389**
CUI-4093-00L-TT	52	**799**
CUI-4093-00L-VV	52	**799**
CUI-4093-00L-YY	52	**514**
CUI-4095-00L-BB	61	**523**
CUI-4095-00L-CC	61	**299**
CUI-4095-00L-GG	61	**925**
CUI-4095-00L-KK	61	**396**
CUI-4095-00L-LL	61	**478**
CUI-4095-00L-MM†	61	**478**
CUI-4095-00L-SS	61	**389**
CUI-4095-00L-TT	61	**799**
CUI-4095-00L-VV	61	**799**
CUI-4095-00L-YY	61	**514**
CUI-4096-00L-S2	56	**545**
CUI-4192-00L-BB	69	**523**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
CUI-4192-00L-CC	69	**299**
CUI-4192-00L-GG	69	**925**
CUI-4192-00L-KK	69	**396**
CUI-4192-00L-LL	69	**478**
CUI-4192-00L-MM†	69	**478**
CUI-4192-00L-SS	69	**389**
CUI-4192-00L-TT	69	**799**
CUI-4192-00L-VV	69	**799**
CUI-4192-00L-YY	69	**514**
CUI-4230-00L-BB	64	**1878**
CUI-4230-00L-CC	64	**1138**
CUI-4230-00L-GG	64	**2617**
CUI-4230-00L-KK	64	**1508**
CUI-4230-00L-LL	64	**1821**
CUI-4230-00L-MM	64	**1821**
CUI-4230-00L-SS	64	**1479**
CUI-4230-00L-TT	64	**2399**
CUI-4230-00L-VV	64	**2399**
CUI-4230-00L-YY	64	**1651**
CUI-4292-00L-BB	67	**1878**
CUI-4292-00L-CC	67	**1138**
CUI-4292-00L-GG	67	**2617**
CUI-4292-00L-KK	67	**1508**
CUI-4292-00L-LL	67	**1821**
CUI-4292-00L-MM†	67	**1821**
CUI-4292-00L-SS	67	**1479**
CUI-4292-00L-TT	67	**2399**
CUI-4292-00L-VV	67	**2399**
CUI-4292-00L-YY	67	**1651**
CUI-4293-00L-BB	52	**1789**
CUI-4293-00L-CC	52	**1084**
CUI-4293-00L-GG	52	**2492**
CUI-4293-00L-KK	52	**1436**
CUI-4293-00L-KM	52	**1734**
CUI-4293-00L-LL	52	**1734**
CUI-4293-00L-MM	52	**1734**
CUI-4293-00L-SS	52	**1409**
CUI-4293-00L-TT	52	**2285**
CUI-4293-00L-VV	52	**2285**
CUI-4293-00L-YY	52	**1572**
CUI-4295-00L-BB	61	**1789**
CUI-4295-00L-CC	61	**1084**
CUI-4295-00L-GG	61	**2492**
CUI-4295-00L-KK	61	**1436**
CUI-4295-00L-LL	61	**1734**
CUI-4295-00L-MM†	61	**1734**
CUI-4295-00L-SS	61	**1409**
CUI-4295-00L-TT	61	**2285**
CUI-4295-00L-VV	61	**2285**
CUI-4295-00L-YY	61	**1572**
CUI-4296-00L-S2	57	**1495**
CUI-9181-47L-CC	61	**698**
CUI-9181-47L-SS	61	**898**
CUI-9220-02L-BB	69	**2124**
CUI-9220-02L-CC	69	**1213**
CUI-9220-02L-GG	69	**2982**
CUI-9220-02L-KK	69	**1608**
CUI-9220-02L-LL	69	**1942**
CUI-9220-02L-MM†	69	**1942**
CUI-9220-02L-SS	69	**1579**
CUI-9220-02L-TT	69	**2669**
CUI-9220-02L-VV	69	**2669**
CUI-9220-02L-YY	69	**1759**
CUI-9225-02L-BB	66	**2124**
CUI-9225-02L-CC	66	**1213**
CUI-9225-02L-GG	66	**2982**
CUI-9225-02L-KK	66	**1608**
CUI-9225-02L-LL	66	**1942**
CUI-9225-02L-MM†	66	**1942**
CUI-9225-02L-SS	66	**1579**
CUI-9225-02L-TT	66	**2669**
CUI-9225-02L-VV	66	**2669**
CUI-9225-02L-YY	66	**1759**
CUI-9245-02L-BB	72	**1574**
CUI-9245-02L-CC	72	**899**
CUI-9245-02L-GG	72	**2210**
CUI-9245-02L-KK	72	**1192**
CUI-9245-02L-LL	72	**1439**
CUI-9245-02L-SS	72	**1170**
CUI-9245-02L-TT	72	**1978**
CUI-9245-02L-VV	72	**1978**
CUI-9245-02L-YY	72	**1304**
CUI-9247-02L-BB	72	**1444**
CUI-9247-02L-CC	72	**825**
CUI-9247-02L-GG	72	**2028**
CUI-9247-02L-KK	72	**1093**
CUI-9247-02L-LL	72	**1320**
CUI-9247-02L-SS	72	**1073**
CUI-9247-02L-TT	72	**1815**
CUI-9247-02L-VV	72	**1815**
CUI-9247-02L-YY	72	**1196**
CUI-9249-02L-BB	66	**1516**
CUI-9249-02L-CC	66	**866**
CUI-9249-02L-GG	66	**2129**
CUI-9249-02L-KK	66	**1148**
CUI-9249-02L-LL	66	**1386**
CUI-9249-02L-MM†	66	**1386**
CUI-9249-02L-SS	66	**1127**
CUI-9249-02L-TT	66	**1906**
CUI-9249-02L-VV	66	**1906**
CUI-9249-02L-YY	66	**1256**
CUI-9249-22L-CC	72	**953**
CUI-9249-22L-CK	72	**1001**
CUI-9249-22L-KK	72	**1263**
CUI-9249-22L-KL	72	**1263**
CUI-9249-22L-LK	72	**1525**
CUI-9249-22L-LL	72	**1525**
CUI-9249-22L-SK	72	**1248**
CUI-9249-22L-SS	72	**1248**
CUI-9249-32L-CC	73	**919**
CUI-9249-32L-CK	73	**965**
CUI-9249-32L-KK	73	**1218**
CUI-9249-32L-KL	73	**1218**
CUI-9249-32L-LK	73	**1470**
CUI-9249-32L-LL	73	**1470**
CUI-9249-32L-SK	73	**1195**
CUI-9249-32L-SS	73	**1195**
CUI-9250-02L-BB	69	**1516**
CUI-9250-02L-CC	69	**866**
CUI-9250-02L-GG	69	**2129**
CUI-9250-02L-KK	69	**1148**
CUI-9250-02L-LL	69	**1386**
CUI-9250-02L-MM†	69	**1386**
CUI-9250-02L-SS	69	**1127**
CUI-9250-02L-TT	69	**1906**
CUI-9250-02L-VV	69	**1906**
CUI-9250-02L-YY	69	**1256**
CUI-9250-22L-CC	73	**953**
CUI-9250-22L-CK	73	**1001**
CUI-9250-22L-KK	73	**1263**
CUI-9250-22L-KL	73	**1263**
CUI-9250-22L-LK	73	**1525**
CUI-9250-22L-LL	73	**1525**
CUI-9250-22L-SK	73	**1248**
CUI-9250-22L-SS	73	**1248**
CUI-9250-32L-CC	74	**919**
CUI-9250-32L-CK	74	**965**
CUI-9250-32L-KK	74	**1218**
CUI-9250-32L-KL	74	**1218**
CUI-9250-32L-LK	74	**1470**
CUI-9250-32L-LL	74	**1470**
CUI-9250-32L-SK	74	**1195**
CUI-9250-32L-SS	74	**1195**
CUI-9255-02L-BB	66	**1444**
CUI-9255-02L-CC	66	**825**
CUI-9255-02L-GG	66	**2028**
CUI-9255-02L-KK	66	**1093**
CUI-9255-02L-LL	66	**1320**
CUI-9255-02L-MM†	66	**1320**
CUI-9255-02L-SS	66	**1073**
CUI-9255-02L-TT	66	**1815**
CUI-9255-02L-VV	66	**1815**
CUI-9255-02L-YY	66	**1196**
CUI-9320-02L-BB	52	**2124**
CUI-9320-02L-CC	52	**1213**
CUI-9320-02L-GG	52	**2982**
CUI-9320-02L-KK	52	**1608**
CUI-9320-02L-KM	52	**1942**
CUI-9320-02L-LL	52	**1942**
CUI-9320-02L-MM	52	**1942**
CUI-9320-02L-SS	52	**1579**
CUI-9320-02L-TT	52	**2669**
CUI-9320-02L-VV	52	**2669**
CUI-9320-02L-YY	52	**1759**
CUI-9335-02L-BB	51	**1609**
CUI-9335-02L-CC	51	**919**
CUI-9335-02L-GG	51	**2259**
CUI-9335-02L-KK	51	**1218**
CUI-9335-02L-KM	51	**1471**
CUI-9335-02L-LL	51	**1471**
CUI-9335-02L-MM†	51	**1471**
CUI-9335-02L-SS	51	**1196**
CUI-9335-02L-TT	51	**2022**
CUI-9335-02L-VV	51	**2022**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
CUI-9335-02L-YY	51	**1333**
CUI-9340-02L-BB	51	**1516**
CUI-9340-02L-CC	51	**866**
CUI-9340-02L-GG	51	**2129**
CUI-9340-02L-KK	51	**1148**
CUI-9340-02L-KM	51	**1386**
CUI-9340-02L-LL	51	**1386**
CUI-9340-02L-MM	51	**1386**
CUI-9340-02L-SS	51	**1127**
CUI-9340-02L-TT	51	**1906**
CUI-9340-02L-VV	51	**1906**
CUI-9340-02L-YY	51	**1256**
CUI-9345-02L-BB	51	**1444**
CUI-9345-02L-CC	51	**825**
CUI-9345-02L-GG	51	**2028**
CUI-9345-02L-KK	51	**1093**
CUI-9345-02L-KM	51	**1320**
CUI-9345-02L-LL	51	**1320**
CUI-9345-02L-MM	51	**1320**
CUI-9345-02L-SS	51	**1073**
CUI-9345-02L-TT	51	**1815**
CUI-9345-02L-VV	51	**1815**
CUI-9345-02L-YY	51	**1196**
CUI-9350-02L-BB	58	**1574**
CUI-9350-02L-CC	58	**899**
CUI-9350-02L-GG	58	**2210**
CUI-9350-02L-KK	58	**1192**
CUI-9350-02L-LL	58	**1439**
CUI-9350-02L-MM†	58	**1439**
CUI-9350-02L-SS	58	**1170**
CUI-9350-02L-TT	58	**1978**
CUI-9350-02L-VV	58	**1978**
CUI-9350-02L-YY	58	**1304**
CUI-9352-02L-BB	58	**1444**
CUI-9352-02L-CC	58	**825**
CUI-9352-02L-GG	58	**2028**
CUI-9352-02L-KK	58	**1093**
CUI-9352-02L-LL	58	**1320**
CUI-9352-02L-MM†	58	**1320**
CUI-9352-02L-SS	58	**1073**
CUI-9352-02L-TT	58	**1815**
CUI-9352-02L-VV	58	**1815**
CUI-9352-02L-YY	58	**1196**
CUI-9355-02L-BB	58	**1770**
CUI-9355-02L-CC	58	**1011**
CUI-9355-02L-GG	58	**2485**
CUI-9355-02L-KK	58	**1340**
CUI-9355-02L-LL	58	**1618**
CUI-9355-02L-MM†	58	**1618**
CUI-9355-02L-SS	58	**1316**
CUI-9355-02L-TT	58	**2224**
CUI-9355-02L-VV	58	**2224**
CUI-9355-02L-YY	58	**1466**
CUI-9540-35L-BB	60	**1149**
CUI-9540-35L-CC	60	**625**
CUI-9540-35L-GG	60	**1667**
CUI-9540-35L-KK	60	**763**
CUI-9540-35L-LL	60	**1049**

CODE	PAGE	PRICE
CUI-9540-35L-MM†	60	**1049**
CUI-9540-35L-SS	60	**763**
CUI-9540-35L-TT	60	**1444**
CUI-9540-35L-VV	60	**1444**
CUI-9540-35L-YY	60	**1000**
CUI-9635-02L-S2	56	**1395**
CUI-9640-02L-S2	56	**1295**
DGL-2068-53-BB	304	**1166**
DGL-2068-53-CC	304	**622**
DGL-2068-53-GG	304	**2098**
DGL-2068-53-KK	304	**819**
DGL-2068-53-LL	304	**1111**
DGL-2068-53-MM	304	**1111**
DGL-2068-53-NN	304	**970**
DGL-2068-53-TT	304	**1920**
DGL-2068-53-VV	304	**1920**
DGL-2068-53-YY	304	**1026**
DGL-2070-51-BB	304	**1078**
DGL-2070-51-CC	304	**549**
DGL-2070-51-GG	304	**1940**
DGL-2070-51-KK	304	**757**
DGL-2070-51-LL	304	**1027**
DGL-2070-51-MM	304	**1027**
DGL-2070-51-NN	304	**897**
DGL-2070-51-TT	304	**1776**
DGL-2070-51-VV	304	**1776**
DGL-2070-51-YY	304	**949**
DGL-2070-53-BB	304	**1027**
DGL-2070-53-CC	304	**499**
DGL-2070-53-GG	304	**1848**
DGL-2070-53-KK	304	**706**
DGL-2070-53-LL	304	**978**
DGL-2070-53-MM	304	**978**
DGL-2070-53-NN	304	**854**
DGL-2070-53-TT	304	**1691**
DGL-2070-53-VV	304	**1691**
DGL-2070-53-YY	304	**904**
DGL-2070-57-BB	305	**1078**
DGL-2070-57-CC	305	**549**
DGL-2070-57-GG	305	**1940**
DGL-2070-57-KK	305	**757**
DGL-2070-57-LL	305	**1027**
DGL-2070-57-MM†	305	**1027**
DGL-2070-57-NN	305	**897**
DGL-2070-57-TT	305	**1776**
DGL-2070-57-VV	305	**1776**
DGL-2070-57-YY	305	**949**
DGL-2070-62-BB	305	**1110**
DGL-2070-62-CC	305	**565**
DGL-2070-62-CI	305	**667**
DGL-2070-62-CK	305	**622**
DGL-2070-62-GG	305	**1998**
DGL-2070-62-KI	305	**819**
DGL-2070-62-KK	305	**780**
DGL-2070-62-LL	305	**1058**
DGL-2070-62-MM†	305	**1058**
DGL-2070-62-NN	305	**924**
DGL-2070-62-TT	305	**1829**

CODE	PAGE	PRICE
DGL-2070-62-VV	305	**1829**
DGL-2070-62-YY	305	**977**
DGL-2160-03-BB	305	**1027**
DGL-2160-03-CC	305	**499**
DGL-2160-03-GG	305	**1848**
DGL-2160-03-KK	305	**706**
DGL-2160-03-LL	305	**978**
DGL-2160-03-MM†	305	**978**
DGL-2160-03-NN	305	**854**
DGL-2160-03-TT	305	**1691**
DGL-2160-03-VV	305	**1691**
DGL-2160-03-YY	305	**904**
DGL-2170-63-BB	306	**572**
DGL-2170-63-CC	306	**250**
DGL-2170-63-GG	306	**1275**
DGL-2170-63-KK	306	**326**
DGL-2170-63-LL	306	**513**
DGL-2170-63-MM†	306	**513**
DGL-2170-63-NN	306	**496**
DGL-2170-63-TT	306	**1253**
DGL-2170-63-VV	306	**1253**
DGL-2170-63-YY	306	**513**
DGL-2175-52-BB	306	**747**
DGL-2175-52-CC	306	**373**
DGL-2175-52-GG	306	**1594**
DGL-2175-52-KK	306	**494**
DGL-2175-52-LL	306	**684**
DGL-2175-52-MM†	306	**684**
DGL-2175-52-NN	306	**597**
DGL-2175-52-TT	306	**1474**
DGL-2175-52-VV	306	**1474**
DGL-2175-52-YY	306	**641**
DGL-2175-53-BB	306	**675**
DGL-2175-53-CC	306	**336**
DGL-2175-53-GG	306	**1436**
DGL-2175-53-KK	306	**445**
DGL-2175-53-KM	306	**616**
DGL-2175-53-LL	306	**616**
DGL-2175-53-MM	306	**616**
DGL-2175-53-NN	306	**537**
DGL-2175-53-TT	306	**1327**
DGL-2175-53-VV	306	**1327**
DGL-2175-53-YY	306	**589**
DGL-2580-53-BB	307	**747**
DGL-2580-53-CC	307	**373**
DGL-2580-53-GG	307	**1594**
DGL-2580-53-KK	307	**494**
DGL-2580-53-LL	307	**684**
DGL-2580-53-MM†	307	**684**
DGL-2580-53-NN	307	**597**
DGL-2580-53-TT	307	**1474**
DGL-2580-53-VV	307	**1474**
DGL-2580-53-YY	307	**641**
DGL-2584-53-BB	307	**747**
DGL-2584-53-CC	307	**373**
DGL-2584-53-GG	307	**1594**
DGL-2584-53-KK	307	**494**
DGL-2584-53-KM	307	**684**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
DGL-2584-53-LL	307	**684**
DGL-2584-53-MM†	307	**684**
DGL-2584-53-NN	307	**597**
DGL-2584-53-TT	307	**1474**
DGL-2584-53-VV	307	**1474**
DGL-2584-53-YY	307	**641**
DGL-3070-53-BB	307	**978**
DGL-3070-53-CC	307	**454**
DGL-3070-53-GG	307	**1753**
DGL-3070-53-KK	307	**603**
DGL-3070-53-LL	307	**880**
DGL-3070-53-MM†	307	**880**
DGL-3070-53-NN	307	**769**
DGL-3070-53-TT	307	**1603**
DGL-3070-53-VV	307	**1603**
DGL-3070-53-YY	307	**814**
DGL-3080-73-BB	308	**1110**
DGL-3080-73-CC	308	**565**
DGL-3080-73-GG	308	**1998**
DGL-3080-73-KK	308	**780**
DGL-3080-73-LL	308	**1058**
DGL-3080-73-MM†	308	**1058**
DGL-3080-73-NN	308	**924**
DGL-3080-73-TT	308	**1829**
DGL-3080-73-VV	308	**1829**
DGL-3080-73-YY	308	**977**
DGL-3080-83-BB	308	**1110**
DGL-3080-83-CC	308	**565**
DGL-3080-83-GG	308	**1998**
DGL-3080-83-KK	308	**780**
DGL-3080-83-LL	308	**1058**
DGL-3080-83-MM†	308	**1058**
DGL-3080-83-NN	308	**924**
DGL-3080-83-TT	308	**1829**
DGL-3080-83-VV	308	**1829**
DGL-3080-83-YY	308	**977**
DIS-9030-00-BB	53	**234**
DIS-9030-00-CC	53	**179**
DIS-9030-00-GG	53	**406**
DIS-9030-00-KK	53	**228**
DIS-9030-00-KM	53	**247**
DIS-9030-00-LL	53	**247**
DIS-9030-00-MM	53	**247**
DIS-9030-00-SS	53	**233**
DIS-9030-00-TT	53	**394**
DIS-9030-00-VV	53	**394**
DIS-9030-00-YY	53	**238**
DIS-9035-00-BB	62	**234**
DIS-9035-00-CC	62	**179**
DIS-9035-00-EE	62	**247**
DIS-9035-00-GG	62	**406**
DIS-9035-00-JJ	62	**247**
DIS-9035-00-KK	62	**228**
DIS-9035-00-LL	62	**247**
DIS-9035-00-MM†	62	**247**
DIS-9035-00-SS	62	**233**
DIS-9035-00-TT	62	**394**
DIS-9035-00-VV	62	**394**

CODE	PAGE	PRICE
DIS-9035-00-YY	62	**238**
DIS-9040-00-BB	62	**187**
DIS-9040-00-CC	62	**143**
DIS-9040-00-GG	62	**325**
DIS-9040-00-KK	62	**182**
DIS-9040-00-KM	62	**198**
DIS-9040-00-LL	62	**198**
DIS-9040-00-MM†	62	**198**
DIS-9040-00-SS	62	**186**
DIS-9040-00-TT	62	**315**
DIS-9040-00-VV	62	**315**
DIS-9040-00-YY	62	**190**
DIS-9050-00-BB	64	**250**
DIS-9050-00-CC	64	**192**
DIS-9050-00-GG	64	**434**
DIS-9050-00-KK	64	**244**
DIS-9050-00-LL	64	**264**
DIS-9050-00-MM	64	**264**
DIS-9050-00-SS	64	**249**
DIS-9050-00-TT	64	**422**
DIS-9050-00-VV	64	**422**
DIS-9050-00-YY	64	**255**
DIS-9060-00-S2	57	**295**
DOU-1219-01-BB	312	**201**
DOU-1219-01-CC	312	**122**
DOU-1219-01-GG	312	**418**
DOU-1219-01-KK	312	**171**
DOU-1219-01-LL	312	**196**
DOU-1219-01-MM†	312	**196**
DOU-1219-01-NN	312	**179**
DOU-1219-01-TT	312	**374**
DOU-1219-01-VV	312	**374**
DOU-1219-01-YY	312	**186**
DOU-2551-03-BB	312	**138**
DOU-2551-03-CC	312	**79**
DOU-2551-03-GG	312	**318**
DOU-2551-03-KK	312	**104**
DOU-2551-03-LL	312	**138**
DOU-2551-03-MM†	312	**138**
DOU-2551-03-NN	312	**131**
DOU-2551-03-TT	312	**302**
DOU-2551-03-VV	312	**302**
DOU-2551-03-YY	312	**147**
DOU-2555-01-CC	312	**72**
DOU-2561-01-CC	312	**60**
DOU-2561-01-KK	312	**89**
DOU-2566-03-BB	313	**148**
DOU-2566-03-CC	313	**87**
DOU-2566-03-GG	313	**350**
DOU-2566-03-KK	313	**114**
DOU-2566-03-KM	313	**148**
DOU-2566-03-LL	313	**148**
DOU-2566-03-MM	313	**148**
DOU-2566-03-NN	313	**138**
DOU-2566-03-TT	313	**324**
DOU-2566-03-VV	313	**324**
DOU-2566-03-YY	313	**162**
DOU-2574-03-BB	313	**225**

CODE	PAGE	PRICE
DOU-2574-03-CC	313	**140**
DOU-2574-03-GG	313	**444**
DOU-2574-03-KK	313	**186**
DOU-2574-03-LL	313	**224**
DOU-2574-03-MM†	313	**224**
DOU-2574-03-NN	313	**196**
DOU-2574-03-TT	313	**394**
DOU-2574-03-VV	313	**394**
DOU-2574-03-YY	313	**213**
DOU-2584-03-BB	313	**225**
DOU-2584-03-CC	313	**140**
DOU-2584-03-GG	313	**444**
DOU-2584-03-KK	313	**186**
DOU-2584-03-KM	313	**224**
DOU-2584-03-LL	313	**224**
DOU-2584-03-MM†	313	**224**
DOU-2584-03-NN	313	**196**
DOU-2584-03-TT	313	**394**
DOU-2584-03-VV	313	**394**
DOU-2584-03-YY	313	**213**
DOU-2604-01-BB	313	**225**
DOU-2604-01-CC	313	**140**
DOU-2604-01-GG	313	**444**
DOU-2604-01-KK	313	**186**
DOU-2604-01-KM	313	**224**
DOU-2604-01-LL	313	**224**
DOU-2604-01-MM	313	**224**
DOU-2604-01-NN	313	**196**
DOU-2604-01-TT	313	**394**
DOU-2604-01-VV	313	**394**
DOU-2604-01-YY	313	**213**
DOU-2620-01-BB	314	**338**
DOU-2620-01-CC	314	**210**
DOU-2620-01-GG	314	**578**
DOU-2620-01-KK	314	**284**
DOU-2620-01-LL	314	**336**
DOU-2620-01-MM	314	**336**
DOU-2620-01-NN	314	**305**
DOU-2620-01-TT	314	**532**
DOU-2620-01-VV	314	**532**
DOU-2620-01-YY	314	**320**
DOU-2625-03-BB	314	**225**
DOU-2625-03-CC	314	**140**
DOU-2625-03-GG	314	**444**
DOU-2625-03-KK	314	**186**
DOU-2625-03-LL	314	**224**
DOU-2625-03-MM	314	**224**
DOU-2625-03-NN	314	**196**
DOU-2625-03-TT	314	**394**
DOU-2625-03-VV	314	**394**
DOU-2625-03-YY	314	**213**
DOU-2635-02-BB	314	**259**
DOU-2635-02-CC	314	**161**
DOU-2635-02-GG	314	**511**
DOU-2635-02-II	314	**299**
DOU-2635-02-KK	314	**229**
DOU-2635-02-LL	314	**269**
DOU-2635-02-MM†	314	**269**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
DOU-2635-02-NN	314	**225**
DOU-2635-02-TT	314	**453**
DOU-2635-02-VV	314	**453**
DOU-2635-02-YY	314	**255**
DOU-6026-02-BB	76	**268**
DOU-6026-02-CC	76	**172**
DOU-6026-02-EE	76	**275**
DOU-6026-02-JJ	76	**275**
DOU-6026-02-KK	76	**228**
DOU-6030-M2-BB	76	**249**
DOU-6030-M2-CC	76	**160**
DOU-6030-M2-GG	76	**312**
DOU-6030-M2-KK	76	**212**
DOU-6030-M2-KM	76	**256**
DOU-6030-M2-LL	76	**256**
DOU-6030-M2-MM	76	**256**
DOU-6030-M2-SS	76	**212**
DOU-6030-M2-TT	76	**352**
DOU-6030-M2-VV	76	**352**
DOU-6030-M2-YY	76	**232**
DOU-6032-02-S2	76	**249**
DOU-6033-02-BB	77	**268**
DOU-6033-02-CC	77	**172**
DOU-6033-02-GG	77	**336**
DOU-6033-02-KK	77	**228**
DOU-6033-02-LL	77	**275**
DOU-6033-02-MM†	77	**275**
DOU-6033-02-SS	77	**228**
DOU-6033-02-TT	77	**378**
DOU-6033-02-VV	77	**378**
DOU-6033-02-YY	77	**249**
DOU-6033-M2-BB	77	**268**
DOU-6033-M2-CC	77	**172**
DOU-6033-M2-GG	77	**336**
DOU-6033-M2-KK	77	**228**
DOU-6033-M2-KM	77	**275**
DOU-6033-M2-LL	77	**275**
DOU-6033-M2-MM	77	**275**
DOU-6033-M2-SS	77	**228**
DOU-6033-M2-TT	77	**378**
DOU-6033-M2-VV	77	**378**
DOU-6033-M2-YY	77	**249**
DOU-6035-02-BB	77	**249**
DOU-6035-02-CC	77	**160**
DOU-6035-02-GG	77	**312**
DOU-6035-02-KK	77	**212**
DOU-6035-02-LL	77	**256**
DOU-6035-02-MM†	77	**256**
DOU-6035-02-SS	77	**212**
DOU-6035-02-TT	77	**352**
DOU-6035-02-VV	77	**352**
DOU-6035-02-YY	77	**232**
DOU-6036-02-S2	77	**284**
DOU-6037-02-BB	77	**424**
DOU-6037-02-CC	77	**242**
DOU-6037-02-GG	77	**653**
DOU-6037-02-KK	77	**321**
DOU-6037-02-LL	77	**387**

CODE	PAGE	PRICE
DOU-6037-02-MM†	77	**387**
DOU-6037-02-SS	77	**315**
DOU-6037-02-TT	77	**532**
DOU-6037-02-VV	77	**532**
DOU-6037-02-YY	77	**351**
DOU-6038-M2-CC	78	**220**
DOU-6038-M2-KK	78	**292**
DOU-6038-M2-LL	78	**352**
DOU-6038-M2-SS	78	**292**
DOU-6043-M2-BB	78	**424**
DOU-6043-M2-CC	78	**242**
DOU-6043-M2-GG	78	**653**
DOU-6043-M2-KK	78	**321**
DOU-6043-M2-LL	78	**387**
DOU-6043-M2-MM	78	**387**
DOU-6043-M2-SS	78	**315**
DOU-6043-M2-TT	78	**532**
DOU-6043-M2-VV	78	**532**
DOU-6043-M2-YY	78	**351**
DOU-6047-03-BB	78	**169**
DOU-6047-03-CC	78	**80**
DOU-6047-03-GG	78	**244**
DOU-6047-03-KK	78	**146**
DOU-6047-03-LL	78	**238**
DOU-6047-03-MM†	78	**238**
DOU-6047-03-SS	78	**116**
DOU-6047-03-TT	78	**238**
DOU-6047-03-VV	78	**238**
DOU-6047-03-YY	78	**136**
DOU-6071-02-BB	78	**169**
DOU-6071-02-CC	78	**80**
DOU-6071-02-GG	78	**244**
DOU-6071-02-KK	78	**146**
DOU-6071-02-LL	78	**238**
DOU-6071-02-MM†	78	**238**
DOU-6071-02-SS	78	**116**
DOU-6071-02-TT	78	**238**
DOU-6071-02-VV	78	**238**
DOU-6071-02-YY	78	**136**
DSP-2555-20-CC	300	**319**
DSP-2561-19-CC	300	**286**
DSP-2561-19-KK	300	**390**
DSP-2566-19-BB	300	**532**
DSP-2566-19-CC	300	**309**
DSP-2566-19-GG	300	**941**
DSP-2566-19-KK	300	**416**
DSP-2566-19-LL	300	**542**
DSP-2566-19-MM	300	**542**
DSP-2566-19-NN	300	**471**
DSP-2566-19-TT	300	**832**
DSP-2566-19-VV	300	**832**
DSP-2566-19-YY	300	**515**
DSP-2574-19-BB	301	**612**
DSP-2574-19-CC	301	**355**
DSP-2574-19-GG	301	**1082**
DSP-2574-19-KK	301	**478**
DSP-2574-19-LL	301	**623**
DSP-2574-19-MM†	301	**623**

CODE	PAGE	PRICE
DSP-2574-19-NN	301	**542**
DSP-2574-19-TT	301	**919**
DSP-2574-19-VV	301	**919**
DSP-2574-19-YY	301	**582**
DSP-2584-19-BB	301	**612**
DSP-2584-19-CC	301	**355**
DSP-2584-19-GG	301	**1082**
DSP-2584-19-KK	301	**478**
DSP-2584-19-KM	301	**623**
DSP-2584-19-LL	301	**623**
DSP-2584-19-MM†	301	**623**
DSP-2584-19-NN	301	**542**
DSP-2584-19-TT	301	**919**
DSP-2584-19-VV	301	**919**
DSP-2584-19-YY	301	**582**
DSP-2584-20-BB	301	**649**
DSP-2584-20-CC	301	**376**
DSP-2584-20-GG	301	**1147**
DSP-2584-20-KK	301	**507**
DSP-2584-20-LL	301	**660**
DSP-2584-20-MM†	301	**660**
DSP-2584-20-NN	301	**575**
DSP-2584-20-TT	301	**974**
DSP-2584-20-VV	301	**974**
DSP-2584-20-YY	301	**617**
DSP-2604-19-BB	302	**612**
DSP-2604-19-CC	302	**355**
DSP-2604-19-GG	302	**1082**
DSP-2604-19-KK	302	**478**
DSP-2604-19-LL	302	**623**
DSP-2604-19-MM	302	**623**
DSP-2604-19-NN	302	**542**
DSP-2604-19-TT	302	**919**
DSP-2604-19-VV	302	**919**
DSP-2604-19-YY	302	**582**
DSP-2604-21-BA	302	**845**
DSP-2604-21-CA	302	**550**
DSP-2604-21-GA	302	**1289**
DSP-2604-21-KA	302	**730**
DSP-2604-21-LA	302	**894**
DSP-2604-21-MA	302	**894**
DSP-2604-21-NA	302	**750**
DSP-2604-21-TA	302	**1172**
DSP-2604-21-VA	302	**1172**
DSP-2604-21-YA	302	**823**
DSP-2620-29-BB	302	**779**
DSP-2620-29-CC	302	**451**
DSP-2620-29-GG	302	**1262**
DSP-2620-29-KK	302	**608**
DSP-2620-29-LL	302	**792**
DSP-2620-29-MM	302	**792**
DSP-2620-29-NN	302	**690**
DSP-2620-29-TT	302	**1120**
DSP-2620-29-VV	302	**1120**
DSP-2620-29-YY	302	**740**
DSP-2635-19-BB	303	**649**
DSP-2635-19-CC	303	**376**
DSP-2635-19-GG	303	**1147**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
DSP-2635-19-KK	303	**507**
DSP-2635-19-LL	303	**660**
DSP-2635-19-MM†	303	**660**
DSP-2635-19-NN	303	**575**
DSP-2635-19-TT	303	**974**
DSP-2635-19-VV	303	**974**
DSP-2635-19-YY	303	**617**
ELE-1001-01-BB	44	**885**
ELE-1001-01-CC	44	**751**
ELE-1001-01-GG	44	**955**
ELE-1001-01-KK	44	**885**
ELE-1001-01-KM	44	**885**
ELE-1001-01-LL	44	**885**
ELE-1001-01-MM	44	**885**
ELE-1001-01-SS	44	**885**
ELE-1001-01-TT	44	**916**
ELE-1001-01-VV	44	**916**
ELE-1001-01-YY	44	**885**
ELE-2001-01-BB	45	**972**
ELE-2001-01-CC	45	**825**
ELE-2001-01-EE	45	**972**
ELE-2001-01-GG	45	**1049**
ELE-2001-01-HH	45	**972**
ELE-2001-01-II	45	**972**
ELE-2001-01-JJ	45	**972**
ELE-2001-01-KK	45	**972**
ELE-2001-01-KM	45	**972**
ELE-2001-01-LL	45	**972**
ELE-2001-01-MM	45	**972**
ELE-2001-01-NN	45	**972**
ELE-2001-01-SS	45	**972**
ELE-2001-01-TT	45	**1007**
ELE-2001-01-VV	45	**1007**
ELE-2001-01-YY	45	**972**
EXC-6014-02-BB	276	**347**
EXC-6014-02-CC	276	**161**
EXC-6014-02-GG	276	**435**
EXC-6014-02-KK	276	**314**
EXC-6014-02-LL	276	**343**
EXC-6014-02-MM†	276	**343**
EXC-6014-02-NN	276	**275**
EXC-6014-02-TT	276	**363**
EXC-6014-02-VV	276	**363**
EXC-6014-02-YY	276	**295**
EXT-2600-01	334	**76**
EXT-3404-00-BB	334	**133**
EXT-3404-00-CC	334	**76**
EXT-3404-00-GG	334	**205**
EXT-3404-00-KK	334	**101**
EXT-3404-00-LL	334	**122**
EXT-3404-00-MM†	334	**122**
EXT-3404-00-NN	334	**106**
EXT-3404-00-TT	334	**191**
EXT-3404-00-VV	334	**191**
EXT-3404-00-YY	334	**110**
EXT-9521-31	334	**120**
FIX-1100-00-B	176	**100**
GAP-3050-00-BB	64	**115**

CODE	PAGE	PRICE
GAP-3050-00-CC	64	**80**
GAP-3050-00-GG	64	**179**
GAP-3050-00-KK	64	**97**
GAP-3050-00-LL	64	**105**
GAP-3050-00-MM	64	**105**
GAP-3050-00-SS	64	**105**
GAP-3050-00-TT	64	**145**
GAP-3050-00-VV	64	**145**
GAP-3050-00-YY	64	**110**
GAP-9235-00-BB	62	**115**
GAP-9235-00-CC	62	**80**
GAP-9235-00-EE	62	**105**
GAP-9235-00-GG	62	**179**
GAP-9235-00-JJ	62	**105**
GAP-9235-00-KK	62	**97**
GAP-9235-00-LL	62	**105**
GAP-9235-00-MM†	62	**105**
GAP-9235-00-SS	62	**105**
GAP-9235-00-TT	62	**145**
GAP-9235-00-VV	62	**145**
GAP-9235-00-YY	62	**110**
GAP-9330-00-BB	53	**129**
GAP-9330-00-CC	53	**90**
GAP-9330-00-GG	53	**200**
GAP-9330-00-KK	53	**109**
GAP-9330-00-KM	53	**118**
GAP-9330-00-LL	53	**118**
GAP-9330-00-MM	53	**118**
GAP-9330-00-SS	53	**118**
GAP-9330-00-TT	53	**162**
GAP-9330-00-VV	53	**162**
GAP-9330-00-YY	53	**123**
GAP-9660-00-S2	57	**220**
INA-9030-02-BB	53	**470**
INA-9030-02-CC	53	**359**
INA-9030-02-GG	53	**507**
INA-9030-02-KK	53	**443**
INA-9030-02-KM	53	**443**
INA-9030-02-LL	53	**443**
INA-9030-02-MM	53	**443**
INA-9030-02-SS	53	**443**
INA-9030-02-TT	53	**487**
INA-9030-02-VV	53	**487**
INA-9030-02-YY	53	**443**
INA-9035-02-BB	62	**470**
INA-9035-02-CC	62	**359**
INA-9035-02-EE	62	**443**
INA-9035-02-GG	62	**507**
INA-9035-02-JJ	62	**443**
INA-9035-02-KK	62	**443**
INA-9035-02-LL	62	**443**
INA-9035-02-MM†	62	**443**
INA-9035-02-SS	62	**443**
INA-9035-02-TT	62	**487**
INA-9035-02-VV	62	**487**
INA-9035-02-YY	62	**443**
INA-9050-02-BB	65	**494**
INA-9050-02-CC	65	**377**

CODE	PAGE	PRICE
INA-9050-02-GG	65	**532**
INA-9050-02-KK	65	**465**
INA-9050-02-LL	65	**465**
INA-9050-02-MM	65	**465**
INA-9050-02-SS	65	**465**
INA-9050-02-TT	65	**511**
INA-9050-02-VV	65	**511**
INA-9050-02-YY	65	**465**
INA-9060-02-S2	57	**495**
M35-3130-80-BB	55	**390**
M35-3130-80-BC	55	**390**
M35-3130-80-BE	55	**390**
M35-3130-80-BJ	55	**390**
M35-3130-80-BK	55	**390**
M35-3130-80-BO	55	**390**
M35-3130-80-CB	55	**330**
M35-3130-80-CC	55	**330**
M35-3130-80-CE	55	**330**
M35-3130-80-CJ	55	**330**
M35-3130-80-CK	55	**330**
M35-3130-80-CO	55	**330**
M35-3130-80-EB	55	**390**
M35-3130-80-EC	55	**390**
M35-3130-80-EE	55	**390**
M35-3130-80-EJ	55	**390**
M35-3130-80-EK	55	**390**
M35-3130-80-EO	55	**390**
M35-3130-80-JB	55	**390**
M35-3130-80-JC	55	**390**
M35-3130-80-JE	55	**390**
M35-3130-80-JJ	55	**390**
M35-3130-80-JK	55	**390**
M35-3130-80-JO	55	**390**
M35-3130-80-KB	55	**390**
M35-3130-80-KC	55	**390**
M35-3130-80-KE	55	**390**
M35-3130-80-KJ	55	**390**
M35-3130-80-KK	55	**390**
M35-3130-80-KO	55	**390**
M80-1030-10-BB	227	**154**
M80-1030-10-CB	227	**116**
M80-1030-10-GB	227	**178**
M80-1030-10-KB	227	**138**
M80-1030-10-LB	227	**149**
M80-1030-10-MB	227	**149**
M80-1030-10-NB	227	**145**
M80-1030-10-TB	227	**161**
M80-1030-10-VB	227	**161**
M80-1030-10-YB	227	**145**
M80-1030-20-BB	227	**154**
M80-1030-20-CB	227	**116**
M80-1030-20-GB	227	**178**
M80-1030-20-KB	227	**138**
M80-1030-20-LB	227	**149**
M80-1030-20-MB	227	**149**
M80-1030-20-NB	227	**145**
M80-1030-20-TB	227	**161**
M80-1030-20-VB	227	**161**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
M80-1030-20-YB	227	**145**
M80-1030-30-BB	227	**154**
M80-1030-30-CB	227	**116**
M80-1030-30-GB	227	**178**
M80-1030-30-KB	227	**138**
M80-1030-30-LB	227	**149**
M80-1030-30-MB	227	**149**
M80-1030-30-NB	227	**145**
M80-1030-30-TB	227	**161**
M80-1030-30-VB	227	**161**
M80-1030-30-YB	227	**145**
M80-1030-40-BB	227	**154**
M80-1030-40-CB	227	**116**
M80-1030-40-GB	227	**178**
M80-1030-40-KB	227	**138**
M80-1030-40-LB	227	**149**
M80-1030-40-MB	227	**149**
M80-1030-40-NB	227	**145**
M80-1030-40-TB	227	**161**
M80-1030-40-VB	227	**161**
M80-1030-40-YB	227	**145**
M80-1100-10-BB	231	**154**
M80-1100-10-CB	231	**116**
M80-1100-10-GB	231	**178**
M80-1100-10-KB	231	**138**
M80-1100-10-LB	231	**149**
M80-1100-10-MB	231	**149**
M80-1100-10-NB	231	**145**
M80-1100-10-TB	231	**161**
M80-1100-10-VB	231	**161**
M80-1100-10-YB	231	**145**
M80-1100-20-BB	231	**154**
M80-1100-20-CB	231	**116**
M80-1100-20-GB	231	**178**
M80-1100-20-KB	231	**138**
M80-1100-20-LB	231	**149**
M80-1100-20-MB	231	**149**
M80-1100-20-NB	231	**145**
M80-1100-20-TB	231	**161**
M80-1100-20-VB	231	**161**
M80-1100-20-YB	231	**145**
M80-1100-30-BB	231	**154**
M80-1100-30-CB	231	**116**
M80-1100-30-GB	231	**178**
M80-1100-30-KB	231	**138**
M80-1100-30-LB	231	**149**
M80-1100-30-MB	231	**149**
M80-1100-30-NB	231	**145**
M80-1100-30-TB	231	**161**
M80-1100-30-VB	231	**161**
M80-1100-30-YB	231	**145**
M80-1100-40-BB	231	**154**
M80-1100-40-CB	231	**116**
M80-1100-40-GB	231	**178**
M80-1100-40-KB	231	**138**
M80-1100-40-LB	231	**149**
M80-1100-40-MB	231	**149**
M80-1100-40-NB	231	**145**

CODE	PAGE	PRICE
M80-1100-40-TB	231	**161**
M80-1100-40-VB	231	**161**
M80-1100-40-YB	231	**145**
M80-1249-10-BB	232	**154**
M80-1249-10-CB	232	**116**
M80-1249-10-GB	232	**178**
M80-1249-10-KB	232	**138**
M80-1249-10-LB	232	**149**
M80-1249-10-MB	232	**149**
M80-1249-10-NB	232	**145**
M80-1249-10-TB	232	**161**
M80-1249-10-VB	232	**161**
M80-1249-10-YB	232	**145**
M80-1249-20-BB	232	**154**
M80-1249-20-CB	232	**116**
M80-1249-20-GB	232	**178**
M80-1249-20-KB	232	**138**
M80-1249-20-LB	232	**149**
M80-1249-20-MB	232	**149**
M80-1249-20-NB	232	**145**
M80-1249-20-TB	232	**161**
M80-1249-20-VB	232	**161**
M80-1249-20-YB	232	**145**
M80-1249-30-BB	232	**154**
M80-1249-30-CB	232	**116**
M80-1249-30-GB	232	**178**
M80-1249-30-KB	232	**138**
M80-1249-30-LB	232	**149**
M80-1249-30-MB	232	**149**
M80-1249-30-NB	232	**145**
M80-1249-30-TB	232	**161**
M80-1249-30-VB	232	**161**
M80-1249-30-YB	232	**145**
M80-1249-40-BB	232	**154**
M80-1249-40-CB	232	**116**
M80-1249-40-GB	232	**178**
M80-1249-40-KB	232	**138**
M80-1249-40-LB	232	**149**
M80-1249-40-MB	232	**149**
M80-1249-40-NB	232	**145**
M80-1249-40-TB	232	**161**
M80-1249-40-VB	232	**161**
M80-1249-40-YB	232	**145**
M80-8000-110-BB	228	**308**
M80-8000-110-CB	228	**232**
M80-8000-110-GB	228	**356**
M80-8000-110-KB	228	**276**
M80-8000-110-LB	228	**298**
M80-8000-110-MB	228	**298**
M80-8000-110-NB	228	**290**
M80-8000-110-TB	228	**322**
M80-8000-110-VB	228	**322**
M80-8000-110-YB	228	**290**
M80-8000-220-BB	228	**308**
M80-8000-220-CB	228	**232**
M80-8000-220-GB	228	**356**
M80-8000-220-KB	228	**276**
M80-8000-220-LB	228	**298**

CODE	PAGE	PRICE
M80-8000-220-MB	228	**298**
M80-8000-220-NB	228	**290**
M80-8000-220-TB	228	**322**
M80-8000-220-VB	228	**322**
M80-8000-220-YB	228	**290**
M80-8000-330-BB	228	**308**
M80-8000-330-CB	228	**232**
M80-8000-330-GB	228	**356**
M80-8000-330-KB	228	**276**
M80-8000-330-LB	228	**298**
M80-8000-330-MB	228	**298**
M80-8000-330-NB	228	**290**
M80-8000-330-TB	228	**322**
M80-8000-330-VB	228	**322**
M80-8000-330-YB	228	**290**
M80-8000-440-BB	228	**308**
M80-8000-440-CB	228	**232**
M80-8000-440-GB	228	**356**
M80-8000-440-KB	228	**276**
M80-8000-440-LB	228	**298**
M80-8000-440-MB	228	**298**
M80-8000-440-NB	228	**290**
M80-8000-440-TB	228	**322**
M80-8000-440-VB	228	**322**
M80-8000-440-YB	228	**290**
M80-8100-10-BB	230	**154**
M80-8100-10-CB	230	**116**
M80-8100-10-GB	230	**178**
M80-8100-10-KB	230	**138**
M80-8100-10-LB	230	**149**
M80-8100-10-MB	230	**149**
M80-8100-10-NB	230	**145**
M80-8100-10-TB	230	**161**
M80-8100-10-VB	230	**161**
M80-8100-10-YB	230	**145**
M80-8100-20-BB	230	**154**
M80-8100-20-CB	230	**116**
M80-8100-20-GB	230	**178**
M80-8100-20-KB	230	**138**
M80-8100-20-LB	230	**149**
M80-8100-20-MB	230	**149**
M80-8100-20-NB	230	**145**
M80-8100-20-TB	230	**161**
M80-8100-20-VB	230	**161**
M80-8100-20-YB	230	**145**
M80-8100-30-BB	230	**154**
M80-8100-30-CB	230	**116**
M80-8100-30-GB	230	**178**
M80-8100-30-KB	230	**138**
M80-8100-30-LB	230	**149**
M80-8100-30-MB	230	**149**
M80-8100-30-NB	230	**145**
M80-8100-30-TB	230	**161**
M80-8100-30-VB	230	**161**
M80-8100-30-YB	230	**145**
M80-8100-40-BB	230	**154**
M80-8100-40-CB	230	**116**
M80-8100-40-GB	230	**178**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
M80-8100-40-KB	230	**138**
M80-8100-40-LB	230	**149**
M80-8100-40-MB	230	**149**
M80-8100-40-NB	230	**145**
M80-8100-40-TB	230	**161**
M80-8100-40-VB	230	**161**
M80-8100-40-YB	230	**145**
M80-9100-10-BB	237	**154**
M80-9100-10-CB	237	**116**
M80-9100-10-GB	237	**178**
M80-9100-10-KB	237	**138**
M80-9100-10-LB	237	**149**
M80-9100-10-MB	237	**149**
M80-9100-10-NB	237	**145**
M80-9100-10-TB	237	**161**
M80-9100-10-VB	237	**161**
M80-9100-10-YB	237	**145**
M80-9100-20-BB	237	**154**
M80-9100-20-CB	237	**116**
M80-9100-20-GB	237	**178**
M80-9100-20-KB	237	**138**
M80-9100-20-LB	237	**149**
M80-9100-20-MB	237	**149**
M80-9100-20-NB	237	**145**
M80-9100-20-TB	237	**161**
M80-9100-20-VB	237	**161**
M80-9100-20-YB	237	**145**
M80-9100-30-BB	237	**154**
M80-9100-30-CB	237	**116**
M80-9100-30-GB	237	**178**
M80-9100-30-KB	237	**138**
M80-9100-30-LB	237	**149**
M80-9100-30-MB	237	**149**
M80-9100-30-NB	237	**145**
M80-9100-30-TB	237	**161**
M80-9100-30-VB	237	**161**
M80-9100-30-YB	237	**145**
M80-9100-40-BB	237	**154**
M80-9100-40-CB	237	**116**
M80-9100-40-GB	237	**178**
M80-9100-40-KB	237	**138**
M80-9100-40-LB	237	**149**
M80-9100-40-MB	237	**149**
M80-9100-40-NB	237	**145**
M80-9100-40-TB	237	**161**
M80-9100-40-VB	237	**161**
M80-9100-40-YB	237	**145**
M80-9100-40-YC	237	**145**
M80-9180-14-BB	238	**308**
M80-9180-14-CB	238	**232**
M80-9180-14-GB	238	**356**
M80-9180-14-KB	238	**276**
M80-9180-14-LB	238	**298**
M80-9180-14-MB	238	**298**
M80-9180-14-NB	238	**290**
M80-9180-14-TB	238	**322**
M80-9180-14-VB	238	**322**
M80-9180-14-YB	238	**290**

CODE	PAGE	PRICE
M80-9180-24-BB	238	**308**
M80-9180-24-CB	238	**232**
M80-9180-24-GB	238	**356**
M80-9180-24-KB	238	**276**
M80-9180-24-LB	238	**298**
M80-9180-24-MB	238	**298**
M80-9180-24-NB	238	**290**
M80-9180-24-TB	238	**322**
M80-9180-24-VB	238	**322**
M80-9180-24-YB	238	**290**
M80-9180-34-BB	238	**308**
M80-9180-34-CB	238	**232**
M80-9180-34-GB	238	**356**
M80-9180-34-KB	238	**276**
M80-9180-34-LB	238	**298**
M80-9180-34-MB	238	**298**
M80-9180-34-NB	238	**290**
M80-9180-34-TB	238	**322**
M80-9180-34-VB	238	**322**
M80-9180-34-YB	238	**290**
M80-9400-10-BB	240	**154**
M80-9400-10-CB	240	**116**
M80-9400-10-GB	240	**178**
M80-9400-10-KB	240	**138**
M80-9400-10-LB	240	**149**
M80-9400-10-MB	240	**149**
M80-9400-10-NB	240	**145**
M80-9400-10-TB	240	**161**
M80-9400-10-VB	240	**161**
M80-9400-10-YB	240	**145**
M80-9400-20-BB	240	**154**
M80-9400-20-CB	240	**116**
M80-9400-20-GB	240	**178**
M80-9400-20-KB	240	**138**
M80-9400-20-LB	240	**149**
M80-9400-20-MB	240	**149**
M80-9400-20-NB	240	**145**
M80-9400-20-TB	240	**161**
M80-9400-20-VB	240	**161**
M80-9400-20-YB	240	**145**
M80-9400-30-BB	240	**154**
M80-9400-30-CB	240	**116**
M80-9400-30-GB	240	**178**
M80-9400-30-KB	240	**138**
M80-9400-30-LB	240	**149**
M80-9400-30-MB	240	**149**
M80-9400-30-NB	240	**145**
M80-9400-30-TB	240	**161**
M80-9400-30-VB	240	**161**
M80-9400-30-YB	240	**145**
M80-9400-40-BB	240	**154**
M80-9400-40-CB	240	**116**
M80-9400-40-GB	240	**178**
M80-9400-40-KB	240	**138**
M80-9400-40-LB	240	**149**
M80-9400-40-MB	240	**149**
M80-9400-40-NB	240	**145**
M80-9400-40-TB	240	**161**

CODE	PAGE	PRICE
M80-9400-40-VB	240	**161**
M80-9400-40-YB	240	**145**
M80-9453-10-BB	241	**586**
M80-9453-10-CB	241	**294**
M80-9453-10-GB	241	**733**
M80-9453-10-KB	241	**410**
M80-9453-10-LB	241	**470**
M80-9453-10-MB	241	**470**
M80-9453-10-NB	241	**399**
M80-9453-10-TB	241	**645**
M80-9453-10-VB	241	**645**
M80-9453-10-YB	241	**399**
M80-9453-20-BB	241	**586**
M80-9453-20-CB	241	**294**
M80-9453-20-GB	241	**733**
M80-9453-20-KB	241	**410**
M80-9453-20-LB	241	**470**
M80-9453-20-MB	241	**470**
M80-9453-20-NB	241	**399**
M80-9453-20-TB	241	**645**
M80-9453-20-VB	241	**645**
M80-9453-20-YB	241	**399**
M80-9453-30-BB	241	**586**
M80-9453-30-CB	241	**294**
M80-9453-30-GB	241	**733**
M80-9453-30-KB	241	**410**
M80-9453-30-LB	241	**470**
M80-9453-30-MB	241	**470**
M80-9453-30-NB	241	**399**
M80-9453-30-TB	241	**645**
M80-9453-30-VB	241	**645**
M80-9453-30-YB	241	**399**
M80-9453-40-BB	241	**586**
M80-9453-40-CB	241	**294**
M80-9453-40-GB	241	**733**
M80-9453-40-KB	241	**410**
M80-9453-40-LB	241	**470**
M80-9453-40-MB	241	**470**
M80-9453-40-NB	241	**399**
M80-9453-40-TB	241	**645**
M80-9453-40-VB	241	**645**
M80-9453-40-YB	241	**399**
M80-9500-10-BB	245	**154**
M80-9500-10-CB	245	**116**
M80-9500-10-GB	245	**178**
M80-9500-10-KB	245	**138**
M80-9500-10-LB	245	**149**
M80-9500-10-MB	245	**149**
M80-9500-10-NB	245	**145**
M80-9500-10-TB	245	**161**
M80-9500-10-VB	245	**161**
M80-9500-10-YB	245	**145**
M80-9500-20-BB	245	**154**
M80-9500-20-CB	245	**116**
M80-9500-20-GB	245	**178**
M80-9500-20-KB	245	**138**
M80-9500-20-LB	245	**149**
M80-9500-20-MB	245	**149**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
M80-9500-20-NB	245	**145**
M80-9500-20-TB	245	**161**
M80-9500-20-VB	245	**161**
M80-9500-20-YB	245	**145**
M80-9500-30-BB	245	**154**
M80-9500-30-CB	245	**116**
M80-9500-30-GB	245	**178**
M80-9500-30-KB	245	**138**
M80-9500-30-LB	245	**149**
M80-9500-30-MB	245	**149**
M80-9500-30-NB	245	**145**
M80-9500-30-TB	245	**161**
M80-9500-30-VB	245	**161**
M80-9500-30-YB	245	**145**
M80-9500-40-BB	245	**154**
M80-9500-40-CB	245	**116**
M80-9500-40-GB	245	**178**
M80-9500-40-KB	245	**138**
M80-9500-40-LB	245	**149**
M80-9500-40-MB	245	**149**
M80-9500-40-NB	245	**145**
M80-9500-40-TB	245	**161**
M80-9500-40-VB	245	**161**
M80-9500-40-YB	245	**145**
M80-9520-110-BB	242	**308**
M80-9520-110-CB	242	**232**
M80-9520-110-GB	242	**356**
M80-9520-110-KB	242	**276**
M80-9520-110-LB	242	**298**
M80-9520-110-MB	242	**298**
M80-9520-110-NB	242	**290**
M80-9520-110-TB	242	**322**
M80-9520-110-VB	242	**322**
M80-9520-110-YB	242	**290**
M80-9520-120-BB	242	**308**
M80-9520-120-CB	242	**232**
M80-9520-120-GB	242	**356**
M80-9520-120-KB	242	**276**
M80-9520-120-LB	242	**298**
M80-9520-120-MB	242	**298**
M80-9520-120-NB	242	**290**
M80-9520-120-TB	242	**322**
M80-9520-120-VB	242	**322**
M80-9520-120-YB	242	**290**
M80-9520-130-BB	242	**308**
M80-9520-130-CB	242	**232**
M80-9520-130-GB	242	**356**
M80-9520-130-KB	242	**276**
M80-9520-130-LB	242	**298**
M80-9520-130-MB	242	**298**
M80-9520-130-NB	242	**290**
M80-9520-130-TB	242	**322**
M80-9520-130-VB	242	**322**
M80-9520-130-YB	242	**290**
M80-9520-220-BB	242	**308**
M80-9520-220-CB	242	**232**
M80-9520-220-GB	242	**356**
M80-9520-220-KB	242	**276**

CODE	PAGE	PRICE
M80-9520-220-LB	242	**298**
M80-9520-220-MB	242	**298**
M80-9520-220-NB	242	**290**
M80-9520-220-TB	242	**322**
M80-9520-220-VB	242	**322**
M80-9520-220-YB	242	**290**
M80-9520-230-BB	242	**308**
M80-9520-230-CB	242	**232**
M80-9520-230-GB	242	**356**
M80-9520-230-KB	242	**276**
M80-9520-230-LB	242	**298**
M80-9520-230-MB	242	**298**
M80-9520-230-NB	242	**290**
M80-9520-230-TB	242	**322**
M80-9520-230-VB	242	**322**
M80-9520-230-YB	242	**290**
M80-9520-330-BB	242	**308**
M80-9520-330-CB	242	**232**
M80-9520-330-GB	242	**356**
M80-9520-330-KB	242	**276**
M80-9520-330-LB	242	**298**
M80-9520-330-MB	242	**298**
M80-9520-330-NB	242	**290**
M80-9520-330-TB	242	**322**
M80-9520-330-VB	242	**322**
M80-9520-330-YB	242	**290**
MON-2600-00L-BB	220	**1463**
MON-2600-00L-CB	220	**775**
MON-2600-00L-GB	220	**2093**
MON-2600-00L-KB	220	**1027**
MON-2600-00L-LB	220	**1240**
MON-2600-00L-MB	220	**1240**
MON-2600-00L-NB	220	**1085**
MON-2600-00L-TB	220	**1705**
MON-2600-00L-VB	220	**1705**
MON-2600-00L-YB	220	**1124**
PLA-0423-01-BB	276	**149**
PLA-0423-01-CC	276	**47**
PLA-0423-01-GG	276	**225**
PLA-0423-01-KK	276	**120**
PLA-0423-01-LL	276	**196**
PLA-0423-01-MM†	276	**196**
PLA-0423-01-NN	276	**104**
PLA-0423-01-TT	276	**239**
PLA-0423-01-VV	276	**239**
PLA-0423-01-YY	276	**115**
PLA-0430-00-BB	276	**149**
PLA-0430-00-CC	276	**47**
PLA-0430-00-GG	276	**225**
PLA-0430-00-KK	276	**120**
PLA-0430-00-KM	276	**196**
PLA-0430-00-LL	276	**196**
PLA-0430-00-MM	276	**196**
PLA-0430-00-NN	276	**104**
PLA-0430-00-TT	276	**239**
PLA-0430-00-VV	276	**239**
PLA-0430-00-YY	276	**115**
PLA-0440-00-BB	276	**159**

CODE	PAGE	PRICE
PLA-0440-00-CC	276	**50**
PLA-0440-00-GG	276	**241**
PLA-0440-00-KK	276	**128**
PLA-0440-00-LL	276	**210**
PLA-0440-00-MM†	276	**210**
PLA-0440-00-NN	276	**111**
PLA-0440-00-TT	276	**256**
PLA-0440-00-VV	276	**256**
PLA-0440-00-YY	276	**123**
PLA-0813-01-BB	76	**228**
PLA-0813-01-CC	76	**73**
PLA-0813-01-GG	76	**291**
PLA-0813-01-KK	76	**102**
PLA-0813-01-KM	76	**119**
PLA-0813-01-LL	76	**119**
PLA-0813-01-MM	76	**119**
PLA-0813-01-SS	76	**119**
PLA-0813-01-TT	76	**242**
PLA-0813-01-VV	76	**242**
PLA-0813-01-YY	76	**152**
PRO-1100-53-BB	169	**3185**
PRO-1100-53-CC	169	**1542**
PRO-1100-53-GG	169	**4163**
PRO-1100-53-KK	169	**2043**
PRO-1100-53-LL	169	**2467**
PRO-1100-53-MM†	169	**2467**
PRO-1100-53-NN	169	**2159**
PRO-1100-53-TT	169	**3392**
PRO-1100-53-VV	169	**3392**
PRO-1100-53-YY	169	**2396**
PRO-1100-74-BB	223	**3822**
PRO-1100-74-CC	223	**1850**
PRO-1100-74-GG	223	**4996**
PRO-1100-74-KK	223	**2452**
PRO-1100-74-LL	223	**2960**
PRO-1100-74-MM†	223	**2960**
PRO-1100-74-NN	223	**2591**
PRO-1100-74-TT	223	**4070**
PRO-1100-74-VV	223	**4070**
PRO-1100-74-YY	223	**2875**
PRO-1101-16-BB	297	**4204**
PRO-1101-16-CC	297	**2035**
PRO-1101-16-GG	297	**5496**
PRO-1101-16-KK	297	**2697**
PRO-1101-16-LL	297	**3256**
PRO-1101-16-MM†	297	**3256**
PRO-1101-16-NN	297	**2850**
PRO-1101-16-TT	297	**4477**
PRO-1101-16-VV	297	**4477**
PRO-1101-16-YY	297	**3163**
PRO-1101-53-BB	247	**3504**
PRO-1101-53-CC	247	**1696**
PRO-1101-53-GG	247	**4579**
PRO-1101-53-KK	247	**2247**
PRO-1101-53-LL	247	**2714**
PRO-1101-53-MM†	247	**2714**
PRO-1101-53-NN	247	**2375**
PRO-1101-53-TT	247	**3731**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
PRO-1101-53-VV	247	**3731**
PRO-1101-53-YY	247	**2636**
PRO-1101-71-BB	217	**4204**
PRO-1101-71-CC	217	**2035**
PRO-1101-71-GG	217	**5496**
PRO-1101-71-KK	217	**2697**
PRO-1101-71-LL	217	**3256**
PRO-1101-71-MM†	217	**3256**
PRO-1101-71-NN	217	**2850**
PRO-1101-71-TT	217	**4477**
PRO-1101-71-VV	217	**4477**
PRO-1101-71-YY	217	**3163**
PRO-1104-53-BB	298	**3249**
PRO-1104-53-CC	298	**1573**
PRO-1104-53-GG	298	**4246**
PRO-1104-53-KK	298	**2084**
PRO-1104-53-LL	298	**2516**
PRO-1104-53-MM†	298	**2516**
PRO-1104-53-NN	298	**2202**
PRO-1104-53-TT	298	**3460**
PRO-1104-53-VV	298	**3460**
PRO-1104-53-YY	298	**2444**
PRO-2100-04-BB	91	**1608**
PRO-2100-04-CC	91	**885**
PRO-2100-04-GG	91	**2651**
PRO-2100-04-KK	91	**1169**
PRO-2100-04-LL	91	**1474**
PRO-2100-04-MM†	91	**1474**
PRO-2100-04-NN	91	**1291**
PRO-2100-04-TT	91	**2581**
PRO-2100-04-VV	91	**2581**
PRO-2100-04-YY	91	**1388**
PRO-2101-80-BB	247	**1523**
PRO-2101-80-CC	247	**880**
PRO-2101-80-GG	247	**2703**
PRO-2101-80-KK	247	**1126**
PRO-2101-80-LL	247	**1403**
PRO-2101-80-MM†	247	**1403**
PRO-2101-80-NN	247	**1250**
PRO-2101-80-TT	247	**2501**
PRO-2101-80-VV	247	**2501**
PRO-2101-80-YY	247	**1315**
PRO-2102-20-BB	127	**2297**
PRO-2102-20-CC	127	**1348**
PRO-2102-20-GG	127	**3582**
PRO-2102-20-KK	127	**1695**
PRO-2102-20-LL	127	**2106**
PRO-2102-20-MM	127	**2106**
PRO-2102-20-NN	127	**1874**
PRO-2102-20-TT	127	**3262**
PRO-2102-20-VV	127	**3262**
PRO-2102-20-YY	127	**1951**
PRO-2104-20-BB	127	**2297**
PRO-2104-20-CC	127	**1348**
PRO-2104-20-GG	127	**3582**
PRO-2104-20-KK	127	**1695**
PRO-2104-20-LL	127	**2106**
PRO-2104-20-MM	127	**2106**
PRO-2104-20-NN	127	**1874**
PRO-2104-20-TT	127	**3262**
PRO-2104-20-VV	127	**3262**
PRO-2104-20-YY	127	**1951**
PRO-2105-45-BB	153	**1608**
PRO-2105-45-CC	153	**885**
PRO-2105-45-GG	153	**2784**
PRO-2105-45-KK	153	**1169**
PRO-2105-45-LL	153	**1474**
PRO-2105-45-MM†	153	**1474**
PRO-2105-45-NN	153	**1291**
PRO-2105-45-TT	153	**2581**
PRO-2105-45-VV	153	**2581**
PRO-2105-45-YY	153	**1388**
PRO-2115-66-BB	203	**1493**
PRO-2115-66-CC	203	**833**
PRO-2115-66-GG	203	**2560**
PRO-2115-66-KK	203	**1092**
PRO-2115-66-LL	203	**1369**
PRO-2115-66-MM†	203	**1369**
PRO-2115-66-NN	203	**1203**
PRO-2115-66-TT	203	**2372**
PRO-2115-66-VV	203	**2372**
PRO-2115-66-YY	203	**1302**
PRO-2175-95-BB	105	**1891**
PRO-2175-95-CC	105	**951**
PRO-2175-95-GG	105	**3038**
PRO-2175-95-KK	105	**1321**
PRO-2175-95-LL	105	**1720**
PRO-2175-95-MM†	105	**1720**
PRO-2175-95-NN	105	**1441**
PRO-2175-95-TT	105	**2793**
PRO-2175-95-VV	105	**2793**
PRO-2175-95-YY	105	**1607**
PRO-2200-04-BB	91	**1903**
PRO-2200-04-CC	91	**1023**
PRO-2200-04-GG	91	**3183**
PRO-2200-04-KK	91	**1298**
PRO-2200-04-LL	91	**1701**
PRO-2200-04-MM†	91	**1701**
PRO-2200-04-NN	91	**1494**
PRO-2200-04-TT	91	**2912**
PRO-2200-04-VV	91	**2912**
PRO-2200-04-YY	91	**1603**
PRO-2201-80-BB	248	**1817**
PRO-2201-80-CC	248	**983**
PRO-2201-80-GG	248	**3102**
PRO-2201-80-KK	248	**1255**
PRO-2201-80-LL	248	**1630**
PRO-2201-80-MM†	248	**1630**
PRO-2201-80-NN	248	**1454**
PRO-2201-80-TT	248	**2832**
PRO-2201-80-VV	248	**2832**
PRO-2201-80-YY	248	**1530**
PRO-2210-66-BB	203	**1302**
PRO-2210-66-CC	203	**677**
PRO-2210-66-GG	203	**1822**
PRO-2210-66-KK	203	**834**
PRO-2210-66-LL	203	**1101**
PRO-2210-66-MM†	203	**1101**
PRO-2210-66-NN	203	**962**
PRO-2210-66-TT	203	**1653**
PRO-2210-66-VV	203	**1653**
PRO-2210-66-YY	203	**1038**
PRO-2220-66-BB	204	**1787**
PRO-2220-66-CC	204	**894**
PRO-2220-66-GG	204	**2959**
PRO-2220-66-KK	204	**1221**
PRO-2220-66-LL	204	**1596**
PRO-2220-66-MM†	204	**1596**
PRO-2220-66-NN	204	**1406**
PRO-2220-66-TT	204	**2703**
PRO-2220-66-VV	204	**2703**
PRO-2220-66-YY	204	**1516**
PRO-2801-80-BB	249	**2244**
PRO-2801-80-CC	249	**1423**
PRO-2801-80-GG	249	**3980**
PRO-2801-80-KK	249	**1763**
PRO-2801-80-LL	249	**2131**
PRO-2801-80-MM†	249	**2131**
PRO-2801-80-NN	249	**1898**
PRO-2801-80-TT	249	**3687**
PRO-2801-80-VV	249	**3687**
PRO-2801-80-YY	249	**2055**
PRO-2802-20-BB	128	**3644**
PRO-2802-20-CC	128	**2287**
PRO-2802-20-GG	128	**5926**
PRO-2802-20-KK	128	**2889**
PRO-2802-20-LL	128	**3532**
PRO-2802-20-MM	128	**3532**
PRO-2802-20-NN	128	**3124**
PRO-2802-20-TT	128	**5253**
PRO-2802-20-VV	128	**5253**
PRO-2802-20-YY	128	**3266**
PRO-2804-20-BB	128	**3644**
PRO-2804-20-CC	128	**2287**
PRO-2804-20-GG	128	**5926**
PRO-2804-20-KK	128	**2889**
PRO-2804-20-LL	128	**3532**
PRO-2804-20-MM	128	**3532**
PRO-2804-20-NN	128	**3124**
PRO-2804-20-TT	128	**5253**
PRO-2804-20-VV	128	**5253**
PRO-2804-20-YY	128	**3266**
PRO-2805-04-BB	92	**2540**
PRO-2805-04-CC	92	**1474**
PRO-2805-04-GG	92	**4313**
PRO-2805-04-KK	92	**1852**
PRO-2805-04-KM	92	**2350**
PRO-2805-04-LL	92	**2350**
PRO-2805-04-MM†	92	**2350**
PRO-2805-04-NN	92	**2028**
PRO-2805-04-TT	92	**3978**
PRO-2805-04-VV	92	**3978**
PRO-2805-04-YY	92	**2266**
PRO-2805-45-BB	153	**2520**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
PRO-2805-45-CC	153	**1517**
PRO-2805-45-GG	153	**4274**
PRO-2805-45-KK	153	**1911**
PRO-2805-45-LL	153	**2324**
PRO-2805-45-MM†	153	**2324**
PRO-2805-45-NN	153	**2091**
PRO-2805-45-TT	153	**3943**
PRO-2805-45-VV	153	**3943**
PRO-2805-45-YY	153	**2245**
PRO-2805-66-BB	204	**2381**
PRO-2805-66-CC	204	**1453**
PRO-2805-66-GG	204	**4016**
PRO-2805-66-KK	204	**1822**
PRO-2805-66-KM	204	**2207**
PRO-2805-66-LL	204	**2207**
PRO-2805-66-MM	204	**2207**
PRO-2805-66-NN	204	**1988**
PRO-2805-66-TT	204	**3701**
PRO-2805-66-VV	204	**3701**
PRO-2805-66-YY	204	**2142**
PRO-2805-95-BB	105	**2923**
PRO-2805-95-CC	105	**1696**
PRO-2805-95-GG	105	**4737**
PRO-2805-95-KK	105	**2155**
PRO-2805-95-LL	105	**2684**
PRO-2805-95-MM†	105	**2684**
PRO-2805-95-NN	105	**2405**
PRO-2805-95-TT	105	**4335**
PRO-2805-95-VV	105	**4335**
PRO-2805-95-YY	105	**2570**
PRO-2806-45-CC	154	**1386**
PRO-2806-45-KK	154	**1719**
PRO-2806-45-LL	154	**2074**
PRO-2806-45-MM†	154	**2074**
PRO-2806-45-NN	154	**1814**
PRO-2810-66-CC	204	**1323**
PRO-2810-66-KK	204	**1631**
PRO-2810-66-LL	204	**1957**
PRO-2810-66-MM	204	**1957**
PRO-2810-66-NN	204	**1786**
PRO-2811-80-CC	250	**1438**
PRO-2811-80-KK	250	**1782**
PRO-2815-04-CC	92	**1494**
PRO-2815-04-KK	92	**1881**
PRO-2815-45-CC	154	**1479**
PRO-2815-45-KK	154	**1861**
PRO-2815-46-CC	169	**1493**
PRO-2815-46-KK	169	**1882**
PRO-2815-46-LL	169	**2291**
PRO-2815-46-MM†	169	**2291**
PRO-2815-46-NN	169	**2076**
PRO-2816-66-CC	205	**1404**
PRO-2816-66-KK	205	**1757**
PRO-2826-66-CC	205	**1364**
PRO-2826-66-KK	205	**1703**
PRO-2826-66-LL	205	**2148**
PRO-2826-66-MM	205	**2148**
PRO-2826-66-NN	205	**1870**

CODE	PAGE	PRICE
PRO-2891-80-BB	251	**1962**
PRO-2891-80-CC	251	**1308**
PRO-2891-80-GG	251	**3227**
PRO-2891-80-KK	251	**1616**
PRO-2891-80-LL	251	**1915**
PRO-2891-80-MM†	251	**1915**
PRO-2891-80-NN	251	**1708**
PRO-2891-80-TT	251	**2943**
PRO-2891-80-VV	251	**2943**
PRO-2891-80-YY	251	**1856**
PRO-2892-80-BB	252	**2031**
PRO-2892-80-CC	252	**1349**
PRO-2892-80-GG	252	**3343**
PRO-2892-80-KK	252	**1672**
PRO-2892-80-LL	252	**1982**
PRO-2892-80-MM†	252	**1982**
PRO-2892-80-NN	252	**1766**
PRO-2892-80-TT	252	**3049**
PRO-2892-80-VV	252	**3049**
PRO-2892-80-YY	252	**1918**
PRO-2896-46-BB	169	**2273**
PRO-2896-46-CC	169	**1415**
PRO-2896-46-GG	169	**3575**
PRO-2896-46-KK	169	**1785**
PRO-2896-46-LL	169	**2133**
PRO-2896-46-MM†	169	**2133**
PRO-2896-46-NN	169	**1924**
PRO-2896-46-TT	169	**3249**
PRO-2896-46-VV	169	**3249**
PRO-2896-46-YY	169	**2073**
PRO-2896-66-BB	205	**2167**
PRO-2896-66-CC	205	**1372**
PRO-2896-66-GG	205	**3413**
PRO-2896-66-KK	205	**1723**
PRO-2896-66-LL	205	**2055**
PRO-2896-66-MM	205	**2055**
PRO-2896-66-NN	205	**1854**
PRO-2896-66-TT	205	**3095**
PRO-2896-66-VV	205	**3095**
PRO-2896-66-YY	205	**1992**
PRO-2915-04-CC	92	**1576**
PRO-2915-04-KK	92	**1985**
PRO-2915-45-CC	154	**1561**
PRO-2915-45-KK	154	**1965**
PRO-2915-66-CC	206	**1405**
PRO-3301-80-BB	253	**2806**
PRO-3301-80-CC	253	**2073**
PRO-3301-80-GG	253	**3999**
PRO-3301-80-KK	253	**2461**
PRO-3301-80-LL	253	**2804**
PRO-3301-80-MM†	253	**2804**
PRO-3301-80-NN	253	**2526**
PRO-3301-80-TT	253	**3671**
PRO-3301-80-VV	253	**3671**
PRO-3301-80-YY	253	**2651**
PRO-3302-20-BB	128	**3624**
PRO-3302-20-CC	128	**2502**
PRO-3302-20-GG	128	**5379**

CODE	PAGE	PRICE
PRO-3302-20-KK	128	**3040**
PRO-3302-20-LL	128	**3559**
PRO-3302-20-MM	128	**3559**
PRO-3302-20-NN	128	**3205**
PRO-3302-20-TT	128	**4835**
PRO-3302-20-VV	128	**4835**
PRO-3302-20-YY	128	**3347**
PRO-3302-45-BB	155	**3308**
PRO-3302-45-CC	155	**2360**
PRO-3302-45-GG	155	**4727**
PRO-3302-45-KK	155	**2840**
PRO-3302-45-LL	155	**3264**
PRO-3302-45-MM†	155	**3264**
PRO-3302-45-NN	155	**2928**
PRO-3302-45-TT	155	**4303**
PRO-3302-45-VV	155	**4303**
PRO-3302-45-YY	155	**3068**
PRO-3302-47-BA	181	**4927**
PRO-3302-47-CA	181	**3175**
PRO-3302-47-GA	181	**7033**
PRO-3302-47-KA	181	**4269**
PRO-3302-47-LA	181	**4813**
PRO-3302-47-MA	181	**4813**
PRO-3302-47-NA	181	**4069**
PRO-3302-47-TA	181	**5859**
PRO-3302-47-VA	181	**5859**
PRO-3302-47-YA	181	**4231**
PRO-3302-66-BB	206	**3308**
PRO-3302-66-CC	206	**2360**
PRO-3302-66-GG	206	**4727**
PRO-3302-66-KK	206	**2840**
PRO-3302-66-LL	206	**3264**
PRO-3302-66-MM†	206	**3264**
PRO-3302-66-NN	206	**2928**
PRO-3302-66-TT	206	**4303**
PRO-3302-66-VV	206	**4303**
PRO-3302-66-YY	206	**3068**
PRO-3302-80-BB	254	**3017**
PRO-3302-80-CC	254	**2169**
PRO-3302-80-GG	254	**4227**
PRO-3302-80-KK	254	**2588**
PRO-3302-80-LL	254	**2958**
PRO-3302-80-MM†	254	**2958**
PRO-3302-80-NN	254	**2661**
PRO-3302-80-TT	254	**3901**
PRO-3302-80-VV	254	**3901**
PRO-3302-80-YY	254	**2773**
PRO-3304-20-BB	129	**3624**
PRO-3304-20-CC	129	**2502**
PRO-3304-20-GG	129	**5379**
PRO-3304-20-KK	129	**3040**
PRO-3304-20-LL	129	**3559**
PRO-3304-20-MM	129	**3559**
PRO-3304-20-NN	129	**3205**
PRO-3304-20-TT	129	**4835**
PRO-3304-20-VV	129	**4835**
PRO-3304-20-YY	129	**3347**
PRO-3352-47-BA	181	**5221**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
PRO-3352-47-CA	181	**3196**
PRO-3352-47-GA	181	**7642**
PRO-3352-47-KA	181	**4301**
PRO-3352-47-LA	181	**4960**
PRO-3352-47-MA	181	**4960**
PRO-3352-47-NA	181	**4274**
PRO-3352-47-TA	181	**6536**
PRO-3352-47-VA	181	**6536**
PRO-3352-47-YA	181	**4416**
PRO-3420-16-BB	113	**3116**
PRO-3420-16-CC	113	**2052**
PRO-3420-16-GG	113	**4902**
PRO-3420-16-KK	113	**2470**
PRO-3420-16-LL	113	**2963**
PRO-3420-16-MM†	113	**2963**
PRO-3420-16-NN	113	**2700**
PRO-3420-16-TT	113	**4652**
PRO-3420-16-VV	113	**4652**
PRO-3420-16-YY	113	**2835**
PRO-3420-18-BB	114	**3116**
PRO-3420-18-CB	114	**2052**
PRO-3420-18-CC	114	**2052**
PRO-3420-18-GB	114	**4902**
PRO-3420-18-GG	114	**4902**
PRO-3420-18-KB	114	**2470**
PRO-3420-18-KK	114	**2470**
PRO-3420-18-LB	114	**2963**
PRO-3420-18-LL	114	**2963**
PRO-3420-18-MB	114	**2963**
PRO-3420-18-MM†	114	**2963**
PRO-3420-18-NB	114	**2700**
PRO-3420-18-NN	114	**2700**
PRO-3420-18-TB	114	**4652**
PRO-3420-18-TT	114	**4652**
PRO-3420-18-VB	114	**4652**
PRO-3420-18-VV	114	**4652**
PRO-3420-18-YB	114	**2835**
PRO-3420-18-YY	114	**2835**
PRO-3421-71-BB	217	**3728**
PRO-3421-71-CC	217	**2362**
PRO-3421-71-GG	217	**5652**
PRO-3421-71-KK	217	**2930**
PRO-3421-71-LL	217	**3523**
PRO-3421-71-MM†	217	**3523**
PRO-3421-71-NN	217	**3144**
PRO-3421-71-TT	217	**5256**
PRO-3421-71-VV	217	**5256**
PRO-3421-71-YY	217	**3317**
PRO-3421-72-BB	218	**3728**
PRO-3421-72-CC	218	**2362**
PRO-3421-72-GG	218	**5652**
PRO-3421-72-KK	218	**2930**
PRO-3421-72-LL	218	**3523**
PRO-3421-72-MM†	218	**3523**
PRO-3421-72-NN	218	**3144**
PRO-3421-72-TT	218	**5256**
PRO-3421-72-VV	218	**5256**
PRO-3421-72-YY	218	**3317**

CODE	PAGE	PRICE
PRO-3421-74-BB	223	**3728**
PRO-3421-74-CB	223	**2362**
PRO-3421-74-GB	223	**5652**
PRO-3421-74-KB	223	**2930**
PRO-3421-74-LB	223	**3523**
PRO-3421-74-MB	223	**3523**
PRO-3421-74-NB	223	**3144**
PRO-3421-74-TB	223	**5256**
PRO-3421-74-VB	223	**5256**
PRO-3421-74-YB	223	**3317**
PRO-3950-04-BB	93	**5707**
PRO-3950-04-CC	93	**3759**
PRO-3950-04-GG	93	**8276**
PRO-3950-04-KK	93	**4614**
PRO-3950-04-LL	93	**5444**
PRO-3950-04-MM†	93	**5444**
PRO-3950-04-NN	93	**4838**
PRO-3950-04-TT	93	**7800**
PRO-3950-04-VV	93	**7800**
PRO-3950-04-YY	93	**5068**
PRO-3950-46-BB	170	**6172**
PRO-3950-46-CC	170	**3949**
PRO-3950-46-GG	170	**8775**
PRO-3950-46-KK	170	**4895**
PRO-3950-46-LL	170	**5811**
PRO-3950-46-MM†	170	**5811**
PRO-3950-46-NN	170	**5197**
PRO-3950-46-TT	170	**8406**
PRO-3950-46-VV	170	**8406**
PRO-3950-46-YY	170	**5426**
PRO-4151-04-BB	93	**2365**
PRO-4151-04-CC	93	**1495**
PRO-4151-04-GG	93	**3865**
PRO-4151-04-KK	93	**1832**
PRO-4151-04-KM	93	**2218**
PRO-4151-04-LL	93	**2218**
PRO-4151-04-MM†	93	**2218**
PRO-4151-04-NN	93	**1993**
PRO-4151-04-TT	93	**3395**
PRO-4151-04-VV	93	**3395**
PRO-4151-04-YY	93	**2070**
PRO-4151-05-BB	106	**2624**
PRO-4151-05-CC	106	**1597**
PRO-4151-05-GG	106	**4083**
PRO-4151-05-KK	106	**1978**
PRO-4151-05-LL	106	**2444**
PRO-4151-05-MM†	106	**2444**
PRO-4151-05-NN	106	**2191**
PRO-4151-05-TT	106	**3572**
PRO-4151-05-VV	106	**3572**
PRO-4151-05-YY	106	**2270**
PRO-4151-45-BB	155	**2365**
PRO-4151-45-CC	155	**1495**
PRO-4151-45-GG	155	**3865**
PRO-4151-45-KK	155	**1832**
PRO-4151-45-LL	155	**2218**
PRO-4151-45-MM†	155	**2218**
PRO-4151-45-NN	155	**1993**

CODE	PAGE	PRICE
PRO-4151-45-TT	155	**3395**
PRO-4151-45-VV	155	**3395**
PRO-4151-45-YY	155	**2070**
PRO-4151-46-BB	170	**2418**
PRO-4151-46-CC	170	**1525**
PRO-4151-46-GG	170	**3948**
PRO-4151-46-KK	170	**1872**
PRO-4151-46-LL	170	**2267**
PRO-4151-46-MM†	170	**2267**
PRO-4151-46-NN	170	**2035**
PRO-4151-46-TT	170	**3462**
PRO-4151-46-VV	170	**3462**
PRO-4151-46-YY	170	**2114**
PRO-4151-66-BB	206	**2244**
PRO-4151-66-CC	206	**1429**
PRO-4151-66-GG	206	**3632**
PRO-4151-66-KK	206	**1746**
PRO-4151-66-KM	206	**2104**
PRO-4151-66-LL	206	**2104**
PRO-4151-66-MM	206	**2104**
PRO-4151-66-NN	206	**1893**
PRO-4151-66-TT	206	**3188**
PRO-4151-66-VV	206	**3188**
PRO-4151-66-YY	206	**1976**
PRO-4153-20-BB	129	**3296**
PRO-4153-20-CC	129	**2041**
PRO-4153-20-GG	129	**5179**
PRO-4153-20-KK	129	**2561**
PRO-4153-20-LL	129	**3118**
PRO-4153-20-MM	129	**3118**
PRO-4153-20-NN	129	**2780**
PRO-4153-20-TT	129	**4499**
PRO-4153-20-VV	129	**4499**
PRO-4153-20-YY	129	**2884**
PRO-4153-80-BB	255	**2248**
PRO-4153-80-CC	255	**1428**
PRO-4153-80-GG	255	**3686**
PRO-4153-80-KK	255	**1753**
PRO-4153-80-LL	255	**2111**
PRO-4153-80-MM†	129	**2111**
PRO-4153-80-NN	255	**1900**
PRO-4153-80-TT	255	**3249**
PRO-4153-80-VV	255	**3249**
PRO-4153-80-YY	255	**1974**
PRO-4154-80-BB	256	**2248**
PRO-4154-80-CC	256	**1428**
PRO-4154-80-GG	256	**3686**
PRO-4154-80-KK	256	**1753**
PRO-4154-80-LL	256	**2111**
PRO-4154-80-MM†	129	**2111**
PRO-4154-80-NN	256	**1900**
PRO-4154-80-TT	256	**3249**
PRO-4154-80-VV	256	**3249**
PRO-4154-80-YY	256	**1974**
PRO-4155-20-BB	129	**3296**
PRO-4155-20-CC	129	**2041**
PRO-4155-20-GG	129	**5179**
PRO-4155-20-KK	129	**2561**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
PRO-4155-20-LL	129	**3118**
PRO-4155-20-MM	129	**3118**
PRO-4155-20-NN	129	**2780**
PRO-4155-20-TT	129	**4499**
PRO-4155-20-VV	129	**4499**
PRO-4155-20-YY	129	**2884**
PRO-4163-20-BB	130	**2438**
PRO-4163-20-CC	130	**1540**
PRO-4163-20-GG	130	**3670**
PRO-4163-20-KK	130	**1909**
PRO-4163-20-LL	130	**2249**
PRO-4163-20-MM	130	**2249**
PRO-4163-20-NN	130	**1989**
PRO-4163-20-TT	130	**3084**
PRO-4163-20-VV	130	**3084**
PRO-4163-20-YY	130	**2067**
PRO-4165-20-BB	130	**2438**
PRO-4165-20-CC	130	**1540**
PRO-4165-20-GG	130	**3670**
PRO-4165-20-KK	130	**1909**
PRO-4165-20-LL	130	**2249**
PRO-4165-20-MM	130	**2249**
PRO-4165-20-NN	130	**1989**
PRO-4165-20-TT	130	**3084**
PRO-4165-20-VV	130	**3084**
PRO-4165-20-YY	130	**2067**
PRO-4203-20-BB	130	**4236**
PRO-4203-20-CC	130	**2619**
PRO-4203-20-GG	130	**6847**
PRO-4203-20-KK	130	**3334**
PRO-4203-20-LL	130	**4071**
PRO-4203-20-MM	130	**4071**
PRO-4203-20-NN	130	**3594**
PRO-4203-20-TT	130	**5969**
PRO-4203-20-VV	130	**5969**
PRO-4203-20-YY	130	**3754**
PRO-4203-80-BB	257	**3019**
PRO-4203-80-CC	257	**1890**
PRO-4203-80-GG	257	**4999**
PRO-4203-80-KK	257	**2369**
PRO-4203-80-LL	257	**2864**
PRO-4203-80-MM†	257	**2864**
PRO-4203-80-NN	257	**2548**
PRO-4203-80-TT	257	**4421**
PRO-4203-80-VV	257	**4421**
PRO-4203-80-YY	257	**2668**
PRO-4204-80-BB	258	**3231**
PRO-4204-80-CC	258	**1986**
PRO-4204-80-GG	258	**5227**
PRO-4204-80-KK	258	**2496**
PRO-4204-80-LL	258	**3018**
PRO-4204-80-MM†	257	**3018**
PRO-4204-80-NN	258	**2683**
PRO-4204-80-TT	258	**4651**
PRO-4204-80-VV	258	**4651**
PRO-4204-80-YY	258	**2791**
PRO-4205-20-BB	131	**4236**
PRO-4205-20-CC	131	**2619**

CODE	PAGE	PRICE
PRO-4205-20-GG	131	**6847**
PRO-4205-20-KK	131	**3334**
PRO-4205-20-LL	131	**4071**
PRO-4205-20-MM	131	**4071**
PRO-4205-20-NN	131	**3594**
PRO-4205-20-TT	131	**5969**
PRO-4205-20-VV	131	**5969**
PRO-4205-20-YY	131	**3754**
PRO-4206-04-BB	93	**2892**
PRO-4206-04-CC	93	**1845**
PRO-4206-04-GG	93	**4867**
PRO-4206-04-KK	93	**2300**
PRO-4206-04-KM	93	**2795**
PRO-4206-04-LL	93	**2795**
PRO-4206-04-MM†	93	**2795**
PRO-4206-04-NN	93	**2490**
PRO-4206-04-TT	93	**4283**
PRO-4206-04-VV	93	**4283**
PRO-4206-04-YY	93	**2596**
PRO-4207-05-BB	106	**3240**
PRO-4207-05-CC	106	**1996**
PRO-4207-05-GG	106	**5237**
PRO-4207-05-KK	106	**2513**
PRO-4207-05-LL	106	**3103**
PRO-4207-05-MM†	106	**3103**
PRO-4207-05-NN	106	**2755**
PRO-4207-05-TT	106	**4589**
PRO-4207-05-VV	106	**4589**
PRO-4207-05-YY	106	**2872**
PRO-4207-45-BB	155	**2872**
PRO-4207-45-CC	155	**1830**
PRO-4207-45-GG	155	**4828**
PRO-4207-45-KK	155	**2281**
PRO-4207-45-LL	155	**2769**
PRO-4207-45-MM†	155	**2769**
PRO-4207-45-NN	155	**2465**
PRO-4207-45-TT	155	**4248**
PRO-4207-45-VV	155	**4248**
PRO-4207-45-YY	155	**2575**
PRO-4207-46-BB	170	**3270**
PRO-4207-46-CC	170	**2043**
PRO-4207-46-GG	170	**5295**
PRO-4207-46-KK	170	**2592**
PRO-4207-46-LL	170	**3174**
PRO-4207-46-MM†	170	**3174**
PRO-4207-46-NN	170	**2818**
PRO-4207-46-TT	170	**4653**
PRO-4207-46-VV	170	**4653**
PRO-4207-46-YY	170	**2939**
PRO-4208-04-CC	94	**1784**
PRO-4208-04-KK	94	**2220**
PRO-4208-04-KM	94	**2818**
PRO-4208-04-LL	94	**2818**
PRO-4208-04-MM†	94	**2818**
PRO-4208-04-NN	94	**2520**
PRO-4208-66-BB	207	**2751**
PRO-4208-66-CC	207	**1765**
PRO-4208-66-GG	207	**4596**

CODE	PAGE	PRICE
PRO-4208-66-KK	207	**2213**
PRO-4208-66-LL	207	**2681**
PRO-4208-66-MM	207	**2681**
PRO-4208-66-NN	207	**2399**
PRO-4208-66-TT	207	**4041**
PRO-4208-66-VV	207	**4041**
PRO-4208-66-YY	207	**2481**
PRO-4209-45-CC	156	**1770**
PRO-4209-45-KK	156	**2300**
PRO-4209-45-LL	156	**2795**
PRO-4209-45-MM†	156	**2795**
PRO-4209-45-NN	156	**2499**
PRO-4209-66-CC	207	**1779**
PRO-4209-66-KK	207	**2213**
PRO-4209-66-KM	207	**2681**
PRO-4209-66-LL	207	**2681**
PRO-4209-66-MM	207	**2681**
PRO-4209-66-NN	207	**2399**
PRO-4216-04-CC	94	**1662**
PRO-4216-04-KK	94	**2059**
PRO-4217-05-CC	106	**1920**
PRO-4217-05-KK	106	**2411**
PRO-4217-46-CC	171	**1823**
PRO-4217-46-KK	171	**2271**
PRO-4217-46-LL	171	**2759**
PRO-4217-46-MM†	171	**2759**
PRO-4217-46-NN	171	**2469**
PRO-4217-66-CC	207	**1686**
PRO-4217-66-KK	207	**1964**
PRO-4217-66-LL	207	**2596**
PRO-4217-66-MM	207	**2596**
PRO-4217-66-NN	207	**2326**
PRO-4227-56-CB	189	**2198**
PRO-4227-56-CC	189	**2127**
PRO-4227-56-CF	189	**2198**
PRO-4237-56-CB	189	**2306**
PRO-4237-56-CC	189	**2235**
PRO-4237-56-CF	189	**2306**
PRO-4297-04-BB	94	**2610**
PRO-4297-04-CC	94	**1729**
PRO-4297-04-GG	94	**4114**
PRO-4297-04-KK	94	**2153**
PRO-4297-04-KM	94	**2578**
PRO-4297-04-LL	94	**2578**
PRO-4297-04-MM†	94	**2578**
PRO-4297-04-NN	94	**2299**
PRO-4297-04-TT	94	**3538**
PRO-4297-04-VV	94	**3538**
PRO-4297-04-YY	94	**2396**
PRO-4298-66-BB	208	**2461**
PRO-4298-66-CC	208	**1640**
PRO-4298-66-GG	208	**3859**
PRO-4298-66-KK	208	**2035**
PRO-4298-66-LL	208	**2426**
PRO-4298-66-MM	208	**2426**
PRO-4298-66-NN	208	**2164**
PRO-4298-66-TT	208	**3353**
PRO-4298-66-VV	208	**3353**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
PRO-4298-66-YY	208	**2267**
PRO-4303-20-BB	131	**4726**
PRO-4303-20-CC	131	**2899**
PRO-4303-20-GG	131	**7604**
PRO-4303-20-KK	131	**3706**
PRO-4303-20-LL	131	**4520**
PRO-4303-20-MM	131	**4520**
PRO-4303-20-NN	131	**3987**
PRO-4303-20-TT	131	**6586**
PRO-4303-20-VV	131	**6586**
PRO-4303-20-YY	131	**4170**
PRO-4303-66-BB	208	**3439**
PRO-4303-66-CC	208	**2044**
PRO-4303-66-GG	208	**5466**
PRO-4303-66-KK	208	**2597**
PRO-4303-66-LL	208	**3271**
PRO-4303-66-MM	208	**3271**
PRO-4303-66-NN	208	**2910**
PRO-4303-66-TT	208	**4784**
PRO-4303-66-VV	208	**4784**
PRO-4303-66-YY	208	**3038**
PRO-4303-80-BB	259	**3372**
PRO-4303-80-CC	259	**2015**
PRO-4303-80-GG	259	**5478**
PRO-4303-80-KK	259	**2524**
PRO-4303-80-LL	259	**3137**
PRO-4303-80-MM†	259	**3137**
PRO-4303-80-NN	259	**2793**
PRO-4303-80-TT	259	**4818**
PRO-4303-80-VV	259	**4818**
PRO-4303-80-YY	259	**2926**
PRO-4304-80-BB	260	**3584**
PRO-4304-80-CC	260	**2111**
PRO-4304-80-GG	260	**5706**
PRO-4304-80-KK	260	**2651**
PRO-4304-80-LL	260	**3290**
PRO-4304-80-MM†	260	**3290**
PRO-4304-80-NN	260	**2928**
PRO-4304-80-TT	260	**5048**
PRO-4304-80-VV	260	**5048**
PRO-4304-80-YY	260	**3048**
PRO-4305-20-BB	132	**4726**
PRO-4305-20-CC	132	**2899**
PRO-4305-20-GG	132	**7604**
PRO-4305-20-KK	132	**3706**
PRO-4305-20-LL	132	**4520**
PRO-4305-20-MM	132	**4520**
PRO-4305-20-NN	132	**3987**
PRO-4305-20-TT	132	**6586**
PRO-4305-20-VV	132	**6586**
PRO-4305-20-YY	132	**4170**
PRO-4306-04-BB	95	**3496**
PRO-4306-04-CC	95	**2189**
PRO-4306-04-GG	95	**5800**
PRO-4306-04-KK	95	**2757**
PRO-4306-04-KM	95	**3346**
PRO-4306-04-LL	95	**3346**
PRO-4306-04-MM†	95	**3346**
PRO-4306-04-NN	95	**2973**
PRO-4306-04-TT	95	**5042**
PRO-4306-04-VV	95	**5042**
PRO-4306-04-YY	95	**3109**
PRO-4307-45-BB	156	**3426**
PRO-4307-45-CC	156	**2147**
PRO-4307-45-GG	156	**5684**
PRO-4307-45-KK	156	**2700**
PRO-4307-45-LL	156	**3275**
PRO-4307-45-MM†	156	**3275**
PRO-4307-45-NN	156	**2909**
PRO-4307-45-TT	156	**4944**
PRO-4307-45-VV	156	**4944**
PRO-4307-45-YY	156	**3045**
PRO-4307-46-BB	171	**3874**
PRO-4307-46-CC	171	**2388**
PRO-4307-46-GG	171	**6228**
PRO-4307-46-KK	171	**3050**
PRO-4307-46-LL	171	**3726**
PRO-4307-46-MM†	171	**3726**
PRO-4307-46-NN	171	**3302**
PRO-4307-46-TT	171	**5412**
PRO-4307-46-VV	171	**5412**
PRO-4307-46-YY	171	**3452**
PRO-4308-04-CC	95	**2130**
PRO-4308-04-KK	95	**2654**
PRO-4308-04-KM	95	**3370**
PRO-4308-04-LL	95	**3370**
PRO-4308-04-MM†	95	**3370**
PRO-4308-04-NN	95	**3004**
PRO-4308-66-BB	208	**3104**
PRO-4308-66-CC	208	**1889**
PRO-4308-66-GG	208	**5075**
PRO-4308-66-KK	208	**2349**
PRO-4308-66-LL	208	**2928**
PRO-4308-66-MM	208	**2928**
PRO-4308-66-NN	208	**2609**
PRO-4308-66-TT	208	**4438**
PRO-4308-66-VV	208	**4438**
PRO-4308-66-YY	208	**2738**
PRO-4309-45-CC	156	**2070**
PRO-4309-45-KK	156	**2599**
PRO-4309-45-LL	156	**3301**
PRO-4309-45-MM†	156	**3301**
PRO-4309-45-NN	156	**2943**
PRO-4309-66-CC	209	**1903**
PRO-4309-66-KK	209	**2368**
PRO-4309-66-KM	209	**2953**
PRO-4309-66-LL	209	**2953**
PRO-4309-66-MM	209	**2953**
PRO-4309-66-NN	209	**2643**
PRO-4317-04-CC	96	**2021**
PRO-4317-04-KK	96	**2527**
PRO-4317-66-CC	209	**1776**
PRO-4317-66-KK	209	**2123**
PRO-4317-66-LL	209	**2869**
PRO-4317-66-MM	209	**2869**
PRO-4317-66-NN	209	**2570**
PRO-4393-66-BB	209	**3832**
PRO-4393-66-CC	209	**2301**
PRO-4393-66-GG	209	**6069**
PRO-4393-66-KK	209	**2906**
PRO-4393-66-LL	209	**3512**
PRO-4393-66-MM†	209	**3512**
PRO-4393-66-NN	209	**3118**
PRO-4393-66-TT	209	**5315**
PRO-4393-66-VV	209	**5315**
PRO-4393-66-YY	209	**3266**
PRR-2801-80-BB	249	**2244**
PRR-2801-80-CC	249	**1423**
PRR-2801-80-GG	249	**3980**
PRR-2801-80-KK	249	**1763**
PRR-2801-80-LL	249	**2131**
PRR-2801-80-MM†	249	**2131**
PRR-2801-80-NN	249	**1898**
PRR-2801-80-TT	249	**3687**
PRR-2801-80-VV	249	**3687**
PRR-2801-80-YY	249	**2055**
PRR-2802-20-BB	128	**3644**
PRR-2802-20-CC	128	**2287**
PRR-2802-20-GG	128	**5926**
PRR-2802-20-KK	128	**2889**
PRR-2802-20-LL	128	**3532**
PRR-2802-20-MM	128	**3532**
PRR-2802-20-NN	128	**3124**
PRR-2802-20-TT	128	**5253**
PRR-2802-20-VV	128	**5253**
PRR-2802-20-YY	128	**3266**
PRR-2804-20-BB	128	**3644**
PRR-2804-20-CC	128	**2287**
PRR-2804-20-GG	128	**5926**
PRR-2804-20-KK	128	**2889**
PRR-2804-20-LL	128	**3532**
PRR-2804-20-MM	128	**3532**
PRR-2804-20-NN	128	**3124**
PRR-2804-20-TT	128	**5253**
PRR-2804-20-VV	128	**5253**
PRR-2804-20-YY	128	**3266**
PRR-2805-04-BB	92	**2540**
PRR-2805-04-CC	92	**1474**
PRR-2805-04-GG	92	**4313**
PRR-2805-04-KK	92	**1852**
PRR-2805-04-KM	92	**2350**
PRR-2805-04-LL	92	**2350**
PRR-2805-04-MM†	92	**2350**
PRR-2805-04-NN	92	**2028**
PRR-2805-04-TT	92	**3978**
PRR-2805-04-VV	92	**3978**
PRR-2805-04-YY	92	**2266**
PRR-2805-45-BB	153	**2520**
PRR-2805-45-CC	153	**1517**
PRR-2805-45-GG	153	**4274**
PRR-2805-45-KK	153	**1911**
PRR-2805-45-LL	153	**2324**
PRR-2805-45-MM†	153	**2324**
PRR-2805-45-NN	153	**2091**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
PRR-2805-45-TT	153	**3943**
PRR-2805-45-VV	153	**3943**
PRR-2805-45-YY	153	**2245**
PRR-2805-66-BB	204	**2381**
PRR-2805-66-CC	204	**1453**
PRR-2805-66-GG	204	**4016**
PRR-2805-66-KK	204	**1822**
PRR-2805-66-KM	204	**2207**
PRR-2805-66-LL	204	**2207**
PRR-2805-66-MM	204	**2207**
PRR-2805-66-NN	204	**1988**
PRR-2805-66-TT	204	**3701**
PRR-2805-66-VV	204	**3701**
PRR-2805-66-YY	204	**2142**
PRR-2805-95-BB	105	**2923**
PRR-2805-95-CC	105	**1696**
PRR-2805-95-GG	105	**4737**
PRR-2805-95-KK	105	**2155**
PRR-2805-95-LL	105	**2684**
PRR-2805-95-MM†	105	**2684**
PRR-2805-95-NN	105	**2405**
PRR-2805-95-TT	105	**4335**
PRR-2805-95-VV	105	**4335**
PRR-2805-95-YY	105	**2570**
PRR-2806-45-CC	154	**1386**
PRR-2806-45-KK	154	**1719**
PRR-2806-45-LL	154	**2074**
PRR-2806-45-MM†	154	**2074**
PRR-2806-45-NN	154	**1814**
PRR-2810-66-CC	204	**1323**
PRR-2810-66-KK	204	**1631**
PRR-2810-66-LL	204	**1957**
PRR-2810-66-MM	204	**1957**
PRR-2810-66-NN	204	**1786**
PRR-2811-80-CC	250	**1438**
PRR-2811-80-KK	250	**1782**
PRR-2815-04-CC	92	**1494**
PRR-2815-04-KK	92	**1881**
PRR-2815-45-CC	154	**1479**
PRR-2815-45-KK	154	**1861**
PRR-2815-46-CC	169	**1493**
PRR-2815-46-KK	169	**1882**
PRR-2815-46-LL	169	**2291**
PRR-2815-46-MM†	169	**2291**
PRR-2815-46-NN	169	**2076**
PRR-2816-66-CC	205	**1404**
PRR-2816-66-KK	205	**1757**
PRR-2826-66-CC	205	**1364**
PRR-2826-66-KK	205	**1703**
PRR-2826-66-LL	205	**2148**
PRR-2826-66-MM	205	**2148**
PRR-2826-66-NN	205	**1870**
PRR-2891-80-BB	251	**1962**
PRR-2891-80-CC	251	**1308**
PRR-2891-80-GG	251	**3227**
PRR-2891-80-KK	251	**1616**
PRR-2891-80-LL	251	**1915**
PRR-2891-80-MM†	251	**1915**

CODE	PAGE	PRICE
PRR-2891-80-NN	251	**1708**
PRR-2891-80-TT	251	**2943**
PRR-2891-80-VV	251	**2943**
PRR-2891-80-YY	251	**1856**
PRR-2892-80-BB	252	**2031**
PRR-2892-80-CC	252	**1349**
PRR-2892-80-GG	252	**3343**
PRR-2892-80-KK	252	**1672**
PRR-2892-80-LL	252	**1982**
PRR-2892-80-MM†	252	**1982**
PRR-2892-80-NN	252	**1766**
PRR-2892-80-TT	252	**3049**
PRR-2892-80-VV	252	**3049**
PRR-2892-80-YY	252	**1918**
PRR-2896-46-BB	169	**2273**
PRR-2896-46-CC	169	**1415**
PRR-2896-46-GG	169	**3575**
PRR-2896-46-KK	169	**1785**
PRR-2896-46-LL	169	**2133**
PRR-2896-46-MM†	169	**2133**
PRR-2896-46-NN	169	**1924**
PRR-2896-46-TT	169	**3249**
PRR-2896-46-VV	169	**3249**
PRR-2896-46-YY	169	**2073**
PRR-2896-66-BB	205	**2167**
PRR-2896-66-CC	205	**1372**
PRR-2896-66-GG	205	**3413**
PRR-2896-66-KK	205	**1723**
PRR-2896-66-LL	205	**2055**
PRR-2896-66-MM	205	**2055**
PRR-2896-66-NN	205	**1854**
PRR-2896-66-TT	205	**3095**
PRR-2896-66-VV	205	**3095**
PRR-2896-66-YY	205	**1992**
PRR-2915-04-CC	92	**1576**
PRR-2915-04-KK	92	**1985**
PRR-2915-45-CC	154	**1561**
PRR-2915-45-KK	154	**1965**
PRR-2915-66-CC	206	**1405**
PRR-3301-80-BB	253	**2806**
PRR-3301-80-CC	253	**2073**
PRR-3301-80-GG	253	**3999**
PRR-3301-80-KK	253	**2461**
PRR-3301-80-LL	253	**2804**
PRR-3301-80-MM†	253	**2804**
PRR-3301-80-NN	253	**2526**
PRR-3301-80-TT	253	**3671**
PRR-3301-80-VV	253	**3671**
PRR-3301-80-YY	253	**2651**
PRR-3302-20-BB	128	**3624**
PRR-3302-20-CC	128	**2502**
PRR-3302-20-GG	128	**5379**
PRR-3302-20-KK	128	**3040**
PRR-3302-20-LL	128	**3559**
PRR-3302-20-MM	128	**3559**
PRR-3302-20-NN	128	**3205**
PRR-3302-20-TT	128	**4835**
PRR-3302-20-VV	128	**4835**

CODE	PAGE	PRICE
PRR-3302-20-YY	128	**3347**
PRR-3302-45-BB	155	**3308**
PRR-3302-45-CC	155	**2360**
PRR-3302-45-GG	155	**4727**
PRR-3302-45-KK	155	**2840**
PRR-3302-45-LL	155	**3264**
PRR-3302-45-MM†	155	**3264**
PRR-3302-45-NN	155	**2928**
PRR-3302-45-TT	155	**4303**
PRR-3302-45-VV	155	**4303**
PRR-3302-45-YY	155	**3068**
PRR-3302-47-BA	181	**4927**
PRR-3302-47-CA	181	**3175**
PRR-3302-47-GA	181	**7033**
PRR-3302-47-KA	181	**4269**
PRR-3302-47-LA	181	**4813**
PRR-3302-47-MA	181	**4813**
PRR-3302-47-NA	181	**4069**
PRR-3302-47-TA	181	**5859**
PRR-3302-47-VA	181	**5859**
PRR-3302-47-YA	181	**4231**
PRR-3302-66-BB	206	**3308**
PRR-3302-66-CC	206	**2360**
PRR-3302-66-GG	206	**4727**
PRR-3302-66-KK	206	**2840**
PRR-3302-66-LL	206	**3264**
PRR-3302-66-MM†	206	**3264**
PRR-3302-66-NN	206	**2928**
PRR-3302-66-TT	206	**4303**
PRR-3302-66-VV	206	**4303**
PRR-3302-66-YY	206	**3068**
PRR-3302-80-BB	254	**3017**
PRR-3302-80-CC	254	**2169**
PRR-3302-80-GG	254	**4227**
PRR-3302-80-KK	254	**2588**
PRR-3302-80-LL	254	**2958**
PRR-3302-80-MM†	254	**2958**
PRR-3302-80-NN	254	**2661**
PRR-3302-80-TT	254	**3901**
PRR-3302-80-VV	254	**3901**
PRR-3302-80-YY	254	**2773**
PRR-3304-20-BB	129	**3624**
PRR-3304-20-CC	129	**2502**
PRR-3304-20-GG	129	**5379**
PRR-3304-20-KK	129	**3040**
PRR-3304-20-LL	129	**3559**
PRR-3304-20-MM	129	**3559**
PRR-3304-20-NN	129	**3205**
PRR-3304-20-TT	129	**4835**
PRR-3304-20-VV	129	**4835**
PRR-3304-20-YY	129	**3347**
PRR-3352-47-BA	181	**5221**
PRR-3352-47-CA	181	**3196**
PRR-3352-47-GA	181	**7642**
PRR-3352-47-KA	181	**4301**
PRR-3352-47-LA	181	**4960**
PRR-3352-47-MA	181	**4960**
PRR-3352-47-NA	181	**4274**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
PRR-3352-47-TA	181	**6536**
PRR-3352-47-VA	181	**6536**
PRR-3352-47-YA	181	**4416**
PRR-3420-16-BB	113	**3116**
PRR-3420-16-CC	113	**2052**
PRR-3420-16-GG	113	**4902**
PRR-3420-16-KK	113	**2470**
PRR-3420-16-LL	113	**2963**
PRR-3420-16-MM†	113	**2963**
PRR-3420-16-NN	113	**2700**
PRR-3420-16-TT	113	**4652**
PRR-3420-16-VV	113	**4652**
PRR-3420-16-YY	113	**2835**
PRR-3420-18-BB	114	**3116**
PRR-3420-18-CB	114	**2052**
PRR-3420-18-CC	114	**2052**
PRR-3420-18-GB	114	**4902**
PRR-3420-18-GG	114	**4902**
PRR-3420-18-KB	114	**2470**
PRR-3420-18-KK	114	**2470**
PRR-3420-18-LB	114	**2963**
PRR-3420-18-LL	114	**2963**
PRR-3420-18-MB	114	**2963**
PRR-3420-18-MM†	114	**2963**
PRR-3420-18-NB	114	**2700**
PRR-3420-18-NN	114	**2700**
PRR-3420-18-TB	114	**4652**
PRR-3420-18-TT	114	**4652**
PRR-3420-18-VB	114	**4652**
PRR-3420-18-VV	114	**4652**
PRR-3420-18-YB	114	**2835**
PRR-3420-18-YY	114	**2835**
PRR-3421-71-BB	217	**3728**
PRR-3421-71-CC	217	**2362**
PRR-3421-71-GG	217	**5652**
PRR-3421-71-KK	217	**2930**
PRR-3421-71-LL	217	**3523**
PRR-3421-71-MM†	217	**3523**
PRR-3421-71-NN	217	**3144**
PRR-3421-71-TT	217	**5256**
PRR-3421-71-VV	217	**5256**
PRR-3421-71-YY	217	**3317**
PRR-3421-72-BB	218	**3728**
PRR-3421-72-CC	218	**2362**
PRR-3421-72-GG	218	**5652**
PRR-3421-72-KK	218	**2930**
PRR-3421-72-LL	218	**3523**
PRR-3421-72-MM†	218	**3523**
PRR-3421-72-NN	218	**3144**
PRR-3421-72-TT	218	**5256**
PRR-3421-72-VV	218	**5256**
PRR-3421-72-YY	218	**3317**
PRR-3421-74-BB	223	**3728**
PRR-3421-74-CB	223	**2362**
PRR-3421-74-GB	223	**5652**
PRR-3421-74-KB	223	**2930**
PRR-3421-74-LB	223	**3523**
PRR-3421-74-MB	223	**3523**
PRR-3421-74-NB	223	**3144**
PRR-3421-74-TB	223	**5256**
PRR-3421-74-VB	223	**5256**
PRR-3421-74-YB	223	**3317**
PRR-3950-04-BB	93	**5707**
PRR-3950-04-CC	93	**3759**
PRR-3950-04-GG	93	**8276**
PRR-3950-04-KK	93	**4614**
PRR-3950-04-LL	93	**5444**
PRR-3950-04-MM†	93	**5444**
PRR-3950-04-NN	93	**4838**
PRR-3950-04-TT	93	**7800**
PRR-3950-04-VV	93	**7800**
PRR-3950-04-YY	93	**5068**
PRR-3950-46-BB	170	**6172**
PRR-3950-46-CC	170	**3949**
PRR-3950-46-GG	170	**8775**
PRR-3950-46-KK	170	**4895**
PRR-3950-46-LL	170	**5811**
PRR-3950-46-MM†	170	**5811**
PRR-3950-46-NN	170	**5197**
PRR-3950-46-TT	170	**8406**
PRR-3950-46-VV	170	**8406**
PRR-3950-46-YY	170	**5426**
PRR-4203-20-BB	130	**4236**
PRR-4203-20-CC	130	**2619**
PRR-4203-20-GG	130	**6847**
PRR-4203-20-KK	130	**3334**
PRR-4203-20-LL	130	**4071**
PRR-4203-20-MM	130	**4071**
PRR-4203-20-NN	130	**3594**
PRR-4203-20-TT	130	**5969**
PRR-4203-20-VV	130	**5969**
PRR-4203-20-YY	130	**3754**
PRR-4203-80-BB	257	**3019**
PRR-4203-80-CC	257	**1890**
PRR-4203-80-GG	257	**4999**
PRR-4203-80-KK	257	**2369**
PRR-4203-80-LL	257	**2864**
PRR-4203-80-MM†	257	**2864**
PRR-4203-80-NN	257	**2548**
PRR-4203-80-TT	257	**4421**
PRR-4203-80-VV	257	**4421**
PRR-4203-80-YY	257	**2668**
PRR-4204-80-BB	258	**3231**
PRR-4204-80-CC	258	**1986**
PRR-4204-80-GG	258	**5227**
PRR-4204-80-KK	258	**2496**
PRR-4204-80-LL	258	**3018**
PRR-4204-80-MM†	258	**3018**
PRR-4204-80-NN	258	**2683**
PRR-4204-80-TT	258	**4651**
PRR-4204-80-VV	258	**4651**
PRR-4204-80-YY	258	**2791**
PRR-4205-20-BB	131	**4236**
PRR-4205-20-CC	131	**2619**
PRR-4205-20-GG	131	**6847**
PRR-4205-20-KK	131	**3334**
PRR-4205-20-LL	131	**4071**
PRR-4205-20-MM	131	**4071**
PRR-4205-20-NN	131	**3594**
PRR-4205-20-TT	131	**5969**
PRR-4205-20-VV	131	**5969**
PRR-4205-20-YY	131	**3754**
PRR-4206-04-BB	93	**2892**
PRR-4206-04-CC	93	**1845**
PRR-4206-04-GG	93	**4867**
PRR-4206-04-KK	93	**2300**
PRR-4206-04-KM	93	**2795**
PRR-4206-04-LL	93	**2795**
PRR-4206-04-MM†	93	**2795**
PRR-4206-04-NN	93	**2490**
PRR-4206-04-TT	93	**4283**
PRR-4206-04-VV	93	**4283**
PRR-4206-04-YY	93	**2596**
PRR-4207-05-BB	106	**3240**
PRR-4207-05-CC	106	**1996**
PRR-4207-05-GG	106	**5237**
PRR-4207-05-KK	106	**2513**
PRR-4207-05-LL	106	**3103**
PRR-4207-05-MM†	106	**3103**
PRR-4207-05-NN	106	**2755**
PRR-4207-05-TT	106	**4589**
PRR-4207-05-VV	106	**4589**
PRR-4207-05-YY	106	**2872**
PRR-4207-45-BB	155	**2872**
PRR-4207-45-CC	155	**1830**
PRR-4207-45-GG	155	**4828**
PRR-4207-45-KK	155	**2281**
PRR-4207-45-LL	155	**2769**
PRR-4207-45-MM†	155	**2769**
PRR-4207-45-NN	155	**2465**
PRR-4207-45-TT	155	**4248**
PRR-4207-45-VV	155	**4248**
PRR-4207-45-YY	155	**2575**
PRR-4207-46-BB	170	**3270**
PRR-4207-46-CC	170	**2043**
PRR-4207-46-GG	170	**5295**
PRR-4207-46-KK	170	**2592**
PRR-4207-46-LL	170	**3174**
PRR-4207-46-MM†	170	**3174**
PRR-4207-46-NN	170	**2818**
PRR-4207-46-TT	170	**4653**
PRR-4207-46-VV	170	**4653**
PRR-4207-46-YY	170	**2939**
PRR-4208-04-CC	94	**1784**
PRR-4208-04-KK	94	**2220**
PRR-4208-04-KM	94	**2818**
PRR-4208-04-LL	94	**2818**
PRR-4208-04-MM†	94	**2818**
PRR-4208-04-NN	94	**2520**
PRR-4208-66-BB	207	**2751**
PRR-4208-66-CC	207	**1765**
PRR-4208-66-GG	207	**4596**
PRR-4208-66-KK	207	**2213**
PRR-4208-66-LL	207	**2681**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
PRR-4208-66-MM	207	**2681**
PRR-4208-66-NN	207	**2399**
PRR-4208-66-TT	207	**4041**
PRR-4208-66-VV	207	**4041**
PRR-4208-66-YY	207	**2481**
PRR-4209-45-CC	156	**1770**
PRR-4209-45-KK	156	**2300**
PRR-4209-45-LL	156	**2795**
PRR-4209-45-MM†	156	**2795**
PRR-4209-45-NN	156	**2499**
PRR-4209-66-CC	207	**1779**
PRR-4209-66-KK	207	**2213**
PRR-4209-66-KM	207	**2681**
PRR-4209-66-LL	207	**2681**
PRR-4209-66-MM	207	**2681**
PRR-4209-66-NN	207	**2399**
PRR-4216-04-CC	94	**1662**
PRR-4216-04-KK	94	**2059**
PRR-4217-05-CC	106	**1920**
PRR-4217-05-KK	106	**2411**
PRR-4217-46-CC	171	**1823**
PRR-4217-46-KK	171	**2271**
PRR-4217-46-LL	171	**2759**
PRR-4217-46-MM†	171	**2759**
PRR-4217-46-NN	171	**2469**
PRR-4217-66-CC	207	**1686**
PRR-4217-66-KK	207	**1964**
PRR-4217-66-LL	207	**2596**
PRR-4217-66-MM	207	**2596**
PRR-4217-66-NN	207	**2326**
PRR-4227-56-CB	189	**2198**
PRR-4227-56-CC	189	**2127**
PRR-4227-56-CF	189	**2198**
PRR-4237-56-CB	189	**2306**
PRR-4237-56-CC	189	**2235**
PRR-4237-56-CF	189	**2306**
PRR-4297-04-BB	94	**2610**
PRR-4297-04-CC	94	**1729**
PRR-4297-04-GG	94	**4114**
PRR-4297-04-KK	94	**2153**
PRR-4297-04-KM	94	**2578**
PRR-4297-04-LL	94	**2578**
PRR-4297-04-MM†	94	**2578**
PRR-4297-04-NN	94	**2299**
PRR-4297-04-TT	94	**3538**
PRR-4297-04-VV	94	**3538**
PRR-4297-04-YY	94	**2396**
PRR-4298-66-BB	208	**2461**
PRR-4298-66-CC	208	**1640**
PRR-4298-66-GG	208	**3859**
PRR-4298-66-KK	208	**2035**
PRR-4298-66-LL	208	**2426**
PRR-4298-66-MM	208	**2426**
PRR-4298-66-NN	208	**2164**
PRR-4298-66-TT	208	**3353**
PRR-4298-66-VV	208	**3353**
PRR-4298-66-YY	208	**2267**
PRR-4303-20-BB	131	**4726**

CODE	PAGE	PRICE
PRR-4303-20-CC	131	**2899**
PRR-4303-20-GG	131	**7604**
PRR-4303-20-KK	131	**3706**
PRR-4303-20-LL	131	**4520**
PRR-4303-20-MM	131	**4520**
PRR-4303-20-NN	131	**3987**
PRR-4303-20-TT	131	**6586**
PRR-4303-20-VV	131	**6586**
PRR-4303-20-YY	131	**4170**
PRR-4303-66-BB	208	**3439**
PRR-4303-66-CC	208	**2044**
PRR-4303-66-GG	208	**5466**
PRR-4303-66-KK	208	**2597**
PRR-4303-66-LL	208	**3271**
PRR-4303-66-MM	208	**3271**
PRR-4303-66-NN	208	**2910**
PRR-4303-66-TT	208	**4784**
PRR-4303-66-VV	208	**4784**
PRR-4303-66-YY	208	**3038**
PRR-4303-80-BB	259	**3372**
PRR-4303-80-CC	259	**2015**
PRR-4303-80-GG	259	**5478**
PRR-4303-80-KK	259	**2524**
PRR-4303-80-LL	259	**3137**
PRR-4303-80-MM†	259	**3137**
PRR-4303-80-NN	259	**2793**
PRR-4303-80-TT	259	**4818**
PRR-4303-80-VV	259	**4818**
PRR-4303-80-YY	259	**2926**
PRR-4304-80-BB	260	**3584**
PRR-4304-80-CC	260	**2111**
PRR-4304-80-GG	260	**5706**
PRR-4304-80-KK	260	**2651**
PRR-4304-80-LL	260	**3290**
PRR-4304-80-MM†	260	**3290**
PRR-4304-80-NN	260	**2928**
PRR-4304-80-TT	260	**5048**
PRR-4304-80-VV	260	**5048**
PRR-4304-80-YY	260	**3048**
PRR-4305-20-BB	132	**4726**
PRR-4305-20-CC	132	**2899**
PRR-4305-20-GG	132	**7604**
PRR-4305-20-KK	132	**3706**
PRR-4305-20-LL	132	**4520**
PRR-4305-20-MM	132	**4520**
PRR-4305-20-NN	132	**3987**
PRR-4305-20-TT	132	**6586**
PRR-4305-20-VV	132	**6586**
PRR-4305-20-YY	132	**4170**
PRR-4306-04-BB	95	**3496**
PRR-4306-04-CC	95	**2189**
PRR-4306-04-GG	95	**5800**
PRR-4306-04-KK	95	**2757**
PRR-4306-04-KM	95	**3346**
PRR-4306-04-LL	95	**3346**
PRR-4306-04-MM†	95	**3346**
PRR-4306-04-NN	95	**2973**
PRR-4306-04-TT	95	**5042**

CODE	PAGE	PRICE
PRR-4306-04-VV	95	**5042**
PRR-4306-04-YY	95	**3109**
PRR-4307-45-BB	156	**3426**
PRR-4307-45-CC	156	**2147**
PRR-4307-45-GG	156	**5684**
PRR-4307-45-KK	156	**2700**
PRR-4307-45-LL	156	**3275**
PRR-4307-45-MM†	156	**3275**
PRR-4307-45-NN	156	**2909**
PRR-4307-45-TT	156	**4944**
PRR-4307-45-VV	156	**4944**
PRR-4307-45-YY	156	**3045**
PRR-4307-46-BB	171	**3874**
PRR-4307-46-CC	171	**2388**
PRR-4307-46-GG	171	**6228**
PRR-4307-46-KK	171	**3050**
PRR-4307-46-LL	171	**3726**
PRR-4307-46-MM†	171	**3726**
PRR-4307-46-NN	171	**3302**
PRR-4307-46-TT	171	**5412**
PRR-4307-46-VV	171	**5412**
PRR-4307-46-YY	171	**3452**
PRR-4308-04-CC	95	**2130**
PRR-4308-04-KK	95	**2654**
PRR-4308-04-KM	95	**3370**
PRR-4308-04-LL	95	**3370**
PRR-4308-04-MM†	95	**3370**
PRR-4308-04-NN	95	**3004**
PRR-4308-66-BB	208	**3104**
PRR-4308-66-CC	208	**1889**
PRR-4308-66-GG	208	**5075**
PRR-4308-66-KK	208	**2349**
PRR-4308-66-LL	208	**2928**
PRR-4308-66-MM	208	**2928**
PRR-4308-66-NN	208	**2609**
PRR-4308-66-TT	208	**4438**
PRR-4308-66-VV	208	**4438**
PRR-4308-66-YY	208	**2738**
PRR-4309-45-CC	156	**2070**
PRR-4309-45-KK	156	**2599**
PRR-4309-45-LL	156	**3301**
PRR-4309-45-MM†	156	**3301**
PRR-4309-45-NN	156	**2943**
PRR-4309-66-CC	209	**1903**
PRR-4309-66-KK	209	**2368**
PRR-4309-66-KM	209	**2953**
PRR-4309-66-LL	209	**2953**
PRR-4309-66-MM	209	**2953**
PRR-4309-66-NN	209	**2643**
PRR-4317-04-CC	96	**2021**
PRR-4317-04-KK	96	**2527**
PRR-4317-66-CC	209	**1776**
PRR-4317-66-KK	209	**2123**
PRR-4317-66-LL	209	**2869**
PRR-4317-66-MM	209	**2869**
PRR-4317-66-NN	209	**2570**
PRR-4393-66-BB	209	**3832**
PRR-4393-66-CC	209	**2301**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
PRR-4393-66-GG	209	**6069**
PRR-4393-66-KK	209	**2906**
PRR-4393-66-LL	209	**3512**
PRR-4393-66-MM†	209	**3512**
PRR-4393-66-NN	209	**3118**
PRR-4393-66-TT	209	**5315**
PRR-4393-66-VV	209	**5315**
PRR-4393-66-YY	209	**3266**
RAC-0318-02-BB	328	**97**
RAC-0318-02-CC	328	**52**
RAC-0318-02-GG	328	**176**
RAC-0318-02-KK	328	**73**
RAC-0318-02-LL	328	**97**
RAC-0318-02-MM†	328	**97**
RAC-0318-02-NN	328	**76**
RAC-0318-02-TT	328	**137**
RAC-0318-02-VV	328	**137**
RAC-0318-02-YY	328	**80**
RAC-0318-14-BB	328	**128**
RAC-0318-14-CC	328	**69**
RAC-0318-14-GG	328	**232**
RAC-0318-14-KK	328	**96**
RAC-0318-14-LL	328	**128**
RAC-0318-14-MM†	328	**128**
RAC-0318-14-NN	328	**100**
RAC-0318-14-TT	328	**181**
RAC-0318-14-VV	328	**181**
RAC-0318-14-YY	328	**113**
RAC-0318-20-BB	328	**194**
RAC-0318-20-CC	328	**104**
RAC-0318-20-GG	328	**351**
RAC-0318-20-KK	328	**146**
RAC-0318-20-LL	328	**194**
RAC-0318-20-MM	328	**194**
RAC-0318-20-NN	328	**151**
RAC-0318-20-TT	328	**274**
RAC-0318-20-VV	328	**274**
RAC-0318-20-YY	328	**160**
RAC-0618-02-BB	328	**108**
RAC-0618-02-CC	328	**58**
RAC-0618-02-GG	328	**195**
RAC-0618-02-KK	328	**81**
RAC-0618-02-KM	328	**108**
RAC-0618-02-LL	328	**108**
RAC-0618-02-MM	328	**108**
RAC-0618-02-NN	328	**84**
RAC-0618-02-TT	328	**152**
RAC-0618-02-VV	328	**152**
RAC-0618-02-YY	328	**89**
RAC-0618-14-BB	328	**151**
RAC-0618-14-CC	328	**81**
RAC-0618-14-GG	328	**273**
RAC-0618-14-KK	328	**113**
RAC-0618-14-LL	328	**151**
RAC-0618-14-MM†	328	**151**
RAC-0618-14-NN	328	**118**
RAC-0618-14-TT	328	**213**
RAC-0618-14-VV	328	**213**
RAC-0618-14-YY	328	**125**
RAC-0618-20-BB	329	**216**
RAC-0618-20-CC	329	**116**
RAC-0618-20-GG	329	**390**
RAC-0618-20-KK	329	**162**
RAC-0618-20-LL	329	**216**
RAC-0618-20-MM	329	**216**
RAC-0618-20-NN	329	**168**
RAC-0618-20-TT	329	**304**
RAC-0618-20-VV	329	**304**
RAC-0618-20-YY	329	**178**
RAC-0918-02-BB	329	**162**
RAC-0918-02-CC	329	**87**
RAC-0918-02-GG	329	**293**
RAC-0918-02-KK	329	**122**
RAC-0918-02-LL	329	**162**
RAC-0918-02-MM	329	**162**
RAC-0918-02-NN	329	**126**
RAC-0918-02-TT	329	**228**
RAC-0918-02-VV	329	**228**
RAC-0918-02-YY	329	**134**
RAC-0918-14-BB	329	**181**
RAC-0918-14-CC	329	**97**
RAC-0918-14-GG	329	**328**
RAC-0918-14-KK	329	**136**
RAC-0918-14-LL	329	**181**
RAC-0918-14-MM†	329	**181**
RAC-0918-14-NN	329	**142**
RAC-0918-14-TT	329	**256**
RAC-0918-14-VV	329	**256**
RAC-0918-14-YY	329	**150**
RAC-0918-20-BB	329	**232**
RAC-0918-20-CC	329	**125**
RAC-0918-20-GG	329	**419**
RAC-0918-20-KK	329	**174**
RAC-0918-20-LL	329	**232**
RAC-0918-20-MM	329	**232**
RAC-0918-20-NN	329	**180**
RAC-0918-20-TT	329	**325**
RAC-0918-20-VV	329	**325**
RAC-0918-20-YY	329	**190**
RAC-1218-02-BB	329	**184**
RAC-1218-02-CC	329	**99**
RAC-1218-02-GG	329	**332**
RAC-1218-02-KK	329	**138**
RAC-1218-02-LL	329	**184**
RAC-1218-02-MM†	329	**184**
RAC-1218-02-NN	329	**143**
RAC-1218-02-TT	329	**258**
RAC-1218-02-VV	329	**258**
RAC-1218-02-YY	329	**151**
RAC-1218-14-BB	330	**196**
RAC-1218-14-CC	330	**105**
RAC-1218-14-GG	330	**355**
RAC-1218-14-KK	330	**147**
RAC-1218-14-LL	330	**196**
RAC-1218-14-MM†	330	**196**
RAC-1218-14-NN	330	**153**
RAC-1218-14-TT	330	**277**
RAC-1218-14-VV	330	**277**
RAC-1218-14-YY	330	**163**
RAC-1218-20-BB	330	**258**
RAC-1218-20-CC	330	**139**
RAC-1218-20-GG	330	**465**
RAC-1218-20-KK	330	**193**
RAC-1218-20-LL	330	**258**
RAC-1218-20-MM	330	**258**
RAC-1218-20-NN	330	**200**
RAC-1218-20-TT	330	**361**
RAC-1218-20-VV	330	**361**
RAC-1218-20-YY	330	**211**
RAC-9001-13-BB	316	**112**
RAC-9001-13-CC	316	**72**
RAC-9001-13-GG	316	**194**
RAC-9001-13-KK	316	**95**
RAC-9001-13-LL	316	**115**
RAC-9001-13-MM†	316	**115**
RAC-9001-13-NN	316	**101**
RAC-9001-13-TT	316	**158**
RAC-9001-13-VV	316	**158**
RAC-9001-13-YY	316	**104**
RAC-9001-16-BB	316	**162**
RAC-9001-16-CC	316	**104**
RAC-9001-16-GG	316	**281**
RAC-9001-16-II	316	**167**
RAC-9001-16-KK	316	**138**
RAC-9001-16-KM	316	**167**
RAC-9001-16-LL	316	**167**
RAC-9001-16-MM	316	**167**
RAC-9001-16-NN	316	**146**
RAC-9001-16-TT	316	**229**
RAC-9001-16-VV	316	**229**
RAC-9001-16-YY	316	**151**
RAC-9001-18-BB	316	**203**
RAC-9001-18-CC	316	**130**
RAC-9001-18-GG	316	**351**
RAC-9001-18-KK	316	**173**
RAC-9001-18-LL	316	**209**
RAC-9001-18-MM†	316	**209**
RAC-9001-18-NN	316	**183**
RAC-9001-18-TT	316	**286**
RAC-9001-18-VV	316	**286**
RAC-9001-18-YY	316	**189**
RAC-9001-19-BB	316	**256**
RAC-9001-19-CC	316	**165**
RAC-9001-19-GG	316	**444**
RAC-9001-19-KK	316	**219**
RAC-9001-19-KM	316	**264**
RAC-9001-19-LL	316	**264**
RAC-9001-19-MM	316	**264**
RAC-9001-19-NN	316	**231**
RAC-9001-19-TT	316	**362**
RAC-9001-19-VV	316	**362**
RAC-9001-19-YY	316	**239**
RAC-9001-20-BB	316	**294**
RAC-9001-20-CC	316	**190**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
RAC-9001-20-GG	316	**511**
RAC-9001-20-KK	316	**252**
RAC-9001-20-LL	316	**304**
RAC-9001-20-MM†	316	**304**
RAC-9001-20-NN	316	**266**
RAC-9001-20-TT	316	**416**
RAC-9001-20-VV	316	**416**
RAC-9001-20-YY	316	**275**
RAC-9001-21-BA	316	**515**
RAC-9001-21-CA	316	**354**
RAC-9001-21-GA	316	**749**
RAC-9001-21-KA	316	**468**
RAC-9001-21-LA	316	**537**
RAC-9001-21-MA	316	**537**
RAC-9001-21-NA	316	**439**
RAC-9001-21-TA	316	**779**
RAC-9001-21-VA	316	**779**
RAC-9001-21-YA	316	**499**
RAC-9001-26-CC	317	**49**
RAC-9001-26-KK	317	**66**
RAC-9001-26-LL	317	**78**
RAC-9001-26-MM	317	**78**
RAC-9001-26-NN	317	**69**
RAC-9001-28-CC	317	**63**
RAC-9001-28-KK	317	**83**
RAC-9001-29-BB	317	**282**
RAC-9001-29-CC	317	**182**
RAC-9001-29-GG	317	**488**
RAC-9001-29-KK	317	**241**
RAC-9001-29-LL	317	**290**
RAC-9001-29-MM	317	**290**
RAC-9001-29-NN	317	**254**
RAC-9001-29-TT	317	**398**
RAC-9001-29-VV	317	**398**
RAC-9001-29-YY	317	**263**
RAC-9001-35-II	142	**942**
RAC-9001-35-KK	142	**879**
RAC-9001-49-BB	317	**233**
RAC-9001-49-CC	317	**150**
RAC-9001-49-GG	317	**404**
RAC-9001-49-KK	317	**199**
RAC-9001-49-LL	317	**240**
RAC-9001-49-MM	317	**240**
RAC-9001-49-NN	317	**210**
RAC-9001-49-TT	317	**329**
RAC-9001-49-VV	317	**329**
RAC-9001-49-YY	317	**217**
RAC-9201-02-BB	295	**256**
RAC-9201-02-CC	295	**165**
RAC-9201-02-GG	295	**444**
RAC-9201-02-KK	295	**219**
RAC-9201-02-LL	295	**264**
RAC-9201-02-MM†	295	**264**
RAC-9201-02-NN	295	**231**
RAC-9201-02-TT	295	**362**
RAC-9201-02-VV	295	**362**
RAC-9201-02-YY	295	**239**
REN-0020-01-BB	277	**159**

CODE	PAGE	PRICE
REN-0020-01-CC	277	**105**
REN-0020-01-GG	277	**375**
REN-0020-01-KK	277	**139**
REN-0020-01-LL	277	**168**
REN-0020-01-MM†	277	**168**
REN-0020-01-NN	277	**147**
REN-0020-01-TT	277	**303**
REN-0020-01-VV	277	**303**
REN-0020-01-YY	277	**152**
REN-2007-10-BB	277	**440**
REN-2007-10-CC	277	**277**
REN-2007-10-GG	277	**650**
REN-2007-10-KK	277	**367**
REN-2007-10-LL	277	**443**
REN-2007-10-MM†	277	**443**
REN-2007-10-NN	277	**388**
REN-2007-10-TT	277	**610**
REN-2007-10-VV	277	**610**
REN-2007-10-YY	277	**402**
REN-2008-14-BB	277	**419**
REN-2008-14-CC	277	**264**
REN-2008-14-GG	277	**619**
REN-2008-14-KK	277	**352**
REN-2008-14-KM	277	**422**
REN-2008-14-LL	277	**422**
REN-2008-14-MM	277	**422**
REN-2008-14-NN	277	**370**
REN-2008-14-TT	277	**581**
REN-2008-14-VV	277	**581**
REN-2008-14-YY	277	**383**
REN-2018-27-BB	277	**1194**
REN-2018-27-CC	277	**474**
REN-2018-27-GG	277	**1781**
REN-2018-27-KK	277	**989**
REN-2018-27-LL	277	**1178**
REN-2018-27-MM†	277	**1178**
REN-2018-27-NN	277	**916**
REN-2018-27-TT	277	**1298**
REN-2018-27-VV	277	**1298**
REN-2018-27-YY	277	**946**
REN-6035-01-CC	78	**170**
REN-6035-01-KK	78	**180**
REN-6035-01-KM	78	**190**
REN-6035-01-LL	78	**190**
REN-6035-01-MM	78	**215**
REN-6035-01-SS	78	**119**
REN-8422-02-BB	277	**138**
REN-8422-02-CC	277	**86**
REN-8422-02-GG	277	**324**
REN-8422-02-II	277	**158**
REN-8422-02-JJ	277	**158**
REN-8422-02-KK	277	**134**
REN-8422-02-KM	277	**158**
REN-8422-02-LL	277	**158**
REN-8422-02-MM	277	**158**
REN-8422-02-NN	277	**142**
REN-8422-02-TT	277	**319**
REN-8422-02-VV	277	**319**

CODE	PAGE	PRICE
REN-8422-02-YY	277	**148**
REN-8423-02-BB	278	**138**
REN-8423-02-CC	278	**86**
REN-8423-02-GG	278	**324**
REN-8423-02-II	278	**158**
REN-8423-02-JJ	278	**158**
REN-8423-02-KK	278	**134**
REN-8423-02-KM	278	**158**
REN-8423-02-LL	278	**158**
REN-8423-02-MM	278	**158**
REN-8423-02-NN	278	**142**
REN-8423-02-TT	278	**319**
REN-8423-02-VV	278	**319**
REN-8423-02-YY	278	**148**
REN-8800-00-BB	278	**406**
REN-8800-00-CC	278	**232**
REN-8800-00-GG	278	**726**
REN-8800-00-KK	278	**325**
REN-8800-00-KM	278	**401**
REN-8800-00-LL	278	**401**
REN-8800-00-MM	278	**401**
REN-8800-00-NN	278	**345**
REN-8800-00-TT	278	**603**
REN-8800-00-VV	278	**603**
REN-8800-00-YY	278	**383**
ROS-4717-03-CC	137	**26**
ROS-4717-03-KK	137	**35**
ROS-9453-47-BB	179	**79**
ROS-9453-47-CC	179	**45**
ROS-9453-47-GG	179	**137**
ROS-9453-47-KK	179	**73**
ROS-9453-47-LL	179	**104**
ROS-9453-47-MM†	179	**104**
ROS-9453-47-NN	179	**56**
ROS-9453-47-TT	179	**114**
ROS-9453-47-VV	179	**114**
ROS-9453-47-YY	179	**65**
ROU-110C-00-B	176	**225**
ROU-110W-00-B	176	**195**
ROU-1600-06-B	146	**282**
ROU-2003-99-B	120	**480**
ROU-8041-00-B	83	**432**
ROU-8100-04-B	83	**282**
ROU-8147-04-B	175	**282**
RVA-2719-34-B	178	**217**
RVA-3404-00-B	286	**628**
RVA-3453-00-B	288	**599**
RVA-34B2-00-B	287	**1819**
RVA-9020-00-B	283	**268**
RVA-9020-P0-B	283	**268**
RVA-9181-00-B	284	**444**
RVA-9181-00-NS-B	284	**444**
RVA-9181-P0-B	284	**444**
RVA-9181-P0-NS-B	284	**444**
RVA-9191-00-B	285	**444**
RVA-9191-00-NS-B	285	**444**
RVA-9191-P0-B	285	**444**
RVA-9191-P0-NS-B	285	**444**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
RVA-9501-00-B	289	**429**
RVA-9501-P0-B	289	**429**
RVA-9562-00-B	178	**299**
RVA-9562-00-NS-B	178	**299**
RVA-9563-00-B	178	**299**
RVA-9563-00-NS-B	178	**299**
SUP-1015-14-BB	318	**328**
SUP-1015-14-CC	318	**169**
SUP-1015-14-GG	318	**449**
SUP-1015-14-KK	318	**264**
SUP-1015-14-LL	318	**312**
SUP-1015-14-MM†	318	**312**
SUP-1015-14-NN	318	**237**
SUP-1015-14-TT	318	**381**
SUP-1015-14-VV	318	**381**
SUP-1015-14-YY	318	**255**
T04-1110-00-BB	84	**3498**
T04-1110-00-CC	84	**1999**
T04-1110-00-GG	84	**5397**
T04-1110-00-KK	84	**2649**
T04-1110-00-KM	84	**3198**
T04-1110-00-LL	84	**3198**
T04-1110-00-MM†	84	**3198**
T04-1110-00-NN	84	**2799**
T04-1110-00-TT	84	**4398**
T04-1110-00-VV	84	**4398**
T04-1110-00-YY	84	**2899**
T04-8041-00L-BB	83	**1013**
T04-8041-00L-CC	83	**443**
T04-8041-00L-GG	83	**1931**
T04-8041-00L-KK	83	**727**
T04-8041-00L-KM	83	**943**
T04-8041-00L-LL	83	**943**
T04-8041-00L-MM	83	**943**
T04-8041-00L-NN	83	**793**
T04-8041-00L-TT	83	**1493**
T04-8041-00L-VV	83	**1493**
T04-8041-00L-YY	83	**837**
T04-8100-00L-BB	83	**773**
T04-8100-00L-CC	83	**338**
T04-8100-00L-GG	83	**1392**
T04-8100-00L-KK	83	**486**
T04-8100-00L-KM	83	**710**
T04-8100-00L-LL	83	**710**
T04-8100-00L-MM	83	**710**
T04-8100-00L-NN	83	**586**
T04-8100-00L-TT	83	**1082**
T04-8100-00L-VV	83	**1082**
T04-8100-00L-YY	83	**617**
T04-8120-00L-BB	84	**879**
T04-8120-00L-CC	84	**400**
T04-8120-00L-GG	84	**1559**
T04-8120-00L-KK	84	**563**
T04-8120-00L-KM	84	**809**
T04-8120-00L-LL	84	**809**
T04-8120-00L-MM	84	**809**
T04-8120-00L-NN	84	**673**
T04-8120-00L-TT	84	**1218**
T04-8120-00L-VV	84	**1218**
T04-8120-00L-YY	84	**707**
T04-9139-00-BB	85	**502**
T04-9139-00-CC	85	**209**
T04-9139-00-GG	85	**773**
T04-9139-00-KK	85	**316**
T04-9139-00-LL	85	**418**
T04-9139-00-MM†	85	**418**
T04-9139-00-NN	85	**334**
T04-9139-00-TT	85	**732**
T04-9139-00-VV	85	**732**
T04-9139-00-YY	85	**387**
T04-9180-00-BB	85	**742**
T04-9180-00-CC	85	**299**
T04-9180-00-GG	85	**1143**
T04-9180-00-KK	85	**440**
T04-9180-00-KM	85	**548**
T04-9180-00-LL	85	**548**
T04-9180-00-MM†	85	**548**
T04-9180-00-NN	85	**494**
T04-9180-00-TT	85	**1082**
T04-9180-00-VV	85	**1082**
T04-9180-00-YY	85	**572**
T04-9190-00-BB	86	**742**
T04-9190-00-CC	86	**299**
T04-9190-00-GG	86	**1143**
T04-9190-00-KK	86	**440**
T04-9190-00-LL	86	**548**
T04-9190-00-MM†	86	**548**
T04-9190-00-NN	86	**494**
T04-9190-00-TT	86	**1082**
T04-9190-00-VV	86	**1082**
T04-9190-00-YY	86	**572**
T04-9404-00-BB	86	**602**
T04-9404-00-CC	86	**251**
T04-9404-00-GG	86	**928**
T04-9404-00-KK	86	**379**
T04-9404-00-LL	86	**502**
T04-9404-00-MM	86	**502**
T04-9404-00-NN	86	**401**
T04-9404-00-TT	86	**878**
T04-9404-00-VV	86	**878**
T04-9404-00-YY	86	**464**
T04-9453-00-BB	86	**606**
T04-9453-00-CC	86	**346**
T04-9453-00-GG	86	**934**
T04-9453-00-KK	86	**458**
T04-9453-00-KM	86	**554**
T04-9453-00-LL	86	**554**
T04-9453-00-MM	86	**554**
T04-9453-00-NN	86	**484**
T04-9453-00-TT	86	**761**
T04-9453-00-VV	86	**761**
T04-9453-00-YY	86	**502**
T04-9511-01-BB	87	**1129**
T04-9511-01-CC	87	**645**
T04-9511-01-GG	87	**1742**
T04-9511-01-KK	87	**845**
T04-9511-01-KM	87	**1032**
T04-9511-01-LL	87	**1032**
T04-9511-01-MM	87	**1032**
T04-9511-01-NN	87	**903**
T04-9511-01-TT	87	**1419**
T04-9511-01-VV	87	**1419**
T04-9511-01-YY	87	**935**
T04-9521-01-BB	87	**1129**
T04-9521-01-CC	87	**645**
T04-9521-01-GG	87	**1742**
T04-9521-01-KK	87	**845**
T04-9521-01-KM	87	**1032**
T04-9521-01-LL	87	**1032**
T04-9521-01-MM	87	**1032**
T04-9521-01-NN	87	**903**
T04-9521-01-TT	87	**1419**
T04-9521-01-VV	87	**1419**
T04-9521-01-YY	87	**935**
T04-9531-01-BB	87	**1129**
T04-9531-01-CC	87	**645**
T04-9531-01-GG	87	**1742**
T04-9531-01-KK	87	**845**
T04-9531-01-KM	87	**1032**
T04-9531-01-LL	87	**1032**
T04-9531-01-MM	87	**1032**
T04-9531-01-NN	87	**903**
T04-9531-01-TT	87	**1419**
T04-9531-01-VV	87	**1419**
T04-9531-01-YY	87	**935**
T04-9649-00-BB	88	**275**
T04-9649-00-CC	88	**157**
T04-9649-00-GG	88	**424**
T04-9649-00-KK	88	**208**
T04-9649-00-KM	88	**251**
T04-9649-00-LL	88	**251**
T04-9649-00-MM	88	**251**
T04-9649-00-NN	88	**220**
T04-9649-00-TT	88	**417**
T04-9649-00-VV	88	**417**
T04-9649-00-YY	88	**228**
T05-9139-01-BB	101	**527**
T05-9139-01-CC	101	**219**
T05-9139-01-GG	101	**812**
T05-9139-01-KK	101	**332**
T05-9139-01-LL	101	**439**
T05-9139-01-MM†	101	**439**
T05-9139-01-NN	101	**351**
T05-9139-01-TT	101	**769**
T05-9139-01-VV	101	**769**
T05-9139-01-YY	101	**406**
T05-9181-00-BB	101	**779**
T05-9181-00-CC	101	**314**
T05-9181-00-GG	101	**1200**
T05-9181-00-KK	101	**462**
T05-9181-00-LL	101	**575**
T05-9181-00-MM†	101	**575**
T05-9181-00-NN	101	**519**
T05-9181-00-TT	101	**1136**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
T05-9181-00-VV	101	**1136**
T05-9181-00-YY	101	**601**
T05-9404-00-BB	101	**632**
T05-9404-00-CC	101	**264**
T05-9404-00-GG	101	**974**
T05-9404-00-KK	101	**398**
T05-9404-00-LL	101	**527**
T05-9404-00-MM†	101	**527**
T05-9404-00-NN	101	**421**
T05-9404-00-TT	101	**922**
T05-9404-00-VV	101	**922**
T05-9404-00-YY	101	**487**
T05-9511-01-BB	102	**1129**
T05-9511-01-CC	102	**645**
T05-9511-01-GG	102	**1742**
T05-9511-01-KK	102	**845**
T05-9511-01-LL	102	**1032**
T05-9511-01-MM†	102	**1032**
T05-9511-01-NN	102	**903**
T05-9511-01-TT	102	**1419**
T05-9511-01-VV	102	**1419**
T05-9511-01-YY	102	**935**
T05-9521-01-BB	102	**1129**
T05-9521-01-CC	102	**645**
T05-9521-01-GG	102	**1742**
T05-9521-01-KK	102	**845**
T05-9521-01-LL	102	**1032**
T05-9521-01-MM†	102	**1032**
T05-9521-01-NN	102	**903**
T05-9521-01-TT	102	**1419**
T05-9521-01-VV	102	**1419**
T05-9521-01-YY	102	**935**
T05-9531-01-BB	102	**1129**
T05-9531-01-CC	102	**645**
T05-9531-01-GG	102	**1742**
T05-9531-01-KK	102	**845**
T05-9531-01-LL	102	**1032**
T05-9531-01-MM†	102	**1032**
T05-9531-01-NN	102	**903**
T05-9531-01-TT	102	**1419**
T05-9531-01-VV	102	**1419**
T05-9531-01-YY	102	**935**
T05-9649-00-BB	103	**330**
T05-9649-00-CC	103	**188**
T05-9649-00-GG	103	**509**
T05-9649-00-KK	103	**250**
T05-9649-00-LL	103	**301**
T05-9649-00-MM†	103	**301**
T05-9649-00-NN	103	**264**
T05-9649-00-TT	103	**500**
T05-9649-00-VV	103	**500**
T05-9649-00-YY	103	**274**
T16-8041-00L-BB	108	**596**
T16-8041-00L-CC	108	**493**
T16-8041-00L-GG	108	**2066**
T16-8041-00L-KK	108	**804**
T16-8041-00L-LL	108	**1048**
T16-8041-00L-MM†	108	**1048**

CODE	PAGE	PRICE
T16-8041-00L-NN	108	**813**
T16-8041-00L-TT	108	**1603**
T16-8041-00L-VV	108	**1603**
T16-8041-00L-YY	108	**866**
T16-9404-00-BB	110	**722**
T16-9404-00-CC	110	**301**
T16-9404-00-GG	110	**1114**
T16-9404-00-KK	110	**455**
T16-9404-00-LL	110	**602**
T16-9404-00-MM†	110	**602**
T16-9404-00-NN	110	**481**
T16-9404-00-TT	110	**1054**
T16-9404-00-VV	110	**1054**
T16-9404-00-YY	110	**557**
T16-9641-00-BB	111	**364**
T16-9641-00-CC	111	**208**
T16-9641-00-GG	111	**587**
T16-9641-00-KK	111	**276**
T16-9641-00-LL	111	**333**
T16-9641-00-MM†	111	**333**
T16-9641-00-NN	111	**291**
T16-9641-00-TT	111	**558**
T16-9641-00-VV	111	**558**
T16-9641-00-YY	111	**302**
T18-8041-00L-BB	108	**596**
T18-8041-00L-CB	108	**493**
T18-8041-00L-CC	108	**493**
T18-8041-00L-GB	108	**2066**
T18-8041-00L-GG	108	**2066**
T18-8041-00L-KB	108	**804**
T18-8041-00L-KK	108	**804**
T18-8041-00L-LB	108	**1048**
T18-8041-00L-LL	108	**1048**
T18-8041-00L-MB	108	**1048**
T18-8041-00L-MM†	108	**1048**
T18-8041-00L-NB	108	**813**
T18-8041-00L-NN	108	**813**
T18-8041-00L-TB	108	**1603**
T18-8041-00L-TT	108	**1603**
T18-8041-00L-VB	108	**1603**
T18-8041-00L-VV	108	**1603**
T18-8041-00L-YB	108	**866**
T18-8041-00L-YY	108	**866**
T18-9404-00-BB	110	**722**
T18-9404-00-CB	110	**301**
T18-9404-00-CC	110	**301**
T18-9404-00-GB	110	**1114**
T18-9404-00-GG	110	**1114**
T18-9404-00-KB	110	**455**
T18-9404-00-KK	110	**455**
T18-9404-00-LB	110	**602**
T18-9404-00-LL	110	**602**
T18-9404-00-MB	110	**602**
T18-9404-00-MM†	110	**602**
T18-9404-00-NB	110	**481**
T18-9404-00-NN	110	**481**
T18-9404-00-TB	110	**1054**
T18-9404-00-TT	110	**1054**

CODE	PAGE	PRICE
T18-9404-00-VB	110	**1054**
T18-9404-00-VV	110	**1054**
T18-9404-00-YB	110	**557**
T18-9404-00-YY	110	**557**
T18-9641-00-BB	111	**364**
T18-9641-00-CB	111	**208**
T18-9641-00-CC	111	**208**
T18-9641-00-GB	111	**587**
T18-9641-00-GG	111	**587**
T18-9641-00-KB	111	**276**
T18-9641-00-KK	111	**276**
T18-9641-00-LB	111	**333**
T18-9641-00-LL	111	**333**
T18-9641-00-MB	111	**333**
T18-9641-00-MM†	111	**333**
T18-9641-00-NB	111	**291**
T18-9641-00-NN	111	**291**
T18-9641-00-TB	111	**558**
T18-9641-00-TT	111	**558**
T18-9641-00-VB	111	**558**
T18-9641-00-VV	111	**558**
T18-9641-00-YB	111	**302**
T18-9641-00-YY	111	**302**
T20-1112-00-BB	119	**3750**
T20-1112-00-CC	119	**2143**
T20-1112-00-GG	119	**5786**
T20-1112-00-KK	119	**2839**
T20-1112-00-LL	119	**3429**
T20-1112-00-MM†	119	**3429**
T20-1112-00-NN	119	**3000**
T20-1112-00-TT	119	**4715**
T20-1112-00-VV	119	**4715**
T20-1112-00-YY	119	**3107**
T20-1114-00-BB	119	**3750**
T20-1114-00-CC	119	**2143**
T20-1114-00-GG	119	**5786**
T20-1114-00-KK	119	**2839**
T20-1114-00-LL	119	**3429**
T20-1114-00-MM†	119	**3429**
T20-1114-00-NN	119	**3000**
T20-1114-00-TT	119	**4715**
T20-1114-00-VV	119	**4715**
T20-1114-00-YY	119	**3107**
T20-2003-00-BB	120	**2004**
T20-2003-00-CC	120	**1145**
T20-2003-00-GG	120	**3092**
T20-2003-00-KK	120	**1517**
T20-2003-00-LL	120	**1832**
T20-2003-00-MM	120	**1832**
T20-2003-00-NN	120	**1603**
T20-2003-00-TT	120	**2519**
T20-2003-00-VV	120	**2519**
T20-2003-00-YY	120	**1660**
T20-2004-00-BB	120	**2004**
T20-2004-00-CC	120	**1145**
T20-2004-00-GG	120	**3092**
T20-2004-00-KK	120	**1517**
T20-2004-00-LL	120	**1832**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
T20-2004-00-MM	120	**1832**
T20-2004-00-NN	120	**1603**
T20-2004-00-TT	120	**2519**
T20-2004-00-VV	120	**2519**
T20-2004-00-YY	120	**1660**
T20-8042-00L-BB	118	**1506**
T20-8042-00L-CC	118	**751**
T20-8042-00L-GG	118	**2762**
T20-8042-00L-KK	118	**1135**
T20-8042-00L-LL	118	**1461**
T20-8042-00L-MM	118	**1461**
T20-8042-00L-NN	118	**1224**
T20-8042-00L-TT	118	**2171**
T20-8042-00L-VV	118	**2171**
T20-8042-00L-YY	118	**1283**
T20-8044-00L-BB	118	**1506**
T20-8044-00L-CC	118	**751**
T20-8044-00L-GG	118	**2762**
T20-8044-00L-KK	118	**1135**
T20-8044-00L-LL	118	**1461**
T20-8044-00L-MM	118	**1461**
T20-8044-00L-NN	118	**1224**
T20-8044-00L-TT	118	**2171**
T20-8044-00L-VV	118	**2171**
T20-8044-00L-YY	118	**1283**
T20-8102-04L-BB	118	**1205**
T20-8102-04L-CC	118	**616**
T20-8102-04L-GG	118	**2143**
T20-8102-04L-KK	118	**908**
T20-8102-04L-LL	118	**1155**
T20-8102-04L-MM	118	**1155**
T20-8102-04L-NN	118	**975**
T20-8102-04L-TT	118	**1694**
T20-8102-04L-VV	118	**1694**
T20-8102-04L-YY	118	**1020**
T20-8104-04L-BB	118	**1205**
T20-8104-04L-CC	118	**616**
T20-8104-04L-GG	118	**2143**
T20-8104-04L-KK	118	**908**
T20-8104-04L-LL	118	**1155**
T20-8104-04L-MM	118	**1155**
T20-8104-04L-NN	118	**975**
T20-8104-04L-TT	118	**1694**
T20-8104-04L-VV	118	**1694**
T20-8104-04L-YY	118	**1020**
T20-9102-00-BB	120	**737**
T20-9102-00-CC	120	**365**
T20-9102-00-GG	120	**986**
T20-9102-00-KK	120	**484**
T20-9102-00-LL	120	**584**
T20-9102-00-MM	120	**584**
T20-9102-00-NN	120	**511**
T20-9102-00-TT	120	**903**
T20-9102-00-VV	120	**903**
T20-9102-00-YY	120	**529**
T20-9104-00-BB	120	**737**
T20-9104-00-CC	120	**365**
T20-9104-00-GG	120	**986**

CODE	PAGE	PRICE
T20-9104-00-KK	120	**484**
T20-9104-00-LL	120	**584**
T20-9104-00-MM	120	**584**
T20-9104-00-NN	120	**511**
T20-9104-00-TT	120	**903**
T20-9104-00-VV	120	**903**
T20-9104-00-YY	120	**529**
T20-9182-00-BB	121	**980**
T20-9182-00-CC	121	**560**
T20-9182-00-GG	121	**1512**
T20-9182-00-KK	121	**742**
T20-9182-00-LL	121	**896**
T20-9182-00-MM	121	**896**
T20-9182-00-NN	121	**784**
T20-9182-00-TT	121	**1265**
T20-9182-00-VV	121	**1265**
T20-9182-00-YY	121	**812**
T20-9184-00-BB	121	**980**
T20-9184-00-CC	121	**560**
T20-9184-00-GG	121	**1512**
T20-9184-00-KK	121	**742**
T20-9184-00-LL	121	**896**
T20-9184-00-MM	121	**896**
T20-9184-00-NN	121	**784**
T20-9184-00-TT	121	**1265**
T20-9184-00-VV	121	**1265**
T20-9184-00-YY	121	**812**
T20-9192-00-BB	121	**980**
T20-9192-00-CC	121	**560**
T20-9192-00-GG	121	**1512**
T20-9192-00-KK	121	**742**
T20-9192-00-LL	121	**896**
T20-9192-00-MM	121	**896**
T20-9192-00-NN	121	**784**
T20-9192-00-TT	121	**1265**
T20-9192-00-VV	121	**1265**
T20-9192-00-YY	121	**812**
T20-9194-00-BB	121	**980**
T20-9194-00-CC	121	**560**
T20-9194-00-GG	121	**1512**
T20-9194-00-KK	121	**742**
T20-9194-00-LL	121	**896**
T20-9194-00-MM	121	**896**
T20-9194-00-NN	121	**784**
T20-9194-00-TT	121	**1265**
T20-9194-00-VV	121	**1265**
T20-9194-00-YY	121	**812**
T20-9402-00-BB	122	**975**
T20-9402-00-CC	122	**421**
T20-9402-00-GG	122	**1448**
T20-9402-00-KK	122	**592**
T20-9402-00-LL	122	**783**
T20-9402-00-MM	122	**783**
T20-9402-00-NN	122	**625**
T20-9402-00-TT	122	**1370**
T20-9402-00-VV	122	**1370**
T20-9402-00-YY	122	**724**
T20-9404-00-BB	122	**975**

CODE	PAGE	PRICE
T20-9404-00-CC	122	**421**
T20-9404-00-GG	122	**1448**
T20-9404-00-KK	122	**592**
T20-9404-00-LL	122	**783**
T20-9404-00-MM	122	**783**
T20-9404-00-NN	122	**625**
T20-9404-00-TT	122	**1370**
T20-9404-00-VV	122	**1370**
T20-9404-00-YY	122	**724**
T20-9452-00-BB	122	**707**
T20-9452-00-CC	122	**404**
T20-9452-00-GG	122	**1091**
T20-9452-00-KK	122	**535**
T20-9452-00-LL	122	**646**
T20-9452-00-MM	122	**646**
T20-9452-00-NN	122	**566**
T20-9452-00-TT	122	**898**
T20-9452-00-VV	122	**898**
T20-9452-00-YY	122	**586**
T20-9454-00-BB	122	**707**
T20-9454-00-CC	122	**404**
T20-9454-00-GG	122	**1091**
T20-9454-00-KK	122	**535**
T20-9454-00-LL	122	**646**
T20-9454-00-MM	122	**646**
T20-9454-00-NN	122	**566**
T20-9454-00-TT	122	**898**
T20-9454-00-VV	122	**898**
T20-9454-00-YY	122	**586**
T20-9512-01-BB	123	**1619**
T20-9512-01-CC	123	**925**
T20-9512-01-GG	123	**2498**
T20-9512-01-KK	123	**1226**
T20-9512-01-LL	123	**1480**
T20-9512-01-MM	123	**1480**
T20-9512-01-NN	123	**1295**
T20-9512-01-TT	123	**2035**
T20-9512-01-VV	123	**2035**
T20-9512-01-YY	123	**1341**
T20-9514-01-BB	123	**1619**
T20-9514-01-CC	123	**925**
T20-9514-01-GG	123	**2498**
T20-9514-01-KK	123	**1226**
T20-9514-01-LL	123	**1480**
T20-9514-01-MM	123	**1480**
T20-9514-01-NN	123	**1295**
T20-9514-01-TT	123	**2035**
T20-9514-01-VV	123	**2035**
T20-9514-01-YY	123	**1341**
T20-9522-01-BB	123	**1619**
T20-9522-01-CC	123	**925**
T20-9522-01-GG	123	**2498**
T20-9522-01-KK	123	**1226**
T20-9522-01-LL	123	**1480**
T20-9522-01-MM	123	**1480**
T20-9522-01-NN	123	**1295**
T20-9522-01-TT	123	**2035**
T20-9522-01-VV	123	**2035**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
T20-9522-01-YY	123	**1341**
T20-9524-01-BB	123	**1619**
T20-9524-01-CC	123	**925**
T20-9524-01-GG	123	**2498**
T20-9524-01-KK	123	**1226**
T20-9524-01-LL	123	**1480**
T20-9524-01-MM	123	**1480**
T20-9524-01-NN	123	**1295**
T20-9524-01-TT	123	**2035**
T20-9524-01-VV	123	**2035**
T20-9524-01-YY	123	**1341**
T20-9532-01-BB	124	**1619**
T20-9532-01-CC	124	**925**
T20-9532-01-GG	124	**2498**
T20-9532-01-KK	124	**1226**
T20-9532-01-LL	124	**1480**
T20-9532-01-MM	124	**1480**
T20-9532-01-NN	124	**1295**
T20-9532-01-TT	124	**2035**
T20-9532-01-VV	124	**2035**
T20-9532-01-YY	124	**1341**
T20-9534-01-BB	124	**1619**
T20-9534-01-CC	124	**925**
T20-9534-01-GG	124	**2498**
T20-9534-01-KK	124	**1226**
T20-9534-01-LL	124	**1480**
T20-9534-01-MM	124	**1480**
T20-9534-01-NN	124	**1295**
T20-9534-01-TT	124	**2035**
T20-9534-01-VV	124	**2035**
T20-9534-01-YY	124	**1341**
T20-9600-20-BB	125	**394**
T20-9600-20-CC	125	**225**
T20-9600-20-GG	125	**608**
T20-9600-20-KK	125	**298**
T20-9600-20-LL	125	**360**
T20-9600-20-MM	125	**360**
T20-9600-20-NN	125	**315**
T20-9600-20-TT	125	**578**
T20-9600-20-VV	125	**578**
T20-9600-20-YY	125	**336**
T20-9600-40-BB	125	**394**
T20-9600-40-CC	125	**225**
T20-9600-40-GG	125	**608**
T20-9600-40-KK	125	**298**
T20-9600-40-LL	125	**360**
T20-9600-40-MM	125	**360**
T20-9600-40-NN	125	**315**
T20-9600-40-TT	125	**578**
T20-9600-40-VV	125	**578**
T20-9600-40-YY	125	**336**
T35-9320-00-III	139	**1766**
T35-9320-00-IIK	139	**1766**
T35-9320-00-IJI	139	**1766**
T35-9320-00-IJK	139	**1766**
T35-9320-00-IKI	139	**1766**
T35-9320-00-IKK	139	**1766**
T35-9320-00-KII	139	**1766**

CODE	PAGE	PRICE
T35-9320-00-KIK	139	**1766**
T35-9320-00-KJI	139	**1766**
T35-9320-00-KJK	139	**1766**
T35-9320-00-KKI	139	**1766**
T35-9320-00-KKK	139	**1766**
T35-9511-01-CI	139	**1294**
T35-9511-01-CJ	139	**1294**
T35-9511-01-CK	139	**1294**
T35-9511-01-II	139	**1394**
T35-9511-01-IJ	139	**1394**
T35-9511-01-IK	139	**1394**
T35-9511-01-KI	139	**1394**
T35-9511-01-KJ	139	**1394**
T35-9511-01-KK	139	**1394**
T35-9521-01-CI	140	**1294**
T35-9521-01-CJ	140	**1294**
T35-9521-01-CK	140	**1294**
T35-9521-01-II	140	**1394**
T35-9521-01-IJ	140	**1394**
T35-9521-01-IK	140	**1394**
T35-9521-01-KI	140	**1394**
T35-9521-01-KJ	140	**1394**
T35-9521-01-KK	140	**1394**
T45-1110-00-BB	146	**3498**
T45-1110-00-CC	146	**1999**
T45-1110-00-GG	146	**5397**
T45-1110-00-KK	146	**2649**
T45-1110-00-LL	146	**3198**
T45-1110-00-MM	146	**3198**
T45-1110-00-NN	146	**2799**
T45-1110-00-TT	146	**4398**
T45-1110-00-VV	146	**4398**
T45-1110-00-YY	146	**2899**
T45-1600-00-BB	146	**1027**
T45-1600-00-CC	146	**516**
T45-1600-00-GG	146	**1885**
T45-1600-00-KK	146	**735**
T45-1600-00-LL	146	**956**
T45-1600-00-MM†	146	**956**
T45-1600-00-NN	146	**850**
T45-1600-00-TT	146	**1588**
T45-1600-00-VV	146	**1588**
T45-1600-00-YY	146	**898**
T45-2003-00-BB	147	**1916**
T45-2003-00-CC	147	**1095**
T45-2003-00-GG	147	**2957**
T45-2003-00-KK	147	**1451**
T45-2003-00-LL	147	**1752**
T45-2003-00-MM†	147	**1752**
T45-2003-00-NN	147	**1533**
T45-2003-00-TT	147	**2409**
T45-2003-00-VV	147	**2409**
T45-2003-00-YY	147	**1588**
T45-8041-00L-BB	145	**1178**
T45-8041-00L-CC	145	**488**
T45-8041-00L-GG	145	**2052**
T45-8041-00L-KK	145	**787**
T45-8041-00L-LL	145	**997**

CODE	PAGE	PRICE
T45-8041-00L-MM†	145	**997**
T45-8041-00L-NN	145	**856**
T45-8041-00L-TT	145	**1592**
T45-8041-00L-VV	145	**1592**
T45-8041-00L-YY	145	**902**
T45-8100-04L-BB	145	**868**
T45-8100-04L-CC	145	**375**
T45-8100-04L-GG	145	**1492**
T45-8100-04L-KK	145	**589**
T45-8100-04L-LL	145	**769**
T45-8100-04L-MM†	145	**769**
T45-8100-04L-NN	145	**638**
T45-8100-04L-TT	145	**1163**
T45-8100-04L-VV	145	**1163**
T45-8100-04L-YY	145	**671**
T45-9139-01-BB	147	**502**
T45-9139-01-CC	147	**209**
T45-9139-01-GG	147	**773**
T45-9139-01-KK	147	**316**
T45-9139-01-LL	147	**418**
T45-9139-01-MM†	147	**418**
T45-9139-01-NN	147	**334**
T45-9139-01-TT	147	**732**
T45-9139-01-VV	147	**732**
T45-9139-01-YY	147	**387**
T45-9180-01-BB	147	**742**
T45-9180-01-CC	147	**299**
T45-9180-01-GG	147	**1143**
T45-9180-01-KK	147	**440**
T45-9180-01-LL	147	**548**
T45-9180-01-MM†	147	**548**
T45-9180-01-NN	147	**494**
T45-9180-01-TT	147	**1082**
T45-9180-01-VV	147	**1082**
T45-9180-01-YY	147	**572**
T45-9190-01-BB	148	**742**
T45-9190-01-CC	148	**299**
T45-9190-01-GG	148	**1143**
T45-9190-01-KK	148	**440**
T45-9190-01-LL	148	**548**
T45-9190-01-MM†	148	**548**
T45-9190-01-NN	148	**494**
T45-9190-01-TT	148	**1082**
T45-9190-01-VV	148	**1082**
T45-9190-01-YY	148	**572**
T45-9404-00-BB	148	**602**
T45-9404-00-CC	148	**251**
T45-9404-00-GG	148	**928**
T45-9404-00-KK	148	**379**
T45-9404-00-LL	148	**502**
T45-9404-00-MM	148	**502**
T45-9404-00-NN	148	**401**
T45-9404-00-TT	148	**878**
T45-9404-00-VV	148	**878**
T45-9404-00-YY	148	**464**
T45-9453-00-BB	148	**606**
T45-9453-00-CC	148	**346**
T45-9453-00-GG	148	**934**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
T45-9453-00-KK	148	**458**
T45-9453-00-LL	148	**554**
T45-9453-00-MM	148	**554**
T45-9453-00-NN	148	**484**
T45-9453-00-TT	148	**761**
T45-9453-00-VV	148	**761**
T45-9453-00-YY	148	**502**
T45-9511-01-BB	149	**1129**
T45-9511-01-CC	149	**645**
T45-9511-01-GG	149	**1742**
T45-9511-01-KK	149	**845**
T45-9511-01-LL	149	**1032**
T45-9511-01-MM	149	**1032**
T45-9511-01-NN	149	**903**
T45-9511-01-TT	149	**1419**
T45-9511-01-VV	149	**1419**
T45-9511-01-YY	149	**935**
T45-9521-01-BB	149	**1129**
T45-9521-01-CC	149	**645**
T45-9521-01-GG	149	**1742**
T45-9521-01-KK	149	**845**
T45-9521-01-LL	149	**1032**
T45-9521-01-MM	149	**1032**
T45-9521-01-NN	149	**903**
T45-9521-01-TT	149	**1419**
T45-9521-01-VV	149	**1419**
T45-9521-01-YY	149	**935**
T45-9531-01-BB	149	**1129**
T45-9531-01-CC	149	**645**
T45-9531-01-GG	149	**1742**
T45-9531-01-KK	149	**845**
T45-9531-01-LL	149	**1032**
T45-9531-01-MM	149	**1032**
T45-9531-01-NN	149	**903**
T45-9531-01-TT	149	**1419**
T45-9531-01-VV	149	**1419**
T45-9531-01-YY	149	**935**
T45-9649-00-BB	150	**275**
T45-9649-00-CC	150	**157**
T45-9649-00-GG	150	**424**
T45-9649-00-KK	150	**208**
T45-9649-00-LL	150	**251**
T45-9649-00-MM	150	**251**
T45-9649-00-NN	150	**220**
T45-9649-00-TT	150	**417**
T45-9649-00-VV	150	**417**
T45-9649-00-YY	150	**228**
T46-1110-00-BB	162	**3841**
T46-1110-00-CC	162	**2195**
T46-1110-00-GG	162	**5927**
T46-1110-00-KK	162	**2908**
T46-1110-00-LL	162	**3512**
T46-1110-00-MM†	162	**3512**
T46-1110-00-NN	162	**3073**
T46-1110-00-TT	162	**4829**
T46-1110-00-VV	162	**4829**
T46-1110-00-YY	162	**3183**
T46-2003-00-BB	163	**1969**
T46-2003-00-CC	163	**1125**
T46-2003-00-GG	163	**3038**
T46-2003-00-KK	163	**1491**
T46-2003-00-LL	163	**1800**
T46-2003-00-MM†	163	**1800**
T46-2003-00-NN	163	**1575**
T46-2003-00-TT	163	**2475**
T46-2003-00-VV	163	**2475**
T46-2003-00-YY	163	**1631**
T46-8041-00L-BB	161	**1226**
T46-8041-00L-CC	161	**516**
T46-8041-00L-GG	161	**2127**
T46-8041-00L-KK	161	**824**
T46-8041-00L-LL	161	**1040**
T46-8041-00L-MM†	161	**1040**
T46-8041-00L-NN	161	**895**
T46-8041-00L-TT	161	**1653**
T46-8041-00L-VV	161	**1653**
T46-8041-00L-YY	161	**942**
T46-8100-04L-BB	162	**937**
T46-8100-04L-CC	162	**414**
T46-8100-04L-GG	162	**1598**
T46-8100-04L-KK	162	**641**
T46-8100-04L-LL	162	**832**
T46-8100-04L-MM†	162	**832**
T46-8100-04L-NN	162	**693**
T46-8100-04L-TT	162	**1250**
T46-8100-04L-VV	162	**1250**
T46-8100-04L-YY	162	**728**
T46-9139-00-BB	163	**527**
T46-9139-00-CC	163	**219**
T46-9139-00-GG	163	**812**
T46-9139-00-KK	163	**332**
T46-9139-00-LL	163	**439**
T46-9139-00-MM†	163	**439**
T46-9139-00-NN	163	**351**
T46-9139-00-TT	163	**769**
T46-9139-00-VV	163	**769**
T46-9139-00-YY	163	**406**
T46-9180-00-BB	164	**779**
T46-9180-00-CC	164	**314**
T46-9180-00-GG	164	**1200**
T46-9180-00-KK	164	**462**
T46-9180-00-LL	164	**575**
T46-9180-00-MM†	164	**575**
T46-9180-00-NN	164	**519**
T46-9180-00-TT	164	**1136**
T46-9180-00-VV	164	**1136**
T46-9180-00-YY	164	**601**
T46-9404-00-BB	164	**632**
T46-9404-00-CC	164	**264**
T46-9404-00-GG	164	**974**
T46-9404-00-KK	164	**398**
T46-9404-00-LL	164	**527**
T46-9404-00-MM†	164	**527**
T46-9404-00-NN	164	**421**
T46-9404-00-TT	164	**922**
T46-9404-00-VV	164	**922**
T46-9404-00-YY	164	**487**
T46-9453-00-BB	164	**636**
T46-9453-00-CC	164	**363**
T46-9453-00-GG	164	**981**
T46-9453-00-KK	164	**481**
T46-9453-00-LL	164	**582**
T46-9453-00-MM†	164	**582**
T46-9453-00-NN	164	**508**
T46-9453-00-TT	164	**799**
T46-9453-00-VV	164	**799**
T46-9453-00-YY	164	**527**
T46-9511-01-BB	165	**1185**
T46-9511-01-CC	165	**677**
T46-9511-01-GG	165	**1829**
T46-9511-01-KK	165	**887**
T46-9511-01-LL	165	**1084**
T46-9511-01-MM†	165	**1084**
T46-9511-01-NN	165	**948**
T46-9511-01-TT	165	**1490**
T46-9511-01-VV	165	**1490**
T46-9511-01-YY	165	**982**
T46-9521-01-BB	165	**1185**
T46-9521-01-CC	165	**677**
T46-9521-01-GG	165	**1829**
T46-9521-01-KK	165	**887**
T46-9521-01-LL	165	**1084**
T46-9521-01-MM†	165	**1084**
T46-9521-01-NN	165	**948**
T46-9521-01-TT	165	**1490**
T46-9521-01-VV	165	**1490**
T46-9521-01-YY	165	**982**
T46-9531-01-BB	165	**1185**
T46-9531-01-CC	165	**677**
T46-9531-01-GG	165	**1829**
T46-9531-01-KK	165	**887**
T46-9531-01-LL	165	**1084**
T46-9531-01-MM†	165	**1084**
T46-9531-01-NN	165	**948**
T46-9531-01-TT	165	**1490**
T46-9531-01-VV	165	**1490**
T46-9531-01-YY	165	**982**
T46-9649-00-BB	166	**289**
T46-9649-00-CC	166	**165**
T46-9649-00-GG	166	**445**
T46-9649-00-KK	166	**218**
T46-9649-00-LL	166	**264**
T46-9649-00-MM†	166	**264**
T46-9649-00-NN	166	**231**
T46-9649-00-TT	166	**438**
T46-9649-00-VV	166	**438**
T46-9649-00-YY	166	**239**
T47-1100-00-BA	176	**4703**
T47-1100-00-CA	176	**2896**
T47-1100-00-GA	176	**5909**
T47-1100-00-KA	176	**4404**
T47-1100-00-LA	176	**4634**
T47-1100-00-MA	176	**4634**
T47-1100-00-NA	176	**3951**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
T47-1100-00-TA	176	**5837**
T47-1100-00-VA	176	**5837**
T47-1100-00-YA	176	**3951**
T47-3304-00-BA	177	**2471**
T47-3304-00-CA	177	**1399**
T47-3304-00-GA	177	**3730**
T47-3304-00-KA	177	**1843**
T47-3304-00-LA	177	**2323**
T47-3304-00-MA	177	**2323**
T47-3304-00-NA	177	**2008**
T47-3304-00-TA	177	**3161**
T47-3304-00-VA	177	**3161**
T47-3304-00-YA	177	**2128**
T47-8041-00L-BA	175	**1563**
T47-8041-00L-CA	175	**782**
T47-8041-00L-GA	175	**2316**
T47-8041-00L-KA	175	**1283**
T47-8041-00L-LA	175	**1510**
T47-8041-00L-MA	175	**1510**
T47-8041-00L-NA	175	**1268**
T47-8041-00L-TA	175	**2039**
T47-8041-00L-VA	175	**2039**
T47-8041-00L-YA	175	**1328**
T47-8100-00L-BA	175	**1214**
T47-8100-00L-CA	175	**629**
T47-8100-00L-GA	175	**1642**
T47-8100-00L-KA	175	**919**
T47-8100-00L-LA	175	**1077**
T47-8100-00L-MA	175	**1077**
T47-8100-00L-NA	175	**908**
T47-8100-00L-TA	175	**1448**
T47-8100-00L-VA	175	**1448**
T47-8100-00L-YA	175	**950**
T47-9453-00-BA	177	**866**
T47-9453-00-CA	177	**495**
T47-9453-00-GA	177	**1337**
T47-9453-00-KA	177	**656**
T47-9453-00-LA	177	**792**
T47-9453-00-MA	177	**792**
T47-9453-00-NA	177	**693**
T47-9453-00-TA	177	**1089**
T47-9453-00-VA	177	**1089**
T47-9453-00-YA	177	**718**
T47-9649-00-BA	178	**516**
T47-9649-00-CA	178	**295**
T47-9649-00-GA	178	**797**
T47-9649-00-KA	178	**391**
T47-9649-00-LA	178	**472**
T47-9649-00-MA	178	**472**
T47-9649-00-NA	178	**413**
T47-9649-00-TA	178	**649**
T47-9649-00-VA	178	**649**
T47-9649-00-YA	178	**428**
T56-1100-00-CB	184	**2995**
T56-1100-00-CC	184	**2845**
T56-1100-00-CF	184	**2995**
T56-9404-00-CB	185	**289**
T56-9404-00-CC	185	**263**

CODE	PAGE	PRICE
T56-9404-00-CF	185	**289**
T56-9511-01-CB	186	**825**
T56-9511-01-CC	186	**750**
T56-9511-01-CF	186	**825**
T56-9521-01-CB	186	**825**
T56-9521-01-CC	186	**750**
T56-9521-01-CF	186	**825**
T56-9531-01-CB	186	**825**
T56-9531-01-CC	186	**750**
T56-9531-01-CF	186	**825**
T56-9649-00-CB	187	**204**
T56-9649-00-CC	187	**185**
T56-9649-00-CF	187	**204**
T66-1110-00-BB	195	**3141**
T66-1110-00-CC	195	**1795**
T66-1110-00-GG	195	**4847**
T66-1110-00-KK	195	**2378**
T66-1110-00-KM	195	**2872**
T66-1110-00-LL	195	**2872**
T66-1110-00-MM†	195	**2872**
T66-1110-00-NN	195	**2513**
T66-1110-00-TT	195	**3949**
T66-1110-00-VV	195	**3949**
T66-1110-00-YY	195	**2603**
T66-1600-00-BB	196	**790**
T66-1600-00-CC	196	**385**
T66-1600-00-GG	196	**1639**
T66-1600-00-KK	196	**588**
T66-1600-00-KM	196	**765**
T66-1600-00-LL	196	**765**
T66-1600-00-MM	196	**765**
T66-1600-00-NN	196	**680**
T66-1600-00-TT	196	**1270**
T66-1600-00-VV	196	**1270**
T66-1600-00-YY	196	**718**
T66-2003-00-BB	196	**1654**
T66-2003-00-CC	196	**945**
T66-2003-00-GG	196	**2552**
T66-2003-00-KK	196	**1252**
T66-2003-00-KM	196	**1512**
T66-2003-00-LL	196	**1512**
T66-2003-00-MM	196	**1512**
T66-2003-00-NN	196	**1323**
T66-2003-00-TT	196	**2079**
T66-2003-00-VV	196	**2079**
T66-2003-00-YY	196	**1370**
T66-8041-00L-BB	193	**944**
T66-8041-00L-CC	193	**402**
T66-8041-00L-GG	193	**1722**
T66-8041-00L-KK	193	**673**
T66-8041-00L-KM	193	**866**
T66-8041-00L-LL	193	**866**
T66-8041-00L-MM	193	**866**
T66-8041-00L-NN	193	**736**
T66-8041-00L-TT	193	**1403**
T66-8041-00L-VV	193	**1403**
T66-8041-00L-YY	193	**777**
T66-8046-00L-BB	193	**1038**

CODE	PAGE	PRICE
T66-8046-00L-CC	193	**442**
T66-8046-00L-GG	193	**1894**
T66-8046-00L-KK	193	**740**
T66-8046-00L-LL	193	**953**
T66-8046-00L-MM†	193	**953**
T66-8046-00L-NN	193	**810**
T66-8046-00L-TT	193	**1543**
T66-8046-00L-VV	193	**1543**
T66-8046-00L-YY	193	**855**
T66-8100-04L-BB	194	**632**
T66-8100-04L-CC	194	**308**
T66-8100-04L-GG	194	**1311**
T66-8100-04L-KK	194	**470**
T66-8100-04L-KM	194	**612**
T66-8100-04L-LL	194	**612**
T66-8100-04L-MM	194	**612**
T66-8100-04L-NN	194	**544**
T66-8100-04L-TT	194	**1016**
T66-8100-04L-VV	194	**1016**
T66-8100-04L-YY	194	**574**
T66-8106-04L-BB	194	**664**
T66-8106-04L-CC	194	**323**
T66-8106-04L-GG	194	**1377**
T66-8106-04L-KK	194	**494**
T66-8106-04L-LL	194	**643**
T66-8106-04L-MM	194	**643**
T66-8106-04L-NN	194	**571**
T66-8106-04L-TT	194	**1067**
T66-8106-04L-VV	194	**1067**
T66-8106-04L-YY	194	**631**
T66-8120-04L-BB	194	**737**
T66-8120-04L-CC	194	**300**
T66-8120-04L-GG	194	**1289**
T66-8120-04L-KK	194	**489**
T66-8120-04L-KM	194	**649**
T66-8120-04L-LL	194	**649**
T66-8120-04L-MM	194	**649**
T66-8120-04L-NN	194	**533**
T66-8120-04L-TT	194	**998**
T66-8120-04L-VV	194	**998**
T66-8120-04L-YY	194	**562**
T66-8126-04L-BB	194	**811**
T66-8126-04L-CC	194	**360**
T66-8126-04L-GG	194	**1353**
T66-8126-04L-KK	194	**538**
T66-8126-04L-LL	194	**681**
T66-8126-04L-MM	194	**681**
T66-8126-04L-NN	194	**560**
T66-8126-04L-TT	194	**1098**
T66-8126-04L-VV	194	**1098**
T66-8126-04L-YY	194	**618**
T66-9139-00-BB	196	**452**
T66-9139-00-CC	196	**188**
T66-9139-00-GG	196	**696**
T66-9139-00-KK	196	**284**
T66-9139-00-LL	196	**376**
T66-9139-00-MM†	196	**376**
T66-9139-00-NN	196	**301**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
T66-9139-00-TT	196	**659**
T66-9139-00-VV	196	**659**
T66-9139-00-YY	196	**348**
T66-9181-00-BB	197	**668**
T66-9181-00-CC	197	**269**
T66-9181-00-GG	197	**1029**
T66-9181-00-KK	197	**396**
T66-9181-00-KM	197	**493**
T66-9181-00-LL	197	**493**
T66-9181-00-MM	197	**493**
T66-9181-00-NN	197	**445**
T66-9181-00-TT	197	**974**
T66-9181-00-VV	197	**974**
T66-9181-00-YY	197	**515**
T66-9190-00-BB	197	**668**
T66-9190-00-CC	197	**269**
T66-9190-00-GG	197	**1029**
T66-9190-00-KK	197	**396**
T66-9190-00-LL	197	**493**
T66-9190-00-MM†	197	**493**
T66-9190-00-NN	197	**445**
T66-9190-00-TT	197	**974**
T66-9190-00-VV	197	**974**
T66-9190-00-YY	197	**515**
T66-9404-00-BB	198	**542**
T66-9404-00-CC	198	**226**
T66-9404-00-GG	198	**835**
T66-9404-00-KK	198	**341**
T66-9404-00-LL	198	**452**
T66-9404-00-MM†	198	**452**
T66-9404-00-NN	198	**361**
T66-9404-00-TT	198	**790**
T66-9404-00-VV	198	**790**
T66-9404-00-YY	198	**418**
T66-9453-00-BB	198	**606**
T66-9453-00-CC	198	**346**
T66-9453-00-GG	198	**934**
T66-9453-00-KK	198	**458**
T66-9453-00-KM	198	**554**
T66-9453-00-LL	198	**554**
T66-9453-00-MM	198	**554**
T66-9453-00-NN	198	**484**
T66-9453-00-TT	198	**761**
T66-9453-00-VV	198	**761**
T66-9453-00-YY	198	**502**
T66-9511-01-BB	199	**1073**
T66-9511-01-CC	199	**613**
T66-9511-01-GG	199	**1655**
T66-9511-01-KK	199	**803**
T66-9511-01-KM	199	**980**
T66-9511-01-LL	199	**980**
T66-9511-01-MM	199	**980**
T66-9511-01-NN	199	**858**
T66-9511-01-TT	199	**1348**
T66-9511-01-VV	199	**1348**
T66-9511-01-YY	199	**888**
T66-9521-01-BB	199	**1073**
T66-9521-01-CC	199	**613**

CODE	PAGE	PRICE
T66-9521-01-GG	199	**1655**
T66-9521-01-KK	199	**803**
T66-9521-01-KM	199	**980**
T66-9521-01-LL	199	**980**
T66-9521-01-MM	199	**980**
T66-9521-01-NN	199	**858**
T66-9521-01-TT	199	**1348**
T66-9521-01-VV	199	**1348**
T66-9521-01-YY	199	**888**
T66-9531-01-BB	199	**1073**
T66-9531-01-CC	199	**613**
T66-9531-01-GG	199	**1655**
T66-9531-01-KK	199	**803**
T66-9531-01-KM	199	**980**
T66-9531-01-LL	199	**980**
T66-9531-01-MM	199	**980**
T66-9531-01-NN	199	**858**
T66-9531-01-TT	199	**1348**
T66-9531-01-VV	199	**1348**
T66-9531-01-YY	199	**888**
T66-9649-00-BB	200	**275**
T66-9649-00-CC	200	**157**
T66-9649-00-GG	200	**424**
T66-9649-00-KK	200	**208**
T66-9649-00-KM	200	**251**
T66-9649-00-LL	200	**251**
T66-9649-00-MM	200	**251**
T66-9649-00-NN	200	**220**
T66-9649-00-TT	200	**417**
T66-9649-00-VV	200	**417**
T66-9649-00-YY	200	**228**
T71-8041-00L-BB	212	**1259**
T71-8041-00L-CC	212	**563**
T71-8041-00L-GG	212	**2255**
T71-8041-00L-KK	212	**926**
T71-8041-00L-LL	212	**1160**
T71-8041-00L-MM†	212	**1160**
T71-8041-00L-NN	212	**961**
T71-8041-00L-TT	212	**1757**
T71-8041-00L-VV	212	**1757**
T71-8041-00L-YY	212	**1011**
T71-9404-00-BB	214	**722**
T71-9404-00-CC	214	**301**
T71-9404-00-GG	214	**1114**
T71-9404-00-KK	214	**455**
T71-9404-00-LL	214	**602**
T71-9404-00-MM†	214	**602**
T71-9404-00-NN	214	**481**
T71-9404-00-TT	214	**1054**
T71-9404-00-VV	214	**1054**
T71-9404-00-YY	214	**557**
T71-9641-00-BB	215	**364**
T71-9641-00-CC	215	**208**
T71-9641-00-GG	215	**587**
T71-9641-00-KK	215	**276**
T71-9641-00-LL	215	**333**
T71-9641-00-MM†	215	**333**
T71-9641-00-NN	215	**291**

CODE	PAGE	PRIX
T71-9641-00-TT	215	**558**
T71-9641-00-VV	215	**558**
T71-9641-00-YY	215	**302**
T72-8041-00L-BB	212	**1259**
T72-8041-00L-CC	212	**563**
T72-8041-00L-GG	212	**2255**
T72-8041-00L-KK	212	**926**
T72-8041-00L-LL	212	**1160**
T72-8041-00L-MM†	212	**1160**
T72-8041-00L-NN	212	**961**
T72-8041-00L-TT	212	**1757**
T72-8041-00L-VV	212	**1757**
T72-8041-00L-YY	212	**1011**
T72-9404-00-BB	214	**722**
T72-9404-00-CC	214	**301**
T72-9404-00-GG	214	**1114**
T72-9404-00-KK	214	**455**
T72-9404-00-LL	214	**602**
T72-9404-00-MM†	214	**602**
T72-9404-00-NN	214	**481**
T72-9404-00-TT	214	**1054**
T72-9404-00-VV	214	**1054**
T72-9404-00-YY	214	**557**
T72-9641-00-BB	215	**364**
T72-9641-00-CC	215	**208**
T72-9641-00-GG	215	**587**
T72-9641-00-KK	215	**276**
T72-9641-00-LL	215	**333**
T72-9641-00-MM†	215	**333**
T72-9641-00-NN	215	**291**
T72-9641-00-TT	215	**558**
T72-9641-00-VV	215	**558**
T72-9641-00-YY	215	**302**
T74-9404-00-BB	221	**722**
T74-9404-00-CB	221	**301**
T74-9404-00-GB	221	**1114**
T74-9404-00-KB	221	**455**
T74-9404-00-LB	221	**602**
T74-9404-00-MB	221	**602**
T74-9404-00-NB	221	**481**
T74-9404-00-TB	221	**1054**
T74-9404-00-VB	221	**1054**
T74-9404-00-YB	221	**557**
T74-9641-00-BB	221	**364**
T74-9641-00-CB	221	**208**
T74-9641-00-GB	221	**587**
T74-9641-00-KB	221	**276**
T74-9641-00-LB	221	**333**
T74-9641-00-MB	221	**333**
T74-9641-00-NB	221	**291**
T74-9641-00-TB	221	**558**
T74-9641-00-VB	221	**558**
T74-9641-00-YB	221	**302**
T80-1111-00-BB	231	**3144**
T80-1111-00-CC	231	**1768**
T80-1111-00-GG	231	**4911**
T80-1111-00-KK	231	**2358**
T80-1111-00-LL	231	**2866**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
T80-1111-00-MM†	231	**2866**
T80-1111-00-NN	231	**2494**
T80-1111-00-TT	231	**3985**
T80-1111-00-VV	231	**3985**
T80-1111-00-YY	231	**2588**
T80-1112-00-BB	231	**3144**
T80-1112-00-CC	231	**1768**
T80-1112-00-GG	231	**4911**
T80-1112-00-KK	231	**2358**
T80-1112-00-LL	231	**2866**
T80-1112-00-MM†	231	**2866**
T80-1112-00-NN	231	**2494**
T80-1112-00-TT	231	**3985**
T80-1112-00-VV	231	**3985**
T80-1112-00-YY	231	**2588**
T80-2003-00-BB	233	**1479**
T80-2003-00-CC	233	**845**
T80-2003-00-GG	233	**2282**
T80-2003-00-KK	233	**1120**
T80-2003-00-LL	233	**1352**
T80-2003-00-MM†	233	**1352**
T80-2003-00-NN	233	**1183**
T80-2003-00-TT	233	**1859**
T80-2003-00-VV	233	**1859**
T80-2003-00-YY	233	**1225**
T80-3311-00-BB	234	**1269**
T80-3311-00-CC	234	**725**
T80-3311-00-GG	234	**1958**
T80-3311-00-KK	234	**961**
T80-3311-00-LL	234	**1160**
T80-3311-00-MM†	234	**1160**
T80-3311-00-NN	234	**1015**
T80-3311-00-TT	234	**1595**
T80-3311-00-VV	234	**1595**
T80-3311-00-YY	234	**1051**
T80-8042-00L-BB	229	**704**
T80-8042-00L-CC	229	**274**
T80-8042-00L-GG	229	**1474**
T80-8042-00L-KK	229	**457**
T80-8042-00L-LL	229	**633**
T80-8042-00L-MM†	229	**633**
T80-8042-00L-NN	229	**504**
T80-8042-00L-TT	229	**1172**
T80-8042-00L-VV	229	**1172**
T80-8042-00L-YY	229	**582**
T80-8046-00L-BB	229	**774**
T80-8046-00L-CC	229	**301**
T80-8046-00L-GG	229	**1621**
T80-8046-00L-KK	229	**503**
T80-8046-00L-LL	229	**696**
T80-8046-00L-MM†	229	**696**
T80-8046-00L-NN	229	**554**
T80-8046-00L-TT	229	**1289**
T80-8046-00L-VV	229	**1289**
T80-8046-00L-YY	229	**640**
T80-8102-00L-BB	230	**643**
T80-8102-00L-CC	230	**298**
T80-8102-00L-GG	230	**1313**

CODE	PAGE	PRICE
T80-8102-00L-KK	230	**483**
T80-8102-00L-LL	230	**607**
T80-8102-00L-MM†	230	**607**
T80-8102-00L-NN	230	**530**
T80-8102-00L-TT	230	**994**
T80-8102-00L-VV	230	**994**
T80-8102-00L-YY	230	**559**
T80-8106-00L-BB	230	**675**
T80-8106-00L-CC	230	**313**
T80-8106-00L-GG	230	**1379**
T80-8106-00L-KK	230	**507**
T80-8106-00L-LL	230	**637**
T80-8106-00L-MM†	230	**637**
T80-8106-00L-NN	230	**557**
T80-8106-00L-TT	230	**1044**
T80-8106-00L-VV	230	**1044**
T80-8106-00L-YY	230	**587**
T80-9101-00-BB	237	**412**
T80-9101-00-CC	237	**167**
T80-9101-00-GG	237	**688**
T80-9101-00-KK	237	**271**
T80-9101-00-LL	237	**344**
T80-9101-00-MM†	237	**344**
T80-9101-00-NN	237	**291**
T80-9101-00-TT	237	**648**
T80-9101-00-VV	237	**648**
T80-9101-00-YY	237	**310**
T80-9102-00-BB	237	**412**
T80-9102-00-CC	237	**167**
T80-9102-00-GG	237	**688**
T80-9102-00-KK	237	**271**
T80-9102-00-LL	237	**344**
T80-9102-00-MM†	237	**344**
T80-9102-00-NN	237	**291**
T80-9102-00-TT	237	**648**
T80-9102-00-VV	237	**648**
T80-9102-00-YY	237	**310**
T80-9181-00-BB	238	**452**
T80-9181-00-CC	238	**201**
T80-9181-00-GG	238	**833**
T80-9181-00-KK	238	**284**
T80-9181-00-LL	238	**345**
T80-9181-00-MM†	238	**345**
T80-9181-00-NN	238	**291**
T80-9181-00-TT	238	**813**
T80-9181-00-VV	238	**813**
T80-9181-00-YY	238	**372**
T80-9182-00-BB	238	**452**
T80-9182-00-CC	238	**201**
T80-9182-00-GG	238	**833**
T80-9182-00-KK	238	**284**
T80-9182-00-LL	238	**345**
T80-9182-00-MM†	238	**345**
T80-9182-00-NN	238	**291**
T80-9182-00-TT	238	**813**
T80-9182-00-VV	238	**813**
T80-9182-00-YY	238	**372**
T80-9191-00-BB	239	**452**

CODE	PAGE	PRICE
T80-9191-00-CC	239	**201**
T80-9191-00-GG	239	**833**
T80-9191-00-KK	239	**284**
T80-9191-00-LL	239	**345**
T80-9191-00-MM†	239	**345**
T80-9191-00-NN	239	**291**
T80-9191-00-TT	239	**813**
T80-9191-00-VV	239	**813**
T80-9191-00-YY	239	**372**
T80-9192-00-BB	239	**452**
T80-9192-00-CC	239	**201**
T80-9192-00-GG	239	**833**
T80-9192-00-KK	239	**284**
T80-9192-00-LL	239	**345**
T80-9192-00-MM†	239	**345**
T80-9192-00-NN	239	**291**
T80-9192-00-TT	239	**813**
T80-9192-00-VV	239	**813**
T80-9192-00-YY	239	**372**
T80-9401-00-BB	240	**412**
T80-9401-00-CC	240	**167**
T80-9401-00-GG	240	**688**
T80-9401-00-KK	240	**271**
T80-9401-00-LL	240	**344**
T80-9401-00-MM	240	**344**
T80-9401-00-NN	240	**291**
T80-9401-00-TT	240	**648**
T80-9401-00-VV	240	**648**
T80-9401-00-YY	240	**310**
T80-9402-00-BB	240	**412**
T80-9402-00-CC	240	**167**
T80-9402-00-GG	240	**688**
T80-9402-00-KK	240	**271**
T80-9402-00-LL	240	**344**
T80-9402-00-MM	240	**344**
T80-9402-00-NN	240	**291**
T80-9402-00-TT	240	**648**
T80-9402-00-VV	240	**648**
T80-9402-00-YY	240	**310**
T80-9453-00-BB	241	**203**
T80-9453-00-CC	241	**116**
T80-9453-00-GG	241	**325**
T80-9453-00-KK	241	**154**
T80-9453-00-LL	241	**184**
T80-9453-00-MM†	241	**184**
T80-9453-00-NN	241	**162**
T80-9453-00-TT	241	**255**
T80-9453-00-VV	241	**255**
T80-9453-00-YY	241	**168**
T80-9511-01-BB	242	**1006**
T80-9511-01-CC	242	**575**
T80-9511-01-GG	242	**1553**
T80-9511-01-KK	242	**762**
T80-9511-01-LL	242	**920**
T80-9511-01-MM†	242	**920**
T80-9511-01-NN	242	**805**
T80-9511-01-TT	242	**1265**
T80-9511-01-VV	242	**1265**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
T80-9511-01-YY	242	**834**
T80-9512-01-BB	242	**1006**
T80-9512-01-CC	242	**575**
T80-9512-01-GG	242	**1553**
T80-9512-01-KK	242	**762**
T80-9512-01-LL	242	**920**
T80-9512-01-MM†	242	**920**
T80-9512-01-NN	242	**805**
T80-9512-01-TT	242	**1265**
T80-9512-01-VV	242	**1265**
T80-9512-01-YY	242	**834**
T80-9521-01-BB	236	**1006**
T80-9521-01-CC	236	**575**
T80-9521-01-GG	236	**1553**
T80-9521-01-KK	236	**762**
T80-9521-01-LL	236	**920**
T80-9521-01-MM†	236	**920**
T80-9521-01-NN	236	**805**
T80-9521-01-TT	236	**1265**
T80-9521-01-VV	236	**1265**
T80-9521-01-YY	236	**834**
T80-9522-01-BB	243	**1006**
T80-9522-01-CC	243	**575**
T80-9522-01-GG	243	**1553**
T80-9522-01-KK	243	**762**
T80-9522-01-LL	243	**920**
T80-9522-01-MM†	243	**920**
T80-9522-01-NN	243	**805**
T80-9522-01-TT	243	**1265**
T80-9522-01-VV	243	**1265**
T80-9522-01-YY	243	**834**
T80-9531-01-BB	244	**1006**
T80-9531-01-CC	244	**575**
T80-9531-01-GG	244	**1553**
T80-9531-01-KK	244	**762**
T80-9531-01-LL	244	**920**
T80-9531-01-MM†	244	**920**
T80-9531-01-NN	244	**805**
T80-9531-01-TT	244	**1265**
T80-9531-01-VV	244	**1265**
T80-9531-01-YY	244	**834**
T80-9532-01-BB	244	**1006**
T80-9532-01-CC	244	**575**
T80-9532-01-GG	244	**1553**
T80-9532-01-KK	244	**762**
T80-9532-01-LL	244	**920**
T80-9532-01-MM†	244	**920**
T80-9532-01-NN	244	**805**
T80-9532-01-TT	244	**1265**
T80-9532-01-VV	244	**1265**
T80-9532-01-YY	244	**834**
T80-9649-00-BB	245	**149**
T80-9649-00-CC	245	**85**
T80-9649-00-GG	245	**267**
T80-9649-00-KK	245	**113**
T80-9649-00-LL	245	**136**
T80-9649-00-MM†	245	**136**
T80-9649-00-NN	245	**119**
T80-9649-00-TT	245	**258**
T80-9649-00-VV	245	**258**
T80-9649-00-YY	245	**123**
TET-0304-05-BB	319	**218**
TET-0304-05-CC	319	**75**
TET-0304-05-GG	319	**325**
TET-0304-05-KK	319	**95**
TET-0304-05-LL	319	**154**
TET-0304-05-MM†	319	**154**
TET-0304-05-NN	319	**132**
TET-0304-05-TT	319	**299**
TET-0304-05-VV	319	**299**
TET-0304-05-YY	319	**148**
TET-0620-05-BB	319	**238**
TET-0620-05-CC	319	**105**
TET-0620-05-GG	319	**449**
TET-0620-05-KK	319	**139**
TET-0620-05-LL	319	**178**
TET-0620-05-MM	319	**178**
TET-0620-05-NN	319	**147**
TET-0620-05-TT	319	**399**
TET-0620-05-VV	319	**399**
TET-0620-05-YY	319	**172**
TET-0810-01-BB	319	**426**
TET-0810-01-CC	319	**295**
TET-0810-01-GG	319	**819**
TET-0810-01-KK	319	**391**
TET-0810-01-KM	319	**472**
TET-0810-01-LL	319	**472**
TET-0810-01-MM	319	**472**
TET-0810-01-NN	319	**413**
TET-0810-01-TT	319	**746**
TET-0810-01-VV	319	**746**
TET-0810-01-YY	319	**443**
TET-0811-02-BB	319	**498**
TET-0811-02-CC	319	**339**
TET-0811-02-GG	319	**942**
TET-0811-02-KK	319	**450**
TET-0811-02-LL	319	**543**
TET-0811-02-MM†	319	**543**
TET-0811-02-NN	319	**475**
TET-0811-02-TT	319	**858**
TET-0811-02-VV	319	**858**
TET-0811-02-YY	319	**509**
TET-0812-03-BB	319	**615**
TET-0812-03-CC	319	**373**
TET-0812-03-GG	319	**1036**
TET-0812-03-KK	319	**495**
TET-0812-03-LL	319	**597**
TET-0812-03-MM†	319	**597**
TET-0812-03-NN	319	**523**
TET-0812-03-TT	319	**944**
TET-0812-03-VV	319	**944**
TET-0812-03-YY	319	**560**
TET-0813-01-CC	320	**213**
TET-0813-01-KK	320	**261**
TET-0813-01-LL	320	**298**
TET-0813-01-MM	320	**298**
TET-0813-01-NN	320	**278**
TET-0815-01-BB	320	**447**
TET-0815-01-CC	320	**310**
TET-0815-01-GG	320	**860**
TET-0815-01-KK	320	**411**
TET-0815-01-KM	320	**499**
TET-0815-01-LL	320	**499**
TET-0815-01-MM	320	**499**
TET-0815-01-NN	320	**439**
TET-0815-01-TT	320	**783**
TET-0815-01-VV	320	**783**
TET-0815-01-YY	320	**465**
TET-1010-01-BB	320	**703**
TET-1010-01-CC	320	**428**
TET-1010-01-GG	320	**1188**
TET-1010-01-KK	320	**567**
TET-1010-01-LL	320	**684**
TET-1010-01-MM	320	**684**
TET-1010-01-NN	320	**599**
TET-1010-01-TT	320	**1082**
TET-1010-01-VV	320	**1082**
TET-1010-01-YY	320	**642**
TET-1010-47-BA	320	**1694**
TET-1010-47-CA	320	**879**
TET-1010-47-GA	320	**2373**
TET-1010-47-KA	320	**1474**
TET-1010-47-LA	320	**1597**
TET-1010-47-MA	320	**1597**
TET-1010-47-NA	320	**1231**
TET-1010-47-TA	320	**1899**
TET-1010-47-VA	320	**1899**
TET-1010-47-YA	320	**1275**
TET-1011-01-BB	320	**926**
TET-1011-01-CC	320	**529**
TET-1011-01-GG	320	**1428**
TET-1011-01-KK	320	**701**
TET-1011-01-LL	320	**846**
TET-1011-01-MM†	320	**846**
TET-1011-01-NN	320	**741**
TET-1011-01-TT	320	**1324**
TET-1011-01-VV	320	**1324**
TET-1011-01-YY	320	**771**
TET-1013-01-CC	321	**310**
TET-1013-01-KK	321	**411**
TET-1013-01-LL	321	**499**
TET-1013-01-MM	321	**499**
TET-1013-01-NN	321	**449**
TET-1014-01-CC	321	**341**
TET-1020-01-BB	321	**773**
TET-1020-01-CC	321	**492**
TET-1020-01-GG	321	**1366**
TET-1020-01-KK	321	**652**
TET-1020-01-LL	321	**787**
TET-1020-01-MM	321	**787**
TET-1020-01-NN	321	**689**
TET-1020-01-TT	321	**1244**
TET-1020-01-VV	321	**1244**
TET-1020-01-YY	321	**738**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TET-1050-01-CC	321	**310**
TET-1050-01-KK	321	**411**
TET-1050-01-KM	321	**499**
TET-1050-01-LL	321	**499**
TET-1050-01-MM	321	**499**
TET-1050-01-NN	321	**449**
TET-1054-01-CC	321	**326**
TET-1054-01-KK	321	**432**
TET-1054-01-KM	321	**524**
TET-1054-01-LL	321	**524**
TET-1054-01-MM	321	**524**
TET-1054-01-NN	321	**471**
TET-1208-01-CC	322	**326**
TET-1208-01-KK	322	**432**
TET-1210-01-BB	322	**1206**
TET-1210-01-CC	322	**621**
TET-1210-01-GG	322	**1586**
TET-1210-01-KK	322	**822**
TET-1210-01-LL	322	**992**
TET-1210-01-MM†	322	**992**
TET-1210-01-NN	322	**869**
TET-1210-01-TT	322	**1569**
TET-1210-01-VV	322	**1569**
TET-1210-01-YY	322	**931**
TET-1210-35-III	142	**1599**
TET-1210-35-IIK	142	**1599**
TET-1210-35-IKI	142	**1599**
TET-1210-35-IKK	142	**1599**
TET-1210-35-JII	142	**1599**
TET-1210-35-JIK	142	**1599**
TET-1210-35-JKI	142	**1599**
TET-1210-35-JKK	142	**1599**
TET-1210-35-KII	142	**1599**
TET-1210-35-KIK	142	**1599**
TET-1210-35-KKI	142	**1599**
TET-1210-35-KKK	142	**1599**
TET-1212-04-BB	322	**1387**
TET-1212-04-CC	322	**714**
TET-1212-04-GG	322	**1824**
TET-1212-04-KK	322	**945**
TET-1212-04-LL	322	**1141**
TET-1212-04-MM†	322	**1141**
TET-1212-04-NN	322	**999**
TET-1212-04-TT	322	**1804**
TET-1212-04-VV	322	**1804**
TET-1212-04-YY	322	**1071**
TET-1610-01-CC	322	**424**
TET-1610-01-KK	322	**562**
TET-1610-01-KM	322	**681**
TET-1610-01-LL	322	**681**
TET-1610-01-MM	322	**681**
TET-1610-01-NN	322	**612**
TET-1616-01-BB	322	**2081**
TET-1616-01-CC	322	**1071**
TET-1616-01-GG	322	**2736**
TET-1616-01-KK	322	**1418**
TET-1616-01-LL	322	**1712**
TET-1616-01-MM†	322	**1712**
TET-1616-01-NN	322	**1499**
TET-1616-01-TT	322	**2706**
TET-1616-01-VV	322	**2706**
TET-1616-01-YY	322	**1607**
TET-1616-02-BB	323	**2289**
TET-1616-02-CC	323	**1178**
TET-1616-02-GG	323	**3010**
TET-1616-02-KK	323	**1560**
TET-1616-02-LL	323	**1883**
TET-1616-02-MM†	323	**1883**
TET-1616-02-NN	323	**1649**
TET-1616-02-TT	323	**2977**
TET-1616-02-VV	323	**2977**
TET-1616-02-YY	323	**1768**
TET-2012-01-CC	323	**675**
TRO-2100-04-BB	91	**1340**
TRO-2100-04-CC	91	**617**
TRO-2100-04-GG	91	**2383**
TRO-2100-04-KK	91	**901**
TRO-2100-04-LL	91	**1206**
TRO-2100-04-MM†	91	**1206**
TRO-2100-04-NN	91	**1023**
TRO-2100-04-TT	91	**2313**
TRO-2100-04-VV	91	**2313**
TRO-2100-04-YY	91	**1120**
TRO-2101-80-BB	247	**1255**
TRO-2101-80-CC	247	**612**
TRO-2101-80-GG	247	**2435**
TRO-2101-80-KK	247	**858**
TRO-2101-80-LL	247	**1135**
TRO-2101-80-MM†	247	**1135**
TRO-2101-80-NN	247	**982**
TRO-2101-80-TT	247	**2233**
TRO-2101-80-VV	247	**2233**
TRO-2101-80-YY	247	**1047**
TRO-2102-20-BB	127	**2029**
TRO-2102-20-CC	127	**1080**
TRO-2102-20-GG	127	**3314**
TRO-2102-20-KK	127	**1427**
TRO-2102-20-LL	127	**1838**
TRO-2102-20-MM	127	**1838**
TRO-2102-20-NN	127	**1606**
TRO-2102-20-TT	127	**2994**
TRO-2102-20-VV	127	**2994**
TRO-2102-20-YY	127	**1683**
TRO-2104-20-BB	127	**2029**
TRO-2104-20-CC	127	**1080**
TRO-2104-20-GG	127	**3314**
TRO-2104-20-KK	127	**1427**
TRO-2104-20-LL	127	**1838**
TRO-2104-20-MM	127	**1838**
TRO-2104-20-NN	127	**1606**
TRO-2104-20-TT	127	**2994**
TRO-2104-20-VV	127	**2994**
TRO-2104-20-YY	127	**1683**
TRO-2105-45-BB	153	**1340**
TRO-2105-45-CC	153	**617**
TRO-2105-45-GG	153	**2516**
TRO-2105-45-KK	153	**901**
TRO-2105-45-LL	153	**1206**
TRO-2105-45-MM†	153	**1206**
TRO-2105-45-NN	153	**1023**
TRO-2105-45-TT	153	**2313**
TRO-2105-45-VV	153	**2313**
TRO-2105-45-YY	153	**1120**
TRO-2115-66-BB	203	**1225**
TRO-2115-66-CC	203	**565**
TRO-2115-66-GG	203	**2292**
TRO-2115-66-KK	203	**824**
TRO-2115-66-LL	203	**1101**
TRO-2115-66-MM†	203	**1101**
TRO-2115-66-NN	203	**935**
TRO-2115-66-TT	203	**2104**
TRO-2115-66-VV	203	**2104**
TRO-2115-66-YY	203	**1034**
TRO-2175-95-BB	105	**1623**
TRO-2175-95-CC	105	**683**
TRO-2175-95-GG	105	**2770**
TRO-2175-95-KK	105	**1053**
TRO-2175-95-LL	105	**1452**
TRO-2175-95-MM†	105	**1452**
TRO-2175-95-NN	105	**1173**
TRO-2175-95-TT	105	**2525**
TRO-2175-95-VV	105	**2525**
TRO-2175-95-YY	105	**1339**
TRO-2200-04-BB	91	**1635**
TRO-2200-04-CC	91	**755**
TRO-2200-04-GG	91	**2915**
TRO-2200-04-KK	91	**1030**
TRO-2200-04-LL	91	**1433**
TRO-2200-04-MM†	91	**1433**
TRO-2200-04-NN	91	**1226**
TRO-2200-04-TT	91	**2644**
TRO-2200-04-VV	91	**2644**
TRO-2200-04-YY	91	**1335**
TRO-2201-80-BB	248	**1549**
TRO-2201-80-CC	248	**715**
TRO-2201-80-GG	248	**2834**
TRO-2201-80-KK	248	**987**
TRO-2201-80-LL	248	**1362**
TRO-2201-80-MM†	248	**1362**
TRO-2201-80-NN	248	**1186**
TRO-2201-80-TT	248	**2564**
TRO-2201-80-VV	248	**2564**
TRO-2201-80-YY	248	**1262**
TRO-2210-66-BB	203	**1034**
TRO-2210-66-CC	203	**409**
TRO-2210-66-GG	203	**1554**
TRO-2210-66-KK	203	**566**
TRO-2210-66-LL	203	**833**
TRO-2210-66-MM†	203	**833**
TRO-2210-66-NN	203	**694**
TRO-2210-66-TT	203	**1385**
TRO-2210-66-VV	203	**1385**
TRO-2210-66-YY	203	**770**
TRO-2220-66-BB	204	**1519**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
TRO-2220-66-CC	204	**626**
TRO-2220-66-GG	204	**2691**
TRO-2220-66-KK	204	**953**
TRO-2220-66-LL	204	**1328**
TRO-2220-66-MM†	204	**1328**
TRO-2220-66-NN	204	**1138**
TRO-2220-66-TT	204	**2435**
TRO-2220-66-VV	204	**2435**
TRO-2220-66-YY	204	**1248**
TRO-2801-80-BB	249	**1800**
TRO-2801-80-CC	249	**979**
TRO-2801-80-GG	249	**3536**
TRO-2801-80-KK	249	**1319**
TRO-2801-80-LL	249	**1687**
TRO-2801-80-MM†	249	**1687**
TRO-2801-80-NN	249	**1454**
TRO-2801-80-TT	249	**3243**
TRO-2801-80-VV	249	**3243**
TRO-2801-80-YY	249	**1611**
TRO-2802-20-BB	128	**3200**
TRO-2802-20-CC	128	**1843**
TRO-2802-20-GG	128	**5482**
TRO-2802-20-KK	128	**2445**
TRO-2802-20-LL	128	**3088**
TRO-2802-20-MM	128	**3088**
TRO-2802-20-NN	128	**2680**
TRO-2802-20-TT	128	**4809**
TRO-2802-20-VV	128	**4809**
TRO-2802-20-YY	128	**2822**
TRO-2804-20-BB	128	**3200**
TRO-2804-20-CC	128	**1843**
TRO-2804-20-GG	128	**5482**
TRO-2804-20-KK	128	**2445**
TRO-2804-20-LL	128	**3088**
TRO-2804-20-MM	128	**3088**
TRO-2804-20-NN	128	**2680**
TRO-2804-20-TT	128	**4809**
TRO-2804-20-VV	128	**4809**
TRO-2804-20-YY	128	**2822**
TRO-2805-04-BB	92	**2096**
TRO-2805-04-CC	92	**1030**
TRO-2805-04-GG	92	**3869**
TRO-2805-04-KK	92	**1408**
TRO-2805-04-KM	92	**1906**
TRO-2805-04-LL	92	**1906**
TRO-2805-04-MM†	92	**1906**
TRO-2805-04-NN	92	**1584**
TRO-2805-04-TT	92	**3534**
TRO-2805-04-VV	92	**3534**
TRO-2805-04-YY	92	**1822**
TRO-2805-45-BB	153	**2076**
TRO-2805-45-CC	153	**1073**
TRO-2805-45-GG	153	**3830**
TRO-2805-45-KK	153	**1467**
TRO-2805-45-LL	153	**1880**
TRO-2805-45-MM†	92	**1880**
TRO-2805-45-NN	153	**1647**
TRO-2805-45-TT	153	**3499**
TRO-2805-45-VV	153	**3499**
TRO-2805-45-YY	153	**1801**
TRO-2805-66-BB	204	**1937**
TRO-2805-66-CC	204	**1009**
TRO-2805-66-GG	204	**3572**
TRO-2805-66-KK	204	**1378**
TRO-2805-66-KM	204	**1763**
TRO-2805-66-LL	204	**1763**
TRO-2805-66-MM	204	**1763**
TRO-2805-66-NN	204	**1544**
TRO-2805-66-TT	204	**3257**
TRO-2805-66-VV	204	**3257**
TRO-2805-66-YY	204	**1698**
TRO-2805-95-BB	105	**2479**
TRO-2805-95-CC	105	**1252**
TRO-2805-95-GG	105	**4293**
TRO-2805-95-KK	105	**1711**
TRO-2805-95-LL	105	**2240**
TRO-2805-95-MM†	105	**2240**
TRO-2805-95-NN	105	**1961**
TRO-2805-95-TT	105	**3891**
TRO-2805-95-VV	105	**3891**
TRO-2805-95-YY	105	**2126**
TRO-2806-45-CC	154	**942**
TRO-2806-45-KK	154	**1275**
TRO-2806-45-LL	154	**1630**
TRO-2806-45-MM†	154	**1630**
TRO-2806-45-NN	154	**1370**
TRO-2810-66-CC	204	**879**
TRO-2810-66-KK	204	**1187**
TRO-2810-66-LL	204	**1513**
TRO-2810-66-MM	204	**1513**
TRO-2810-66-NN	204	**1342**
TRO-2811-80-CC	250	**994**
TRO-2811-80-KK	250	**1338**
TRO-2815-04-CC	92	**1050**
TRO-2815-04-KK	92	**1437**
TRO-2815-45-CC	154	**1035**
TRO-2815-45-KK	154	**1417**
TRO-2815-46-CC	169	**1049**
TRO-2815-46-KK	169	**1438**
TRO-2815-46-LL	169	**1847**
TRO-2815-46-MM†	169	**1847**
TRO-2815-46-NN	169	**1632**
TRO-2816-66-CC	205	**960**
TRO-2816-66-KK	205	**1313**
TRO-2826-66-CC	205	**920**
TRO-2826-66-KK	205	**1259**
TRO-2826-66-LL	205	**1704**
TRO-2826-66-MM	205	**1704**
TRO-2826-66-NN	205	**1426**
TRO-2891-80-BB	251	**1518**
TRO-2891-80-CC	251	**864**
TRO-2891-80-GG	251	**2783**
TRO-2891-80-KK	251	**1172**
TRO-2891-80-LL	251	**1471**
TRO-2891-80-MM†	251	**1471**
TRO-2891-80-NN	251	**1264**
TRO-2891-80-TT	251	**2499**
TRO-2891-80-VV	251	**2499**
TRO-2891-80-YY	251	**1412**
TRO-2892-80-BB	252	**1587**
TRO-2892-80-CC	252	**905**
TRO-2892-80-GG	252	**2899**
TRO-2892-80-KK	252	**1228**
TRO-2892-80-LL	252	**1538**
TRO-2892-80-MM†	252	**1538**
TRO-2892-80-NN	252	**1322**
TRO-2892-80-TT	252	**2605**
TRO-2892-80-VV	252	**2605**
TRO-2892-80-YY	252	**1474**
TRO-2896-46-BB	169	**1829**
TRO-2896-46-CC	169	**971**
TRO-2896-46-GG	169	**3131**
TRO-2896-46-KK	169	**1341**
TRO-2896-46-LL	169	**1689**
TRO-2896-46-MM†	169	**1689**
TRO-2896-46-NN	169	**1480**
TRO-2896-46-TT	169	**2805**
TRO-2896-46-VV	169	**2805**
TRO-2896-46-YY	169	**1629**
TRO-2896-66-BB	205	**1723**
TRO-2896-66-CC	205	**928**
TRO-2896-66-GG	205	**2969**
TRO-2896-66-KK	205	**1279**
TRO-2896-66-LL	205	**1611**
TRO-2896-66-MM	205	**1611**
TRO-2896-66-NN	205	**1410**
TRO-2896-66-TT	205	**2651**
TRO-2896-66-VV	205	**2651**
TRO-2896-66-YY	205	**1548**
TRO-2915-04-CC	92	**1132**
TRO-2915-04-KK	92	**1541**
TRO-2915-45-CC	154	**1117**
TRO-2915-45-KK	154	**1521**
TRO-2915-66-CC	206	**961**
TRO-3301-80-BB	253	**1908**
TRO-3301-80-CC	253	**1175**
TRO-3301-80-GG	253	**3101**
TRO-3301-80-KK	253	**1563**
TRO-3301-80-LL	253	**1906**
TRO-3301-80-MM†	253	**1906**
TRO-3301-80-NN	253	**1628**
TRO-3301-80-TT	253	**2773**
TRO-3301-80-VV	253	**2773**
TRO-3301-80-YY	253	**1753**
TRO-3302-20-BB	128	**2726**
TRO-3302-20-CC	128	**1604**
TRO-3302-20-GG	128	**4481**
TRO-3302-20-KK	128	**2142**
TRO-3302-20-LL	128	**2661**
TRO-3302-20-MM	128	**2661**
TRO-3302-20-NN	128	**2307**
TRO-3302-20-TT	128	**3937**
TRO-3302-20-VV	128	**3937**
TRO-3302-20-YY	128	**2449**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TRO-3302-45-BB	155	**2410**
TRO-3302-45-CC	155	**1462**
TRO-3302-45-GG	155	**3829**
TRO-3302-45-KK	155	**1942**
TRO-3302-45-LL	155	**2366**
TRO-3302-45-MM†	155	**2366**
TRO-3302-45-NN	155	**2030**
TRO-3302-45-TT	155	**3405**
TRO-3302-45-VV	155	**3405**
TRO-3302-45-YY	155	**2170**
TRO-3302-47-BA	181	**4029**
TRO-3302-47-CA	181	**2277**
TRO-3302-47-GA	181	**6135**
TRO-3302-47-KA	181	**3371**
TRO-3302-47-LA	181	**3915**
TRO-3302-47-MA	181	**3915**
TRO-3302-47-NA	181	**3171**
TRO-3302-47-TA	181	**4961**
TRO-3302-47-VA	181	**4961**
TRO-3302-47-YA	181	**3333**
TRO-3302-66-BB	206	**2410**
TRO-3302-66-CC	206	**1462**
TRO-3302-66-GG	206	**3829**
TRO-3302-66-KK	206	**1942**
TRO-3302-66-LL	206	**2366**
TRO-3302-66-MM†	206	**2366**
TRO-3302-66-NN	206	**2030**
TRO-3302-66-TT	206	**3405**
TRO-3302-66-VV	206	**3405**
TRO-3302-66-YY	206	**2170**
TRO-3302-80-BB	254	**2119**
TRO-3302-80-CC	254	**1271**
TRO-3302-80-GG	254	**3329**
TRO-3302-80-KK	254	**1690**
TRO-3302-80-LL	254	**2060**
TRO-3302-80-MM†	254	**2060**
TRO-3302-80-NN	254	**1763**
TRO-3302-80-TT	254	**3003**
TRO-3302-80-VV	254	**3003**
TRO-3302-80-YY	254	**1875**
TRO-3304-20-BB	129	**2726**
TRO-3304-20-CC	129	**1604**
TRO-3304-20-GG	129	**4481**
TRO-3304-20-KK	129	**2142**
TRO-3304-20-LL	129	**2661**
TRO-3304-20-MM	129	**2661**
TRO-3304-20-NN	129	**2307**
TRO-3304-20-TT	129	**3937**
TRO-3304-20-VV	129	**3937**
TRO-3304-20-YY	129	**2449**
TRO-3352-47-BA	181	**4323**
TRO-3352-47-CA	181	**2298**
TRO-3352-47-GA	181	**6744**
TRO-3352-47-KA	181	**3403**
TRO-3352-47-LA	181	**4062**
TRO-3352-47-MA	181	**4062**
TRO-3352-47-NA	181	**3376**
TRO-3352-47-TA	181	**5638**

CODE	PAGE	PRICE
TRO-3352-47-VA	181	**5638**
TRO-3352-47-YA	181	**3518**
TRO-3420-16-BB	113	**2189**
TRO-3420-16-CC	113	**1125**
TRO-3420-16-GG	113	**3975**
TRO-3420-16-KK	113	**1543**
TRO-3420-16-LL	113	**2036**
TRO-3420-16-MM†	113	**2036**
TRO-3420-16-NN	113	**1773**
TRO-3420-16-TT	113	**3725**
TRO-3420-16-VV	113	**3725**
TRO-3420-16-YY	113	**1908**
TRO-3420-18-BB	114	**2189**
TRO-3420-18-CB	114	**1125**
TRO-3420-18-CC	114	**1125**
TRO-3420-18-GB	114	**3975**
TRO-3420-18-GG	114	**3975**
TRO-3420-18-KB	114	**1543**
TRO-3420-18-KK	114	**1543**
TRO-3420-18-LB	114	**2036**
TRO-3420-18-LL	114	**2036**
TRO-3420-18-MB	114	**2036**
TRO-3420-18-MM†	114	**2036**
TRO-3420-18-NB	114	**1773**
TRO-3420-18-NN	114	**1773**
TRO-3420-18-TB	114	**3725**
TRO-3420-18-TT	114	**3725**
TRO-3420-18-VB	114	**3725**
TRO-3420-18-VV	114	**3725**
TRO-3420-18-YB	114	**1908**
TRO-3420-18-YY	114	**1908**
TRO-3421-71-BB	217	**2801**
TRO-3421-71-CC	217	**1435**
TRO-3421-71-GG	217	**4725**
TRO-3421-71-KK	217	**2003**
TRO-3421-71-LL	217	**2596**
TRO-3421-71-MM†	217	**2596**
TRO-3421-71-NN	217	**2217**
TRO-3421-71-TT	217	**4329**
TRO-3421-71-VV	217	**4329**
TRO-3421-71-YY	217	**2390**
TRO-3421-72-BB	218	**2801**
TRO-3421-72-CC	218	**1435**
TRO-3421-72-GG	218	**4725**
TRO-3421-72-KK	218	**2003**
TRO-3421-72-LL	218	**2596**
TRO-3421-72-MM†	218	**2596**
TRO-3421-72-NN	218	**2217**
TRO-3421-72-TT	218	**4329**
TRO-3421-72-VV	218	**4329**
TRO-3421-72-YY	218	**2390**
TRO-3421-74-BB	223	**2801**
TRO-3421-74-CB	223	**1435**
TRO-3421-74-GB	223	**4725**
TRO-3421-74-KB	223	**2003**
TRO-3421-74-LB	223	**2596**
TRO-3421-74-MB	223	**2596**
TRO-3421-74-NB	223	**2217**

CODE	PAGE	PRICE
TRO-3421-74-TB	223	**4329**
TRO-3421-74-VB	223	**4329**
TRO-3421-74-YB	223	**2390**
TRO-3950-04-BB	93	**4428**
TRO-3950-04-CC	93	**2480**
TRO-3950-04-GG	93	**6997**
TRO-3950-04-KK	93	**3335**
TRO-3950-04-LL	93	**4165**
TRO-3950-04-MM†	93	**4165**
TRO-3950-04-NN	93	**3559**
TRO-3950-04-TT	93	**6521**
TRO-3950-04-VV	93	**6521**
TRO-3950-04-YY	93	**3789**
TRO-3950-46-BB	170	**4893**
TRO-3950-46-CC	170	**2670**
TRO-3950-46-GG	170	**7496**
TRO-3950-46-KK	170	**3616**
TRO-3950-46-LL	170	**4532**
TRO-3950-46-MM†	170	**4532**
TRO-3950-46-NN	170	**3918**
TRO-3950-46-TT	170	**7127**
TRO-3950-46-VV	170	**7127**
TRO-3950-46-YY	170	**4147**
TRO-4151-04-BB	93	**1936**
TRO-4151-04-CC	93	**1066**
TRO-4151-04-GG	93	**3436**
TRO-4151-04-KK	93	**1403**
TRO-4151-04-KM	93	**1789**
TRO-4151-04-LL	93	**1789**
TRO-4151-04-MM†	93	**1789**
TRO-4151-04-NN	93	**1564**
TRO-4151-04-TT	93	**2966**
TRO-4151-04-VV	93	**2966**
TRO-4151-04-YY	93	**1641**
TRO-4151-05-BB	106	**2195**
TRO-4151-05-CC	106	**1168**
TRO-4151-05-GG	106	**3654**
TRO-4151-05-KK	106	**1549**
TRO-4151-05-LL	106	**2015**
TRO-4151-05-MM†	106	**2015**
TRO-4151-05-NN	106	**1762**
TRO-4151-05-TT	106	**3143**
TRO-4151-05-VV	106	**3143**
TRO-4151-05-YY	106	**1841**
TRO-4151-45-BB	155	**1936**
TRO-4151-45-CC	155	**1066**
TRO-4151-45-GG	155	**3436**
TRO-4151-45-KK	155	**1403**
TRO-4151-45-LL	155	**1789**
TRO-4151-45-MM†	155	**1789**
TRO-4151-45-NN	155	**1564**
TRO-4151-45-TT	155	**2966**
TRO-4151-45-VV	155	**2966**
TRO-4151-45-YY	155	**1641**
TRO-4151-46-BB	170	**1989**
TRO-4151-46-CC	170	**1096**
TRO-4151-46-GG	170	**3519**
TRO-4151-46-KK	170	**1443**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
TRO-4151-46-LL	170	**1838**
TRO-4151-46-MM†	170	**1838**
TRO-4151-46-NN	170	**1606**
TRO-4151-46-TT	170	**3033**
TRO-4151-46-VV	170	**3033**
TRO-4151-46-YY	170	**1685**
TRO-4151-66-BB	206	**1815**
TRO-4151-66-CC	206	**1000**
TRO-4151-66-GG	206	**3203**
TRO-4151-66-KK	206	**1317**
TRO-4151-66-KM	206	**1675**
TRO-4151-66-LL	206	**1675**
TRO-4151-66-MM	206	**1675**
TRO-4151-66-NN	206	**1464**
TRO-4151-66-TT	206	**2759**
TRO-4151-66-VV	206	**2759**
TRO-4151-66-YY	206	**1547**
TRO-4153-20-BB	129	**2867**
TRO-4153-20-CC	129	**1612**
TRO-4153-20-GG	129	**4750**
TRO-4153-20-KK	129	**2132**
TRO-4153-20-LL	129	**2689**
TRO-4153-20-MM	129	**2689**
TRO-4153-20-NN	129	**2351**
TRO-4153-20-TT	129	**4070**
TRO-4153-20-VV	129	**4070**
TRO-4153-20-YY	129	**2455**
TRO-4153-80-BB	255	**1819**
TRO-4153-80-CC	255	**999**
TRO-4153-80-GG	255	**3257**
TRO-4153-80-KK	255	**1324**
TRO-4153-80-LL	255	**1682**
TRO-4153-80-MM†	255	**1682**
TRO-4153-80-NN	255	**1471**
TRO-4153-80-TT	255	**2820**
TRO-4153-80-VV	255	**2820**
TRO-4153-80-YY	255	**1545**
TRO-4154-80-BB	256	**1819**
TRO-4154-80-CC	256	**999**
TRO-4154-80-GG	256	**3257**
TRO-4154-80-KK	256	**1324**
TRO-4154-80-LL	256	**1682**
TRO-4154-80-MM†	256	**1682**
TRO-4154-80-NN	256	**1471**
TRO-4154-80-TT	256	**2820**
TRO-4154-80-VV	256	**2820**
TRO-4154-80-YY	256	**1545**
TRO-4155-20-BB	129	**2867**
TRO-4155-20-CC	129	**1612**
TRO-4155-20-GG	129	**4750**
TRO-4155-20-KK	129	**2132**
TRO-4155-20-LL	129	**2689**
TRO-4155-20-MM	129	**2689**
TRO-4155-20-NN	129	**2351**
TRO-4155-20-TT	129	**4070**
TRO-4155-20-VV	129	**4070**
TRO-4155-20-YY	129	**2455**
TRO-4163-20-BB	130	**2009**

CODE	PAGE	PRICE
TRO-4163-20-CC	130	**1111**
TRO-4163-20-GG	130	**3241**
TRO-4163-20-KK	130	**1480**
TRO-4163-20-LL	130	**1820**
TRO-4163-20-MM	130	**1820**
TRO-4163-20-NN	130	**1560**
TRO-4163-20-TT	130	**2655**
TRO-4163-20-VV	130	**2655**
TRO-4163-20-YY	130	**1638**
TRO-4165-20-BB	130	**2009**
TRO-4165-20-CC	130	**1111**
TRO-4165-20-GG	130	**3241**
TRO-4165-20-KK	130	**1480**
TRO-4165-20-LL	130	**1820**
TRO-4165-20-MM	130	**1820**
TRO-4165-20-NN	130	**1560**
TRO-4165-20-TT	130	**2655**
TRO-4165-20-VV	130	**2655**
TRO-4165-20-YY	130	**1638**
TRO-4203-20-BB	130	**3807**
TRO-4203-20-CC	130	**2190**
TRO-4203-20-GG	130	**6418**
TRO-4203-20-KK	130	**2905**
TRO-4203-20-LL	130	**3642**
TRO-4203-20-MM	130	**3642**
TRO-4203-20-NN	130	**3165**
TRO-4203-20-TT	130	**5540**
TRO-4203-20-VV	130	**5540**
TRO-4203-20-YY	130	**3325**
TRO-4203-80-BB	257	**2590**
TRO-4203-80-CC	257	**1461**
TRO-4203-80-GG	257	**4570**
TRO-4203-80-KK	257	**1940**
TRO-4203-80-LL	257	**2435**
TRO-4203-80-MM†	257	**2435**
TRO-4203-80-NN	257	**2119**
TRO-4203-80-TT	257	**3992**
TRO-4203-80-VV	257	**3992**
TRO-4203-80-YY	257	**2239**
TRO-4204-80-BB	258	**2802**
TRO-4204-80-CC	258	**1557**
TRO-4204-80-GG	258	**4798**
TRO-4204-80-KK	258	**2067**
TRO-4204-80-LL	258	**2589**
TRO-4204-80-MM†	258	**2589**
TRO-4204-80-NN	258	**2254**
TRO-4204-80-TT	258	**4222**
TRO-4204-80-VV	258	**4222**
TRO-4204-80-YY	258	**2362**
TRO-4205-20-BB	131	**3807**
TRO-4205-20-CC	131	**2190**
TRO-4205-20-GG	131	**6418**
TRO-4205-20-KK	131	**2905**
TRO-4205-20-LL	131	**3642**
TRO-4205-20-MM	131	**3642**
TRO-4205-20-NN	131	**3165**
TRO-4205-20-TT	131	**5540**
TRO-4205-20-VV	131	**5540**

CODE	PAGE	PRICE
TRO-4205-20-YY	131	**3325**
TRO-4206-04-BB	93	**2463**
TRO-4206-04-CC	93	**1416**
TRO-4206-04-GG	93	**4438**
TRO-4206-04-KK	93	**1871**
TRO-4206-04-KM	93	**2366**
TRO-4206-04-LL	93	**2366**
TRO-4206-04-MM†	93	**2366**
TRO-4206-04-NN	93	**2061**
TRO-4206-04-TT	93	**3854**
TRO-4206-04-VV	93	**3854**
TRO-4206-04-YY	93	**2167**
TRO-4207-05-BB	106	**2811**
TRO-4207-05-CC	106	**1567**
TRO-4207-05-GG	106	**4808**
TRO-4207-05-KK	106	**2084**
TRO-4207-05-LL	106	**2674**
TRO-4207-05-MM†	106	**2674**
TRO-4207-05-NN	106	**2326**
TRO-4207-05-TT	106	**4160**
TRO-4207-05-VV	106	**4160**
TRO-4207-05-YY	106	**2443**
TRO-4207-45-BB	155	**2443**
TRO-4207-45-CC	155	**1401**
TRO-4207-45-GG	155	**4399**
TRO-4207-45-KK	155	**1852**
TRO-4207-45-LL	155	**2340**
TRO-4207-45-MM†	155	**2340**
TRO-4207-45-NN	155	**2036**
TRO-4207-45-TT	155	**3819**
TRO-4207-45-VV	155	**3819**
TRO-4207-45-YY	155	**2146**
TRO-4207-46-BB	170	**2841**
TRO-4207-46-CC	170	**1614**
TRO-4207-46-GG	170	**4866**
TRO-4207-46-KK	170	**2163**
TRO-4207-46-LL	170	**2745**
TRO-4207-46-MM†	170	**2745**
TRO-4207-46-NN	170	**2389**
TRO-4207-46-TT	170	**4224**
TRO-4207-46-VV	170	**4224**
TRO-4207-46-YY	170	**2510**
TRO-4208-04-CC	94	**1355**
TRO-4208-04-KK	94	**1791**
TRO-4208-04-KM	94	**2389**
TRO-4208-04-LL	94	**2389**
TRO-4208-04-MM†	94	**2389**
TRO-4208-04-NN	94	**2091**
TRO-4208-66-BB	207	**2322**
TRO-4208-66-CC	207	**1336**
TRO-4208-66-GG	207	**4167**
TRO-4208-66-KK	207	**1784**
TRO-4208-66-LL	207	**2252**
TRO-4208-66-MM	207	**2252**
TRO-4208-66-NN	207	**1970**
TRO-4208-66-TT	207	**3612**
TRO-4208-66-VV	207	**3612**
TRO-4208-66-YY	207	**2052**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TRO-4209-45-CC	156	**1341**
TRO-4209-45-KK	156	**1871**
TRO-4209-45-LL	156	**2366**
TRO-4209-45-MM†	156	**2366**
TRO-4209-45-NN	156	**2070**
TRO-4209-66-CC	207	**1350**
TRO-4209-66-KK	207	**1784**
TRO-4209-66-KM	207	**2252**
TRO-4209-66-LL	207	**2252**
TRO-4209-66-MM	207	**2252**
TRO-4209-66-NN	207	**1970**
TRO-4216-04-CC	94	**1233**
TRO-4216-04-KK	94	**1630**
TRO-4217-05-CC	106	**1491**
TRO-4217-05-KK	106	**1982**
TRO-4217-46-CC	171	**1394**
TRO-4217-46-KK	171	**1842**
TRO-4217-46-LL	171	**2330**
TRO-4217-46-MM†	171	**2330**
TRO-4217-46-NN	171	**2040**
TRO-4217-66-CC	207	**1257**
TRO-4217-66-KK	207	**1535**
TRO-4217-66-LL	207	**2167**
TRO-4217-66-MM	207	**2167**
TRO-4217-66-NN	207	**1897**
TRO-4227-56-CB	189	**1769**
TRO-4227-56-CC	189	**1698**
TRO-4227-56-CF	189	**1769**
TRO-4237-56-CB	189	**1877**
TRO-4237-56-CC	189	**1806**
TRO-4237-56-CF	189	**1877**
TRO-4297-04-BB	94	**2181**
TRO-4297-04-CC	94	**1300**
TRO-4297-04-GG	94	**3685**
TRO-4297-04-KK	94	**1724**
TRO-4297-04-KM	94	**2149**
TRO-4297-04-LL	94	**2149**
TRO-4297-04-MM†	94	**2149**
TRO-4297-04-NN	94	**1870**
TRO-4297-04-TT	94	**3109**
TRO-4297-04-VV	94	**3109**
TRO-4297-04-YY	94	**1967**
TRO-4298-66-BB	208	**2032**
TRO-4298-66-CC	208	**1211**
TRO-4298-66-GG	208	**3430**
TRO-4298-66-KK	208	**1606**
TRO-4298-66-LL	208	**1997**
TRO-4298-66-MM	208	**1997**
TRO-4298-66-NN	208	**1735**
TRO-4298-66-TT	208	**2924**
TRO-4298-66-VV	208	**2924**
TRO-4298-66-YY	208	**1838**
TRO-4303-20-BB	131	**4297**
TRO-4303-20-CC	131	**2470**
TRO-4303-20-GG	131	**7175**
TRO-4303-20-KK	131	**3277**
TRO-4303-20-LL	131	**4091**
TRO-4303-20-MM	131	**4091**
TRO-4303-20-NN	131	**3558**
TRO-4303-20-TT	131	**6157**
TRO-4303-20-VV	131	**6157**
TRO-4303-20-YY	131	**3741**
TRO-4303-66-BB	208	**3010**
TRO-4303-66-CC	208	**1615**
TRO-4303-66-GG	208	**5037**
TRO-4303-66-KK	208	**2168**
TRO-4303-66-LL	208	**2842**
TRO-4303-66-MM	208	**2842**
TRO-4303-66-NN	208	**2481**
TRO-4303-66-TT	208	**4355**
TRO-4303-66-VV	208	**4355**
TRO-4303-66-YY	208	**2609**
TRO-4303-80-BB	259	**2943**
TRO-4303-80-CC	259	**1586**
TRO-4303-80-GG	259	**5049**
TRO-4303-80-KK	259	**2095**
TRO-4303-80-LL	259	**2708**
TRO-4303-80-MM†	259	**2708**
TRO-4303-80-NN	259	**2364**
TRO-4303-80-TT	259	**4389**
TRO-4303-80-VV	259	**4389**
TRO-4303-80-YY	259	**2497**
TRO-4304-80-BB	260	**3155**
TRO-4304-80-CC	260	**1682**
TRO-4304-80-GG	260	**5277**
TRO-4304-80-KK	260	**2222**
TRO-4304-80-LL	260	**2861**
TRO-4304-80-MM†	260	**2861**
TRO-4304-80-NN	260	**2499**
TRO-4304-80-TT	260	**4619**
TRO-4304-80-VV	260	**4619**
TRO-4304-80-YY	260	**2619**
TRO-4305-20-BB	132	**4297**
TRO-4305-20-CC	132	**2470**
TRO-4305-20-GG	132	**7175**
TRO-4305-20-KK	132	**3277**
TRO-4305-20-LL	132	**4091**
TRO-4305-20-MM	132	**4091**
TRO-4305-20-NN	132	**3558**
TRO-4305-20-TT	132	**6157**
TRO-4305-20-VV	132	**6157**
TRO-4305-20-YY	132	**3741**
TRO-4306-04-BB	95	**3067**
TRO-4306-04-CC	95	**1760**
TRO-4306-04-GG	95	**5371**
TRO-4306-04-KK	95	**2328**
TRO-4306-04-KM	95	**2917**
TRO-4306-04-LL	95	**2917**
TRO-4306-04-MM†	95	**2917**
TRO-4306-04-NN	95	**2544**
TRO-4306-04-TT	95	**4613**
TRO-4306-04-VV	95	**4613**
TRO-4306-04-YY	95	**2680**
TRO-4307-45-BB	156	**2997**
TRO-4307-45-CC	156	**1718**
TRO-4307-45-GG	156	**5255**
TRO-4307-45-KK	156	**2271**
TRO-4307-45-LL	156	**2846**
TRO-4307-45-MM†	156	**2846**
TRO-4307-45-NN	156	**2480**
TRO-4307-45-TT	156	**4515**
TRO-4307-45-VV	156	**4515**
TRO-4307-45-YY	156	**2616**
TRO-4307-46-BB	171	**3445**
TRO-4307-46-CC	171	**1959**
TRO-4307-46-GG	171	**5799**
TRO-4307-46-KK	171	**2621**
TRO-4307-46-LL	171	**3297**
TRO-4307-46-MM†	171	**3297**
TRO-4307-46-NN	171	**2873**
TRO-4307-46-TT	171	**4983**
TRO-4307-46-VV	171	**4983**
TRO-4307-46-YY	171	**3023**
TRO-4308-04-CC	95	**1701**
TRO-4308-04-KK	95	**2225**
TRO-4308-04-KM	95	**2941**
TRO-4308-04-LL	95	**2941**
TRO-4308-04-MM†	95	**2941**
TRO-4308-04-NN	95	**2575**
TRO-4308-66-BB	208	**2675**
TRO-4308-66-CC	208	**1460**
TRO-4308-66-GG	208	**4646**
TRO-4308-66-KK	208	**1920**
TRO-4308-66-LL	208	**2499**
TRO-4308-66-MM	208	**2499**
TRO-4308-66-NN	208	**2180**
TRO-4308-66-TT	208	**4009**
TRO-4308-66-VV	208	**4009**
TRO-4308-66-YY	208	**2309**
TRO-4309-45-CC	156	**1641**
TRO-4309-45-KK	156	**2170**
TRO-4309-45-LL	156	**2872**
TRO-4309-45-MM†	156	**2872**
TRO-4309-45-NN	156	**2514**
TRO-4309-66-CC	209	**1474**
TRO-4309-66-KK	209	**1939**
TRO-4309-66-KM	209	**2524**
TRO-4309-66-LL	209	**2524**
TRO-4309-66-MM	209	**2524**
TRO-4309-66-NN	209	**2214**
TRO-4317-04-CC	96	**1592**
TRO-4317-04-KK	96	**2098**
TRO-4317-66-CC	209	**1347**
TRO-4317-66-KK	209	**1694**
TRO-4317-66-LL	209	**2440**
TRO-4317-66-MM	209	**2440**
TRO-4317-66-NN	209	**2141**
TRO-4393-66-BB	209	**3403**
TRO-4393-66-CC	209	**1872**
TRO-4393-66-GG	209	**5640**
TRO-4393-66-KK	209	**2477**
TRO-4393-66-LL	209	**3083**
TRO-4393-66-MM†	209	**3083**
TRO-4393-66-NN	209	**2689**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
TRO-4393-66-TT	209	**4886**
TRO-4393-66-VV	209	**4886**
TRO-4393-66-YY	209	**2837**
TRR-2801-80-BB	249	**1800**
TRR-2801-80-CC	249	**979**
TRR-2801-80-GG	249	**3536**
TRR-2801-80-KK	249	**1319**
TRR-2801-80-LL	249	**1687**
TRR-2801-80-MM†	249	**1687**
TRR-2801-80-NN	249	**1454**
TRR-2801-80-TT	249	**3243**
TRR-2801-80-VV	249	**3243**
TRR-2801-80-YY	249	**1611**
TRR-2802-20-BB	128	**3200**
TRR-2802-20-CC	128	**1843**
TRR-2802-20-GG	128	**5482**
TRR-2802-20-KK	128	**2445**
TRR-2802-20-LL	128	**3088**
TRR-2802-20-MM	128	**3088**
TRR-2802-20-NN	128	**2680**
TRR-2802-20-TT	128	**4809**
TRR-2802-20-VV	128	**4809**
TRR-2802-20-YY	128	**2822**
TRR-2804-20-BB	128	**3200**
TRR-2804-20-CC	128	**1843**
TRR-2804-20-GG	128	**5482**
TRR-2804-20-KK	128	**2445**
TRR-2804-20-LL	128	**3088**
TRR-2804-20-MM	128	**3088**
TRR-2804-20-NN	128	**2680**
TRR-2804-20-TT	128	**4809**
TRR-2804-20-VV	128	**4809**
TRR-2804-20-YY	128	**2822**
TRR-2805-04-BB	92	**2096**
TRR-2805-04-CC	92	**1030**
TRR-2805-04-GG	92	**3869**
TRR-2805-04-KK	92	**1408**
TRR-2805-04-KM	92	**1906**
TRR-2805-04-LL	92	**1906**
TRR-2805-04-MM†	92	**1906**
TRR-2805-04-NN	92	**1584**
TRR-2805-04-TT	92	**3534**
TRR-2805-04-VV	92	**3534**
TRR-2805-04-YY	92	**1822**
TRR-2805-45-BB	153	**2076**
TRR-2805-45-CC	153	**1073**
TRR-2805-45-GG	153	**3830**
TRR-2805-45-KK	153	**1467**
TRR-2805-45-LL	153	**1880**
TRR-2805-45-MM†	92	**1880**
TRR-2805-45-NN	153	**1647**
TRR-2805-45-TT	153	**3499**
TRR-2805-45-VV	153	**3499**
TRR-2805-45-YY	153	**1801**
TRR-2805-66-BB	204	**1937**
TRR-2805-66-CC	204	**1009**
TRR-2805-66-GG	204	**3572**
TRR-2805-66-KK	204	**1378**
TRR-2805-66-KM	204	**1763**
TRR-2805-66-LL	204	**1763**
TRR-2805-66-MM	204	**1763**
TRR-2805-66-NN	204	**1544**
TRR-2805-66-TT	204	**3257**
TRR-2805-66-VV	204	**3257**
TRR-2805-66-YY	204	**1698**
TRR-2805-95-BB	105	**2479**
TRR-2805-95-CC	105	**1252**
TRR-2805-95-GG	105	**4293**
TRR-2805-95-KK	105	**1711**
TRR-2805-95-LL	105	**2240**
TRR-2805-95-MM†	105	**2240**
TRR-2805-95-NN	105	**1961**
TRR-2805-95-TT	105	**3891**
TRR-2805-95-VV	105	**3891**
TRR-2805-95-YY	105	**2126**
TRR-2806-45-CC	154	**942**
TRR-2806-45-KK	154	**1275**
TRR-2806-45-LL	154	**1630**
TRR-2806-45-MM†	154	**1630**
TRR-2806-45-NN	154	**1370**
TRR-2810-66-CC	204	**879**
TRR-2810-66-KK	204	**1187**
TRR-2810-66-LL	204	**1513**
TRR-2810-66-MM	204	**1513**
TRR-2810-66-NN	204	**1342**
TRR-2811-80-CC	250	**994**
TRR-2811-80-KK	250	**1338**
TRR-2815-04-CC	92	**1050**
TRR-2815-04-KK	92	**1437**
TRR-2815-45-CC	154	**1035**
TRR-2815-45-KK	154	**1417**
TRR-2815-46-CC	169	**1049**
TRR-2815-46-KK	169	**1438**
TRR-2815-46-LL	169	**1847**
TRR-2815-46-MM†	169	**1847**
TRR-2815-46-NN	169	**1632**
TRR-2816-66-CC	205	**960**
TRR-2816-66-KK	205	**1313**
TRR-2826-66-CC	205	**920**
TRR-2826-66-KK	205	**1259**
TRR-2826-66-LL	205	**1704**
TRR-2826-66-MM	205	**1704**
TRR-2826-66-NN	205	**1426**
TRR-2891-80-BB	251	**1518**
TRR-2891-80-CC	251	**864**
TRR-2891-80-GG	251	**2783**
TRR-2891-80-KK	251	**1172**
TRR-2891-80-LL	251	**1471**
TRR-2891-80-MM†	251	**1471**
TRR-2891-80-NN	251	**1264**
TRR-2891-80-TT	251	**2499**
TRR-2891-80-VV	251	**2499**
TRR-2891-80-YY	251	**1412**
TRR-2892-80-BB	252	**1587**
TRR-2892-80-CC	252	**905**
TRR-2892-80-GG	252	**2899**
TRR-2892-80-KK	252	**1228**
TRR-2892-80-LL	252	**1538**
TRR-2892-80-MM†	252	**1538**
TRR-2892-80-NN	252	**1322**
TRR-2892-80-TT	252	**2605**
TRR-2892-80-VV	252	**2605**
TRR-2892-80-YY	252	**1474**
TRR-2896-46-BB	169	**1829**
TRR-2896-46-CC	169	**971**
TRR-2896-46-GG	169	**3131**
TRR-2896-46-KK	169	**1341**
TRR-2896-46-LL	169	**1689**
TRR-2896-46-MM†	169	**1689**
TRR-2896-46-NN	169	**1480**
TRR-2896-46-TT	169	**2805**
TRR-2896-46-VV	169	**2805**
TRR-2896-46-YY	169	**1629**
TRR-2896-66-BB	205	**1723**
TRR-2896-66-CC	205	**928**
TRR-2896-66-GG	205	**2969**
TRR-2896-66-KK	205	**1279**
TRR-2896-66-LL	205	**1611**
TRR-2896-66-MM	205	**1611**
TRR-2896-66-NN	205	**1410**
TRR-2896-66-TT	205	**2651**
TRR-2896-66-VV	205	**2651**
TRR-2896-66-YY	205	**1548**
TRR-2915-04-CC	92	**1132**
TRR-2915-04-KK	92	**1541**
TRR-2915-45-CC	154	**1117**
TRR-2915-45-KK	154	**1521**
TRR-2915-66-CC	206	**961**
TRR-3301-80-BB	253	**1908**
TRR-3301-80-CC	253	**1175**
TRR-3301-80-GG	253	**3101**
TRR-3301-80-KK	253	**1563**
TRR-3301-80-LL	253	**1906**
TRR-3301-80-MM†	253	**1906**
TRR-3301-80-NN	253	**1628**
TRR-3301-80-TT	253	**2773**
TRR-3301-80-VV	253	**2773**
TRR-3301-80-YY	253	**1753**
TRR-3302-20-BB	128	**2726**
TRR-3302-20-CC	128	**1604**
TRR-3302-20-GG	128	**4481**
TRR-3302-20-KK	128	**2142**
TRR-3302-20-LL	128	**2661**
TRR-3302-20-MM	128	**2661**
TRR-3302-20-NN	128	**2307**
TRR-3302-20-TT	128	**3937**
TRR-3302-20-VV	128	**3937**
TRR-3302-20-YY	128	**2449**
TRR-3302-45-BB	155	**2410**
TRR-3302-45-CC	155	**1462**
TRR-3302-45-GG	155	**3829**
TRR-3302-45-KK	155	**1942**
TRR-3302-45-LL	155	**2366**
TRR-3302-45-MM†	155	**2366**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TRR-3302-45-NN	155	**2030**
TRR-3302-45-TT	155	**3405**
TRR-3302-45-VV	155	**3405**
TRR-3302-45-YY	155	**2170**
TRR-3302-47-BA	181	**4029**
TRR-3302-47-CA	181	**2277**
TRR-3302-47-GA	181	**6135**
TRR-3302-47-KA	181	**3371**
TRR-3302-47-LA	181	**3915**
TRR-3302-47-MA	181	**3915**
TRR-3302-47-NA	181	**3171**
TRR-3302-47-TA	181	**4961**
TRR-3302-47-VA	181	**4961**
TRR-3302-47-YA	181	**3333**
TRR-3302-66-BB	206	**2410**
TRR-3302-66-CC	206	**1462**
TRR-3302-66-GG	206	**3829**
TRR-3302-66-KK	206	**1942**
TRR-3302-66-LL	206	**2366**
TRR-3302-66-MM†	206	**2366**
TRR-3302-66-NN	206	**2030**
TRR-3302-66-TT	206	**3405**
TRR-3302-66-VV	206	**3405**
TRR-3302-66-YY	206	**2170**
TRR-3302-80-BB	254	**2119**
TRR-3302-80-CC	254	**1271**
TRR-3302-80-GG	254	**3329**
TRR-3302-80-KK	254	**1690**
TRR-3302-80-LL	254	**2060**
TRR-3302-80-MM†	254	**2060**
TRR-3302-80-NN	254	**1763**
TRR-3302-80-TT	254	**3003**
TRR-3302-80-VV	254	**3003**
TRR-3302-80-YY	254	**1875**
TRR-3304-20-BB	129	**2726**
TRR-3304-20-CC	129	**1604**
TRR-3304-20-GG	129	**4481**
TRR-3304-20-KK	129	**2142**
TRR-3304-20-LL	129	**2661**
TRR-3304-20-MM	129	**2661**
TRR-3304-20-NN	129	**2307**
TRR-3304-20-TT	129	**3937**
TRR-3304-20-VV	129	**3937**
TRR-3304-20-YY	129	**2449**
TRR-3352-47-BA	181	**4323**
TRR-3352-47-CA	181	**2298**
TRR-3352-47-GA	181	**6744**
TRR-3352-47-KA	181	**3403**
TRR-3352-47-LA	181	**4062**
TRR-3352-47-MA	181	**4062**
TRR-3352-47-NA	181	**3376**
TRR-3352-47-TA	181	**5638**
TRR-3352-47-VA	181	**5638**
TRR-3352-47-YA	181	**3518**
TRR-3420-16-BB	113	**2189**
TRR-3420-16-CC	113	**1125**
TRR-3420-16-GG	113	**3975**
TRR-3420-16-KK	113	**1543**
TRR-3420-16-LL	113	**2036**
TRR-3420-16-MM†	113	**2036**
TRR-3420-16-NN	113	**1773**
TRR-3420-16-TT	113	**3725**
TRR-3420-16-VV	113	**3725**
TRR-3420-16-YY	113	**1908**
TRR-3420-18-BB	114	**2189**
TRR-3420-18-CB	114	**1125**
TRR-3420-18-CC	114	**1125**
TRR-3420-18-GB	114	**3975**
TRR-3420-18-GG	114	**3975**
TRR-3420-18-KB	114	**1543**
TRR-3420-18-KK	114	**1543**
TRR-3420-18-LB	114	**2036**
TRR-3420-18-LL	114	**2036**
TRR-3420-18-MB	114	**2036**
TRR-3420-18-MM†	114	**2036**
TRR-3420-18-NB	114	**1773**
TRR-3420-18-NN	114	**1773**
TRR-3420-18-TB	114	**3725**
TRR-3420-18-TT	114	**3725**
TRR-3420-18-VB	114	**3725**
TRR-3420-18-VV	114	**3725**
TRR-3420-18-YB	114	**1908**
TRR-3420-18-YY	114	**1908**
TRR-3421-71-BB	217	**2801**
TRR-3421-71-CC	217	**1435**
TRR-3421-71-GG	217	**4725**
TRR-3421-71-KK	217	**2003**
TRR-3421-71-LL	217	**2596**
TRR-3421-71-MM†	217	**2596**
TRR-3421-71-NN	217	**2217**
TRR-3421-71-TT	217	**4329**
TRR-3421-71-VV	217	**4329**
TRR-3421-71-YY	217	**2390**
TRR-3421-72-BB	218	**2801**
TRR-3421-72-CC	218	**1435**
TRR-3421-72-GG	218	**4725**
TRR-3421-72-KK	218	**2003**
TRR-3421-72-LL	218	**2596**
TRR-3421-72-MM†	218	**2596**
TRR-3421-72-NN	218	**2217**
TRR-3421-72-TT	218	**4329**
TRR-3421-72-VV	218	**4329**
TRR-3421-72-YY	218	**2390**
TRR-3421-74-BB	223	**2801**
TRR-3421-74-CB	223	**1435**
TRR-3421-74-GB	223	**4725**
TRR-3421-74-KB	223	**2003**
TRR-3421-74-LB	223	**2596**
TRR-3421-74-MB	223	**2596**
TRR-3421-74-NB	223	**2217**
TRR-3421-74-TB	223	**4329**
TRR-3421-74-VB	223	**4329**
TRR-3421-74-YB	223	**2390**
TRR-3950-04-BB	93	**4428**
TRR-3950-04-CC	93	**2480**
TRR-3950-04-GG	93	**6997**
TRR-3950-04-KK	93	**3335**
TRR-3950-04-LL	93	**4165**
TRR-3950-04-MM†	93	**4165**
TRR-3950-04-NN	93	**3559**
TRR-3950-04-TT	93	**6521**
TRR-3950-04-VV	93	**6521**
TRR-3950-04-YY	93	**3789**
TRR-3950-46-BB	170	**4893**
TRR-3950-46-CC	170	**2670**
TRR-3950-46-GG	170	**7496**
TRR-3950-46-KK	170	**3616**
TRR-3950-46-LL	170	**4532**
TRR-3950-46-MM†	170	**4532**
TRR-3950-46-NN	170	**3918**
TRR-3950-46-TT	170	**7127**
TRR-3950-46-VV	170	**7127**
TRR-3950-46-YY	170	**4147**
TRR-4203-20-BB	130	**3807**
TRR-4203-20-CC	130	**2190**
TRR-4203-20-GG	130	**6418**
TRR-4203-20-KK	130	**2905**
TRR-4203-20-LL	130	**3642**
TRR-4203-20-MM	130	**3642**
TRR-4203-20-NN	130	**3165**
TRR-4203-20-TT	130	**5540**
TRR-4203-20-VV	130	**5540**
TRR-4203-20-YY	130	**3325**
TRR-4203-80-BB	257	**2590**
TRR-4203-80-CC	257	**1461**
TRR-4203-80-GG	257	**4570**
TRR-4203-80-KK	257	**1940**
TRR-4203-80-LL	257	**2435**
TRR-4203-80-MM†	257	**2435**
TRR-4203-80-NN	257	**2119**
TRR-4203-80-TT	257	**3992**
TRR-4203-80-VV	257	**3992**
TRR-4203-80-YY	257	**2239**
TRR-4204-80-BB	258	**2802**
TRR-4204-80-CC	258	**1557**
TRR-4204-80-GG	258	**4798**
TRR-4204-80-KK	258	**2067**
TRR-4204-80-LL	258	**2589**
TRR-4204-80-MM†	258	**2589**
TRR-4204-80-NN	258	**2254**
TRR-4204-80-TT	258	**4222**
TRR-4204-80-VV	258	**4222**
TRR-4204-80-YY	258	**2362**
TRR-4205-20-BB	131	**3807**
TRR-4205-20-CC	131	**2190**
TRR-4205-20-GG	131	**6418**
TRR-4205-20-KK	131	**2905**
TRR-4205-20-LL	131	**3642**
TRR-4205-20-MM	131	**3642**
TRR-4205-20-NN	131	**3165**
TRR-4205-20-TT	131	**5540**
TRR-4205-20-VV	131	**5540**
TRR-4205-20-YY	131	**3325**
TRR-4206-04-BB	93	**2463**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

PRICE INDEX

CODE	PAGE	PRICE
TRR-4206-04-CC	93	**1416**
TRR-4206-04-GG	93	**4438**
TRR-4206-04-KK	93	**1871**
TRR-4206-04-KM	93	**2366**
TRR-4206-04-LL	93	**2366**
TRR-4206-04-MM†	93	**2366**
TRR-4206-04-NN	93	**2061**
TRR-4206-04-TT	93	**3854**
TRR-4206-04-VV	93	**3854**
TRR-4206-04-YY	93	**2167**
TRR-4207-05-BB	106	**2811**
TRR-4207-05-CC	106	**1567**
TRR-4207-05-GG	106	**4808**
TRR-4207-05-KK	106	**2084**
TRR-4207-05-LL	106	**2674**
TRR-4207-05-MM†	106	**2674**
TRR-4207-05-NN	106	**2326**
TRR-4207-05-TT	106	**4160**
TRR-4207-05-VV	106	**4160**
TRR-4207-05-YY	106	**2443**
TRR-4207-45-BB	155	**2443**
TRR-4207-45-CC	155	**1401**
TRR-4207-45-GG	155	**4399**
TRR-4207-45-KK	155	**1852**
TRR-4207-45-LL	155	**2340**
TRR-4207-45-MM†	155	**2340**
TRR-4207-45-NN	155	**2036**
TRR-4207-45-TT	155	**3819**
TRR-4207-45-VV	155	**3819**
TRR-4207-45-YY	155	**2146**
TRR-4207-46-BB	170	**2841**
TRR-4207-46-CC	170	**1614**
TRR-4207-46-GG	170	**4866**
TRR-4207-46-KK	170	**2163**
TRR-4207-46-LL	170	**2745**
TRR-4207-46-MM†	170	**2745**
TRR-4207-46-NN	170	**2389**
TRR-4207-46-TT	170	**4224**
TRR-4207-46-VV	170	**4224**
TRR-4207-46-YY	170	**2510**
TRR-4208-04-CC	94	**1355**
TRR-4208-04-KK	94	**1791**
TRR-4208-04-KM	94	**2389**
TRR-4208-04-LL	94	**2389**
TRR-4208-04-MM†	94	**2389**
TRR-4208-04-NN	94	**2091**
TRR-4208-66-BB	207	**2322**
TRR-4208-66-CC	207	**1336**
TRR-4208-66-GG	207	**4167**
TRR-4208-66-KK	207	**1784**
TRR-4208-66-LL	207	**2252**
TRR-4208-66-MM	207	**2252**
TRR-4208-66-NN	207	**1970**
TRR-4208-66-TT	207	**3612**
TRR-4208-66-VV	207	**3612**
TRR-4208-66-YY	207	**2052**
TRR-4209-45-CC	156	**1341**
TRR-4209-45-KK	156	**1871**
TRR-4209-45-LL	156	**2366**
TRR-4209-45-MM†	156	**2366**
TRR-4209-45-NN	156	**2070**
TRR-4209-66-CC	207	**1350**
TRR-4209-66-KK	207	**1784**
TRR-4209-66-KM	207	**2252**
TRR-4209-66-LL	207	**2252**
TRR-4209-66-MM	207	**2252**
TRR-4209-66-NN	207	**1970**
TRR-4216-04-CC	94	**1233**
TRR-4216-04-KK	94	**1630**
TRR-4217-05-CC	106	**1491**
TRR-4217-05-KK	106	**1982**
TRR-4217-46-CC	171	**1394**
TRR-4217-46-KK	171	**1842**
TRR-4217-46-LL	171	**2330**
TRR-4217-46-MM†	171	**2330**
TRR-4217-46-NN	171	**2040**
TRR-4217-66-CC	207	**1257**
TRR-4217-66-KK	207	**1535**
TRR-4217-66-LL	207	**2167**
TRR-4217-66-MM	207	**2167**
TRR-4217-66-NN	207	**1897**
TRR-4227-56-CB	189	**1769**
TRR-4227-56-CC	189	**1698**
TRR-4227-56-CF	189	**1769**
TRR-4237-56-CB	189	**1877**
TRR-4237-56-CC	189	**1806**
TRR-4237-56-CF	189	**1877**
TRR-4297-04-BB	94	**2181**
TRR-4297-04-CC	94	**1300**
TRR-4297-04-GG	94	**3685**
TRR-4297-04-KK	94	**1724**
TRR-4297-04-KM	94	**2149**
TRR-4297-04-LL	94	**2149**
TRR-4297-04-MM†	94	**2149**
TRR-4297-04-NN	94	**1870**
TRR-4297-04-TT	94	**3109**
TRR-4297-04-VV	94	**3109**
TRR-4297-04-YY	94	**1967**
TRR-4298-66-BB	208	**2032**
TRR-4298-66-CC	208	**1211**
TRR-4298-66-GG	208	**3430**
TRR-4298-66-KK	208	**1606**
TRR-4298-66-LL	208	**1997**
TRR-4298-66-MM	208	**1997**
TRR-4298-66-NN	208	**1735**
TRR-4298-66-TT	208	**2924**
TRR-4298-66-VV	208	**2924**
TRR-4298-66-YY	208	**1838**
TRR-4303-20-BB	131	**4297**
TRR-4303-20-CC	131	**2470**
TRR-4303-20-GG	131	**7175**
TRR-4303-20-KK	131	**3277**
TRR-4303-20-LL	131	**4091**
TRR-4303-20-MM	131	**4091**
TRR-4303-20-NN	131	**3558**
TRR-4303-20-TT	131	**6157**
TRR-4303-20-VV	131	**6157**
TRR-4303-20-YY	131	**3741**
TRR-4303-66-BB	208	**3010**
TRR-4303-66-CC	208	**1615**
TRR-4303-66-GG	208	**5037**
TRR-4303-66-KK	208	**2168**
TRR-4303-66-LL	208	**2842**
TRR-4303-66-MM	208	**2842**
TRR-4303-66-NN	208	**2481**
TRR-4303-66-TT	208	**4355**
TRR-4303-66-VV	208	**4355**
TRR-4303-66-YY	208	**2609**
TRR-4303-80-BB	259	**2943**
TRR-4303-80-CC	259	**1586**
TRR-4303-80-GG	259	**5049**
TRR-4303-80-KK	259	**2095**
TRR-4303-80-LL	259	**2708**
TRR-4303-80-MM†	259	**2708**
TRR-4303-80-NN	259	**2364**
TRR-4303-80-TT	259	**4389**
TRR-4303-80-VV	259	**4389**
TRR-4303-80-YY	259	**2497**
TRR-4304-80-BB	260	**3155**
TRR-4304-80-CC	260	**1682**
TRR-4304-80-GG	260	**5277**
TRR-4304-80-KK	260	**2222**
TRR-4304-80-LL	260	**2861**
TRR-4304-80-MM†	260	**2861**
TRR-4304-80-NN	260	**2499**
TRR-4304-80-TT	260	**4619**
TRR-4304-80-VV	260	**4619**
TRR-4304-80-YY	260	**2619**
TRR-4305-20-BB	132	**4297**
TRR-4305-20-CC	132	**2470**
TRR-4305-20-GG	132	**7175**
TRR-4305-20-KK	132	**3277**
TRR-4305-20-LL	132	**4091**
TRR-4305-20-MM	132	**4091**
TRR-4305-20-NN	132	**3558**
TRR-4305-20-TT	132	**6157**
TRR-4305-20-VV	132	**6157**
TRR-4305-20-YY	132	**3741**
TRR-4306-04-BB	95	**3067**
TRR-4306-04-CC	95	**1760**
TRR-4306-04-GG	95	**5371**
TRR-4306-04-KK	95	**2328**
TRR-4306-04-KM	95	**2917**
TRR-4306-04-LL	95	**2917**
TRR-4306-04-MM†	95	**2917**
TRR-4306-04-NN	95	**2544**
TRR-4306-04-TT	95	**4613**
TRR-4306-04-VV	95	**4613**
TRR-4306-04-YY	95	**2680**
TRR-4307-45-BB	156	**2997**
TRR-4307-45-CC	156	**1718**
TRR-4307-45-GG	156	**5255**
TRR-4307-45-KK	156	**2271**
TRR-4307-45-LL	156	**2846**

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

PRICE INDEX

CODE	PAGE	PRICE
TRR-4307-45-MM†	156	**2846**
TRR-4307-45-NN	156	**2480**
TRR-4307-45-TT	156	**4515**
TRR-4307-45-VV	156	**4515**
TRR-4307-45-YY	156	**2616**
TRR-4307-46-BB	171	**3445**
TRR-4307-46-CC	171	**1959**
TRR-4307-46-GG	171	**5799**
TRR-4307-46-KK	171	**2621**
TRR-4307-46-LL	171	**3297**
TRR-4307-46-MM†	171	**3297**
TRR-4307-46-NN	171	**2873**
TRR-4307-46-TT	171	**4983**
TRR-4307-46-VV	171	**4983**
TRR-4307-46-YY	171	**3023**
TRR-4308-04-CC	95	**1701**
TRR-4308-04-KK	95	**2225**
TRR-4308-04-KM	95	**2941**
TRR-4308-04-LL	95	**2941**
TRR-4308-04-MM†	95	**2941**
TRR-4308-04-NN	95	**2575**
TRR-4308-66-BB	208	**2675**
TRR-4308-66-CC	208	**1460**
TRR-4308-66-GG	208	**4646**
TRR-4308-66-KK	208	**1920**
TRR-4308-66-LL	208	**2499**
TRR-4308-66-MM	208	**2499**
TRR-4308-66-NN	208	**2180**
TRR-4308-66-TT	208	**4009**
TRR-4308-66-VV	208	**4009**
TRR-4308-66-YY	208	**2309**
TRR-4309-45-CC	156	**1641**
TRR-4309-45-KK	156	**2170**
TRR-4309-45-LL	156	**2872**
TRR-4309-45-MM†	156	**2872**
TRR-4309-45-NN	156	**2514**
TRR-4309-66-CC	209	**1474**
TRR-4309-66-KK	209	**1939**
TRR-4309-66-KM	209	**2524**
TRR-4309-66-LL	209	**2524**
TRR-4309-66-MM	209	**2524**
TRR-4309-66-NN	209	**2214**
TRR-4317-04-CC	96	**1592**
TRR-4317-04-KK	96	**2098**
TRR-4317-66-CC	209	**1347**
TRR-4317-66-KK	209	**1694**
TRR-4317-66-LL	209	**2440**
TRR-4317-66-MM	209	**2440**
TRR-4317-66-NN	209	**2141**
TRR-4393-66-BB	209	**3403**
TRR-4393-66-CC	209	**1872**
TRR-4393-66-GG	209	**5640**
TRR-4393-66-KK	209	**2477**
TRR-4393-66-LL	209	**3083**
TRR-4393-66-MM†	209	**3083**
TRR-4393-66-NN	209	**2689**
TRR-4393-66-TT	209	**4886**
TRR-4393-66-VV	209	**4886**

CODE	PAGE	PRICE
TRR-4393-66-YY	209	**2837**
VAL-2650-00-BB	296	**1159**
VAL-2650-00-CC	296	**549**
VAL-2650-00-GG	296	**1482**
VAL-2650-00-KK	296	**811**
VAL-2650-00-LL	296	**1048**
VAL-2650-00-MM†	296	**1048**
VAL-2650-00-NN	296	**811**
VAL-2650-00-TT	296	**1274**
VAL-2650-00-VV	296	**1274**
VAL-2650-00-YY	296	**841**

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

New Products

NEW KITCHEN PRODUCTS


C35-3130-26-xx

CEC

Available Q3 2026

Cx	Kx	Bx	Ex	Jx
1455	1595	1595	1595	1595





Single handle 2-piece kitchen faucet (without handle)

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink
- Custom installation: please refer to the installation manual and spec sheet

Water Saving Option


Codes	Reduced Flow Rate
C35-3130-26-xx-150	1.5 gpm (5.7 l/min) - 60 psi

M35-3130-80-xx

Available Q3 2026

Cx	Kx	Bx	Ex	Jx
330	390	390	390	390





Handle kit for single handle 2-piece kitchen faucet C35


- Handle kit required to complete the following products: C35-3130-26-xx
- Available in 2 tones
- Custom installation: please refer to the installation manual and spec sheet

DIS-9035-00-xx

Available Q3 2026*

CC	KK	BB	EE*	JJ*
179	228	234	247	247





Modern soap dispenser


- Custom designed to match BARIL faucets
- Made of solid brass, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2-1/8" thickness

GAP-9235-00-xx

Available Q3 2026*

CC	KK	BB	EE*	JJ*
80	97	115	105	105





Dishwasher air gap


- Custom designed to match BARIL faucets
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Trim made from solid brass
- Fits 1-3/8" hole
- For counter up to 1-1/2" thickness

INA-9035-02-xx

Available Q3 2026*

CC	KK	BB	EE*	JJ*
359	443	470	443	443





Air switch

- Custom designed to match BARIL faucets
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Trim made from solid brass
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

NEW KITCHEN PRODUCTS


CUI-9635-02L-xx

CEC

S2
1395

316L MARINE GRADE STAINLESS STEEL





Outdoor stainless steel kitchen faucet with 2-function pull-down spray

- Made from 316L marine-grade stainless steel
- Designed for installation in an outdoor or indoor kitchen
- 19" height and high-arch design
- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 316L stainless steel 2-function spray
- Swivel spout allowing to reach all areas of the sink

Water Saving Option

Code	Reduced Flow Rate
CUI-9635-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi


CUI-9640-02L-xx

CEC

S2
1295

316L MARINE GRADE STAINLESS STEEL





Outdoor stainless steel kitchen faucet with 2-function pull-down spray

- Made from 316L marine-grade stainless steel
- Designed for installation in an outdoor or indoor kitchen
- 16" height and high-arch design
- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 316L stainless steel 2-function spray
- Swivel spout allowing to reach all areas of the sink

Water Saving Option


Code	Reduced Flow Rate
CUI-9640-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-4096-00L-xx

S2
545

316L MARINE GRADE STAINLESS STEEL





Stainless steel single-hole faucet for water filtration system

- Made from 316L marine-grade stainless steel
- Designed for installation in an outdoor or indoor kitchen
- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1.0 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

NEW KITCHEN PRODUCTS

CUI-4296-00L-xx

S2
1495





Stainless steel wall-mounted pot filler with two handles

- Made from 316L marine-grade stainless steel
- Designed for installation in an outdoor or indoor kitchen
- Max: 5.85 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Laminar aerator
- Swivel double-jointed spout extends up to 23-7/8" (608 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only


Water Saving Option

Code	Reduced Flow Rate
CUI-4296-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

DIS-9060-00-xx

S2
295






Stainless steel soap dispenser

- Custom designed to match BARIL NOX faucets
- Made from 316L marine-grade stainless steel, plastic bottle
- 4" spout reach
- Swivels 360°
- 325 ml bottle that fills up from the top
- Fits 1-1/8" to 1-3/8" hole
- For counter up to 2" thickness

GAP-9660-00-xx

S2
220






Stainless steel dishwasher air gap

- Custom designed to match BARIL NOX faucets
- Made from 316L marine-grade stainless steel
- Prevents waste water from flowing back into the dishwasher
- Plastic rough included
- Fits 1-3/8" hole
- For counter up to 1-7/8" thickness

INA-9060-02-xx

S2
495





Stainless steel air switch

- Custom designed to match BARIL NOX faucets
- Made from 316L marine-grade stainless steel
- Pressing the air switch will alternately turn on or off two devices
- Control box included
- Fits 1-1/4" to 1-3/8" hole
- For counter up to 1-7/8" thickness

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

NEW KITCHEN PRODUCTS

CUI-9249-02L-xx

ADA CEC





CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
866	1127	1148	1386	1516	1256	1906	2129

Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink


Water Saving Option

Code	Reduced Flow Rate
CUI-9249-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9250-02L-xx

ADA CEC





CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
866	1127	1148	1386	1516	1256	1906	2129

Single-hole kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink


Water Saving Option

Code	Reduced Flow Rate
CUI-9250-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-9255-02L-xx

ADA CEC





CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
825	1073	1093	1320	1444	1196	1815	2028

Single-hole bar / prep kitchen faucet with 2-function pull-down spray

- Max: 1.8 gpm (6,8 l/min) - 60 psi
- 2-function brass spray with automatic docking
- Super Swivel hose connection
- Swivel spout allowing to reach all areas of the sink


Water Saving Option

Code	Reduced Flow Rate
CUI-9255-02L-xx-150	1.5 gpm (5.7 l/min) - 60 psi

CUI-4092-00L-xx

ADA





CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
299	389	396	478	523	514	799	925

Single-hole faucet for water filtration system

- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8” or 1/4” - adaptor included)
- Filtration system not included
- Non-air gap faucet


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

NEW KITCHEN PRODUCTS

CUI-4192-00L-xx

ADA





CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
299	389	396	478	523	514	799	925

Single-hole faucet for water filtration system


- Single-hole faucet for cold water filtration system
- Water flow may vary depending on the filtration system - max: 1 gpm
- One connection (3/8" or 1/4" - adaptor included)
- Filtration system not included
- Non-air gap faucet

CUI-4292-00L-xx

ADA

CC	SS	KK	LL/MM†	BB	YY	VV/TT	GG
1138	1479	1508	1821	1878	1651	2399	2617





Wall-mounted pot filler with two handles

- Max: 2.2 gpm - 60 psi
- Two volume control handles: rotate 90° (1/4 turn)
- Easy-to-clean adjustable silicone aerator
- Swivel double-jointed spout extends up to 22-5/8" (575 mm)
- Swivel limited to 180° on the wall side
- Folds away in a compact way
- 1/2" female NPT connection
- Cold water supply connection only

Water Saving Option

Code	Reduced Flow Rate
CUI-4292-00L-xx-175	6,6 l/min (1.75 gpm) - 60 psi

NEW BATHROOM PRODUCTS


TRIM ONLY FOR FLOOR-MOUNTED TUB FILLER WITH HAND SHOWER

T04-1110-00-xx

COMPLETE FAUCET ADA CEC

48h **Promo Price**
The Essentials





CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM	GG
1999	2649	3198	3498	2799	2899	4398	3198	5397

Trim only for floor-mounted tub filler with hand shower

- Bath spout: 12.0 gpm (45,3 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

† Warm Gold (MM) finish available across all products in Q3.
See: baril design.com/en/disponibilite-produits.


Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

NEW BATHROOM PRODUCTS

T20-111X-00-xx


TRIM ONLY CEC

T20-1112-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2143	2839	3429	3750	3000	3107	4715	5786

T20-1114-00-xx



CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
2143	2839	3429	3750	3000	3107	4715	5786

Trim only for floor-mounted tub filler with hand shower


- Bath spout: 12.0 gpm (45,3 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

T45-1110-00-xx

TRIM ONLY ADA CEC **48h Promo Price The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1999	2649	3198	3498	2799	2899	4398	5397





Trim only for floor-mounted tub filler with hand shower


- Bath spout: 12.0 gpm (45,3 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

T46-1110-00-xx

TRIM ONLY ADA CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2195	2908	3512	3841	3073	3183	4829	5927





Trim only for floor-mounted tub filler with hand shower

- Bath spout: 8.0 gpm (30,4 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- Built-in hook on the hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white,
LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white


NEW BATHROOM PRODUCTS

T66-1110-00-xx

TRIM ONLY ADA CEC 48h **Promo Price The Essentials**

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
1795	2378	2872	3141	2513	2603	3949	2872	4847






Trim only for floor-mounted tub filler with hand shower

- Bath spout: 12.0 gpm (45,3 l/min)
- Tub spout with integrated push-button diverter
- Swivel spout
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

T80-111X-00-xx


TRIM ONLY WITHOUT HANDLE CEC

T80-1111-00-xx



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1768	2358	2866	3144	2494	2588	3985	4911

T80-1112-00-xx



CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1768	2358	2866	3144	2494	2588	3985	4911

Trim only for floor-mounted tub filler with hand shower (without handle)

- Bath spout: 12.0 gpm (45,3 l/min) - 60 psi
- Tub spout with integrated push-button diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Reclining hand shower holder
- 59" (150 cm) double interlock flexible hose, rotating nut with 2 non-return valves
- PVC hose in KK finish or brass for other finishes

ROUGH FOR FLOOR-MOUNTED TUB FILLER

ROU-110C-00-B

225



Rough for floor-mounted tub filler

- For installation in a concrete floor or subfloor with top access
- Easily accessible services valves
- Allows for a 360° installation of the trim

ROU-110W-00-B

195



Rough for floor-mounted tub filler

- For installation on a standard floor with bottom access
- Allows for a 360° installation of the trim

† Warm Gold (MM) finish available across all products in Q3. See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.


NEW BATHROOM PRODUCTS

2-PIECE TUB FILLER WITH HAND SHOWER

B20-124X-00-xx CEC

B20-1248-00-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1175	1557	1880	2056	1645	1704	2585	3173

B20-1249-00-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1175	1557	1880	2056	1645	1704	2585	3173

2-piece tub filler with hand shower


- Bath spout: 11.4 gpm (43 l/min) - 60 psi
- Tub spout with integrated diverter
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- Easy-to-clean hand shower

TRIM ONLY FOR WALL-MOUNTED TUB FAUCET WITH HAND SHOWER

T20-200X-00-xx TRIM ONLY CEC

T20-2003-00-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1145	1517	1832	2004	1603	1660	2519	3092

T20-2004-00-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
1145	1517	1832	2004	1603	1660	2519	3092

Trim only for wall-mounted tub faucet with hand shower

- Bath spout: 13.6 gpm (51,5 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel,
YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white,
LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white


NEW BATHROOM PRODUCTS

T45-2003-00-XX

TRIM ONLY CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1095	1451	1752	1916	1533	1588	2409	2957





Trim only for wall-mounted tub faucet with hand shower


- Bath spout: 14.3 gpm (54 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim

T46-2003-00-XX

TRIM ONLY CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1125	1491	1800	1969	1575	1631	2475	3038





Trim only for wall-mounted tub faucet with hand shower


- Bath spout: 12.7 gpm (48 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim

T66-2003-00-XX

TRIM ONLY CEC

CC	KK	LL/MM	BB	NN	YY	VV/TT	KM	GG
945	1252	1512	1654	1323	1370	2079	1512	2552





Trim only for wall-mounted tub faucet with hand shower

- Bath spout: 12.3 gpm (46,5 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

NEW BATHROOM PRODUCTS


T80-2003-00-xx

TRIM ONLY WITHOUT HANDLE

CEC

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
845	1120	1352	1479	1183	1225	1859	2282






Trim only for wall-mounted tub faucet with hand shower (without handle)

- Bath spout: 12.3 gpm (46,5 l/min) - 60 psi
- Slip-on spout for easier adjustment
- Hand shower: max : 1.75 gpm (6,6 l/min) - 80 psi
- Non-conductive brass hand shower
- PVC hose in KK finish or brass for other finishes
- Easy to install one-piece rough-in
- Cartridge included with the trim

M80-9100-X0-xx

Cx	Kx	Lx/Mx†	Bx	Nx	Yx	Vx/Tx	Gx
116	138	149	154	145	145	161	178



Handle kit for wall-mounted tub faucet with hand shower

- Handle kit required to complete product T80-2003-00-xx
- Made of brass parts

M80-9100-10-xx



M80-9100-20-xx



M80-9100-30-xx



M80-9100-40-xx



COMPLETE PRODUCTS



T80-2003-00-xx + M80-9100-10-xx



T80-2003-00-xx + M80-9100-20-xx



T80-2003-00-xx + M80-9100-30-xx



T80-2003-00-xx + M80-9100-40-xx

WALL-MOUNTED TUB FAUCET ROUGH-IN (WITHOUT CARTRIDGE)



ROUGH Please order the following rough-in to complete the trim:

ROU-2003-99-B	Wall-mounted tub faucet rough-in (without cartridge) - 1/2" female NPT connections	480


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

NEW BATHROOM PRODUCTS

1-2-3-WAY THERMOSTATIC PRESSURE-BALANCED ROUGH-IN

RVA-9501-X0-B

48h **The Essentials**



1-2-3-way thermostatic pressure-balanced rough-in

- 1 outlet: 7.1 gpm (27 l/min) - 60 psi
- 2 outlets: 3.6 gpm (13,5 l/min) - 60 psi
- Use with 1, 2 and 3-way trims
- You can use one accessory with 1-way trims
- Up to 2 accessories can be used at the same time with 2-way and 3-way trims
- The best solution to minimize temperature fluctuations
- Cartridges supplied with the trim
- Reversible check / non-return valves in case of water supply inversion
- Large depth adjustment range
- 1-3/8" decorative extension for thick wall or to correct deep rough-ins: order EXT-9521-31

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

COMPLETE SHOWER KITS

PRO-1101-16-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2035	2697	3256	4204	2850	3163	4477	5496



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 10" shower head
- 3-spray hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1100-16-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

PRO-1101-71-xx

Complete thermostatic shower kit on column

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2035	2697	3256	4204	2850	3163	4477	5496



Features

- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 10" shower head
- 2-spray hand shower
- 2 accessories can work together
- Thermostatic valve with "cool-touch" technology
- Shower head arm adjustable up to 20" in height
- Easy-to-move metal slider with patented design and integrated hook

Water Saving Option CEC

Code	**Features** are the same, **except**:
PRO-1100-71-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

NEW BATHROOM PRODUCTS

PRO-2806-45-xx
PRR-2806-45-xx*

Complete pressure-balanced shower kit

48h **Promo Price The Essentials**

CC	KK	LL/MM†	NN
1386	1719	2074	1814



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T45-9180-01-xx	Trim for type P valve with 2-way diverter
TET-0810-01-xx	8" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2806-45-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2806-45-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2806-45-xx
TRR-2806-45-xx*

CC	KK	LL/MM†	NN
942	1275	1630	1370

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

PRO-2810-66-xx
PRR-2810-66-xx*

Complete pressure-balanced shower kit

CC	KK	LL/MM	NN
1323	1631	1957	1786



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9181-00-B	2-way type P rough-in (NPT / welded copper)
T66-9181-00-xx	Trim for type P valve with 2-way diverter
TET-0813-01-xx	8" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2175-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-2810-66-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-2810-66-xx-NS + RVA-9181-X0-NS-B	- 1 accessory works at a time

TRIM ONLY

TRO-2810-66-xx
TRR-2810-66-xx*

CC	KK	LL/MM	NN
879	1187	1513	1342

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9181-00-B	2-way type P rough-in - 1/2" male NPT or welded copper connections	444
RVA-9181-P0-B	2-way type P rough-in - PEX connections	444

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

NEW BATHROOM PRODUCTS

PRO-3421-71-xx
PRR-3421-71-xx*

Complete thermostatic shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2362	2930	3523	3728	3144	3317	5256	5652



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4'' female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T71-3404-00-xx	Trim for 3/4" thermostatic valve
T71-9641-00-xx	Trim for 2-port diverter with stop
TET-0812-03-xx	8" sunflower shower head
BRA-1812-02-xx	18" shower arm
DGL-2160-03-xx	3-spray sliding shower bar
RAC-9001-13-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3421-71-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3421-71-xx-NS **+** RVA-3404-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3421-71-xx
TRR-3421-71-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1435	2003	2596	2801	2217	2390	4329	4725

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

PRO-3421-72-xx
PRR-3421-72-xx*

Complete thermostatic shower kit

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
2362	2930	3523	3728	3144	3317	5256	5652



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4'' female NPT)
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T72-3404-00-xx	Trim for 3/4" thermostatic valve
T72-9641-00-xx	Trim for 2-port diverter with stop
TET-0812-03-xx	8" sunflower shower head
BRA-1812-02-xx	18" shower arm
DGL-2160-03-xx	3-spray sliding shower bar
RAC-9001-13-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3421-72-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3421-72-xx-NS **+** RVA-3404-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3421-72-xx
TRR-3421-72-xx*

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
1435	2003	2596	2801	2217	2390	4329	4725

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

NEW BATHROOM PRODUCTS

PRO-3421-74-xx
PRR-3421-74-xx*

Complete thermostatic shower kit

CB	KB	LB/MB†	BB	NB	YB	VB/TB	GB
2362	2930	3523	3728	3144	3317	5256	5652



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-3404-00-B	Type T rough-in (3/4'' female NPT)
T74-3404-00-xx	Trim for 3/4" thermostatic valve
RVA-9562-00-B	2-port diverter rough-in (NPT / welded copper)
T74-9641-00-xx	Trim for 2-port diverter with stop
TET-0812-03-xx	8" sunflower shower head
BRA-1812-02-xx	18" shower arm
DGL-2160-03-xx	3-spray sliding shower bar
RAC-9001-13-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-3421-74-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-3421-74-xx-NS **+** RVA-3404-00-B **+** RVA-9562-00-NS-B	

TRIM ONLY

TRO-3421-74-xx
TRR-3421-74-xx*

CB	KB	LB/MB†	BB	NB	YB	VB/TB	GB
1435	2003	2596	2801	2217	2390	4329	4725

ROUGH-IN VALVES Please order **all** of the following rough-in valves to complete the trim:

RVA-3404-00-B	Type T rough-in - 3/4" female NPT connections	628
RVA-9562-00-B	2-port diverter rough-in - 1/2" male NPT or welded copper connections	299

PRO-4208-04-xx
PRR-4208-04-xx*

Complete thermostatic pressure-balanced shower kit

48h **Promo Price The Essentials**

CC	KK	LL/MM†	NN	KM
1784	2220	2818	2520	2818



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1054-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4208-04-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory) - 1 accessory works at a time
TRO-4208-04-xx-NS **+** RVA-9501-X0-B	

TRIM ONLY

TRO-4208-04-xx
TRR-4208-04-xx*

CC	KK	LL/MM†	NN	KM
1355	1791	2389	2091	2389

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

NEW BATHROOM PRODUCTS

PRO-4209-45-xx
PRR-4209-45-xx*

Complete thermostatic pressure-balanced shower kit

Promo Price 48h The Essentials

CC	KK	LL/MM†	NN
1770	2300	2795	2499



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T45-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1050-01-xx	10" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4209-45-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4209-45-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4209-45-xx
TRR-4209-45-xx*

CC	KK	LL/MM†	NN
1341	1871	2366	2070

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4217-46-xx
PRR-4217-46-xx*

Complete thermostatic pressure-balanced shower kit

CC	KK	LL/MM†	NN
1823	2271	2759	2469



Features

- 2 accessories kit
- Max: 2 gpm (7,6 l/min) - 80 psi (per accessory)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T46-9521-01-xx	Trim for type TP shower valve with 2-way diverter
TET-1050-01-xx	10" round shower head
BRA-1612-66-xx	16" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-26-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4217-46-xx-NS	- Max: 1.75 gpm (6,6 l/min) - 80 psi (per accessory)
TRO-4217-46-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4217-46-xx
TRR-4217-46-xx*

CC	KK	LL/MM†	NN
1394	1842	2330	2040

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

NEW BATHROOM PRODUCTS

PRO-4308-04-xx
PRR-4308-04-xx*

Complete thermostatic pressure-balanced shower kit

48h **Promo Price** The Essentials

CC	KK	LL/MM†	NN	KM
2130	2654	3370	3004	3370



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T04-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-46-xx	Profile tub spout without diverter
TET-1054-01-xx	10" square shower head
BRA-1612-66-xx	16" shower arm
DGL-2584-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4308-04-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4308-04-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4308-04-xx
TRR-4308-04-xx*

CC	KK	LL/MM†	NN	KM
1701	2225	2941	2575	2941

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

PRO-4309-45-xx
PRR-4309-45-xx*

Complete thermostatic pressure-balanced shower kit

48h **Promo Price** The Essentials

CC	KK	LL/MM†	NN
2070	2599	3301	2943



Features

- 3 accessories kit
- 7.1 gpm (27 l/min) - 60 psi (bath spout)
- Max: 2 gpm (7,6 l/min) - 80 psi (shower accessories)
- 3-spray hand shower
- 2 accessories can work together

Includes

RVA-9501-00-B	1-2-3-way TP rough-in (NPT / welded copper)
T45-9531-01-xx	Trim for type TP shower valve with 3-way diverter
BEC-0520-45-xx	Sens tub spout without diverter
TET-1050-01-xx	10" round shower head
BRA-1812-02-xx	18" shower arm
DGL-2580-53-xx	3-spray sliding shower bar
RAC-9001-16-xx	Wall-mount supply elbow

Water Saving Options CEC

Codes	**Features** are the same, **except**:
PRO-4309-45-xx-NS	- Max : 1.75 gpm (6,6 l/min) - 80 psi (shower accessories)
TRO-4309-45-xx-NS **+** RVA-9501-X0-B	- 1 accessory works at a time

TRIM ONLY

TRO-4309-45-xx
TRR-4309-45-xx*

CC	KK	LL/MM†	NN
1641	2170	2872	2514

ROUGH-IN VALVES Please order **one** of the following rough-in valves to complete the trim:

RVA-9501-00-B	1-2-3-way TP rough-in - 1/2" male NPT or welded copper connections	429
RVA-9501-P0-B	1-2-3-way TP rough-in - PEX connections	429

Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white


NEW BATHROOM PRODUCTS

ACCESSORIES

A20-1029-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
140	186	224	245	196	203	308	378






BEAUMONT

Wall-mounted toilet paper holder

A20-1069-00-xx

CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
159	227	264	239	239	253	289	299






BEAUMONT

Bathrobe holder

A20-1079-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
105	139	168	184	147	152	231	284






BEAUMONT

Bathrobe holder

A20-6012-00-xx

CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
225	298	360	394	315	326	559	608





BEAUMONT

12" single towel bar


† Warm Gold (MM) finish available across all products in Q3.
See: barildesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.

NEW BATHROOM PRODUCTS

A20-6018-00-xx






CC	KK	LL/MM†	BB	NN	YY	VV/TT	GG
248	328	396	433	347	359	615	669

BEAUMONT

18" single towel bar

A20-6024-00-xx






CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
273	361	436	476	382	395	677	736

BEAUMONT

24" single towel bar

A20-6030-00-xx





CC	KK	LL/MM	BB	NN	YY	VV/TT	GG
314	415	501	547	439	454	779	846


BEAUMONT

30" single towel bar

A66-6012-00-xx

Available Q3 2026 *





CC	KK	LL/MM†	BB	NN	YY	VV/TT	KM*	GG
131	178	238	268	176	218	323	238	476

ZIP

12" single towel bar


Finishes:
CC = chrome, CF = smokey chrome, KK = matte black, LL = satin brass, MM = warm gold, BB = white, NN = brushed nickel, YY = polished nickel, TT = venetian bronze, VV = satin copper, GG = gold, KM = black titanium, CB = chrome white, KB = matte black white, LB = satin brass white, NB = brushed nickel white, YB = polished nickel white, TB = venetian bronze, VB = satin copper white, GB = gold white

NEW BATHROOM PRODUCTS

A87-7012-00-xx

CC	KK	LL/MM†	NN	KM
145	194	232	204	232






12" Grab bar

- Grab bar compliant with ADA specifications
- Made of high-quality stainless steel
- No visible screw
- Tested to over 400 lbs when installed according to ADA standards

A87-7018-00-xx

CC	KK	LL/MM†	NN	KM
165	219	264	231	264






18" Grab bar

- Grab bar compliant with ADA specifications
- Made of high-quality stainless steel
- No visible screw
- Tested to over 400 lbs when installed according to ADA standards

A87-7024-00-xx

CC	KK	LL/MM†	NN	KM
200	265	320	280	320





24" Grab bar

- Grab bar compliant with ADA specifications
- Made of high-quality stainless steel
- No visible screw
- Tested to over 400 lbs when installed according to ADA standards


SHOWER COMPONENTS

TET-1054-01-xx

48h The Essentials

CC	KK	LL/MM	NN	KM
326	432	524	471	524





Square 10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Polished stainless steel thin shower head
- Easy-to-clean silicone nozzles

Water Saving Options


Codes	Reduced Flow Rates
TET-1054-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1054-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

TET-1610-01-xx

CC	KK	LL/MM	NN	KM
424	562	681	612	681





Rectangular 16" x10" shower head

- 2 gpm (7,6 l/min) - 80 psi
- Polished stainless steel thin shower head
- Easy-to-clean silicone nozzles

Water Saving Options

Codes	Reduced Flow Rates
TET-1610-01-xx-150	1.5 gpm (5.7 l/min) - 80 psi
TET-1610-01-xx-175	1.75 gpm (6.6 l/min) - 80 psi

CEC

† Warm Gold (MM) finish available across all products in Q3.
See: baridesign.com/en/disponibilite-produits.

Actual products may differ from pictures. Actual products measures may differ from the measures shown. All CAD prices are subject to change without notice. Effective as of April 2026.



Louise Thibeault and Jacques Baril, BARIL Founders

40 years of history and excellence

BARIL, a Canadian company recognized for its expertise in high-end faucets, is celebrating its 40th anniversary this year. Founded in 1986, the brand has established itself over the decades as a North American reference in both style and functionality.

“These 40 years represent far more than a number. They celebrate our heritage and our craftsmanship. We are proud of the journey we’ve taken and continue to put every effort into bringing our mission to life every day: adding beauty to people’s lives.”
— Marie-Eve Baril, President, BARIL

Discover our story.

CANADIAN
OWNED AND OPERATED

@barildesign

BARILDESIGN.COM

1.800.463.3871
1.877.693.3005 (fax)
info@barildesign.com

MONTREAL | DESIGN STUDIO

5394 St-Laurent Blvd.
Montreal (Quebec)
Canada H2T 1S1

TROIS-RIVIÈRES | HEAD OFFICE

579 Ste-Madeleine Blvd.
Trois-Rivières (Quebec)
Canada G8T 9J8