



## SAFETY DATA SHEET

### 1. Identification

Product Identifier	GATOR CLEAN
Recommended use	Not available
Recommended restrictions	None known
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	GATOR HDD, LLC
Address	205 Stanton Dr. Broussard LA.
Phone	337-789-0320
Website	
Email	
Emergency phone number	337-789-0320

### 2. Hazard(s) Identification

Physical hazards	Not classified
Health hazards	Carcinogenicity Category 2
Environmental hazards	Not classified
OSHA defined hazards	Not classified

#### Label elements

##### Hazard symbol



##### Signal word

Warning

##### Hazard statement

Suspected of causing cancer.

##### Precautionary statement

###### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

###### Response

If exposed or concerned: Get medical advice/attention.

###### Storage

Store locked up.

###### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

##### Hazard(s) not otherwise classified (HNOC)

None known

##### Supplemental information

None

### 3. Composition/Information of Ingredients

#### Mixtures

Chemical Name	Common name and synonyms	CAS Number	%
---------------	--------------------------	------------	---

Material name: Drilling Detergent

Date prepared: August 29, 2016

Date revised: August 29, 2016

Version number: 01

Amides, coco, N,N-bis (hydroxyethyl)	68603-42-9	3 - < 5
2-Propanol	67-63-0	<1
Other components below reportable levels		90 - 100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First Aid Measures

##### Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

##### Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

##### Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

##### Ingestion

Rinse mouth. Get medical attention if symptoms occur.

##### Most important symptoms, effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

##### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

##### General information

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire Fighting Measures

##### Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

##### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

##### Specific hazards arising from the chemical Special protective equipment and precautions for firefighters

During fire, gases hazardous to health may be formed. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

##### Firefighting equipment/instructions

Move containers from fire area if you can do so without risk.

##### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

##### General fire hazards

No unusual fire or explosion hazards noted.

#### 6. Accidental Release Measures

##### Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

##### Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry

Material name: Drilling Detergent

Date prepared: August 29, 2016

Date revised: August 29, 2016

Version number: 01

sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

## Environmental precautions

## 7. Handling and Storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure Controls/Personal Protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-PROPANOL (CAS 67-63-0)	PEL	980 mg/m <sup>3</sup> 400 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
2-PROPANOL (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2-PROPANOL (CAS 67-63-0)	STEL	1225 mg/m <sup>3</sup> 500 ppm
	TWA	980 mg/m <sup>3</sup> 400 ppm

### Biological limit values

#### ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
2-PROPANOL (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

\* - For sampling details, please see the source document.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local

Material name: Drilling Detergent

Date prepared: August 29, 2016

Date revised: August 29, 2016

Version number: 01

exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### **Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Chemical respirator with organic vapor cartridge and full face piece.

**Skin protection**

**Hand protection**

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

**Other**

Use of an impervious apron is recommended.

**Respiratory protection**

Chemical respirator with organic vapor cartridge and full face piece.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

#### **General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### **9. Physical and Chemical Properties**

#### **Appearance**

**Physical state**

Liquid

**Form**

Liquid

**Color**

Liquid

Clear

**Odor**

Odorless

**Odor threshold**

Not available

**pH**

Not available

**Melting point/freezing point**

Not available

**Initial boiling point and boiling range**

Not available

**Flash point**

Not available

**Evaporation rate**

Not available

**Flammability (solid, gas)**

Not applicable

**Upper/lower flammability or explosive limits**

**Flammability limit-lower (%)**

Not available

**Flammability limit-upper (%)**

Not available

**Explosive limit-lower (%)**

Not available

**Explosive limit-upper (%)**

Not available

**Vapor pressure**

0.00001 hPa estimated

**Vapor density**

Not available

**Relative density**

Not available

**Solubility(ies)**

**Solubility (water)**

Not available

**Partition coefficient (n-octanol/water)**

Not available

**Auto-ignition temperature**

Not available

**Decomposition temperature**

Not available

Material name: Drilling Detergent

Date prepared: August 29, 2016

Date revised: August 29, 2016

Version number: 01

<b>Viscosity</b>	Not available
<b>Density</b>	0.81 g/cm <sup>3</sup> estimated
<b>Percent volatile</b>	93.25 % estimated
<b>Specific gravity</b>	0.81 estimated
<b>VOC (Weight %)</b>	0.87 % estimated

## 10. Stability and Reactivity

### Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

### Chemical stability

Material is stable under normal conditions.

### Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

### Conditions to avoid

Contact with incompatible materials.

### Incompatible materials

Strong oxidizing agents.

### Hazardous decomposition products

No hazardous decomposition products are known.

## 11. Toxicological Information

### Information on likely routes of exposure

#### Inhalation

Prolonged inhalation may be harmful.

#### Skin contact

No adverse effects due to skin contact are expected.

#### Eye contact

Direct contact with eyes may cause temporary irritation.

#### Ingestion

Expected to be a low ingestion hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

#### Acute toxicity

Not available

#### Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

#### Serious eye damage/eye irritation

Direct contact with eyes may cause temporary irritation.

#### Respiratory or skin sensitization

##### Respiratory sensitization

Not a respiratory sensitizer.

##### Skin sensitization

This product is not expected to cause skin sensitization.

#### Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

#### Carcinogenicity

Suspected of causing cancer.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Amides, coco, N,N-bis (hydroxyethyl) (CAS 68603-42-9) 2B

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Possibly carcinogenic to humans.

Not listed

#### Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

#### Specific target organ toxicity - single exposure

Not classified

#### Specific target organ toxicity - repeated exposure

Not classified

#### Aspiration hazard

Not an aspiration hazard.

#### Chronic effects

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

## 12. Ecological Information

Material name: Drilling Detergent

Date prepared: August 29, 2016

Date revised: August 29, 2016

Version number: 01

<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Persistence and degradability</b>	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	
<b>Partition coefficient n-octanol / water (log Kow)</b>	2-Propanol 0.05
<b>Mobility in soil</b>	No data available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposable Considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues/unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport Information

<b>DOT</b>	Not regulated as dangerous goods.
<b>IATA</b>	Not regulated as dangerous goods.
<b>IMDG</b>	Not regulated as dangerous goods.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not established

### 15. Regulatory Information

<b>US Federal regulations</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. One or more components are not listed on TSCA.
<b>TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)</b>	Not regulated.
<b>CERCLA Hazardous Substance List (40 CFR 302.4)</b>	2-PROPANOL (CAS 67-63-0) Listed.
<b>SARA 304 Emergency release notification</b>	Not regulated.
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	Not listed.

Material name: Drilling Detergent  
Date prepared: August 29, 2016  
Date revised: August 29, 2016  
Version number: 01

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

<b>Hazard Categories</b>	<b>Immediate Hazard:</b> No <b>Delayed Hazard:</b> Yes <b>Fire Hazard:</b> No <b>Pressure Hazard:</b> No <b>Reactivity Hazard:</b> No
--------------------------	---

**SARA 302 Extremely hazardous substance**

**SARA 311/312 Hazardous chemical**

**SARA 313 (TRI reporting)**

Not listed

No

<b>Chemical name</b>	<b>CAS number</b>	<b>% by wt.</b>
2-Propanol	67-63-0	< 1

**Other federal regulations**

<b>Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List</b>	Not regulated
---	---------------

<b>Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)</b>	Not regulated
---	---------------

<b>Safe Drinking Water Act (SDWA)</b>	Not regulated
---------------------------------------	---------------

**US state regulations**

<b>US California Controlled Substances. CA</b>	Not listed
--	------------

**Department of Justice (California Health and Safety Code Section 11100)**

<b>US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))</b>	2-PROPANOL (CAS 67-63-0) Amides, coco, N,N-bis (hydroxyethyl) (CAS 68603-42-9)
--	---

<b>US Massachusetts RTK – Substance List</b>	2-PROPANOL (CAS 67-63-0)
--	--------------------------

<b>US New Jersey Worker and Community Right-to-Know Act</b>	2-PROPANOL (CAS 67-63-0)
---	--------------------------

<b>US Pennsylvania Worker and Community Right-to-Know Law</b>	2-PROPANOL (CAS 67-63-0)
---	--------------------------

<b>US Rhode Island RTK</b>	2-PROPANOL (CAS 67-63-0)
----------------------------	--------------------------

<b>US California Proposition 65</b>	WARNING: This product contains a chemical known to the State of California to cause cancer.
-------------------------------------	---

<b>US - California Proposition 65 - CRT: Listed date/Carcinogenic substance</b>	Amides, coco, N,N-bis (hydroxyethyl) (CAS Listed: June 22, 2012 68603-42-9)
---	---

**International Inventories**

<b>Country(s) or region</b>	<b>Inventory name</b>	<b>On inventory (yes/no)*</b>
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No

Material name: Drilling Detergent

Date prepared: August 29, 2016

Date revised: August 29, 2016

Version number: 01

New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **16. Other Information, Including Date of Preparation or Last Revision**

Date Prepared: August 29, 2016

Revision Date: August 29, 2016

Version Number: 01

Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. All information and recommendations concerning this product is based on tests and data believed to be reliable, however, it is the user's responsibility to determine the safety, toxicity and suitability for the user's own use of the product described herein. Since the actual use by others is beyond our control, no guarantee expressed or implied is made. Nor is the information herein to be construed as absolutely complete since additional information may be necessary or desirable when particular conditions exist or because of applicable laws or government regulations.

Material name: Drilling Detergent

Date prepared: August 29, 2016

Date revised: August 29, 2016

Version number: 01