



SAFETY DATA SHEET



1. Identification

Product Identifier	GATOR SNOT (PHPA)
Recommended use	Not available
Recommended restrictions	None known
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	Gator HDD, LLC
Address	205 Stanton Dr. Broussard LA.
Phone	337-789-0320
Website	
Email	
Emergency phone number	337-789-0320

2. Hazard(s) Identification

Physical hazards	Not classified
Health hazards	Not classified
Environmental hazards	Not classified
OSHA defined hazards	Not classified
Label elements	
Hazard symbol	None
Signal word	None
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	Combustible
Supplemental information	None

3. Composition/Information of Ingredients

Mixtures

Chemical Name	Common name and synonyms	CAS Number	%
Mineral Oil		8042-47-5	30-<40
Other components below reportable levels			60-<70

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Material name: Liquid PHPA

Date prepared: January 25, 2016

Date revised: March 23, 2016

Version number: 01

4. First Aid Measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Direct contact with eyes may cause temporary irritation.

Most important symptoms, effects, acute and delayed

Treat symptomatically.

Indication of immediate medical attention and special treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire Fighting Measures

Suitable extinguishing media

Water. Water spray. Foam. Dry chemicals. Carbon dioxide (CO₂).

Unsuitable extinguishing media

None known

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Not available

Firefighting equipment/instructions

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Combustible. No unusual fire or explosion hazards noted.

6. Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

Material name: Liquid PHPA

Date prepared: January 25, 2016

Date revised: March 23, 2016

Version number: 01

7. Handling and Storage

Precautions for safe handling

Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Keep away from heat and sources of ignition. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Conditions for safe storage, including any incompatibilities

8. Exposure Controls/Personal Protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Mineral Oil (CAS 8042-47-5)	PEL	5 mg/m ³	Mist.

US ACGIH Threshold Limit Values

Components	Type	Value	Form
Mineral Oil (CAS 8042-47-5)	TWA	5 mg/m ³	Inhalable fraction

US NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Mineral Oil (CAS 8042-47-5)	STEL	10 mg/m ³	Mist.
	TWA	5 mg/m ³	Mist.

Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s). Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

Other

Respiratory protection

Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating,

Material name: Liquid PHPA

Date prepared: January 25, 2016

Date revised: March 23, 2016

Version number: 01

drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance	Liquid emulsion
Physical state	Liquid
Form	Liquid
Color	Light Grey to White
Odor	None
Odor threshold	Not available
pH	4 – 9 @ 5 g/l
Melting point/freezing point	Not available
Initial boiling point and boiling range	680 °F (360 °C) estimated
Flash point	275.0 °F (135.0 °C) estimated
Evaporation rate	Not available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits	
Flammability limit-lower (%)	Not available
Flammability limit-upper (%)	Not available
Explosive limit-lower (%)	Not available
Explosive limit-upper (%)	Not available
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available
Relative density	Not available
Solubility(ies)	
Solubility (water)	Not available
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available
Viscosity	Not available
Other Information	
Density	0.87 g/cm3 estimated
Flammability class	Combustible IIIB estimated
Percent volatile	34% estimated
Specific gravity	0.87 estimated

10. Stability and Reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides. Nitrogen oxides (NOx).

11. Toxicological Information

Information on likely routes of exposure

Material name: Liquid PHPA
Date prepared: January 25, 2016
Date revised: March 23, 2016
Version number: 01

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effects	
Acute toxicity	Not available
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall Evaluation of Carcinogenicity	MINERAL OIL (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not listed
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified
Specific target organ toxicity - repeated exposure	Not classified
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
12. Ecological Information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposable Considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.

Material name: Liquid PHPA
Date prepared: January 25, 2016
Date revised: March 23, 2016
Version number: 01

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues/unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.

15. Regulatory Information

US Federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated.
CERCLA Hazardous Substance List (40 CFR 302.4)	Not listed.
SARA 304 Emergency release notification	Not regulated.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not listed.
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Hazard Categories	Immediate Hazard: No Delayed Hazard: No Fire Hazard: No Pressure Hazard: No Reactivity Hazard: No
SARA 302 Extremely hazardous substance	Not listed
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting)	Not regulated
Other federal regulations	

Material name: Liquid PHPA

Date prepared: January 25, 2016

Date revised: March 23, 2016

Version number: 01

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List	Not regulated
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)	Not regulated
Safe Drinking Water Act (SDWA)	Not regulated
US state regulations	
US California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)	Not listed
US Massachusetts RTK – Substance List	MINERAL OIL (CAS 8042-47-5)
US New Jersey Worker and Community Right-to-Know Act	Not listed
US Pennsylvania Worker and Community Right-to-Know Law	MINERAL OIL (CAS 8042-47-5)
US Rhode Island RTK	Not regulated.
US California Proposition 65	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information, Including Date of Preparation or Last Revision

Date Prepared: January 25, 2016

Revision Date: March 23, 2016

Version Number: 01

Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage,

Material name: Liquid PHPA

Date prepared: January 25, 2016

Date revised: March 23, 2016

Version number: 01

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. All information and recommendations concerning this product is based on tests and data believed to be reliable, however, it is the user's responsibility to determine the safety, toxicity and suitability for the user's own use of the product described herein. Since the actual use by others is beyond our control, no guarantee expressed or implied is made. Nor is the information herein to be construed as absolutely complete since additional information may be necessary or desirable when particular conditions exist or because of applicable laws or government regulations.

Material name: Liquid PHPA

Date prepared: January 25, 2016

Date revised: March 23, 2016

Version number: 01