

WATER WORKS™

BY KETECA

EXPERIENCE
THE
POWER
OF
WATER

**STORM
ULTRA**
MILD ALKALINE SPRAY WASH SOLUTION

**BIODEGRADABLE • WATER SOLUBLE • NON-FLAMMABLE
NON-COMBUSTIBLE • NON-CAUSTIC • NON-CORROSIVE
NON-FUMING • NON-TOXIC • SAFE TO USE**

www.ketecawaterworks.com

HIMS



WARNING NO GHS PICTOGRAMS H320 - MAY CAUSE EYE IRRITATION

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

WATER WORKS™ Concentrated unique water-based formulas are environmentally safer.

- Quickly removes grease, oils and carbons
- Replaces hazardous solvents.
- Does not contain EDTA, caustics or chlorinated solvents.
- Contains no silicone to interfere with new coatings or paint.
- Safe for use on aluminum and other non-ferrous metals.
- Will not build excess foam in spray cabinets.

USE INSTRUCTIONS FOR USE IN SPRAY CABINETS

APPLICATION	DILUTION
LIGHT TO MEDIUM DUTY CLEANING	3%
HEAVY DUTY CLEANING	5%
OPERATE SPRAY WASHER 125°F TO 150°F	

FOR INDUSTRIAL USE ONLY CAUTION: AVOID CONTACT WITH EYES. IF SPLASHED IN EYES, FLUSH WITH WATER. IF IRRITATION OCCURS, CONSULT PHYSICIAN. OSHA REQUIREMENTS RECOMMEND WEARING PROTECTIVE EYE WEAR AND RUBBER GLOVES WHEN USING ALL CLEANING COMPOUNDS. PROTECT FROM FREEZING

KEEP THIS PRODUCT AND ALL CLEANERS OUT OF REACH OF CHILDREN. DISPOSE OF PRODUCT IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. CONSULT SDS FOR MORE INFORMATION.

KETECA USA | (877) 418-1306 | 4280 W. OPPORTUNITY WAY, PHOENIX, AZ 85086

ADVERTENCIA NO GHS PICTOGRAMAS H320-CAUSA IRRITACIÓN OCULAR

EN CASO DE CONTACTO CON LOS OJOS: Enjuague continuamente con agua durante varios minutos. Quitar los lentes de contacto, si lleva y resulta fácil hacerlo. Proseguir con el lavado.

SEGURO DE USAR:

WATER WORKS™ Fórmulas a base de agua únicas concentrados son ambientalmente más segura.

- Elimina rápidamente la grasa, aceites y carbones.
- Sustituye los solventes peligrosos.
- No contiene EDTA, cáusticos o disolventes clorados.
- No contiene silicona para interferir con nuevos revestimientos o pintura.
- Seguro para su uso en aluminio y otros metales no ferrosos.
- No construirá el exceso de espuma en los gabinetes de aspersión.

INSTRUCCIONES DE USO PARA USAR EN GABINETES DE PILVERIZACIÓN

APLICACION	DILUCION
Limpieza General	3%
Servicio de limpieza para trabajo pesado	5%
Operar rociadura para lavado de 125 ° F a 150 ° F	

PARA USO INDUSTRIAL PRECAUCIÓN: EVITE EL CONTACTO CON LOS OJOS. SI SALPICA A LOS OJOS, ENJUAGUE CON AGUA. SI LA IRRITACIÓN OCURRE, CONSULTE AL MÉDICO. REQUISITOS OSHA RECOMIENDAN USAR PROTECTORA DESGASTE EN LOS OJOS Y GUANTES DE GOMA

AL UTILIZAR TODO LIMPIEZA COMPOUNDS. PROTEGER CONTRA EL CONGELAMIENTO

MANTENGA ESTE PRODUCTO Y TODAS LIMPIADORES FUERA DEL ALCANCE DE LOS NIÑOS. DISPONER LOS PRODUCTOS EN CONFORMIDAD CON LAS NORMAS FEDERALES, ESTATALES Y LOCALES. CONSULTAR SDS PARA MÁS INFORMACIÓN.

KETECA USA | (877) 418-1306 | 4280 W. OPPORTUNITY WAY, PHOENIX, AZ 85086

MADE IN USA

LOT #



5 GAL



Storm Ultra Degreaser

Compatible surfaces:

Aluminum

Concrete

Acrylic

Stainless Steel

Tin

Titanium

Painted Surfaces

Copper

Carbon Steel

Vinyl

Rubber

Bronze

Viton

Brass

**Water Works™ Storm Ultra****1 PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier: Water Works™ Storm Ultra
SDS Number: KP-5 F1
Product Code: WWSU
Revision Date: 7/11/2023
Version: 01
Product Description: Concentrated industrial aqueous cleaner / degreaser.
Product Use: Industrial aqueous cleaner / degreaser.
Instructions: Recommended dilution is 3 - 5%
Use according to manufacturer's directions.
Keteca USA, Inc encourages and expects the user to read and understand the entire (M)SDS, as there is important information throughout the document. We expect the user to follow the precautions identified in this document unless the user's use conditions would necessitate other appropriate methods or actions.

Supplier Details: Keteca USA, Inc
4280 W. Opportunity Way Phoenix, AZ 85086

Phone: 877-418-1306

Emergency Telephone Number: CHEMTREC Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 HAZARDS IDENTIFICATION**Classification of the Substance or Mixture**

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):
Health, Eye Irritation, 2 B

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:

no GHS pictograms indicated for this product

GHS Hazard Statements:

May cause eye irritation

GHS Precautionary Statements:

IF SWALLOWED: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

IF ON SKIN: Wash with soap and water.

IF INHALED: Prolonged exposure is not expected to cause adverse effects.

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Inhalation: Prolonged exposure is not expected to cause adverse effects.

Skin Contact: Non-irritating.

Eye Contact: May cause eye irritation.

Ingestion: Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury.



Water Works™ Storm Ultra

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

DI Water	CAS 7732-18-5	66%
Trade Secert Non Hazardous Surfactant Blend		34%

The specific chemical identity and chemical composition has been withheld as a trade secret.

The precise composition of this mixture is a trade secret. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency.

4 FIRST AID MEASURES

Inhalation:	If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.
Skin Contact:	Wash with soap and water.
Eye Contact:	Flush eyes thoroughly with water for 15 minutes. Remove contact lenses after the initial 1 -2 minutes and continue flushing for several additional minutes. If effects occur, consult physician.
Ingestion:	If swallowed, seek medical attention if symptoms develop. Do not induce vomiting unless directed to do so by medical personnel.

5 FIRE FIGHTING MEASURES

Extinguishing Media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Fire Fighting Procedures: Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Avoid accumulation of water.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Spilled material may cause a slipping hazard. Use appropriate safety equipment. (See Section 8)

Methods and materials for containment and cleaning up:

Small spills: Absorb with materials such as: sand, vermiculite, absorbent pillows, pads and/or wipes. Do not use water for clean up. Collect in suitable and properly labeled containers.

Large spills: Contain spilled material if possible. Pump into suitable and properly labeled containers.

7 HANDLING AND STORAGE

Handling Precautions:	Avoid contact with eyes. Wash thoroughly after handling.
Storage Requirements:	Store indoors away from direct sunlight. Keep containers closed when not in use. Shelf life: 24 Months



Water Works™ Storm Ultra

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General ventilation should be sufficient for most operations.

Personal Protective Equipment: HMIS PP, B | Safety Glasses, Gloves

Respiratory Protection: Wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear to yellowish

Physical State: Liquid

Odor: Mild

Odor Threshold: No data available

Solubility: Miscible in water in all proportions

Spec Grav./Density: 1.120 - 1.190 (Hydrometer)

Viscosity: No data available

Boiling Point: No data available

Freezing/Melting Pt.: 32°F (0 C)

Flammability: no data available

Flash Point: >200°F Test Method SW1010 A

Partition Coefficient: No data available

Vapor Pressure: <1.0 mm Hg @ 68°F (not including water content).

Vapor Density: No data available

pH: 9.6 - 11.4

VOC: 2 g/l in "Neat" form.

Evap. Rate: No data available

Auto-Ignition Temp: No data available

Decomp Temp: No data available

UFL/LFL: No data available

10 STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions.

Materials to Avoid: This is a water-based product. Strong Acids; Strong Bases; Strong Oxidizing Agents.

Hazardous Decomposition: Will not occur.

Hazardous Polymerization: Will not occur.

**Water Works™ Storm Ultra****11 TOXICOLOGICAL INFORMATION****Likely routes of exposure:**

Inhalation: Prolonged exposure is not expected to cause adverse effects.
Ingestion: Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury.
Skin: Non-irritating.
Eyes: May cause eye irritation.

Skin Corrosion/Irritation: Non-irritant
Eye Damage/Irritation: May cause mild eye irritation
Germ Cell Mutagenicity: Mixture does not classify under this category
Carcinogenicity: Mixture does not classify under this category
Reproductive Toxicity: Mixture does not classify under this category
STOT-Single Exposure: Mixture does not classify under this category
STOT-Repeated Exposure: Mixture does not classify under this category
Aspiration Hazard: Mixture does not classify under this category

12 ECOLOGICAL INFORMATION

No Data Available

13 DISPOSAL CONSIDERATIONS

Dispose of uncontaminated material into sewer where applicable within Federal, State and/or local laws and regulations.

Disposal of contaminated material must be in compliance with all Federal, State and/or local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

14 TRANSPORT INFORMATION

DOT Non-Bulk - NOT REGULATED
DOT Bulk - NOT REGULATED
IMDG - NOT REGULATED
ICAO/IATA - NOT REGULATED

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

**Water Works™ Storm Ultra****15****REGULATORY INFORMATION**

OSHA Hazard Communication Standard This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard	No
Delayed (Chronic) Health Hazard	No
Fire Hazard	No
Reactive Hazard	No
Sudden Release of Pressure Hazard	No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313 To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986) This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

US. Toxic Substances Control Act All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30 **CEPA - Domestic Substances List (DSL)** All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

European Inventory of Existing Commercial Chemical Substances (EINECS) The components of this product are on the EINECS inventory or are exempt from inventory requirements.

CEPA - Domestic Substances List (DSL) All substances contained in this product are listed on the Canadian Domestic Substances list (DSL) or are not required to be listed.

16**OTHER INFORMATION**

NFPA: Health = 0, Fire = 0, Reactivity = 0, Specific Hazard = None

HMIS III: Health = 0, Fire = 0, Physical Hazard = 0

HMIS PPE: B - Safety Glasses, Gloves



HMIS	
HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B



Keteca USA, Inc urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that its activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Author: Keteca USA, Inc

Publication Date: 6/4/2015

Revision No.: 1