

WATER WORKS™

BY KETECA

EXPERIENCE
THE
POWER
OF
WATER

XtremeII

www.ketecawaterworks.com



WARNING



H315 - MAY CAUSE SKIN IRRITATION
H319 - MAY CAUSE SERIOUS EYE IRRITATION

WATER WORKS™ Concentrated unique water-based formulas are environmentally safer.

- Quickly removes ink, grease, oil and other organic deposits.
- Safe to use on a wide variety of substrates; will not corrode ferrous metals.
- Safer for worker and environment.
- Does not contain any chelating ingredients such as EDTA, phosphates, caustics or chlorinated solvents.
- Concentrated for cost effectiveness.

FOR INDUSTRIAL USE ONLY CAUTION: AVOID CONTACT WITH EYES. IF SPLASHED IN EYES, FLUSH WITH WATER. IF IRRITATION OCCURS, CONSULT PHYSICIAN. OSHA REQUIREMENTS RECOMMEND WEARING PROTECTIVE EYE WEAR AND RUBBER GLOVES WHEN USING ALL CLEANING COMPOUNDS. PROTECT FROM FREEZING

KEEP THIS PRODUCT AND ALL CLEANERS OUT OF REACH OF CHILDREN. DISPOSE OF PRODUCT IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. CONSULT SDS FOR MORE INFORMATION.
KETECA USA | (877) 418-1306 | 4280 W. OPPORTUNITY WAY, PHOENIX, AZ 85086

USE INSTRUCTIONS

APPLICATION	DILUTION
Roller Cleaning	3:1 to 20:1
Floor Scrubbing (Automated)	60:1 and higher
Heavy Duty Cleaning	3:1 to 7:1
Ink Rails	3:1 to 20:1
Spray Bars	3:1 to 20:1
Press Frames	15:1 to 30:1

ADVERTENCIA



H315 - PUEDE PROVOCAR IRRITACION DE LA PIEL
H319 - PUEDE PROVOCAR IRRITACION OCULAR GRAVE.

WATER WORKS™ Fórmula única concentrada a base de agua, más segura para el medio ambiente.

- Elimina rápidamente la tinta, grasa, aceite y otros depósitos.
- Seguros para usar en una amplia variedad de sustratos, no corroe metales ferrosos.
- Más seguro para los trabajadores y para el medio ambiente.
- No contiene ningún ingrediente quelante tales como EDTA, fosfatos, cáusticos o disolventes clorados.
- Concentrado para mejorar la rentabilidad del producto

PARA USO INDUSTRIAL PRECAUCIÓN: EVITE EL CONTACTO CON LOS OJOS. SI SALPICA A LOS OJOS, ENJUAGUE CON AGUA. SI LA IRRITACIÓN OCURRE, CONSULTE AL MÉDICO. LOS REQUERIMIENTOS DE OSHA RECOMIENDAN USAR PROTECTOR DE OJOS Y GUANTES DE GOMA AL UTILIZAR TODO PRODUCTO DE LIMPIEZA. PROTEGER DEL CONGELAMIENTO.

MANTENGA ESTE PRODUCTO Y TODOS LOS LIMPIADORES FUERA DEL ALCANCE DE LOS NIÑOS. DISPONER DE PRODUCTOS ENCONFORMIDAD CON LAS NORMAS FEDERALES, ESTATALES Y LOCALES. CONSULTAR SDS PARA MÁS INFORMACIÓN.
KETECA USA | (877) 418-1306 | 4280 W. OPPORTUNITY WAY, PHOENIX, AZ 85086

INSTRUCCIONES DE USO

APLICACIÓN	DILUCIÓN
Limpieza de rodillos	3:1 a 20:1
Lavado de pisos	60:1 o mas
Limpieza de trabajo pesado	3:1 a 7:1
Rieles de tinta	3:1 a 20:1
Barra de pulverización	3:1 a 20:1
Marcos de Prensa	15:1 a 30:1

MADE IN USA

LOT #



5 GAL



Xtreme II Degreaser

Compatible surfaces:

Aluminum

Concrete

Acrylic

Stainless Steel

Tin

Titanium

Painted Surfaces

Copper

Carbon Steel

Vinyl

Rubber

Bronze

Viton

Brass



WaterWorks™ Xtreme II

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: SDS Water Works™ Xtreme II
Number: KP-5F1
Product Code: WWX2
Revision Date: 7/11/2023
Product Description: Concentrated Industrial cleaner / degreaser
Product Use: Industrial cleaner / degreaser
Instructions: Keteca USA Inc encourages and expects the user to read and understand the entire SDS, as there is important information throughout the document. We expect the user to follow the precautions identified in this document unless the user's use conditions would necessitate other appropriate methods or actions.

Manufacturer Details: Keteca USA Inc
4280 W. Opportunity Way Phoenix, AZ 85086

Phone: (877) 418-1306

Emergency Telephone Number: CHEMTREC Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Skin corrosion/irritation, 2
Health, Eye Irritation, 2 A

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:



GHS Hazard Statements:

May cause skin irritation
May cause serious eye irritation

GHS Precautionary Statements:

IF SWALLOWED: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.
IF ON SKIN: Wash with soap and water.
IF INHALED: Prolonged exposure is not expected to cause adverse effects.
IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Inhalation: Prolonged exposure is not expected to cause adverse effects.
Skin Contact: Prolonged contact may cause slight skin irritation with local redness.
Eye Contact: May cause slight eye irritation.



WaterWorks™ Xtreme II

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

DI Water	CAS 7732-18-5	44%
Trade Secret Non Hazardous Surfactant Blend		56%

The specific chemical identity and chemical composition has been withheld as a trade secret.

The precise composition of this mixture is a trade secret. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency.

4 FIRST AID MEASURES

Inhalation:	If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.
Skin Contact:	Wash with soap and water.
Eye Contact:	Flush eyes thoroughly with water for 15 minutes. Remove contact lenses after the initial 1 -2 minutes and continue flushing for several additional minutes. If effects occur, consult physician.
Ingestion:	If swallowed, seek medical attention if symptoms develop. Do not induce vomiting unless directed to do so by medical personnel.

5 FIRE FIGHTING MEASURES

Extinguishing Media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

Fire Fighting Procedures: Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Avoid accumulation of water.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: Spilled material may cause a slipping hazard. Use appropriate safety equipment. (See Section 8)

Methods and materials for containment and cleaning up:

Small spills: Absorb with materials such as: sand, vermiculite, absorbent pillows, pads and/or wipes. Do not use water for clean up. Collect in suitable and properly labeled containers.

Large spills: Contain spilled material if possible. Pump into suitable and properly labeled containers.

7 HANDLING AND STORAGE

Handling Precautions:	Avoid contact with eyes and skin. Wash thoroughly after handling.
Storage Requirements:	Store indoors away from direct sunlight. Shelf life: 24 Months



WaterWorks™ Xtreme II

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General ventilation should be sufficient for most operations.
Personal Protective Equipment: HMIS PP, B | Safety Glasses, Gloves
Chemical safety glasses; Gloves;

Respiratory Protection: Wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear to slightly yellow
Physical State: Liquid
Odor: Light Citrus
Odor Threshold: No data available
Solubility: Miscible in water in all proportions
Spec Grav./Density: 0.975 +/- 0.010 (Hydrometer)
Viscosity: No data available
Boiling Point: No data available
Freezing/Melting Pt.: 32°F (0°C)
Flash Point: 198°F Concentrate Test Method ASTM D92
>212°F when 3:1 dilution, Test Method ASTM D92
Partition Coefficient: No data available
Vapor Pressure: No data available
Vapor Density: No data available
pH: 10 +/- 0.5
VOC: 22 g/l when used as directed, diluted 3:1
Evap. Rate: No data available
Auto-Ignition Temp: No data available
Decomp Temp: No data available
UFL/LFL: No data available

10 STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions.
Materials to Avoid: This is a water-based product. Strong Acids; Strong Bases; Strong Oxidizing Agents.
Hazardous Decomposition: Will not occur.
Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

No Data Available

12 ECOLOGICAL INFORMATION

Persistence and Degradability Biodegradation Tests:
Fully biodegradable in accordance with ISO 9439.

**WaterWorks™ Xtreme II****13****DISPOSAL CONSIDERATIONS**

Dispose of uncontaminated material into sewer where applicable within Federal, State and/or local laws and regulations.

Disposal of contaminated material must be in compliance with all Federal, State and/or local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

14**TRANSPORT INFORMATION**

DOT Non-Bulk NOT REGULATED DOT Bulk NOT REGULATED IMDG NOT REGULATED ICAO/IATA NOT REGULATED *This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.*

15**REGULATORY INFORMATION**

OSHA Hazard Communication Standard This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard	No
Delayed (Chronic) Health Hazard	No
Fire Hazard	No
Reactive Hazard	No
Sudden Release of Pressure Hazard	No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313 To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986) To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

US. Toxic Substances Control Act All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30 **CEPA - Domestic Substances List (DSL)** All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.



WaterWorks™ Xtreme II

16

OTHER INFORMATION

NFPA: Health = 0, Fire = 0, Reactivity = 0, Specific Hazard = None

HMIS III: Health = 0, Fire = 0, Physical Hazard = 0

HMIS PPE: B - Safety Glasses, Gloves



HMIS		
HEALTH	☐	0
FLAMMABILITY		0
PHYSICAL HAZARD		0
PERSONAL PROTECTION		B



Ketecca USA, Inc urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that its activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Author: Ketecca USA, Inc**Publication Date:** 6/4/2015**Revision No.:** 01