

**ACCURATE,
RELIABLE,
POWERFUL**



evolution[®]

**MULTI-MATERIAL CUTTING SAWS
& CONTRACTOR TOOLS**



EVOLUTION'S MULTI-MATERIAL CUTTING TECHNOLOGY

MATERIALS YOU CAN CUT:

MILD STEEL

- ✓ ANGLED STEEL, BOX SECTION & TUBE
- ✓ METAL STUD
- ✓ DRY LINING
- ✓ REBAR DOMESTIC BUILDS
- ✓ RSJ DOMESTIC BUILDS
- ✓ STEEL PLATE (6MM)

ALUMINIUM

- ✓ ARMoured CABLES
- ✓ CABLE TRAY
- ✓ COPPER PLUMBING
- ✓ FLOOR EDGINGS
- ✓ ROOF FLASHINGS
- ✓ STAIR NOSINGS

WOOD

- ✓ HARDWOOD & TANALISED DECKING
- ✓ MDF LAMINATES
- ✓ MOULDINGS
- ✓ RECLAIMED TIMBER WITH NAILS
- ✓ SCAFFOLD BOARDS
- ✓ STUDWORK TIMBER

PLASTICS

- ✓ ELECTRICAL CONDUIT
- ✓ PLASTIC PIPES
- ✓ PLEXIGLASS
- ✓ RUBBER & REINFORCED HOSES
- ✓ WPC COMPOSITES

DIAMOND BLADES:

STONE

- ✓ BLOCK PAVING
- ✓ COPING STONES
- ✓ ROOFING TILE REPAIRS
- ✓ UNGLAZED CERAMICS



Segmented Rim Blades

(ø 185mm, ø 305mm and ø 355mm)

Hot pressed turbo segmented rim for consistent cutting ability.

Continuous Rim Blades

(ø 210mm and ø 255mm).

Provides the smoothest cut in ceramic tiles and ornamental stone.

**Diamond blades fit on Evolution multipurpose saws only.*

PERFECT FOR:

- ✓ BUILDERS
- ✓ CARPENTERS
- ✓ AUTO MECHANICS
- ✓ INDUSTRIAL FITTERS
- ✓ PROPERTY & LOFT CONVERTERS
- ✓ KITCHEN FITTERS
- ✓ ARCHITECTURAL METALWORKERS
- ✓ ROOFING CONTRACTORS
- ✓ DRY LINERS
- ✓ LANDSCAPERS
- ✓ PIPEFITTERS
- ✓ FABRICATORS
- ✓ FENCING CONTRACTORS
- ✓ DIY ENTHUSIASTS & UPCYCLERS
- ✓ ELECTRICAL FITTERS
- ✓ FLOOR FITTERS
- ✓ CEILING FIXERS
- ✓ PLUMBERS
- ✓ DRIVEWAY, PATH & PATIO INSTALLERS
- ✓ MAINTENANCE TECHNICIANS
- ✓ WINDOW INSTALLERS

RELIABLE & POWERFUL MOTORS

Hi-Torque Gearbox & Patented Blade System, For Increased Motor & Blade-Life.



DURABLE & SAFE

Machines Tested For 'Best-In-Class' 3 Year Limited Warranty*. Cuts Without Heat, Burr-Free & Virtually No Sparks.

*3 Year Warranty: Saws only.



ACCURATE & EASY TO USE TOOLS

Clean & Consistent Precision Cuts. Clear & Concise Adjustment Settings.



INCREASED PRODUCTIVITY


Unlike Abrasive Discs, TCT Blades' Depth-of-Cut Remain Constant Throughout Blade Life = Longer Life & Fewer Blade Changes.

WOOD WITH EMBEDDED NAILS

Cuts Nail-Embedded Wood Easily When Working With Reclaimed Materials.



THE TECHNOLOGY BEHIND THE CUT



HEAVY-DUTY TUNGSTEN CARBIDE TEETH (TCT)

High heat resistant teeth maximizes cutting life with no coolant required demonstrating outstanding durability.




ANTI-KICKBACK SHOULDER GULLET

For safe and reliable cutting through steel and wood with embedded nails without breaking the teeth, resulting in a smooth, accurate finish every time.



FULLY HARDENED BODY PLATE

High tension body keeps the blade stabilized, dampening vibration and reducing blade warp.



THIN KERF DESIGN

Much thinner than abrasive discs, the Evolution® blade delivers precision, accuracy and longer cutting life.



MADE IN JAPAN

Premium, high-quality silver alloy, ensures the blade runs truer for longer.

MULTI-MATERIAL TUNGSTEN CARBIDE TIPPED BLADES

- ✓ CUT MILD STEEL WITH NO HEAT, NO BURRS & VIRTUALLY NO SPARKS
- ✓ CUT WOOD WITH EMBEDDED NAILS
- ✓ INSTANT WORKABLE FINISH ON BOTH WOOD & STEEL
- ✓ OUTPERFORMS ABRASIVE SAWS = LOWEST COST PER CUT
- ✓ COMPATIBLE WITH EVOLUTION SAWS ONLY

All Evolution multi-material TCT saw blades are made in Japan and are of premium quality and performance.



R185 TCT

185mm
Teeth: 20 TCT
Kerf: 1.7mm
Bore: 20mm
Max RPM: 4400

RAGEBLADE185MULTI (R185TCT-20CS)



R210 TCT

210mm
Teeth: 24 TCT
Kerf: 1.7mm
Bore: 25.4mm
Max RPM: 5000

RAGEBLADE210MULTI



R255 TCT

255mm
Teeth: 28 TCT
Kerf: 2mm
Bore: 25.4mm
Max RPM: 3250

RAGEBLADE255MULTI



R355 TCT

355mm
Teeth: 36 TCT
Kerf: 2.2mm
Bore: 25.4mm
Max RPM: 2500

RAGEBLADE355MULTI

DIAMOND BLADES

Segmented Rim Blades

185mm, 305mm, 355mm Hot pressed turbo segmented rim for consistent cutting through natural stone, concrete, paving and more.

Continuous Rim Blades

210mm, 255mm. Provides the smoothest cut in tiles and ornamental stone.



185 DM

185mm

Segmented Rim
Bore: 20mm
Max. RPM: 8000

RAGEBLADE185DIAMOND



210 DM

210mm

Continuous Rim
Bore: 25.4mm
Max. RPM: 4500

RAGEBLADE210DIAMOND



255 DM

255mm

Continuous Rim
Bore: 25.4mm
Max. RPM: 6150

RAGEBLADE255DIAMOND



305 DM

305mm

Segmented Rim
Bore: 25.4mm
Max. RPM: 5000

RAGEBLADE305DIAMOND



355 DM

355mm

Segmented Rim
Bore: 25.4mm
Max. RPM: 6400

RAGEBLADE355DIAMOND

R185 **CCS**

UK 110v: 027-0002C, UK 230v: 027-0001C, EU 230v: 027-0003C

185MM TCT MULTI-MATERIAL CIRCULAR SAW

The ideal circular saw for any trade or workshop. Equipped with an adjustable 64mm cutting depth and 0° - 60° bevel tilt with 22.5° and 45° bevel detents. This saw has the power to perform - Tested and trade rated to cut through a variety of materials with ease.

- Multi-Material Cutting Technology
- 1600W Powerful Hi-Torque Motor
- 64mm Adjustable Depth of Cut
- 0° - 60° Bevel Cut
- Parallel Edge Guide Included
- Dust Port Adaptor Included
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADE

Multi-Material
TCT Blade

Size: **185mm**
Bore: **20mm**
Kerf: **1.7mm**
Teeth: **20**
Code: **RAGEBLADE185MULTI**



Ergonomic Handle



Lightweight
& Portable



25.4mm (1")
Cutting Depth
at 60° Bevel Tilt

4.9kg
11lbs



1600W



64mm (0°)



40mm (45°)



64mm Adjustable
Depth of Cut



0° - 60°



6mm
Mild Steel

R185 CCSX +

UK 110v: 027-0002A, UK 230v: 027-0001A, EU 230v: 027-0003A

185MM TCT MULTI-MATERIAL CIRCULAR SAW

5.1 kg
11.2 lbs

TRACK COMPATIBLE



The ultimate multi-material cutting circular saw. Designed by the trade for the trade. The R185CCSX+ model gives you extra functionality, extra support and extra reach than any other Evolution circular saw in the family. Integrated LED light, chanelled air-flow, 4m cable, storage bag and compatibility with Evolution's 1.4m & 2.8m tracks, are just some of the features included in this package.

(Tracks Sold Separately)

SPECIFICATION

- Multi-Material Cutting Technology
- 1600W Powerful Hi-Torque Motor
- 64mm Adjustable Depth of Cut
- 0° - 45° Bevel Cut
- Parallel Edge Guide Included
- Dust Port Adaptor Included
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADE

Multi-Material TCT Blade

Size: 185mm
 Bore: 20mm
 Kerf: 1.7mm
 Teeth: 20
 Code: RAGEBLADE185MULTI



PLUS FEATURES



PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



LED LIGHT

Optimum visibility of your cutting line.



CLEANER & SAFER WORKING

Dust port adaptor for use with vacuum extraction.



4M POWER CABLE

Reduces the need for extension leads.



STORAGE BAG

Easy to carry & transport around the workplace.



1600W



64mm (0°)



47mm (45°)



Adjustable Depth of Cut



0° - 45°



6mm Mild Steel

ST 1400

Product ID: 004-0001

1.4M CIRCULAR SAW TRACK & CLAMPS

- Supplied in 2 pieces of 700mm track with connectors
- Perfect for 4ft sheet materials
- Achieve straight line cutting
- Easily store & transport with carry bag
- Low friction glide strips ensures the circular saw glides smoothly over the track
- Easily fix track to the workpiece with specially designed clamps included
- Compatible with most circular saws with a track compatible base
- Designed for the Evolution R185CCSX & R185CCSX+

For the full list of compatible circular saws go to www.evolutionpowertools.com



3 kg
6.6 lbs



1400mm
2 x 700mm



182mm



Storage Bag
Included

ST 2800

Product ID: 004-0010

2.8M CIRCULAR SAW TRACK & CLAMPS

- Supplied in 2 pieces of 1400mm track with connectors
- Perfect for 8x4ft sheet materials
- Achieve straight line cutting
- Easily store & transport with carry bag
- Low friction glide strips ensures the circular saw glides smoothly over the track
- Easily fix track to the workpiece with specially designed clamps included
- Compatible with most circular saws with a track compatible base
- Designed for the Evolution R185CCSX & R185CCSX+



4.7 kg
10.4 lbs



2800mm
2 x 1400mm



182mm



Storage Bag
Included

R185 CCSX

UK 110v: 027-0002, UK 230v: 027-0001, EU 230v: 027-0003

185MM TCT MULTI-MATERIAL CIRCULAR SAW + 3X 340MM TRACK COMBO PACK

With a 1.2m track included this circular saw is hard to ignore. Power and precision at the forefront of its design, the R185CCSX ensures accuracy and reliability to get the job done faster, smoother and safer than ever before. True value for money with 3 years limited warranty.

- Multi-Material Cutting Technology
- 1600W Powerful Hi-Torque Motor
- 64mm Adjustable Depth of Cut
- 0° - 45° Bevel Cut
- Parallel Edge Guide Included
- Soft Grip, Ergonomic T-Handle
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADE

Multi-Material TCT Blade

Size: 185mm
Bore: 20mm
Kerf: 1.7mm
Teeth: 16
Code: RAGEBLADE185MULTI



COMBO PACK

Includes:
1020MM TRACK
3X 340MM PIECES
+ CONNECTORS

5.1 kg
11.2 lbs



1600W



64mm (0°)



47mm (45°)



Adjustable
Depth of Cut



0° - 45°



6mm
Mild Steel



**ACCURATE,
RELIABLE,
POWERFUL.**

R210 CMS

UK 110v: 046-0002A, UK 230v: 046-0001A, EU 230v: 046-0003A

5.8 kg
12.5 lbs

210MM TCT MULTI-MATERIAL COMPOUND MITRE SAW



Evolution's most compact 210mm compound mitre saw - designed to cut a variety of materials at any desired angle. Couple this with the Evolution Mitre Saw Stand to provide additional support for extra long workpieces, gives you the best value for maximum productivity.

(Mitre Stand Sold Separately)

SPECIFICATION

- Multi-Material Cutting Technology
- 1200W Powerful Hi-Torque Motor
- 125 x 55mm Cross Cut Capacity
- 0° - 45° Bevel Cut
- Top Clamp
- 2m Power Cable
- Dust Bag Included
- Lightweight & Portable
- Fast & Easy Blade Change
- 3 Year Limited Warranty

FEATURES



DUST BAG INCLUDED

Dust bag for a cleaner & safer working area.



LIGHTWEIGHT & PORTABLE

Allows for quick and easy transport from job to job.



COMPACT DESIGN

Easily storable in both the workshop & vehicle.



ERGONOMIC HANDLE

Ambidextrous, soft grip handle for maximum comfort

BLADES

Multi-Material TCT Blade

Size: 210mm
Bore: 25.4mm
Kerf: 1.7mm
Teeth: 20
Code: RAGEBLADE210MULTI



Diamond Blade

Size: 210mm
Bore: 25.4mm
Kerf: 2.2mm
Teeth: Continuous Rim
Code: RAGEBLADE210DIAMOND



1200W



125 x 55mm



85 x 55mm



125 x 35mm



85 x 35mm



6mm Mild Steel

R210 SMS +

UK 110v: 048-0002A, UK 230v: 048-0001A, EU 230v: 048-0003A

13.85 kg
30.9 lbs

210MM TCT MULTI-MATERIAL SLIDING MITRE SAW



Go premium and equip yourself with the best 210mm sliding mitre saw on the market. Multi-material cutting technology with all the features you'll need to get the job done. Delivering accuracy, reliability and the power to handle heavy-duty materials - the R210SMS+ is truly superb value for money.

SPECIFICATION

- Multi-Material Cutting Technology
- 1500W Powerful Hi-Torque Motor
- 230 x 65mm Cross Cut Capacity
- Laser Guided Accuracy
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Top & Long Front Clamps
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADES

Multi-Material TCT Blade

Size: 210mm
Bore: 25.4mm
Kerf: 1.7mm
Teeth: 24
Code: RAGEBLADE210MULTI

Diamond Blade

Size: 210mm
Bore: 25.4mm
Kerf: 2.2mm
Teeth: Continuous Rim
Code: RAGEBLADE210DIAMOND



PLUS FEATURES



PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



INTEGRATED CARRY HANDLES

Easy to carry & transport around the workplace.



QUICK RELEASE CLAMPS

Top & front for additional Accuracy & Faster Adjustments.



SLIDE RAIL PROTECTOR

Protects against damage & prevents dust ingress.



DUST BAG INCLUDED

Dust Collection Bag & Dust Port Adaptor for use with Vacuum Extraction.



3M POWER CABLE

Reduces the need for extension leads.



1500W



230 x 65mm



150 x 65mm



230 x 38mm



150 x 38mm



6mm Mild Steel

R210

SMS-300+

UK 110v: 048-0031A, UK 230v: 048-0030A, EU 230v: 048-0032A

210MM TCT MULTI-MATERIAL SLIDING MITRE SAW WITH 300MM SLIDE

13.2 kg
29 lbs



The perfect hybrid between a 210mm and 255mm sliding mitre saw.

The R210SMS-300+ maintains a more compact and robust design of a 210mm model but with the 300mm cross cutting capacity of it's bigger 255mm brother. Equipped with "PLUS" model features, this is the ultimate cutting solution for any trade.

SPECIFICATION

- Multi-Material Cutting Technology
- 1500W Powerful Hi-Torque Motor
- 300 x 65mm Cross Cut Capacity
- 300mm Slide
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Top & Long Front Clamps
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADES

Multi-Material TCT Blade

Size: 210mm
 Bore: 25.4mm
 Kerf: 1.7mm
 Teeth: 24
 Code: RAGEBLADE210MULTI

Diamond Blade

Size: 210mm
 Bore: 25.4mm
 Kerf: 2.2mm
 Teeth: Continuous Rim
 Code: RAGEBLADE210DIAMOND



PLUS FEATURES



PREMIUM TCT BLADE

Long-life multi-material cutting tct blade for smoother cuts.



INTEGRATED CARRY HANDLES

Easy to carry & transport around the workplace.



QUICK RELEASE CLAMPS

Top & front for additional Accuracy & Faster Adjustments.



DUST BAG INCLUDED

Dust Collection Bag & Dust Port Adaptor for use with Vacuum Extraction



3M POWER CABLE

Reduces the need for extension leads.



1500W



300 x 65mm



210 x 65mm



300 x 38mm



210 x 38mm



6mm Mild Steel

R255 SMS +

UK 110v: 052-0002A, UK 230v: 052-0001A, EU 230v: 052-0003A

255MM TCT MULTI-MATERIAL SLIDING MITRE SAW

16 kg
35.4 lbs



Trade rated and approved the R255SMS+ is the ultimate tool on the job site. Accuracy, power and reliability at the forefront of its design, this 255mm sliding mitre saw is equipped to power through 6mm thick mild steel, and cut hardwood, laminate and even nail embedded wood with precision.

SPECIFICATION

- Multi-Material Cutting Technology
- 2000W Powerful Hi-Torque Motor
- 300 x 80mm Cross Cut Capacity
- Laser Guided Accuracy
- 0° - 45° Bevel Cut
- 50° - 50° Mitre Cut
- Tall Fence
- Top & Long Front Clamps
- Fast & Easy Blade Change
- 3 Year Limited Warranty

BLADES

Multi-Material TCT Blade

Size: 255mm
Bore: 25.4mm
Kerf: 2mm
Teeth: 28
Code: RAGEBLADE255MULTI

Diamond Blade

Size: 255mm
Bore: 25.4mm
Kerf: 2.4mm
Teeth: Continuous Rim
Code: RAGEBLADE255DIAMOND



PLUS FEATURES



PREMIUM TCT BLADE
Long-life multi-material cutting TCT blade for smoother cuts.



INTEGRATED CARRY HANDLES
Easy to carry & transport around the workplace.



QUICK RELEASE CLAMPS
Top & front for additional Accuracy & Faster Adjustments.



SLIDE RAIL PROTECTOR
Protects against damage & prevents dust ingress.



DUST BAG INCLUDED
Dust Collection Bag & Dust Port Adaptor for use with Vacuum Extraction



TALL FENCE
Provides extra support for cutting crown moulding.



3M POWER CABLE
Reduces the need for extension leads.



2000W
(230v)
1600W
(110v UK Only)



300 x 80mm



210 x 80mm



300 x 45mm



210 x 45mm



6mm
Mild Steel

RAGE 3-DB

UK 110v: 043-0002, UK 230v: 043-0001, EU 230v: 043-0003

255MM TCT MULTI-MATERIAL SLIDING MITRE SAW

- Multi-Material Cutting Technology
- 2000W Powerful Hi-Torque Motor
- 320 x 80mm Cutting Capacity
- Laser Guided Cutting Accuracy
- 45°- 45° Double Bevel
- Fast & Easy Blade Change
- 3 Year Limited Warranty

255MM BLADES	BORE	KERF	TEETH/RIM	
Multi-Material TCT	25.4mm	2mm	28	RAGEBLADE255MULTI
Diamond Blade	25.4mm	2.4mm	Continuous	RAGEBLADE255DIAMOND

19.6 kg
43 lbs

Picture shown is for promotional purposes. Do not cut more than one material at a time.



2000W (230v)
1600W (110v UK Only)



320 x 80mm



225 x 80mm



320 x 40mm



225 x 40mm



6mm Mild Steel

MITRE SAW STAND WITH EXTENDABLE ARMS

005-0001

SUPPORTS WORKPIECES UP TO 3M & 150 KG WORKLOAD

A fantastic addition to Evolution's product range perfectly complimenting Evolution's mitre saws, as well as most other makes of mitre saw. Easily and quickly set up, with foldable legs for simple storage and transportation.

- Key features include quick-release mounting brackets for fast saw removal and height adjustable arms with rollers and end-stops.

15.5 kg
34 lbs



Compatible with most Power Tool Brands



110cm



60cm



75cm



180cm

RAGE 5-S

UK 110v: 057-0002, UK 230v: 057-0001, EU 230v: 057-0003

255MM TCT MULTI-MATERIAL TABLE SAW

33.5 kg
73.9 lbs

- Multi-Material Cutting Technology
- 1800W Powerful Hi-Torque Motor
- 83mm Depth of Cut
- 0°- 45° Bevel / Tilt Capability
- Folds for Easy Storage
- Adjustable Blade Height
- ON/OFF Safety Switch
- 1.5m Durable Cable with Built-In Cable Storage
- Dust Extraction with 1.8m Hose Supplied
- Sliding Table for Smoother Control
- Extendable Table
- Durable, Dual Point Clamping Rip Fence
- 3 Year Limited Warranty

255MM BLADE	BORE	KERF	TEETH	
Multi-Material TCT	25.4mm	2mm	28	RAGEBLADE255MULTI




1800W (230v)
1600W (110v UK Only)



83mm




58mm




650mm Rip Capacity To The Right



H: 1050mm
W: 940mm
D: 750mm



1200mm x 640mm



RAGE 2

230v: 085-0003


355MM TCT MULTI-MATERIAL CHOP SAW

- Multi-Material Cutting Technology
- 2200W Powerful Hi-Torque Motor
- 180mm x 95mm Cross Cut Capacity
- 120mm² Box Section Capacity
- 130mmØ Round Tube Capacity
- Fast & Easy Blade Change
- 3 Year Limited Warranty

20kg
44lbs

BLADES

	Multi-Material TCT Blade	Diamond Blade
Size:	355mm	355mm
Bore:	25.4mm	25.4mm
Kerf:	2.4mm	2.4mm
Teeth:	36	Segmented Rim
Code:	RAGEBLADE355MULTI	RAGEBLADE355DIAMOND



RAGE 4

UK 110v: 081-0007, UK 230v: 081-0006, EU 230v: 081-0008

185MM TCT MULTI-MATERIAL CHOP SAW

- Multi-Material Cutting Technology
- 1250W Powerful Hi-Torque Motor
- 97mm x 46mm Rectangle at 90°
- 45mm Square at 90°
- 46mmØ Round Tube Capacity
- 0°- 45° Mitre Cutting Capability
- Fast & Easy Blade Change
- 3 Year Limited Warranty

185MM BLADES	BORE	KERF	TEETH/RIM	
Multi-Material TCT	20mm	1.7mm	20	R185TCT-20CS
Diamond Blade	20mm	2.3mm	Segmented	RAGEBLADE185DIAMOND

8.95 kg
19.7 lbs



DISC CUTTER

UK 110v: 008-0002, UK 230v: 008-0001, EU 230v: 008-0004

305MM ELECTRIC CONCRETE SAW

- Cuts Reinforced Concrete, Stone & Brick
- 2400W Powerful Hi-Torque Motor
- Electric Powered
- 100mm Depth of Cut
- Electric Motor = No Petrol Fumes
- Diamond Blade Included
- 2 Years Limited Warranty

305MM BLADE	BORE	KERF	RIM	RPM
Diamond Blade	22.2mm	3.2mm	Segmented	5000

9.5 kg
21 lbs



CYCLONE

097-0001


MAGNETIC SHAVING COLLECTOR

Easily Picks up Steel Shavings and other Ferrous workshop debris

- Rubber grip handle
- Maximum lifting weight: 6.5 kg

0.5 kg

Simply slide the plunger and the shavings are neatly deposited.



TWISTER

UK 110v: 013-0002, UK 230v: 013-0001, EU 230v: 013-0003

1100W VARIABLE SPEED MIXER

SUPPLIED WITH MIXING PADDLE

- Variable Speed Control: 250-750min⁻¹
- Vibration Data: 0.5-0.7m/s²
- Ergonomic Soft Grip Handle
- No More Manual Mixing
- 2 Years Limited Warranty

MIX:

Plaster, Mortar & Cement.
Ideal for all Popular Mixing Applications

4.9 kg
10.8 lbs

Twister Paddle Available: 013-0006



RAGE 7-S

UK 230v:075-0002, EU 230v: 075-0003

CORDED JIGSAW WITH VARIABLE SPEED CONTROL & BLADES

- Multi-Material Cutting Technology
- 710W Powerful Hi-Torque Motor (230v)
- 80mm Depth of Cut
- 8mm Mild Steel Plate
- Quick Release Blade Change
- Adjustable Parallel Edge Guide
- 2 Years Limited Warranty

REPLACEMENT BLADE PACK OF 5 075-0200

Multi-Material Cutting Blades Available for Steel, Aluminium & Wood.



Adjustable Parallel Edge Guide

4.1 kg
9 lbs

HDG 200

UK 230v: 071-0001, EU 230v: 071-0003

HEAT GUN WITH VARIABLE HEAT CONTROL

- Powerful 2000W Motor
- Max. Temperature of 630°C
- Variable Airflow Speed of 120 - 550L/min
- Ideal For: Stripping Paint & Varnish, Curing Glues & Epoxies, Waxing or Dewaxing, Softening & Forming Plastics, Removing Adhesive Labels & Graphics, Heating Liquids, Applying Heat Shrink & Film, Drying Out Damp Wood, Lifting Tiles & Edging Trim, Drying Paint or Varnish, Lighting Barbecues, Loosening Rusty Screws or Nuts & Removing Caulking
- 2 Years Limited Warranty

0.8 kg
1 lbs



Carry Case Included



710W (230v)
600W (110v UK Only)



8mm Steel



80mm Wood



26mm Length



0° - 45°
Bevel Facility



Laser Guided
Cutting Accuracy



2000W



Variable Temperature
50°C - 630°C



Variable Airflow
120ltr/min - 550ltr/min

DIGITAL

Digital Display



+4 Nozzles



+Scraper

RAGE 8

UK 110v: 045-0002, UK 230v: 045-0001, EU 230v: 045-0003

MULTI-MATERIAL CUTTING RECIPROICATION SAW & BLADES

- Multi-Material Cutting Technology
- 1050W Powerful Hi-Torque Motor
- 230mm Wood
- 20mm Mild Steel Plate
- Adjustable Pivot Plate
- Fast & Easy Blade Change
- 2 Years Limited Warranty

WOOD CUTTING BLADE PACK 045-0254

Includes 1 x Green Wood Blade & 1 x General Wood Blade.

THIN STEEL & MULTI-MATERIAL BLADE 045-0255

Includes 1 x Thin Steel Blade & 1 x Multi-Material Blade.



Carry Case Included

3.7 kg
8 lbs

SDS4 800

UK 110v: 096-0002, UK 230v: 096-0001, EU 230v: 096-0003

FOUR FUNCTION HAMMER DRILL: DRILL, CHISEL, ROTATION & HAMMER

- 1.6 Joules of high impact energy
- 650W High-Torque Motor
- 0-1100min⁻¹ Variable Speed Function
- Adjustable Auxiliary Handle
- 2 Years Limited Warranty

SUPPLIED WITH:

- 3 x SDS Drill Bits (6 x 160mm, 8 x 160mm, 10 x 160mm)
- 2 x Chisel Bits (250mm Pointed Chisel & 250mm Flat Chisel)
- Carry Case



2.8 kg
6 lbs



1050W



20mm



230mm Wood



Wood with Nails



28mm Length



800-2400spm
Variable



650W



0-1100min⁻¹



Max 13mm Ø



Max 20mm Ø



Max 30mm Ø



+ Carry Case

R225 DWS

UK 230v: 078-0001, EU 230v: 078-0003

225MM DRY WALL SANDER + 6 SANDING DISCS

- Extendable, LED Pivoting Head
- High Power with Variable Speed
- Integrated Dust Extraction
- Comfortable & Flexible Operation
- 2 Years Limited Warranty

ACCESSORIES INCLUDE:

- 6 Easy Mountable Sanding Discs:
Grits inc. 80 (078-0090), 120 (078-0091), 180 (078-0092) & 240 (078-0093)
- 4 Meter Hose which will fit most Vacuum Ports



5.8 kg
12.8 lbs



MINI BELT SANDER

UK 230v: 063-0001, EU 230v: 063-0003

280W MULTIPURPOSE MINI BELT SANDER

- Soft-Grip
- Adjustable Belt Tracking
- Ideal For: Wood, Plastic & Paint Removal
- Extra Belts Available
- 2 Years Limited Warranty

SUPPLIED WITH:

- 3 Sanding Belts
Grits inc. 80 (BELTSANDP80), 100 (BELTSANDP100), 120, (BELTSANDP120)
- Dust Bag



1.4 kg
3 lbs



710W



600 - 1500 RPM



0° - 90°
Pivoting Head



H: 230mm W: 250mm L: 1450mm



225mm x6
60, 80, 120, 150, 180 & 240 Grits



280W



40mm (L)



303mm (L)



40mm (W)



+ 3 Belts



+ Dust Bag

EB225 DWSHH

UK 230v: 069-0001, EU 230v: 069-0003

225MM HAND-HELD DRY WALL SANDER

- High Power with Variable Speed
- Integrated Dust Extraction
- Easy Sanding Operation
- Adjustable Auxiliary Handle
- 2 Years Limited Warranty

SUPPLIED WITH:

- 6 Easy Mountable Sanding Discs:
Grits inc. 80 (078-0090), 120 (078-0091), 180 (078-0092) & 240 (078-0093)
- Dust Bag
- Belt Clip
- Hose



2.8 kg
6.2 lbs

FILE SANDER

UK 230v: 062-0001, EU 230v: 062-0003

400W PRECISION FILE SANDER

- Variable Speed
- Dust Extraction Facility
- Adjustable Belt Tracking
- Rubber-Coated Grip
- Speed Control Dial
- Dust Sealed Bearings
- 120° Fully Adjustable Sanding Arm
- 2 Years Limited Warranty

SUPPLIED WITH:

- Single Wheeled Head (Flat Surfaces)
- Twin Wheeled Head (Angled Surfaces)
- Dust Bag
- 3 Sanding Belts
Grits inc. 80 (FILESANDP80), 100 (FILESANDP100), 120, (FILESANDP120)



1.75 kg
4 lbs



1050W



1500-2300min⁻¹



+ 25L Dust Bag



+ Sanding Discs



+ Hose



400W



1.215m/s²



457mm (L)



13mm (W)



+ 3 Belts



+ Dust Bag

HULK

HULK: 015-0001

400MM X 320MM PETROL POWERED COMPACTOR

WITH 4-STROKE OHV SINGLE CYLINDER ENGINE

- Ideal For: Crusher Run, Sand, Soil, Small Aggregates, Patio & Block Paving, Driveways & Tarmac Repair. With Excellent Surface Preparation.
- Easy-Fold Hinged Handle
- Easy-Pull Start
- Forced Air Cooling System
- 2.4HP / 1.5L Capacity Petrol Engine
- 2 Years Limited Warranty



38 kg
84 lbs



Paving Pad
Sold Separately:
015-0007



2.4HP



3600min⁻¹



Max
46m/s²



10kN



Unleaded Petrol



+0.5L of Oil



6.5HP



3L Capacity



Oil Warning



20cm Ø



Foot Brake



3150min⁻¹

HULK ELECTRO

400MM X 320MM ELECTRIC COMPACTOR

- Ideal For: Crusher Run, Sand, Soil Block Paving Preparation.
- Easy-Fold Hinged Handle
- Thick & Durable Base Plate
- Vibration Damper System
- Compact & Easily Storable
- Roll Bars For Increased Strength
- Low Frequency & High Amplitude
- 2 Years Limited Warranty



26 kg
57 lbs



Paving Pad
Sold Separately:
015-0007



780W



2860min⁻¹



Max
7.43m/s²



5kN




No Fumes



Quiet 94dB(A)

QUICK RELEASE OUTPUT CHANGE

Evolution's Unique Quick Release Coupling Allows Easy Output Connectivity & Removal.



(Hose not included)

PRESSURE WASHER

PW3200: 014-0003

- Rated Pressure: 175bar
- Max. Pressure: 220bar
- Max. Flow Rate: 8L/min
- Detergent System: 1L
- Lance Included
- 2 Year Warranty



GENERATOR

GEN2800: 014-0004

- Power (Cont) 50Hz: 2.0kW / 2.0kVA
- Power (Max.) 50Hz: 2.4kW / 3kVA
- AC Output
- Sockets: 1 x 110v & 1 x 230v
- 2 Year Warranty



WATER PUMP

DWP1000: 014-0005

- Use with: 3" (75mm) Hose
- Suction Height: 8m
- Pump Lift: 28m
- Flow Rate: 1000L/min
- Max. Solids: 8mm
- 2 Year Warranty

29 kg
63 lbs



EVO SYSTEM

EVO200: 014-0002

4-STROKE PETROL ENGINE

- Powers a Range of Outputs (see below)
- Robust & Durable Steel Frame
- Wheel Kit Provides Mobility
- Folding Handle for Storage
- Folding Output Frame
- Oil Low Sensor
- Patented Technology
- Quick Recoil Start
- Secure Foot Brake





🔍 **EVOLUTION POWER TOOLS**



4.5/5



www.reviews.co.uk

Venture One, Longacre Close,
Holbrook Industrial Estate
Sheffield, S20 3FR

0114 251 1022

www.evolutionpowertools.com