

DRUG TEST ORDER FORM



GO PAPERLESS! Order Your Testing online at this link: https://fdtsi.com/icss-order-form

ADULT 1:	DOB:
ADULT 2:	DOB:
CHILD 1:	DOB:
CHILD 2:	DOB:
CHILD 3:	DOB:
SOCIAL WORKER:	DEADLINE:

### Forensic DTS is hereby directed to perform the following services:

STANDARD CPS Hair Drug Test (Ingestion):	Panel:	LCHAIR 5
EXPANDED Urine Drug Test (MedPro 30+ Drugs + Rx Meds)	Panel:	CRL30F7
STANDARD CPS URINE Drug Test (LOD with Fentanyl & EtG alcohol) Panel:	Panel:	CRL 366X
D.N.A. Paternity Swab Testing-Trio (Includes up to 3 Donors)	Panel:	DNATrio
<b>ORAL FLUID Drug Testing</b> (Lab Based-Standard Cut-offs)	Panel:	LCOral 5
BREATH ALCOHOL Testing (Evidential Breath Test, with print-out)	Panel:	BAT
EXPOSURE ONLY Hair Drug Testing "ChildGuard 5 Drugs"	Panel:	USDTL 5
HAIR/NAIL Drug Testing - 7 Drugs (Tests for drug Ingestion & exposure)	Panel:	USDTL 7
HAIR/NAIL Drug Testing - 9 Drugs (Tests for drug Ingestion & exposure)	Panel:	USDTL9
HAIR/NAIL Drug Testing - 10 Drugs (Tests for drug Ingestion & exposure)	Panel:	USDTL 10
HAIR/NAIL Drug Testing - 12 Drugs (Tests for drug Ingestion & exposure)	Panel:	USDTL 12
EtG ALCOHOL via HAIR	Panel:	USDTLetg
DIDECTIVE		

#### DIRECTIVE

Imperial County Department of Social Services-Children & Family Services is directing FDTS, Inc. to directly observe sample collection, process and arrange for drug and/or alcohol testing of the above Donor sample(s), then report these results direct to the Imperial County Department of Social Services-Children & Family Services. The above Social Worker or S.W. Assistant has verified that the Donor's presented to FDTS, Inc. staff are the person(s) whom testing is requested from and relieves FDTS, Inc. from obtaining picture identification from each Donor. The above agency has full authority, under California Law, to legally request such tests on adults and under age children, with or without the consent of the child's legal guardian or parent(s). It is further understand that the I.C.S.S. Social Worker assigned to this case is fully responsible for obtaining a written "Service Plan" needed to process payment for this order.

#### SOCIAL WORKER AGREES TO ENSURE PAYMENT TO FDTS, Inc., WITHIN 30 DAYS OF SERVICE.

Social Worker's Signature

Today's Date



# **ChildGuard Hair Drug Panels**

	Panels: 13	10	9	7	5
Amphetamines amphetamine, MDA, MDEA, MDMA, methamphetamine	•				
Cannabinoids cannabidiol, carboxy-THC, native-THC	٠				
<b>Cocaine</b> benzoylecgonine, cocaethylene, cocaine, norcocaine	•			•	
<b>Opiates</b> 6-MAM, codeine, hydrocodone, hydromorphone, morphine	٠				
Phencyclidine phencyclidine (PCP)	٠				
Benzodiazepines alprazolam, diazepam, midazolam, nordiazepam, oxazepam, temazepam	٠				
Barbiturates amobarbital, butalbital, pentobarbital, phenobarbital, secobarbital	٠				
Methadone EDDP, methadone	٠				
Propoxyphene norpropoxyphene	•				
Oxycodone oxycodone, noroxycodone	•				
Meperidine normeperidine					
Tramadol tramadol	•				
Fentanyl acetyl fentanyl, acetyl norfentanyl, alfentanil, fentanyl, norfentanyl	•				

#### FORENSIC DTS PRICE LIST:

 5 Panel:
 \$ 289.00
 7 Panel:
 \$ 299.00
 9 Panel:
 \$ 369.00

 10 Panel
 \$ 415.00
 12 Panel:
 \$ 449.00
 EXPANDED & CUSTOMIZED PANELS AVAILABLE (See Below).

When a child or someone under guardianship is exposed to illegal substance abuse they often also face other coexisting obstacles to a normal life - neglect, abuse, violence, and other vulnerabilities. Substance abuse is a disease, one that often prevents adults from doing what is in a child's best interest. Detecting these dangerous environments is paramount to keeping the child safe. Testing with ChildGuard<sup>®</sup> can assist, where other exposure drug tests fall short.

ChildGuard<sup>®</sup> is the only drug test designed to detect passive exposure to drugs, distinguishing between both native drugs and drug metabolites in hair specimens. Drug metabolites are produced in the body only if drugs have been ingested. Children in drug exposed environments are most often not drug users themselves, so drug metabolites are typically absent when a child is being tested for drug exposure. Typical hair tests with other labs will only report a positive exposure result if drug metabolites are detected, even when the native drug is in the child's hair specimen. ChildGuard<sup>®</sup> reports a positive result if either native drugs or drug metabolites are detected, giving much better insight about the child's environment. ChildGuard<sup>®</sup> can provide evidence of substance use in a child's environment for the past 3 months, and can be performed on donors of any age.

A positive ChildGuard<sup>®</sup> test result suggests that the donor has experienced one or more of the following: Contact with drug smoke, contact with sweat or sebum (skin oil) of a drug user, contact with the actual drug, or accidental or intentional ingestion of the drug(s).

Specimen collection for ChildGuard requires the same collection materials as standard hair testing.



### Hair and Fingernail Drug Panels

Amphetamines amphetamine, MDA, MDEA, MDMA, methamphetamine* Cannabinoids carboxy-THC Cocaine benzoylecgonine, cocaethylene, cocaine, norcocaine Opiates 6-MAM, codeine, hydrocodone, hydromorphone, morphine, norhydrocodone Phencyclidine phencyclidine (PCP) Benzodiazepines alprazolam, diazepam, midazolam, nordiazepam, oxazepam, emotarbital, butalbital, pentobarbital, phenobarbital, secobarbital Methadone EDDP, methadone Propoxyphene, norropoxyphene Oxycodone oxycodone, oxymorphone, norxycodone Meperidine Tramadol tramadol Fentanyl, norfentanyl, alfentanil, acetyl fentanyl, acetyl norfentanyl	Panels:	40	4.0	4 7	10	4 -	<i>A A</i>	40	40	0	7	-
amphetamine, MDA, MDEA, MDMA, methamphetamine*	Panels:	19	18	17	16	15	14	12	10	Э	1	5
carboxy-THC Cocaine benzoylecgonine, cocaethylene, cocaine, norcocaine Opiates 6-MAM, codeine, hydrocodone, hydromorphone, morphine, norhydrocodone Phencyclidine phencyclidine phencyclidine (PCP) Benzodiazepines alprazolam, diazepam, midazolam, nordiazepam, oxazepam, alprazolam, diazepam, midazolam, nordiazepam, oxazepam, alprazolam, diazepam, midazolam, nordiazepam, oxazepam, Barbiturates amobarbital, butalbital, pentobarbital, phenobarbital, secobarbital Methadone EDDP, methadone Propoxyphene propoxyphene, norpropoxyphene Oxycodone oxycodone, oxymorphone, noroxycodone Meperidine normeperidine Tramadol tramadol Fentanyl fentanyl, norfentanyl, alfentanil, acetyl fentanyl,												•
benzoylecgonine, cocaethylene, cocaine, norcocaine Opiates 6-MAM, codeine, hydrocodone, hydromorphone, morphine, norhydrocodone Phencyclidine phencyclidine (PCP) Benzodiazepines alprazolam, diazepam, midazolam, nordiazepam, oxazepam, alprazolam, diazepam, midazolam, nordiazepam, oxazepam, Barbiturates amobarbital, butalbital, pentobarbital, phenobarbital, secobarbital Methadone EDDP, methadone Propoxyphene propoxyphene, norpropoxyphene Oxycodone oxycodone, oxymorphone, noroxycodone Meperidine normeperidine Tramadol Tramadol Fentanyl fentanyl, norfentanyl, alfentanil, acetyl fentanyl,												
6-MAM, codeine, hydrocodone, hydromorphone, morphine, norhydrocodone Phencyclidine phencyclidine (PCP) Benzodiazepines alprazolam, diazepam, midazolam, nordiazepam, oxazepam, Barbiturates amobarbital, butalbital, pentobarbital, phenobarbital, secobarbital Methadone EDDP, methadone Propoxyphene propoxyphene, norpropoxyphene Propoxyphene, norpropoxyphene oxycodone, oxymorphone, noroxycodone Meperidine normeperidine Tramadol Fentanyl, norfentanyl, alfentanil, acetyl fentanyl,												
phencyclidine (PCP) Benzodiazepines alprazolam, diazepam, midazolam, nordiazepam, oxazepam, temazepam Barbiturates amobarbital, butalbital, pentobarbital, phenobarbital, secobarbital Methadone EDDP, methadone Propoxyphene propoxyphene, norpropoxyphene Oxycodone oxycodone, oxymorphone, noroxycodone Meperidine normeperidine Tramadol tramadol Fentanyl fentanyl, norfentanyl, alfentanil, acetyl fentanyl,	6-MAM, codeine, hydrocodone, hydromorphone, morphine,									•	•	•
alprazolam, diazepam, midazolam, nordiazepam, oxazepam, temazepam Barbiturates amobarbital, butalbital, pentobarbital, phenobarbital, secobarbital Methadone EDDP, methadone Propoxyphene propoxyphene, norpropoxyphene Oxycodone Oxycodone, oxymorphone, noroxycodone Meperidine normeperidine Tramadol Tramadol Fentanyl fentanyl, norfentanyl, alfentanil, acetyl fentanyl,												
amobarbital, butalbital, pentobarbital, phenobarbital, secobarbital Methadone EDDP, methadone Propoxyphene propoxyphene, norpropoxyphene Oxycodone oxycodone, oxymorphone, noroxycodone Meperidine normeperidine Tramadol tramadol Fentanyl fentanyl, norfentanyl, alfentanil, acetyl fentanyl, Menobarbital, pentobarbital, phenobarbital, Methadone Propoxyphene Propoxyph	alprazolam, diazepam, midazolam, nordiazepam, oxazepam,		•	•	•		•	•	•	•		
EDDP, methadone	amobarbital, butalbital, pentobarbital, phenobarbital,									•		
propoxyphene, norpropoxyphene Oxycodone oxycodone, oxymorphone, noroxycodone Meperidine normeperidine Tramadol tramadol Fentanyl fentanyl, norfentanyl, alfentanil, acetyl fentanyl,												
oxycodone, oxymorphone, noroxycodone Meperidine normeperidine Tramadol tramadol Fentanyl fentanyl, norfentanyl, alfentanil, acetyl fentanyl,												
normeperidine												
tramadol Fentanyl fentanyl, norfentanyl, alfentanil, acetyl fentanyl,												
fentanyl, norfentanyl, alfentanil, acetyl fentanyl, 🛛 🗧 🗧 🗧 🗧 🔵 🔵												
	fentanyl, norfentanyl, alfentanil, acetyl fentanyl,											
Sufentanil • • • • • •												
Ketamine etamine etamine												
Buprenorphine  buprenorphine, norbuprenorphine												
Zolpidem zolpidem (e.g. Ambien®)												
Kratom mitragynine, 7-hydroxymitragynine												
Gabapentin gabapentin												

\*D/L Methamphetamine Isomer testing is available upon request for specimens that test positive for methamphetamine. Turnaround time is 5-7 business days. Turnaround time is 2-4 business days for additional add-ons or for any testing of hair or fingernail 15-panel and above.



Additional Add-Ons and Available Options For Hair and Fingernail					
Additional Add-Ons and Available Options	Add-On	Stand Alone			
Diphenhydramine diphenhydramine	$\checkmark$	$\checkmark$			
EtG (Direct Ethanol Biomarker) ethyl glucuronide	$\checkmark$	$\checkmark$			
Propofol Glucuronide propofol glucuronide (e.g. Diprivan <sup>®</sup> )	$\checkmark$	$\checkmark$			
High-Potency Opioids (HPOs)6-β-Naltrexol (naltrexone metabolite), butorphanol (e.g. Stadol®),nalbuphine (e.g. Nubain®), naloxone (e.g. Narcan®), naltrexone (e.g. Revia®)	$\checkmark$	$\checkmark$			
Kratom mitragynine, 7-hydroxymitragynine	$\checkmark$	$\checkmark$			
Gabapentin gabapentin	$\checkmark$	$\checkmark$			
Cotinine cotinine, nicotine	$\checkmark$	$\checkmark$			

## FORENSIC Drug Testing Services, Inc. PRICE LIST

## **HAIR/NAIL Profile Testing Fees:**

Profile 5:	\$ 289.00
Profile 7:	\$ 299.00
Profile 9:	\$ 369.00
Profile 10:	\$ 415.00
Profile 12:	\$ 449.00
Profile 13:	\$ 675.00
Profile 14:	\$ 745.00
Profile 15:	\$ 895.00
Profile 16:	\$ 895.00
Profile 17:	\$ 895.00
Profile 18:	\$ 895.00
Profile 19:	\$ 895.00
EtG Alcohol:	\$ 285.00

\* Please see the above listing for drugs included within each Profile.