

CONTENT: 100% LINEN

WIDTH: 60"

PRINTABLE WIDTH: 58"

WEIGHT: 6.75 OZ/ YD² (229 GSM)

ABRASION: GRADE 3 @ 30,000+ WYZENBEEK

CROCKING: 4 - DRY; 3 - WET FLAMMABILITY: CAL TB 117- PASS LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: WS

CAREINSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the

procedure with water only.



CONTENT: 100% POLYESTER

WIDTH: 57"

PRINTABLE WIDTH: 55"

WEIGHT: 6.88 OZ/ YD² (233 GSM)

ABRASION: GRADE 3 @ 60,000+ WYZENBEEK

CROCKING: 4 - DRY; 3 - WET FLAMMABILITY: NFPA 701- PASS CAL TB 117- PASS

LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the

procedure with water only.



CONTENT: 97% POLYESTER/3% LINEN

WIDTH: 56"

PRINTABLE WIDTH: 54"

WEIGHT: 14.56 OZ/ YD² (491 GSM)

ABRASION: GRADE 5 @ 50,000+ WYZENBEEK

CROCKING: 4 - DRY; 4 - WET FLAMMABILITY: CAL TB 117- PASS LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: S

CAREINSTRUCTIONS: Spot clean only with

water-free dry-cleaning solvent.



CONTENT: 100% COTTON

WIDTH: 58"

PRINTABLE WIDTH: 56"

WEIGHT: 4.72 OZ/ YD² (160 GSM)


ABRASION: GRADE 3 @ 15,000+ WYZENBEEK

CROCKING: 4 - DRY; 3 - WET FLAMMABILITY: CAL TB 117- PASS LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the

procedure with water only.



CONTENT: 100% POLYESTER

WIDTH: 58"

PRINTABLE WIDTH: 56"

WEIGHT: 7.50 OZ/ YD² (255 GSM)


ABRASION: GRADE 3 @ 40,000+ WYZENBEEK

CROCKING: 4 - DRY; 4 - WET FLAMMABILITY: NFPA 701- PASS CAL TB 117- PASS

LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the procedure with water only.



CONTENT: 69% POLYESTER/28% RAYON/

3% COTTON

WIDTH: 56°

PRINTABLE WIDTH: 54"

WEIGHT: 15.44 OZ/ YD² (522 GSM) **ABRASION:** GRADE 3 @ 50,000+


WYZENBEEK

CROCKING: 4 - DRY; 4 - WET
FLAMMABILITY: CAL TB 117— PASS
LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: S

CARE INSTRUCTIONS: Spot clean only with

water-free dry-cleaning solvent.



CONTENT:97% COTTON/3% LINEN

WIDTH: 60"

PRINTABLE WIDTH: 58"

WEIGHT: 6.40 OZ/ YD² (217GSM)

ABRASION: GRADE 3 @ 20,000+ WYZENBEEK

CROCKING: 4 - DRY; 3 - WET FLAMMABILITY: CAL TB 117— PASS LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the

procedure with water only.



CONTENT: 100% POLYESTER

WIDTH: 62"

PRINTABLEWIDTH: 60"

WEIGHT: 10.25 OZ/ YD² (348 GSM)

ABRASION: GRADE 3 @ 50,000+ WYZENBEEK

CROCKING: 4.5 - DRY; 4 - WET FLAMMABILITY: CAL TB 117— PASS LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: S

CARE INSTRUCTIONS: Spot clean only with

water-free dry-cleaning solvent.



CONTENT: 100% POLYESTER

WIDTH: 57"

PRINTABLE WIDTH: 55"

WEIGHT: 8.32 OZ/ YD2 (282 GSM)

ABRASION: GRADE 3 @ 45,000+ WYZENBEEK

CROCKING: 4 - DRY; 3 - WET
FLAMMABILITY: CAL TB 117- PASS
LIGHTFASTNESS: CLASS 3 FOR 40 HOURS

CLEANING CODE: ${\mathbb S}$

 $\textbf{CARE\,INSTRUCTIONS:} \ \text{Spot clean only with}$

water-free dry-cleaning solvent.



CONTENT: 100% POLYESTER

WIDTH: 58"

PRINTABLE WIDTH: 56"

WEIGHT: 9.86 OZ/YD² (328 GSM)


ABRASION: GRADE 4 @ 50,000+ WYZENBEEK

CROCKING:4 - DRY;4 - WET
FLAMMABILITY: CAL TB 117— PASS
LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: S

CARE INSTRUCTIONS: Spot clean only with

water-free dry-cleaning solvent.



CONTENT:97% COTTON/3% LINEN

WIDTH: 60"

PRINTABLE WIDTH: 58"

WEIGHT: 7.44 OZ/ YD² (252 GSM)

ABRASION: GRADE 3 @ 20,000+ WYZENBEEK

CROCKING:4 - DRY;3 - WET FLAMMABILITY: CAL TB 117— PASS LIGHTFASTNESS:CLASS 4 FOR 40 HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the procedure with water only.



CONTENT: 100% POLYESTER

WIDTH: 58°

PRINTABLE WIDTH: 56"

WEIGHT: 9.92 OZ/ YD2 (336 GSM)

ABRASION: GRADE 3 @ 50,000+ WYZENBEEK

CROCKING: 4 - DRY; 4 - WET FLAMMABILITY: CAL TB 117— PASS LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: S

CARE INSTRUCTIONS: Spot clean only with

water-free dry-cleaning solvent.



CONTENT: 100% POLYESTER

WIDTH: 56"

PRINTABLE WIDTH: 54"

WEIGHT: 7.5 OZ/ YD² (254 GSM)


ABRASION: GRADE 3 @ 50,000+ WYZENBEEK

CROCKING: 4.5 - DRY; 4 - WET FLAMMABILITY: CAL TB 117 - PASS LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: S

CARE INSTRUCTIONS: Spot clean only with

water-free dry-cleaning solvent.



CONTENT: 100% POLYESTER

WIDTH: 56"

PRINTABLE WIDTH: 54"

WEIGHT: 6.7 OZ/ YD² (227 GSM)

ABRASION: GRADE 3 @ 30,000+ WYZENBEEK

CROCKING:4 - DRY;3 - WET
FLAMMABILITY: CAL TB 117— PASS
LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the

procedure with water only.



CONTENT: 85% POLYESTER/10% COTTON/

5% OTHER

WIDTH: 56"

PRINTABLE WIDTH: 54"

WEIGHT: 16.32 OZ/ YD² (552 GSM)

ABRASION: GRADE 4 @ 50,000+ WYZENBEEK

CROCKING: 4 - DRY; 4 - WET
FLAMMABILITY: CAL TB 117— PASS
LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: S

 $\textbf{CAREINSTRUCTIONS:} \ \textbf{Spot clean only with}$

water-free dry-cleaning solvent.



CONTENT: 100% POLYESTER

WIDTH: 57"

PRINTABLE WIDTH: 55"

WEIGHT: 10.32 OZ/ YD² (349 GSM)

ABRASION: GRADE 3 @ 50,000+ WYZENBEEK

CROCKING:4 - DRY;4 - WET
FLAMMABILITY: CAL TB 117— PASS
LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: S

CARE INSTRUCTIONS: Spot clean only with

water-free dry-cleaning solvent.



CONTENT: 100% POLYESTER

WIDTH: 58"

PRINTABLE WIDTH: 56"

WEIGHT: 9.76 OZ/ YD² (331 GSM)

ABRASION: GRADE 3 @ 50,000+ WYZENBEEK

CROCKING: 4.5 - DRY; 4.5 - WET FLAMMABILITY: CAL TB 117 - PASS LIGHTFASTNESS: CLASS 4 FOR 40 HOURS

CLEANING CODE: ${\mathbb S}$

CARE INSTRUCTIONS: Spot clean only with

water-free dry-cleaning solvent.

SUBSTRATES

AWNING

CONTENT: 100% POLYESTER

WIDTH: 59"

PRINTABLE WIDTH: 57"

WEIGHT: 8.25 OZ/ YD² (278 GSM)

ABRASION: GRADE 3 @ 50,000+ WYZENBEEK


CROCKING: 4 - DRY; 3 - WET FLAMMABILITY: CAL TB 117— PASS

LIGHTFASTNESS: CLASS 3 FOR 1.2K+ HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the

procedure with water only.



CONTENT: 100% POLYESTER

WIDTH: 56"

PRINTABLE WIDTH: 54"

WEIGHT: 7.50 OZ/ YD² (254 GSM)

ABRASION: GRADE 3 @ 60,000+ WYZENBEEK

CROCKING: 4 - DRY; 3 - WET FLAMMABILITY: CAL TB 117— PASS

LIGHTFASTNESS: CLASS 3 FOR 1.2K+ HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the

procedure with water only.



CONTENT: 100% POLYESTER

WIDTH: 60"

PRINTABLE WIDTH: 58"

WEIGHT: 7.25 OZ/ YD² (244 GSM)

ABRASION: GRADE 4 @ 50,000+ WYZENBEEK

CROCKING: 4 - DRY; 3 - WET FLAMMABILITY: CAL TB 117— PASS

LIGHTFASTNESS: CLASS 3 FOR 1.2K+ HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the procedure with water only.

HEAVY LINEN

CONTENT: 100% POLYESTER

WIDTH: 56"

PRINTABLE WIDTH: 54"

WEIGHT: 7.50 OZ/YD² (255 GSM)

ABRASION: GRADE 3 @ 50,000+ WYZENBEEK

CROCKING:4 - DRY;3 - WET

FLAMMABILITY: CAL TB 117- PASS

LIGHTFASTNESS: CLASS 3 FOR 1.2K+ HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the procedure with water only.



CONTENT: 100% POLYESTER

WIDTH: 56"

PRINTABLE WIDTH: 54"
WEIGHT: 8 OZ/ YD² (271 GSM)

ABRASION: GRADE 3 @ 50,000+ WYZENBEEK

CROCKING:4 - DRY;3 - WET FLAMMABILITY: CAL TB 117— PASS

LIGHTFASTNESS: CLASS 3 FOR 1.2K+ HOURS

CLEANING CODE: WS

CARE INSTRUCTIONS: Spot clean with water and mild detergent. Blot the stain gently with a cloth dampened with this solution. Remove any residual foam or suds by repeating the procedure with water only.