

Superior

INDUSTRIES, LLC



SPRAYERS AND ACCESSORIES

DESIGNED FOR POPULAR ATV & UTV MODELS

www.superiorindustriessprayers.com

AT27-BB ATV Sprayers



Innovative.

The AT27-BB sprayers are an updated version of the WA wrap-around sprayer. All AT27-BB sprayers have a 27 gallon tank with a built-in baffle to prevent sloshing and feature short saddles, allowing the driver to get on and off the ATV easier, while still displacing some of the weight forward to improve safety. A single sump allows for better tank drainage. Stainless steel, low-drift Boom Buster nozzles will keep you spraying road sides, fence lines, creek banks, and more season after season.



BOOM BUSTER NOZZLES

Use both low-drift, stainless steel nozzles for 26 feet total coverage, or use one side only.



SHURflo® 4.0 GPM CHEMICAL RESISTANT PUMP

or choose from a 1.4 GPM, 3.0 GPM, or 7.0 GPM pump



HEAVY DUTY 30L-8" SPRAY GUN

Lightweight, commercial grade spray gun with trigger lock for added safety.



AT27-BB BASE MODEL

CONTROL PANEL

Conveniently located by the operator, includes on/off switch, pressure gauge, pressure control valve, left, right, and master control valves

AT27-BB SERIES : STANDARD SPECS

TANK SIZE	27 gallon ATV tank with baffle
PUMP	4.0 GPM chemical resistant SHURflo® pump
PRESSURE GAUGE	Liquid-filled pressure gauge
NOZZLES	Two stainless steel, low drift, Boom Buster nozzles
CONTROL VALVES	Left, right, and master control valves by operator
SPRAY GUN	Heavy duty, 30L-8" spray gun with adjustable nozzle
HOSE	10 foot hose and hose wrap
FILTER	Easy-clean, external filter
DRAINAGE	Sloped bottom flowing to sump

AT27-BB-CI



AT27-BB-CI-E-B12



AT27-BB-E




AT27-BB-CI-E



AT27-BB Series Optional Upgrades MIX AND MATCH, BUILD IT YOUR WAY

Clean up in less than 2 Minutes!



NO MORE MIXING CHEMICALS!

Pictured above is an AT27-BB-CI-E

CHEMICAL INJECTION SYSTEM

Most Accurate & Dependable Unit on the Market with its Piston Style Injector.

The water-powered metering system functions with volumetric proportions ensuring a consistent chemical mix regardless of variations in pressure and flow. The operator has the option to use both 1-gallon chemical injection tanks to apply 2 chemicals at the same time, just one, or shut off both to apply water only (i.e. fire control). The injection tanks simply lift out of the main tank for easy clean-up and maintenance.


SPRAY GUNS

Choose a spray gun that best fits your application from **Hypro®** and **Spraying Systems®**



ELECTRIC ACTUATORS

Keep the ATV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by the operator.



HOSE REELS

Choose from a variety of electric, manual, or spring rewind reels by **Hannay**, **Cox**, or **Eley**.



3 ways to spray

QUICK-TACH BOOMS

Available in a 38 inch assembled boom or 12 foot folding boom as pictured to the left. Spray with Boom Buster nozzles, spray gun, or boom.



WA16-BB, WA25-BB ATV Sprayers



Wrap Around.

The WA16-BB and WA25-BB sprayers feature a 16 gallon and a 25 gallon wrap-around style tank, respectively. These low-profile tanks with longer saddles put 20% of the weight in front of the ATV's rear axle for added safety. Dual sumps offer complete drainage. Like its AT27-BB counterpart, everything bolts to the tank for easy installation and removal. Dual stainless steel, low-drift Boom Buster nozzles provide 26 feet of total coverage season after season.



BOOM BUSTER NOZZLES

Use both low-drift, stainless steel nozzles for 26 feet total coverage, or use one side only.



SHURflo® 4.0 GPM CHEMICAL RESISTANT PUMP

or choose from a 1.4 GPM, 3.0 GPM, or 7.0 GPM pump



HEAVY DUTY 30L-8" SPRAY GUN

Lightweight, commercial grade spray gun with trigger lock for added safety.



WA16-BB
BASE MODEL

WA25-BB
BASE MODEL

WA16-BB & WA25-BB SERIES : STANDARD SPECS

TANK SIZE	16 or 25 gallon, wrap-around style tank with baffle
PUMP	4.0 GPM chemical resistant SHURflo® pump
PRESSURE GAUGE	Liquid-filled pressure gauge
NOZZLES	Two stainless steel, low drift, Boom Buster nozzles
CONTROL VALVES	Left and right control valves by operator
SPRAY GUN	Heavy duty, 30L-8" spray gun with adjustable nozzle
HOSE	10 foot hose and hose wrap
FILTER	Easy-clean, external filter
DRAINAGE	Dual sumps for complete drainage

WA25-BB-E

WA16-BB

WA25-BB-B12

WA25-BB-16F

WA16/25-BB Series Optional Upgrades MIX AND MATCH, BUILD IT YOUR WAY.....

SPRAY GUNS

Choose a spray gun that best fits your application from

Hypro® and Spraying Systems®



HOSE REELS

Choose from a variety of electric, manual, or spring rewind reels by **Hannay, Cox, or Eley.**



WA16-F WRAP-AROUND FRONT TANK

Increase capacity

This additional sprayer tank features a banjo quick coupler for easy removal, its own tank valves, dual sumps for complete drainage, and a separate filter. It works in conjunction with any of our WA or AT rear tanks.

ELECTRIC ACTUATORS

Keep the ATV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by the operator.



3 ways to spray



QUICK-TACH BOOMS

Available in a 38" assembled boom or 12 foot folding boom *as pictured to the left*. Gives the option of spraying with Boom Buster nozzles, spray gun, or boom.



LP45-BB Low Profile UTV Sprayers



A Pioneer

More and more UTVs are being utilized in various applications nation-wide. The 45 gallon, low-profile tank is only 16 inches high which allows for 360 degree visibility and exceptional stability. LP45-BB series sprayers are easy to use and maintain thanks to a sump for complete drainage, an easy-to-service external filter, a large tank lid for easy filling, and a quick drain tank valve. With a control panel conveniently located by the driver, you'll spend more time behind the wheel and on to the next task.



BOOM BUSTER NOZZLES

Use both low-drift, stainless steel nozzles for 26 feet total coverage, or use one side only.



SHURflo® 4.0 GPM CHEMICAL RESISTANT PUMP

or choose from a 1.4 GPM, 3.0 GPM, or 7.0 GPM pump



HEAVY DUTY 30L-8" SPRAY GUN

Lightweight, commercial grade spray gun with trigger lock for added safety.

CONTROL PANEL
conveniently located by operator

LP45-BB BASE MODEL



16"
HIGH

LOW-PROFILE TANK
does not obstruct view

LP45-BB SPRAYER SERIES : STANDARD SPECS

TANK SIZE	45 gallon low-profile tank
PUMP	4.0 GPM, chemical resistant SHURflo® pump
PRESSURE GAUGE	Liquid-filled pressure gauge
NOZZLES	Two stainless steel, low drift, Boom Buster nozzles
CONTROL VALVES	Left, right, and master control valves
SPRAY GUN	Heavy duty, 30L-8" spray gun with adjustable nozzle
HOSE	10 foot hose and hose wrap
FILTER	Easy-clean, external filter
DRAINAGE	Single sump for complete drainage



LP45-BB-CI



LP45-BB-203



LP45-BB-CI-E



LP45-BB-S

LP45-BB Series Optional Upgrades MIX AND MATCH, BUILD IT YOUR WAY

NEW SIDE STINGER WITH HINGED CONTROLS

The control panel conveniently folds back out of the way when not in use.



ELECTRIC ACTUATORS

Keep the UTV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by the operator.

CHEMICAL INJECTION SYSTEM

NO MORE MIXING CHEMICALS!

Clean up in less than 2 Minutes!



This system can apply one or more chemicals from two separate 2.5 gallon injection tanks. Shut off valves to both to apply water only (i.e. fire control). The injection tanks simply set in pockets and lift out of the main tank for easy clean-up and maintenance.



RAVEN 203 CONTROLLER

The full control panel is mounted by the operator and eliminates the need for a stinger that enters the cabin area.

QUICK-TACH BOOM

Available in 40 inch straight or 12 ft., 18 ft., 21 ft., 23 ft., 25 ft., and 28 ft., folding booms.



SPRAY GUNS

Choose a spray gun that best fits your application from

Hypro® and Spraying Systems®



HOSE REELS

Choose from a variety of electric, manual, or spring rewind reels by **Hannay, Cox, or Eley.**



21.9 GPM PUMP

Hypro® 6500 roller pump powered by a Honda GX160 gas engine. We offer a good selection of centrifugal and roller pumps.

LP60-BB Low Profile UTV Sprayers



As agriculture evolves so do we.

Our new LP60-BB sprayers take all the great features you'll find in the LP45-BB sprayers but with a Superior Industries original 60 gallon low profile tank. The 17.5" tall tank allows the driver full visibility and helps keep the vehicle stable. Spray more and fill the tank less with 15 extra gallons over the LP45 sprayers. Dual stainless steel Boom Buster nozzles and a 4 GPM chemical resistant SHURflo® pump come standard for 26 feet of total coverage. Also, now available with a folding side control panel for UTVs with rear windows or cabs.



BOOM BUSTER NOZZLES

Use both low-drift, stainless steel nozzles for 26 feet total coverage, or use one side only.



SHURflo® 4.0 GPM CHEMICAL RESISTANT PUMP


or choose from a 1.4 GPM, 3.0 GPM, or 7.0 GPM pump



HEAVY DUTY 30L-8" SPRAY GUN

Lightweight, commercial grade spray gun with trigger lock for added safety.

LP60-BB BASE MODEL



LOW-PROFILE TANK
only 17.5" high

LP60-BB SPRAYER SERIES : STANDARD SPECIFICATIONS

TANK SIZE	60 gallon low-profile tank
PUMP	4.0 GPM, chemical resistant SHURflo® pump
PRESSURE GAUGE	Liquid filled pressure gauge
NOZZLES	Two stainless steel, low drift, Boom Buster nozzles
CONTROL VALVES	Left, right, and master control valves
SPRAY GUN	Heavy duty, 30L-8" spray gun with adjustable nozzle
HOSE	10 foot hose and hose wrap
FILTER	Easy-clean, external filter
DRAINAGE	Single sump for complete drainage

LP60-BB Series Optional Upgrades MIX AND MATCH, BUILD IT YOUR WAY

NEW SIDE STINGER WITH HINGED CONTROLS

The control panel conveniently folds back out of the way when not in use.



ELECTRIC ACTUATORS

Keep the UTV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by the operator.

CHEMICAL INJECTION SYSTEM



Clean up in less than 2 Minutes!

NO MORE MIXING CHEMICALS!

This system can apply one or more chemicals from two separate 2.5 gallon injection tanks. Shut off valves to both to apply water only (i.e. fire control). The injection tanks set in pockets and simply lift out of the main tank for easy clean-up and maintenance.



RAVEN 203 CONTROLLER

The full control panel is mounted by the operator and eliminates the need for a stinger that enters the cabin area.



QUICK-TACH BOOM

Available in 40 inch straight or 12 ft., 18 ft., 21 ft., 23 ft., 25 ft., and 28 ft., folding booms.

SPRAY GUNS

Choose a spray gun that best fits your application from

Hypro® and Spraying Systems®



HOSE REELS

Choose from a variety of electric, manual, or spring rewind reels by **Hannay, Cox, or Eley.**



21.9 GPM PUMP

Hypro® 6500 roller pump powered by a Honda GX160 gas engine. We offer a good selection of centrifugal and roller pumps.

LP100-BB Low Profile UTV Sprayers



Max Capacity.

The LP100-BB sprayers, like the LP45-BB and LP60-BB, were designed to meet the growing utilization of side by side vehicles with at least a 1,000 pound cargo bed load capacity. The 100 gallon, low-profile tank allows for 360 degree visibility and exceptional stability. LP100-BB sprayers are easy to use and maintain thanks to a dual trough design for better drainage, an easy clean filter, a large tank lid for easy filling, and a quick drain tank valve. The control panel is positioned by the operator for convenience.



BOOM BUSTER NOZZLES

Use both low-drift, stainless steel nozzles for 26 feet total coverage, or use one side only.



SHURflo® 4.0 GPM CHEMICAL RESISTANT PUMP

or choose from a 1.4 GPM, 3.0 GPM, or 7.0 GPM pump




HEAVY DUTY 30L-8" SPRAY GUN

Lightweight, commercial grade spray gun with trigger lock for added safety.

LP100-BB BASE MODEL

**LOW-PROFILE
TANK**
only 22 inches high



LP100-BB SPRAYER SERIES : STANDARD SPECIFICATIONS

TANK SIZE	100 gallon low-profile tank
PUMP	4.0 GPM, chemical resistant SHURflo® pump
PRESSURE GAUGE	Liquid-filled pressure gauge
NOZZLES	Two stainless steel, low drift, Boom Buster nozzles
CONTROL VALVES	Left and right control valves
SPRAY GUN	Heavy duty, 30L-8" spray gun with adjustable nozzle
HOSE	10 foot hose and hose wrap
FILTER	Easy-clean, external filter
DRAINAGE	Dual trough design flowing toward outlet

LP100-BB-CI-203



LP100-BB-CI-203



LP100-BB-E



LP100-BB



LP100-BB Series Optional Upgrades MIX AND MATCH, BUILD IT YOUR WAY

**Clean up
in less than
2 Minutes!**




CHEMICAL INJECTION SYSTEM Most Accurate & Dependable Unit on the Market *NO MORE MIXING CHEMICALS!*

The water-powered metering system functions with volumetric proportions ensuring a consistent chemical mix regardless of variations in pressure and flow. The operator has the option to use both 2.5-gallon injection tanks, just one, or shut off both to apply water only (i.e. fire control). The injection tanks simply detach from a bracket on the main tank for easy clean-up and maintenance.

SPRAY GUNS

Choose a spray gun that best fits your application from **Hypro® and Spraying Systems®**



ELECTRIC ACTUATORS

Keep the UTV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by the operator.



RAVEN 203 CONTROLLER

Complete control panel mounted in a convenient location for the operator.

HOSE REELS

Choose from a variety of electric, manual, or spring rewind reels by **Hannay, Cox, or Eley.**



BOOMS

Available from 40" assembled to 28 ft. folding.



21.9 GPM PUMP

Hypro® 6500 roller pump powered by a Honda GX160 gas engine. We offer a good selection of centrifugal and roller pumps.

ECONOMY ATV / UTV Sprayers

Standard Features

XP BoomJet

XP BOOMJET NOZZLES



Use both polymer nozzles for 22 feet total coverage, or use one side for 11 feet of coverage.



SHURflo® 3.0 GPM CHEMICAL RESISTANT PUMP



LIGHTWEIGHT SPRAY GUN

Polypropylene spray gun with a trigger lock and internal strainer.

Value Minded.

Our economy sprayers offer the exceptional quality you expect from a Superior Industries sprayer at a value price. What makes these sprayers unique are the XP BoomJet boomless polymer nozzles and a 3.0 GPM chemical resistant SHURflo pump that come standard.



STANDARD SPECIFICATIONS

AT27-XP ATV SPRAYER

TANK SIZE	27 gallon low-profile tank
PUMP	3.0 GPM, chemical resistant SHURflo® pump
PRESSURE GAUGE	Pressure gauge
NOZZLES	Two polymer, boomless XP BoomJet nozzles
CONTROL VALVES	Left and right control valves
HAND GUN	22" Spraying Systems lightweight spray gun
HOSE	8 foot hose
FILTER	Easy-clean, external filter
DRAINAGE	Sloped bottom flowing to sump



WA16-XP :ATV SPRAYER

- 16 gallon low-profile tank
- 3.0 GPM, chemical resistant SHURflo® pump
- Pressure gauge
- Two polymer, boomless XP BoomJet nozzles
- Left and right control valves
- 22" Spraying Systems lightweight spray gun
- 8 foot hose
- Easy-clean, external filter
- Dual sumps for complete drainage

WA25-XP :ATV SPRAYER

- 25 gallon low-profile tank
- 3.0 GPM, chemical resistant SHURflo® pump
- Pressure gauge
- Two polymer, boomless XP BoomJet nozzles
- Left and right control valves
- 22" Spraying Systems lightweight spray gun
- 8 foot hose
- Easy-clean, external filter
- Dual sumps for complete drainage

LP45-XP :UTV SPRAYER

- 45 gallon low-profile tank
- 3.0 GPM, chemical resistant SHURflo® pump
- Pressure gauge
- Two polymer, boomless XP BoomJet nozzles
- Left and right control valves
- 22" Spraying Systems lightweight spray gun
- 8 foot hose
- Easy-clean, external filter
- Single sump for complete drainage

SPOT ATV / UTV Sprayers

Bullseye.

Superior Industries spot sprayers are perfect for those instances when your target is a little smaller and 26 feet of coverage is too much, for example, spot spraying pastures, row crop, ball fields, parks, etc. All of our spot sprayers have a built-in hose wrap and a sump for complete drainage. They are easy to install and remove.



EC15-10 SPOT SPRAYER

- * 15 gallon tank
- * 1.0 GPM chemical resistant Shurflo® pump
- * Pressure switch built-in to pump
- * 22" lightweight spray gun
- * 8 foot hose



EC25-10 SPOT SPRAYER

- * 25 gallon tank
- * 1.0 GPM chemical resistant Shurflo® pump
- * Pressure switch built-in to pump
- * 22" lightweight spray gun
- * 8 foot hose



EC15-18 SPOT SPRAYER

- * 15 gallon tank
- * 1.8 GPM chemical resistant Shurflo® pump
- * Pressure gauge & auxiliary valve
- * Manual On/Off switch
- * Heavy duty 30L-8" spray gun, 10 foot hose
- * Filter



EC25-18 SPOT SPRAYER

- * 25 gallon tank
- * 1.8 GPM chemical resistant Shurflo® pump
- * Pressure gauge & auxiliary valve
- * Manual On/Off switch
- * Heavy duty 30L-8" spray gun, 10 foot hose
- * Filter

SPECIALTY Sprayers

Customize.

At Superior Industries, we custom build sprayers from 6 gallons to 1,600 gallons, with booms or boomless nozzles, manual controls, electric controls, or automatic rate controllers from Raven. Other options are also available like chemical injection. A variety of pumps are available depending upon the intended use: electric, piston, centrifugal, roller, diaphragm, engine, electric, and PTO driven. We can build sprayers for virtually any vehicle with the specs you need to get the job done!



Show us your vehicle and we will build a sprayer for it!



Skid Sprayers

Pictured to the right is the LP100-BB skid sprayer in the back of a full-sized pickup, used for fire control and general weed spraying.



Rate Control Sprayer

This LP100BB sprayer features a folding boom, Boom Buster nozzles, electric actuators, a foam marking system, hose reel, and Raven 440 controller.



Marsh Master

We outfitted this rig to tackle the trickiest terrain.



Multi-Mix Chemical Sprayer

This test plot sprayer features a CO2 pressure system and a 12 ft. boom. Run any combination of chemicals at a time and change chemicals in seconds thru a control manifold mounted by the operator, no pump maintenance!



GS15 Mower Sprayers

Add Versatility to Your Mower.

Our GS15 mower sprayers are lightweight, include a slim-line tank, and can be used with or without the mower's hopper. A heavy duty 2" receiver is included which can be used to install the sprayer or pull an implement when the sprayer is not in use. Comes with complete 12 gauge wiring harness, plug-ins, fuse holder and switch to fit mower conveniently mounted by operator.



GS15-5

Pictured Above

ALSO AVAILABLE WITH 12 'BOOM'
IN MODEL GS15-12

Install
or Remove
in Less than
One Minute!



**USE WITH OR
WITHOUT
BOOM!**

SPECIFICATIONS

	GS15-5: MOWER SPRAYER	GS15-12: MOWER SPRAYER
TANK SIZE	15 gallon slim-line tank with sump	15 gallon slim-line tank with sump
PUMP	1.8 GPM chemical resistant SHURflo® pump	1.8 GPM chemical resistant SHURflo® pump
PRESSURE GAUGE	Liquid filled pressure gauge	Liquid filled pressure gauge
NOZZLES	TeeJet nylon flat spray nozzles	TeeJet nylon flat spray nozzles
CONTROLS	Operating switch located by operator	Operating switch located by operator
SPRAY GUN	22" TeeJet hand gun	22" TeeJet hand gun
HOSE	10 foot hose and hose wrap	10 foot hose and hose wrap
FILTER	Easy clean, external filter	Easy clean, external filter
BOOM	Adjustable 5 ft. straight boom	Adjustable 12 ft. folding boom

SUPERIOR UTV Beds

Trade in Ordinary for SUPERIOR.

SUPERIOR manual tilt UTV beds are built to last with a heavy duty frame and cross members. Choose the flat bed or utility bed, both are an extended 5' wide by 4' long bed allowing more room for bulky loads such as stocking fence posts, hauling pivot tires, welders, compressors, etc. Either style fits most popular side by side vehicles.

Flat Bed Model FB4860S

- * Stake pockets, rub rails, and mud flaps
- * LED tail lights, brake lights, and side clearance lights

Utility Bed Model FS4860A

- * Converts to flat bed with hinged sides and tailgate
- * Two 2" stake pockets in rear corners
- * Four tie-downs inside box at corners for multiple uses
- * Mud flaps
- * LED tail lights, brake lights, and side clearance lights
- * Can handle heavy weight on side boards in down position
- * Use as a workbench on the job site!

Optional Sides

Available in 5 in., 8 in., or 10 in. high.

Optional Tool Box Kit

A set of two locking tool boxes. Remove in seconds.



Flat Bed FB4860S



Optional Tool Box Kit



Utility Bed FS4860A



Model FS4860A pictured to the left with all sides up.

ACCESSORIES



ATV TWIST GRIP / THUMB THROTTLE

Reduces thumb fatigue and gives rider an option between twist grip and thumb control. Includes lock-out button for added safety.



ATV / UTV 2" RECEIVER HITCH

Built to fit most popular ATVs and UTVs. Available for the front or back of your off road vehicle.



ATV / UTV FOLDING TOW HITCH

Fits most popular ATVs and UTVs. Folds up securely with pin when not in use. Includes 2" front receiver hitch for easy removal.



UTV MIRRORS

Fits most popular UTVs. Heavy duty metal and glass mirrors with brackets. Choose between a center or side mirror.



UTV RADIATOR GUARDS

Fits Yamaha Viking and Yamaha Rhino UTVs. Protect your radiator from off road obstacles and debris.



CUSTOM ACCESSORIES

like this calf carrier with a front gate mounted on a quick-tach 2" receiver. We strive to get the most out of your ATV / UTV and then some!



UTV FRONT BASKET

Fits most popular UTVs.
Mounts into 2" front receiver for easy removal.
Allows for additional cargo space.

ATV BUCKET HOLDER

Includes 2" quick-tach receiver.

ATV FRONT BASKET

ATV REAR DROP BASKET

Holds up to 3 buckets.



ADJUSTABLE SEAT KIT FOR YAMAHA VIKING YXM700 MODELS

Raises the height of seat for increased visibility and allows for 14 different settings with a quick-adjust lever.



EXHAUST KIT FOR YAMAHA VIKING YXM700 MODELS

Reduces noise and vibration.

DUST / HEAT / SOUND DAMPENING KIT FOR YAMAHA VIKING YXM700 MODELS

Reduces dust, heat, and noise intake within the cab allowing for a more comfortable ride.

A kit containing heat tolerant foam is cut to fit the area under the seats and wraps up behind the seats. The foam muffles the sound, reduces dust, and dispels the heat.





Superior INDUSTRIES, LLC

1100 E. 6th St. • PO Box 126 Superior, Nebraska 68978
 phone / fax (402)879-4700 • superior_industries_llc@yahoo.com
 www.superiorindustriessprayers.com

The Innovation Never Stops.

Visit www.superiorindustriessprayers.com for up-to-the-minute new products, information, parts breakdowns, manuals, and more!

For questions, information, or to locate a dealer near you, call (402) 879-4700.
 Hours of operation: Monday - Friday, 8 a.m. - Noon; 1 p.m. to 5:30 p.m.

© 2014 Superior Industries LLC