



Superior
INDUSTRIES, LLC


Your Sprayer Specialists

SuperiorIndustriesSprayers.com



AT 27 ATV Sprayers

We designed these wrap around sprayer tanks with shorter saddles, making it easier to mount and dismount the ATV. It has a low-profile tank with a single sump for complete tank drainage. The sprayer is equipped with custom SI stainless steel, low drift nozzles. These boomless nozzles provide 30 feet of total coverage or 15 feet on each side with separate control valves. The valves are mounted on a convenient control panel along with ON/OFF switch, gauge, and pressure control valve. A heavy-duty, 8 inch spray gun with adjustable nozzle, 10-foot hose, and hose wrap comes standard along with an easy-clean external filter.



Standard Specs

- 27 gallon ATV tank with baffle
- 4.0 GPM chemical resistant Remco™ Pump
- Liquid filled pressure gauge
- Two custom stainless steel boomless nozzles
- Left, right, and master control valves by operator
- Heavy-duty, 30L-8" spray gun with adjustable nozzle
- 10-foot hose and hose wrap
- Easy-clean, external filter
- Sloped bottom flowing to sump



Heavy Duty 30L-8" Spray Gun

lightweight, commercial grade spray gun with trigger lock for added safety.



Remco™ 4.0 GPM Chemical Resistant Pump
or choose from a 2.2 GPM, 5.3 GPM or 7.0 GPM pump



Custom Stainless Steel Boomless Nozzles

Use both low-drift, boomless nozzles for 30 feet total coverage, or use one side only

Front saddle and baffle for better balance and added safety.





Chemical Injection System

Most Accurate & Dependable Unit on the Market with it's Piston Style Injector

This water-powered metering system functions with volumetric proportions ensuring a consistent chemical mix regardless of variations in pressure and flow. The operator has the option to use both 1.5-gallon chemical injection tanks to apply 2 chemicals at the same time, just one, or shut off both to apply water only (i.e. fire control). The injection tanks come with quick couplers for easy change-out and clean-up.

*Clean up in
less than
2 minutes!*

Hose Reels

Choose from a variety of electric, manual, or spring rewind reels.



Electric Actuators

Keep the ATV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by operator.



Spray Guns

Choose a spray gun that best fits your application from Hypro® and Spraying Systems®.

Optional Upgrades

- 5.3 GPM or 7.0 GPM chemical resistant Remco™ Pump
- Electric actuator kit to change the nozzle angle from the operator's seat
- Choose a spray gun that best fits your application from Hypro® and Spraying Systems®
- Chemical Injection System
- Hose Reels
- Quick tach Booms available in 38 inch assembled boom or 12-foot folding boom

WA 16 and WA 25 ATV Sprayers

The Wrap-Around style 16 and 25 gallon sprayers feature a low profile, wrap-around tank with 20% of the weight in front of the rear axle for added safety. The sprayer is equipped with custom SI stainless steel, low drift nozzles. These boomless nozzles provide 30 feet of total coverage or 15 feet on each side with separate control valves. The valves are mounted on a convenient control panel along with ON/OFF switch, gauge, and pressure control valve. A heavy-duty, 8-inch spray gun with adjustable nozzle, 10-foot hose, and hose wrap comes standard on all WA style sprayers, making it easy to spot spray pastures, row crop, ball fields, parks, etc. Everything bolts to the tank for easy installation and removal, and dual sumps offer complete drainage. These wrap around sprayers can also be used in combination with electric actuators to easily change the distance and angle of spray.



Standard Specs

- 16 or 25 gallon, wrap-around style tank with baffle
- 4.0 GPM chemical resistant Remco™ Pump
- Liquid filled pressure gauge
- Two custom stainless steel boomless nozzles
- Left, right, and master control valves by operator
- Heavy-duty, 30L-8" spray gun with adjustable nozzle
- 10-foot hose and hose wrap
- Easy-clean, external filter
- Dual sumps for complete drainage



Heavy Duty 30L-8" Spray Gun

lightweight, commercial grade spray gun with trigger lock for added safety.



Remco™ 4.0 GPM Chemical Resistant Pump

or choose from a 2.2 GPM, 5.3 GPM or 7.0 GPM pump



Custom Stainless Steel Boomless Nozzles

Use both low-drift, boomless nozzles for 30 feet total coverage, or use one side only



Optional Upgrades

- 5.3 GPM or 7.0 GPM chemical resistant Remco™ Pump
- Electric actuator kit to change the nozzle angle from the operator's seat
- Choose a spray gun that best fits your application from Hypro® and Spraying Systems®
- Chemical Injection System
- Hose Reels
- Quick tach Booms available in 38 inch assembled boom or 12-foot folding boom



Electric Actuators

Keep the ATV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by operator.



Spray Guns

Choose a spray gun that best fits your application from Hypro® and Spraying Systems®.



Hose Reels

Choose from a variety of electric, manual, or spring rewind reels.



WA16-F Wrap Around Front Tank

This additional sprayer tank features a banjo quick coupler for easy removal, its own tank valves, dual sumps for complete drainage, and a separate filter. It works in conjunction with any of our WA or AT rear tanks.




LP 45 UTV Sprayers

Our Low-Profile 45 gallon tank fits in almost all utility vehicles that meet rated carrying capacity. the tank is only 17 inches high, which allows for 360-degree visibility and exceptional stability. The LP45 tank features a sump for complete tank drainage, easy service external filter, a large tank lid for easy filling, and quick drain tank valve. Dual SI stainless steel, low drift nozzles come standard to provide 30 feet of total coverage or 15 feet one side. Also standard with the LP45 sprayer is a heavy-duty hand gun with adjustable nozzle, 10-foot hose, hose wrap, and control valves beside the operator. The complete sprayer is operated electrically.

Standard Specs

- 45 gallon low-profile tank
- 4.0 GPM chemical resistant Remco™ Pump
- Liquid filled pressure gauge
- Two custom stainless steel boomless nozzles
- Left, right, and master control valves by operator
- Heavy-duty, 30L-8" spray gun with adjustable nozzle
- 10-foot hose and hose wrap
- Foldup center stinger for storage
- Easy-clean, external filter
- Single sump for complete drainage
- Dimensions 40.25" W x 27.5" L x 17" H



**Heavy Duty 30L-8"
Spray Gun**

lightweight, commercial grade spray gun with trigger lock for added safety.



**Remco™ 4.0 GPM
Chemical Resistant Pump**
or choose from a 2.2 GPM, 5.3 GPM
or 7.0 GPM pump



**Custom Stainless Steel
Boomless Nozzles**
Use both low-drift, boomless nozzles for
30 feet total coverage, or use
one side only





Spray Guns

Choose a spray gun that best fits your application from Hypro® and Spraying Systems®.



Chemical Injection System

This water-powered metering system functions with volumetric proportions ensuring a consistent chemical mix regardless of variations in pressure and flow. The operator has the option to use both 2.5-gallon chemical injection tanks to apply 2 chemicals at the same time, just one, or shut off both to apply water only (i.e. fire control). The injection tanks come with quick couplers for easy change-out and clean-up.

Folding Side Arm Control

Control right outside of the operator's window. The control arm conveniently folds back out of the way when not in use.



Optional Upgrades



Booms

Available from 40" assembled to 30' folded



Texas Remcor Control Panel

The full control panel is mounted inside the cabin by the operator and eliminates the need for a stinger that enters in the cabin area.



Hose Reels



Choose from a variety of electric, manual, or spring rewind reels.



Electric Actuators

Keep the ATV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by operator.

21.9 GPM Pump with Honda Engine

Hypro® 6500 roller pump powered by a Honda GX160 gas engine. We offer a good selection of centrifugal and roller pumps.




LP 60 UTV Sprayers

Our Low-Profile 60 gallon sprayers take all of the great features you'll find in the LP45-BB sprayers but with a Superior Industries, LLC original 60 gallon low-profile tank. The 17.5' tall tank allows the operator full visibility and helps keep the vehicle stable. Spray more and fill less with 15 extra gallons over the LP45 sprayers. The LP60 tank features a sump for complete tank drainage, easy service external filter, a large tank lid for easy filling, and quick drain tank valve. Standard sprayers feature dual SI stainless steel, low drift nozzles to provide 30 feet of total coverage or 15 feet one side, a heavy-duty hand gun with adjustable nozzle, 10-foot hose, hose wrap, and control valves beside the operator.

Standard Specs

- 60 gallon low-profile tank
- 4.0 GPM chemical resistant Remco™ Pump
- Liquid filled pressure gauge
- Two custom stainless steel boomless nozzles
- Left, right, and master control valves by operator
- Heavy-duty, 30L-8" spray gun with adjustable nozzle
- 10-foot hose and hose wrap
- Foldup center stinger for storage
- Easy-clean, external filter
- Single sump for complete drainage
- Dimensions 44" W x 29.5" L x 17.5" H



**Heavy Duty 30L-8"
Spray Gun**

lightweight, commercial grade spray gun with trigger lock for added safety.



**Remco™ 4.0 GPM
Chemical Resistant Pump**
or choose from a 2.2 GPM, 5.3 GPM
or 7.0 GPM pump



**Custom Stainless Steel
Boomless Nozzles**

Use both low-drift, boomless nozzles for 30 feet total coverage, or use one side only





Spray Guns

Choose a spray gun that best fits your application from Hypro® and Spraying Systems®.



Chemical Injection System


This water-powered metering system functions with volumetric proportions ensuring a consistent chemical mix regardless of variations in pressure and flow. The operator has the option to use both 2.5-gallon chemical injection tanks to apply 2 chemicals at the same time, just one, or shut off both to apply water only (i.e. fire control). The injection tanks come with quick couplers for easy change-out and clean-up.

Folding Side Arm Control

Control right outside of the operator's window. The control arm conveniently folds back out of the way when not in use.



Optional Upgrades



Booms

Available from 40" assembled to 30' folded



Texas Remcor Control Panel

The full control panel is mounted inside the cabin by the operator and eliminates the need for a stinger that enters in the cabin area.



Hose Reels



Choose from a variety of electric, manual, or spring rewind reels.



Electric Actuators

Keep the ATV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by operator.

21.9 GPM Pump with Honda Engine

Hypro® 6500 roller pump powered by a Honda GX160 gas engine. We offer a good selection of centrifugal and roller pumps.



LP 100 UTV Sprayers

The LP100 gallon sprayers, like the LP45 and LP60 sprayers were designed to meet the growing utilization of side-by-side vehicles with at least a 1,000-pound cargo bed load capacity. The 115 gallon low-profile tank allows for 360-degree visibility and exceptional stability. The LP100 sprayers are easy to use and maintain thanks to dual trough design for better drainage, easy clean external filter, a large tank lid for easy filling, and quick drain tank valve. Standard sprayers feature dual SI stainless steel, low drift nozzles to provide 30 feet of total coverage or 15 feet one side, a heavy-duty hand gun with adjustable nozzle, 10-foot hose, hose wrap, and control valves beside the operator.



Standard Specs

- 115 gallon low-profile tank on skid
- 4.0 GPM chemical resistant Remco™ Pump
- Liquid filled pressure gauge
- Two custom stainless steel boomless nozzles
- Left, right, and master control valves by operator
- Heavy-duty, 30L-8" spray gun with adjustable nozzle
- 10-foot hose and hose wrap
- Foldup center stinger for storage
- Easy-clean, external filter
- Single sump for complete drainage
- Dimensions 48" W x 48" L x 21" H



**Heavy Duty 30L-8"
Spray Gun**

lightweight, commercial grade spray gun with trigger lock for added safety.



**Remco™ 4.0 GPM
Chemical Resistant Pump**
or choose from a 2.2 GPM, 5.3 GPM
or 7.0 GPM pump



**Custom Stainless Steel
Boomless Nozzles**

Use both low-drift, boomless nozzles for 30 feet total coverage, or use one side only





Spray Guns

Choose a spray gun that best fits your application from Hypro® and Spraying Systems®.



Chemical Injection System



This water-powered metering system functions with volumetric proportions ensuring a consistent chemical mix regardless of variations in pressure and flow. The operator has the option to use both 2.5-gallon chemical injection tanks to apply 2 chemicals at the same time, just one, or shut off both to apply water only (i.e. fire control). The injection tanks come with quick couplers for easy change-out and clean-up.

Folding Side Arm Control

Control right outside of the operator's window. The control arm conveniently folds back out of the way when not in use.



Optional Upgrades



Booms

Available from 40" assembled to 30' folded



Texas Remcor Control Panel

The full control panel is mounted inside the cabin by the operator and eliminates the need for a stinger that enters in the cabin area.



Hose Reels

Choose from a variety of electric, manual, or spring rewind reels.



Electric Actuators

Keep the ATV on level ground and change the angle of spray from the driver's seat. Spray road sides, creek banks, and fence lines with ease by setting the angle of attack with switches located by operator.

21.9 GPM Pump with Honda Engine

Hypro® 6500 roller pump powered by a Honda GX160 gas engine. We offer a good selection of centrifugal and roller pumps.



Spot ATV / UTV Sprayers

Superior Industries, LLC spot sprayers are perfect for those instances when your target is a little smaller and 26 feet of coverage is too much, for example, spot spraying pastures, row crop, ball fields, parks, etc. All of our spot sprayers have a built in hose wrap and a sump for complete drainage. They are easy to install and remove.



Standard Specs

- 15 or 25 gallon oval tank
- 2.2 GPM chemical resistant Remco™ Pump
- Liquid filled pressure gauge
- Heavy-duty, 30L-8" spray gun with adjustable nozzle
- 10-foot hose with built in hose wrap
- Easy-clean, external filter
- Single sump for complete drainage



Heavy Duty 30L-8" Spray Gun

lightweight, commercial grade spray gun with trigger lock for added safety.



Remco™ 2.2 GPM Chemical Resistant Pump

or choose from a 1.0 GPM, 4.0 GPM or 5.3 GPM pump



GS15 Mower Sprayers

Our GS15 mower sprayers are lightweight, include a slim-line tank, and can be used with or without the mower's hopper. A heavy duty 2" receiver is included which can be used to install the sprayer or pull an implement when the sprayer is not in use. Comes with a complete 12 gauge wiring harness, plug-ins, fuse holder and switch to fit mower conveniently mounted by operator.



Standard Specs

- 15 gallon slim-line tank
- 2.2 GPM chemical resistant Remco™ Pump
- 18" lightweight spray gun
- Liquid filled pressure gauge
- TeeJet nylon flat spray nozzles
- 10-foot hose and hose wrap
- Easy-clean, external filter
- Single sump for complete drainage
- Adjustable 5' straight boom



**Remco™ 2.2 GPM
Chemical Resistant Pump**
or choose from a 4.0 GPM
or 5.3 GPM pump




***Optional Upgrade Adjustable 12' folding boom**



Specialty Sprayers


At Superior Industries, LLC, we custom build sprayers from 6 gallons to 2000 gallon, with booms or boomless nozzles, manual controls, electric controls, or automatic rate controllers from Raven. Other options are also available like chemical injection. A variety of pumps are available depending on the intended use; electric, piston, roller, diaphragm, centrifugal, engine, and PTO driven. We can build sprayers for virtually any vehicle with the specs you need to get the job done!







What Makes Our Sprayers Superior

We use high quality parts, rather than disposable. All of our parts are rebuildable, if something should quit working. We own the molds for our tanks and have them made 2-3 times thicker than the competitors' tanks. We have been in business for 25 years, and we have never had a tank break from sun cracks. We build all of the parts on our CNC plasma table and have a powder coat booth in-house, therefore we are able to customize all of our sprayers to meet your specific needs. We use custom made stainless steel broadcast nozzles that gives you a total 30' coverage; 15' feet off each nozzle that can be controlled individually.



UTV Flat Beds

Our manual tilt flat beds are built to last with a heavy-duty duty frame and cross members. Our flat beds are an extended 5' wide by 4' long bed allowing more room for bulky loads such as stocking fence posts, hauling pivot tires, welders, compressors, etc. Our flat beds include LED tail, brake, and side clearance lights.





Optional Upgrades

Stake pockets and rub rail

Headache rack

5", 8", or 10" Drop in sides

Tool Box Kit


*Aluminum Option Available



Custom Welding & Fabrication

Including Aluminum Welding

Not only do we weld and fabricate our sprayer parts and ATV & UTV accessories, but we also offer a wide variety of custom welding and fabrication. Whether you are looking for a custom railing, benches, flower planters, trash can covers, a trailer for your kid to pull with their power-wheels, or even a spiral staircase we have you covered. Just need something repaired, we do that too. We fix broken trailers of all kinds, utility, car, stock, and even semi-trailers. Whatever you need welded, big or small, we do it all.



Powder Coating

Powder coating is a different way to paint your metal parts. It provides exceptional durability and longevity for the coated surface. Rather than using traditional metal paint, the color is sprayed onto the metal's surface with an electrical charge and then cured with heat. Superior Industries, LLC is a qualified applicator of Prismatic Powders and is able to powder coat in over 6500 colors. Mix that with our 8' x 10' powder coat booth, the possibilities are endless!



Superior

INDUSTRIES, LLC

REMCO

DOSATRON
WATER-POWERED DOSING TECHNOLOGY

HONDA

TiR
Trade-Inch Industries, LLC

PENTAIR

TeeJet
TECHNOLOGIES



We are a family-owned business, that treats our customers like family. We will be there with you every step of the way, whether you have questions, concerns, or are in need of service or repairs. When you call, you will speak to the people who actually build the sprayers and work in the shop, assuring you that they are able to provide you with knowledgeable answers to keep you going.

Owned & Operated by: TJ & Kendra Morris

Come see us in the big metal building on the hill.
1100 E 6th Street, Superior, Nebraska 68978

Monday - Friday
8 AM - 12 PM & 1 PM - 5 PM

SuperiorIndustriesSprayers.com Sales@SuperiorIndustriesSprayers.com 402.879.4700