

POWERED by
somfy®

motorparts4shades.com

Smart Automation for Inspired Fabrication

TRAX™
DRAPERY HARDWARE

SOHO

C O L L E C T I O N

Design • Evolution



POWERED by
somfy®

COLOR CHIPS AVAILABLE NOW



works with the
Google Assistant

works with
alexa

Control4
CERTIFIED

SAVANT

CRESTRON



Endless Functionality



POWERED by somfy®

The Soho Collection, Powered by Somfy® is Krisstine Window Treatments Newest Line of Motorized Drapery Hardware. The Soho Collection of drapery hardware has been designed and engineered for installation and operation perfection. Designed to operate with Somfy®'s industry-leading Glydea and Irsmo motors, The Soho Collection offers impeccable aesthetics, allowing for uninterrupted ripplefold waves and flush-to-track pinch pleats, all while using the same motor. Somfy® is an industry leader with over 50 years in the motorization and automation space. All Somfy® motors are fully programmable with every feature you would expect from a leading motorized drapery track. Motors are programmable to allow for settings such as open and close positions as well as personalized schedules.

Somfy® motors open you up to a world of possibilities. When used in conjunction with The TaHoma™ RTS Smartphone Interface, you can quickly and easily set up schedules to automatically open and close your drapes when you like, as much as you like. Somfy® is integrated with leading automation systems such as Control 4, Crestron, Alexa, Google, Apple Siri, and many more, and is backed by Somfy® customer support. Designed to be powerful, quiet, and reliable, Somfy® backs all motors with a five-year warranty, to ensure your investment is protected for years to come.

Soho Drapery Hardware™ was founded on the principle that innovation, design, and quality do not need to be sacrificed to provide exceptional value. Offering a wide range of in-

stock and ready-to-ship hardware, Soho Drapery Hardware™ has evolved and developed an extensive range of exclusive products, designs, and colors. The Soho Collection's commitment to continual advancement can be seen in our new patent pending installation assembly. The new mounting system simplifies the installation process and offers reliability in the areas where needed the most while respecting customers' expectations of design and value.

The Soho Collection offers a wide range of finish designs in five designer colors. From modern to elegant, every curve has been carefully designed to enhance any room's decor. Every color has been carefully selected, from Polished Nickel to Matte Black and Brushed Brass combinations, the design possibilities are endless.

Offering the widest range of components and accessories, the Soho Collection has been engineered for installation precision. Every component of this collection has been carefully engineered to meet almost every installation situation imaginable. Flush-mounted ceiling brackets allow channel tracks to be mounted without a ceiling gap, while extra-strong channel rod joints allow seamless joints over long spans and the placement of a bracket at the center of the joint.

We trust the Soho Collection will meet our discerning customer's technical and design needs and continue in our never-ending goal of achieving design evolution.

NOTE: Sizes are approximate. Pictures of products may not be exact color.

motorparts4shades.com


Smart Automation for Inspired Fabrication



Soho Motorized Tracks

POWERED by

somfy®



- 1 14 Finial, end cap, and end plug options available, in 5 finishes.
- 2 Control pulleys are available for pinch pleat or ripplefold drapes, with motors able to be mounted on the left or right side.
- 3 Multiple Somfy® drapery motors to choose from.
- 4 Ball bearing pinch pleat carriers.
- 5 Master carriers are available in one way or center draws in both pinch pleat and ripplefold options.
- 6 Return pulleys are available for center draw, one-way left or one-way right draws.
- 7 Ripplefold carriers are available in 60%, 80%, 100% and 120% fullness.

- 14 Finial, end cap, and end plug options available, in 5 finishes.
- Varying weight capacities ranging from 77-132lbs*.
- Battery and wired motor options are available*.

- Motor and accessories comply with international safety standards.
- All products are quality tested during production.
- As with all Somfy® products, motors are backed by a 5 year warranty.

- Control technology: Radio Technology Somfy® (RTS) and other Somfy® controls dry contact wired technology.
- Somfy® motors are designed for performance and quiet operation (<44dba).

- Soho motorized tracks are available in unspliced lengths of up to 144" and spliced lengths up to 288".
- Wide range of remotes to suit all aesthetic need and functionality.



Multiple Motor Options

- Glydea® 35e RTS
- Glydea® 60e RTS
- Irismo™ 35 RTS
- Irismo™ 45 WireFree RTS
- Soho Motorized Tracks are available in unspliced Lengths of up to 144" and spliced lengths up to 288".



Protocols*

- Zigbee
- RTS
- Dry Contact

* Determined by motor selected



Automate

- Easily automate your drapery settings by connecting to a TaHoma® Hub and App. The TaHoma App allows users to schedule time of day opening, closing, and favorite positions to fit their lifestyle



Integration

- Somfy® Motors are compatible with leading brands and products such as Google, Alexa, CRESTRON, SAVANT, and CONTROL4



Decorative Motorized Metal Track Configurations

Ripplefold

Left Wall Mounted Ripplefold



Right Wall Mounted Ripplefold




Left Ceiling Mounted Ripplefold



Right Ceiling Mounted Ripplefold



Left Double Wall Mounted Ripplefold



Right Double Wall Mounted Ripplefold



Pinch Pleat

Left Wall Mounted Pinch Pleat



Right Wall Mounted Pinch Pleat



Left Ceiling Mounted Pinch Pleat



Right Ceiling Mounted Pinch Pleat



Left Double Wall Mounted Pinch Pleat



Right Double Wall Mounted Pinch Pleat






How to Order Your Motorized Track

POWERED by



1. Determine Your Total Finished Track Length, Finials and Colors



		Pair of Finial Adds to Total Length	Single Finial Adds to Total Length	Finial Colors					Track Colors					Track Length	Total Finished Length (Track length + Finial(s))
				AP	BB	MB	PN	SN	AP	BB	MB	PN	SN		
	SFN1	5.5"	2.75"												
	SFN2	4.5"	2.25"												
	SFN3	5.5"	2.75"												
	SFN4	6.5"	3.25"												
	SFN5	6.5"	3.25"												
	SFN6	4.5"	2.25"												
	SFN7	6.25"	3.125"												
	SFN8	5.25"	2.625"												
	SFN9	5.5"	2.75"												
	SFN10	2.5"	1.25"												
	SEC	0.25"	0.125"												
	SCAC	1.375"	0.687"												
	SCEP	0.25"	0.125"												


Maximum recommended lengths are 96" for one way draws and 192" for Center Draws. Center draws greater than 96" consist of two equal rod lengths (including pulleys). Please contact customer service for more information on longer tracks.

2. Select The Required Mounting:

		Finial Colors					Notes:
		AP	BB	MB	PN	SN	
	Ceiling Flush Mount	SFM					Ceiling Flush Mount only works with SECP and SCAC
	Ceiling Mount	SCM					Ceiling Mount (SCM) only works with SFN10, SCAC, SEC, and SCEP
	Single Wall Bracket	SSV					
	Extended Single Wall Bracket	SXLV					
	Double Wall Bracket	SDV					

Up to 72"—3 brackets | 73"—96"—4 brackets | 97"—144"—5 brackets | 145"—192"—7 brackets


3. Select A Drapery Style



☐ Ripplefold

Fullness:


- ☐ 60% ☐ 80%
☐ 100% ☐ 120%




☐ Pinch Pleat

NOTE: 3 Ball bearing carriers per foot.


Select An Opening and Master Carrier(s)



	Butt Master Ripplefold and Pinch Pleat	ABML	
		ABMR	
	Under/Overlap Ripplefold and Pinch Pleat	AMU	
		AMO	



	Overlap Ripplefold and Pinch Pleat	AOL	
		ABOL	
	Butt Master Ripplefold	ABOL	



	Overlap Ripplefold and Pinch Pleat	AOR	
		ABOR	
	Butt Master Ripplefold	ABOR	

4. Select a Motor Option



☐ Irismo™ 35
Mini RTS
(1003004)
Mini DC RTS
Includes Power
Supply.

☐ Irismo™ 45
WireFree RTS
(1002353)
Includes rechargeable
battery. Charger sold
separately.



☐ Glydea®
35e RTS
(1003152)
10" plug

☐ Glydea®
60e RTS
(1003159)
10" plug

5. Select Accessories

under construction



☐ Battery Charger for Irismo™
45 WireFree RTS (1003080)

Somfy® Motors



Somfy® offers end product suppliers a 5 year warranty on all motors and controls.*



Irismo™ 35 Mini RTS

(1003004)

Draperies weighing up to 77 lbs
13.12 ft Cable Length
<44 dBA
4.9 – 7.86 in./s
24V DC (includes low voltage transformer/power supply)
0.6 Nm torque
CE Certified



Irismo™ 45 WireFree RTS

(1002353)

Includes lithium ion battery
Power charger sold separately
Draperies weighing up to 99 lbs
<44 dBA at silent mode
4.9 – 7.86 in./s
25.9V DC
0.8 Nm torque
CE Certified



Glydea® 35e RTS

(1003152)

Draperies weighing up to 77 lbs
38 dBA at silent mode
4.9 – 7.86 in./s (2.95 in/s in silent mode)
120V AC 50/60 HZ
0.6 Nm torque
10' plug
CE Certified



Glydea® 60e RTS

(1003159)

Draperies weighing up to 132 lbs
9.84 ft cable length
38 dBA at silent mode
4.9 – 7.86 in./s (2.95 in/s in silent mode)
120V AC 50/60 HZ
1.1 Nm torque
10' plug
CE Certified

* Terms and Conditions Apply

Bridge



Phone not included. Demonstration of software only.

TaHoma® Smart Switch RTS/Zigbee Smartphone and Tablet Interface

(1811731)

TaHoma® is a WiFi to RTS gateway that can control up to 40 RTS channels. Create scenes and schedules using an app while home or away, or integrate with third-party systems. TaHoma works with Google Assistant and Amazon Alexa, allowing for natural voice commands to control shades.

Remotes



Situto® 1 RTS Pure II

(1870571)

Situto 1 hand-held remotes control one individual window covering or one group of window coverings. (1 Channel)



Situto® 5 RTS Pure II

(1870575)

Situto 5 hand-held remotes control up to five individual window coverings or groups of window coverings.



Telis 16 RTS Pure

(1811081)

The Telis 16 RTS hand-held remote extends control of motorized interior and exterior products to 16 different channels of control.

Wall Remotes



Smooove 1 RTS Pure

(1811533)

The Smooove® RTS surface-mounted wall switch avoids cutting into drywall. This single channel, battery-operated solution is easy to install and doesn't require an electrician.



Smooove 4 RTS Pure

(1811748)

The Smooove® 4 RTS surface-mounted wall switch avoids cutting into drywall. This 4 channel, battery-operated solution is easy to install and doesn't require an electrician.



Decoflex WireFree™ 1 White

(1810897)

This Decoflex WireFree™ is a one channel wall switch that is battery-powered and completely wireless.



Decoflex WireFree™ 5 Channel White

(Ref: 1810813)

This Decoflex WireFree™ is a five channel wall switch that is battery-powered and completely wireless.



Decoflex Surface RTS 5 Channel White

(1871025)

This Decoflex WireFree™ 5 Channel surface-mounted wall switch avoids cutting into drywall. This 5 channel, battery-operated solution is easy to install and doesn't require an electrician.

Power

Battery Charger for Irismo™ 45 WireFree RTS

(1003080)


Power Adaptor 0.6 DC - 230V/29.4V

CN for Irismo 45 WireFree RTS




Finials

SFN1 AP

Color: 
 Antique Pewter: AP
 Sold in Pairs




SFN1 BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SFN1 MB

Color: 
 Matte Black: MB
 Sold in Pairs




SFN1 PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SFN1 SN

Color: 
 Satin Nickel: SN
 Sold in Pairs




Dimensions



NOTE: Pair of SFN1 finials adds 5.5" to the total finished rod length.


Finials

SFN5 AP

Color: 
 Antique Pewter: AP
 Sold in Pairs




SFN5 BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SFN5 MB

Color: 
 Matte Black: MB
 Sold in Pairs




SFN5 PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SFN5 SN

Color: 
 Satin Nickel: SN
 Sold in Pairs




Dimensions



NOTE: Pair of SFN5 finials adds 6.375" to the total finished rod length.


Finials

SFN7 AP

Color: 
 Antique Pewter: AP
 Sold in Pairs




SFN7 BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SFN7 MB

Color: 
 Matte Black: MB
 Sold in Pairs




SFN7 PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SFN7 SN

Color: 
 Satin Nickel: SN
 Sold in Pairs




Dimensions



NOTE: Pair of SFN7 finials adds 6.25" to the total finished rod length.


Finials

SFN8 AP

Color: 
Antique Pewter: AP
Sold in Pairs




SFN8 BB

Color: 
Brushed Brass: BB
Sold in Pairs



SFN8 MB

Color: 
Matte Black: MB
Sold in Pairs



SFN8 PN

Color: 
Polished Nickel: PN
Sold in Pairs




SFN8 SN

Color: 
Satin Nickel: SN
Sold in Pairs




Dimensions



NOTE: Pair of SFN8 finials adds 5.25" to the total finished rod length.


Finials

SFN10 AP

Color: 
Antique Pewter: AP
Sold in Pairs




SFN10 BB

Color: 
Brushed Brass: BB
Sold in Pairs



SFN10 MB

Color: 
Matte Black: MB
Sold in Pairs




SFN10 PN

Color: 
Polished Nickel: PN
Sold in Pairs




SFN10 SN

Color: 
Satin Nickel: SN
Sold in Pairs



Dimensions


NOTE: Pair of SFN10 finials adds 2.625" to the total finished rod length.




End Caps

SEC AP

Color: 
Antique Pewter: AP
Sold in Pairs




SEC BB

Color: 
Brushed Brass: BB
Sold in Pairs



SEC MB

Color: 
Matte Black: MB
Sold in Pairs




SEC PN

Color: 
Polished Nickel: PN
Sold in Pairs




SEC SN

Color: 
Satin Nickel: SN
Sold in Pairs



Dimensions

NOTE: Pair of SEC end caps adds 0.25" to the total finished rod length.




Left Draw Pinch Pleat Pulley

SSMPLP AP

Compatible with AMU/AMO
and AOL Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SSMPLP BB

Compatible with AMU/AMO
and AOL Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SSMPLP MB

Compatible with AMU/AMO
and AOL Master Carriers




Color: 
Matte Black: MB
Sold Individually

SSMPLP PN

Compatible with AMU/AMO
and AOL Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SSMPLP SN

Compatible with AMU/AMO
and AOL Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Left Draw Ripplefold Pulley

SSMPRL AP

Compatible with ABML/ABMR,
ABOL and AOL Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SSMPRL BB

Compatible with ABML/ABMR,
ABOL and AOL Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SSMPRL MB

Compatible with ABML/ABMR,
ABOL and AOL Master Carriers




Color: 
Matte Black: MB
Sold Individually

SSMPRL PN

Compatible with ABML/ABMR,
ABOL and AOL Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SSMPRL SN

Compatible with ABML/ABMR,
ABOL and AOL Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Right Center Split Return Pulley

SPCR AP

Compatible with AMU/AMO and
ABML/ABMR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SPCR BB

Compatible with AMU/AMO and
ABML/ABMR Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPCR MB

Compatible with AMU/AMO and
ABML/ABMR Master Carriers



Color: 
Matte Black: MB
Sold Individually

SPCR PN

Compatible with AMU/AMO and
ABML/ABMR Master Carriers



Color: 
Polished Nickel: PN
Sold Individually


SPCR SN

Compatible with AMU/AMO and
ABML/ABMR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Right One Way Return Pulley

SPOR AP

Compatible with ABOL
and AOL Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SPOR BB

Compatible with ABOL
and AOL Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPOR MB

Compatible with ABOL
and AOL Master Carriers




Color: 
Matte Black: MB
Sold Individually

SPOR PN

Compatible with ABOL
and AOL Master Carriers




Color: 
Polished Nickel: PN
Sold Individually

SPOR SN

Compatible with ABOL
and AOL Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Left Center Split Return Pulley

SPCL AP

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SPCL BB

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPCL MB

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Matte Black: MB
Sold Individually

SPCL PN

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SPCL SN

Compatible with AMU/AMO and ABML/ABMR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Left One Way Return Pulley

SPOL AP

Compatible with ABOR and AOR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SPOL BB

Compatible with ABOR and AOR Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPOL MB

Compatible with ABOR and AOR Master Carriers




Color: 
Matte Black: MB
Sold Individually

SPOL PN

Compatible with ABOR and AOR Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SPOL SN

Compatible with ABOR and AOR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Right Draw Pinch Pleat Pulley

SSMPRP AP

Compatible with AMU/AMO
and AOR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SSMPRP BB

Compatible with AMU/AMO
and AOR Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SSMPRP MB

Compatible with AMU/AMO
and AOR Master Carriers



Color: 
Matte Black: MB
Sold Individually

SSMPRP PN

Compatible with AMU/AMO
and AOR Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SSMPRP SN

Compatible with AMU/AMO
and AOR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Right Draw Ripplefold Pulley

SSMPRR AP

Compatible with ABML/ABMR,
AMU/AMO, ABOR and AOR
Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SSMPRR BB

Compatible with ABML/ABMR,
AMU/AMO, ABOR and AOR
Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SSMPRR MB

Compatible with ABML/ABMR,
AMU/AMO, ABOR and AOR
Master Carriers




Color: 
Matte Black: MB
Sold Individually

SSMPRR PN

Compatible with ABML/ABMR,
AMU/AMO, ABOR and AOR
Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SSMPRR SN

Compatible with ABML/ABMR,
AMU/AMO, ABOR and AOR
Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions



1 3/8" Channel Rods



STRC4 AP
STRC6 AP
STRC8 AP

Color:
Antique Pewter: AP
Sold Individually



STRC4 BB
STRC6 BB
STRC8 BB

Color:
Brushed Brass: BB
Sold Individually



STRC4 MB
STRC6 MB
STRC8 MB

Color:
Matte Black: MB
Sold Individually



STRC4 PN
STRC6 PN
STRC8 PN

Color:
Polished Nickel: PN
Sold Individually



STRC4 SN
STRC6 SN
STRC8 SN

Color:
Satin Nickel: SN
Sold Individually

STRC4 Length 4' | STRC6 Length 6' | STRC8 Length 8'

Additional handling charges may apply on 8' rods.
Please contact customer service for information.

Channel Rod Joint


SCJNT



Channel Rod Joint allows for bracket to be installed centered behind it.




Dimensions



Available in Antique Pewter (SCJNT AP), Brushed Brass (SCJNT BB), Matte Black (SCJNT MB), Polished Nickel (SCJNT PN) and Satin Nickel (SCJNT SN) Sold Individually

Channel Rod Joint Cover

Dimensions



SCC AP

Color:
Antique Pewter: AP



SCC BB

Color:
Brushed Brass: BB



SCC MB

Color:
Matte Black: MB



SCC PN

Color:
Polished Nickel: PN




SCC SN

Color:
Satin Nickel: SN

Sold Individually

Channel Rod End Caps

Dimensions



SCAC AP

Color:
Antique Pewter: AP



SCAC BB

Color:
Brushed Brass: BB



SCAC MB

Color:
Matte Black: MB



SCAC PN

Color:
Polished Nickel: PN



SCAC SN


Color:
Satin Nickel: SN

NOTE: Pair of SCAC end caps adds 1.26" to the total finished length.

Sold in Pairs

Channel Rod End Plug

Dimensions



SCEP AP

Color:
Antique Pewter: AP
Sold Individually



SCEP BB

Color:
Brushed Brass: BB
Sold Individually



SCEP MB

Color:
Matte Black: MB
Sold Individually



SCEP PN

Color:
Polished Nickel: PN
Sold Individually



SCEP SN

Color:
Satin Nickel: SN
Sold Individually


NOTE: Pair of SCEP end plugs adds 0.25" to the total finished length.

Sold in Pairs

Ceiling Flush Mount


Ceiling Mount



Color: 
 Antique Pewter: AP
 Sold Individually


SFM AP



Color: 
 Antique Pewter: AP
 Sold Individually


SCM AP



Color: 
 Brushed Brass: BB
 Sold Individually


SFM BB



Color: 
 Brushed Brass: BB
 Sold Individually


SCM BB



Color: 
 Matte Black: MB
 Sold Individually


SFM MB



Color: 
 Matte Black: MB
 Sold Individually


SCM MB



Color: 
 Polished Nickel: PN
 Sold Individually


SFM PN



Color: 
 Polished Nickel: PN
 Sold Individually


SCM PN



Color: 
 Satin Nickel: SN
 Sold Individually


SFM SN




Color: 
 Satin Nickel: SN
 Sold Individually

SCM SN


Dimensions



Dimensions



NOTE: The ceiling flush mount sits right up against the ceiling, where as the ceiling mount allows the rod some space to sit slightly below.



Ceiling Flush Mount


Ceiling Mount


motorparts4shades.com
 Smart Automation for Inspired Fabrication

Single Bracket




SSV AP

Color: 
Antique Pewter: AP
Sold Individually





SSV BB

Color: 
Brushed Brass: BB
Sold Individually




SSV MB

Color: 
Matte Black: MB
Sold Individually




SSV PN


Color: 
Polished Nickel: PN
Sold Individually



SSV SN

Color: 
Satin Nickel: SN
Sold Individually


Dimensions



Extended Single Bracket




SXLV AP

Color: 
Antique Pewter: AP
Sold Individually




SXLV BB

Color: 
Brushed Brass: BB
Sold Individually




SXLV MB

Color: 
Matte Black: MB
Sold Individually




SXLV PN


Color: 
Polished Nickel: PN
Sold Individually




SXLV SN

Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Cover



Double Bracket




SDV AP

Color: 
Antique Pewter: AP
Sold Individually




SDV BB

Color: 
Brushed Brass: BB
Sold Individually




SDV MB

Color: 
Matte Black: MB
Sold Individually




SDV PN


Color: 
Polished Nickel: PN
Sold Individually




SDV SN

Color: 
Satin Nickel: SN
Sold Individually

Dimensions








Cover




Wand



TWND AP	TWND BB	TWND MB	TWND PN	TWND SN
Color: 	Color: 	Color: 	Color: 	Color: 
Antique Pewter: AP Sold Individually	Brushed Brass: BB Sold Individually	Matte Black: MB Sold Individually	Polished Nickel: PN Sold Individually	Satin Nickel: SN Sold Individually

Dimensions



RPL-TECH® Carrier Guide

Carrier guide shows the maximum number of carriers required per track length.

Track Length in Inches	Fullness							
	60% One Way	60% Center Split	80% One Way	80% Center Split	100% One Way	100% Center Split	120% One Way	120% Center Split
24-30	12	12	13	14	15	16	16	16
31-36	14	14	16	16	17	18	20	20
37-42	16	16	18	18	20	20	23	24
43-48	19	20	21	22	23	24	26	26
49-54	21	22	23	24	26	26	29	30
55-60	23	24	26	26	29	30	32	32
61-66	26	26	28	28	32	32	36	36
67-72	28	28	31	32	34	34	39	40
73-78	30	30	33	34	37	38	42	42
79-84	32	32	36	36	40	40	45	46
85-90	35	36	38	38	43	44	48	48
91-96	37	38	41	42	46	46	52	52
97-102	39	40	43	44	48	48	55	56
103-108	42	42	46	46	51	51	58	58
109-114	44	44	48	48	54	54	61	62
115-120	46	46	51	52	57	58	64	64
121-126	48	48	54	54	60	60	68	68
127-132	51	52	56	56	63	64	71	72
133-138	53	54	59	60	65	66	74	74
139-144	55	56	61	62	68	68	77	78

RPL-Tech® Calculator Available Upon Request


RPL-Tech® Tape



XTP-WH


Sold by the rolls of 100 yards.

Dimensions



Ball Bearing Carriers


Reengineered, SmartSet™ ball bearing carriers offer the smoothest and quietest movement on the market today



WC-20-9658W
Sold 500 PCS / BAG



End Stop
AES
Sold as set.
Set includes one nut
one plate and one bolt



RIPPLEFOLD FULLNESS 80%-120%

Sold in Strips of 20 Carriers. Only RPL-Tech® carriers are recommended for Soho tracks.

SRF120 = 120% Fullness



SRF100 = 100% Fullness



SRF80 = 80% Fullness



Internal Components

Belt

ABLT



Sold by the yard or rolls of 109 yards.


Belt Connector ABX



Belt connectors sold individually.

AOL


One Way Left Draw
Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

AOR


One Way Right Draw
Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABOL


One Way Left Draw
Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABOR


One Way Right Draw
Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

AMU


Under Center Draw
Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

AMO


Upper Center Draw
Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABML


Left Butt Master Center
Draw Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABMR


Right Butt Master Center
Draw Master Carrier
(Ripplefold)




Sold Individually. (Includes 2 ABX Belt Connectors)

Overhead View of Drapery Pattern


One Way Left Draw Ripplefold




One Way Right Draw Ripplefold




Over/Underlap Ripplefold




One Way Pinch Pleat Left Draw




One Way Pinch Pleat Right Draw



Over/Underlap Pinch Pleat




Butt Master Ripplefold




Somfy® Hardware Specifications

TaHoma® RTS/Zigbee Smartphone
and Tablet Interface


DISCONTINUED REPLACED BY TAHOMA SWITCH




Irismo™ 35
Mini RTS




Irismo™ 45
WireFree RTS



Glydea®
35e RTS



Glydea®
60e RTS



SOHO

C O L L E C T I O N

Design • Evolution

