

Application:	Rate:
Row Crops	Broadcast: 32 oz / Acre in the Fall or Spring
Orchards	1 Gal / Acre In The Spring or Post Harvest
Turf	4 oz /1,000 Sq Ft for Thatch throughout Season

USAGE:
 APPLICATIONS WHEN AIR TEMP IS ABOVE 35 DEGREES AND/OR SOIL TEMPS ABOVE 50 DEGREES CONSISTENTLY IS IDEAL.
 THIS PRODUCT IS NOT INTENDED FOR USE AS A SEED TREATMENT OR IN-FURROW APPLICATIONS.

ACTIVE INGREDIENTS:

BACILLUS LICHENFORMIS - 1 X 10¹⁶ CFU / ML
 BACILLUS SUBTILLUS - 1 X 10¹⁷ CFU / ML
 PSEUDOMONAS BALEARICA - 1 X 10¹⁴ CFU / ML

INERT INGREDIENTS:

WATER - 96%

Exp. Date:

LOT #

NET VOLUME:



1961 JAMES ST.
 WEBSTER CITY, IA 50595
 WWW.AGRONOMYRX.COM

BIOCHOP

Microbial Soil Residue Digester

BioChop is a unique blend of beneficial soil microbes and natural ingredients designed to process crop residue and field debris into plant available nutrients. Biochop is manufactured using Pursanova water technology.

Net Content: 8.4 Lb (3.8kg) / Gal

2.5 Gal (9.46 L) - 21 Lbs (9.5kg)
 5.0 Gal (18.9L) - 42 Lbs (19.0kg)
 250 Gal (946.35 L) - 2100 Lbs (952.55kg)
 275 Gal (1040.99 L) - 2310 Lbs (1047.80kg)

GENERAL INFORMATION:

BIOCHOP CONTAINS A BLEND OF SPECIFICALLY SELECTED MICROBES TO BREAK DOWN DEAD PLANT RESIDUES INCLUDING LIGNIN AND CELLULOSE. BIOCHOP IS DESIGNED TO ENHANCE RESIDUE PROCESSING AND PROVIDE ADDITIONAL BENEFICIAL NUTRITION.

SAFETY:

BIOCHOP CONTAINS ONLY NON-GENETICALLY MODIFIED AND NATURALLY OCCURRING MICROBES. IT IS CONSIDERED TO BE NON-TOXIC TO THE ENVIRONMENT, PLANTS, AND ANIMALS. KEEP OUT OF REACH OF CHILDREN. SKIN OR EYE IRRITATION MAY OCCUR IF IN DIRECT CONTACT. WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. DO NOT INGEST THE PRODUCT. IF ACCIDENTAL CONTACT WITH THE EYES OR UNINTENDED INGESTION OCCURS, CONTACT YOUR HEALTHCARE PROVIDER IMMEDIATELY. NO WARRANTIES ARE EXPRESSED OR IMPLIED AND BUYER ASSUMES RESPONSIBILITY AND LIABILITY FOR THE APPROPRIATE HANDLING AND USE OF THIS PRODUCT.

MIXING:

BIOCHOP CAN BE USED IN CONJUNCTION WITH MOST FERTILIZERS AND HERBICIDES. MIX BIOCHOP AS CLOSE TO TIME OF APPLICATION AS POSSIBLE. ALWAYS PERFORM A JAR TEST TO ENSURE TANK MIXING. DEPOSITION ADJUVANTS MAY ENHANCE RESULTS. BEST RESULTS OCCUR WHEN SPRAYED IN LATE EVENING OR EARLY MORNING, IDEALLY DURING DEW SET. USE HIGHER VOLUMES OF WATER IF APPLICATION IS ABOVE 75 DEGREES AND IN SUNNY CONDITIONS.

STORAGE:

STORE IN A COOL, DRY ENVIRONMENT AND OUT OF DIRECT SUNLIGHT. DO NOT FREEZE. AVOID AGITATION. FEED BI-MONTHLY WITH MICROBOOST FOR BEST RESULTS. PRODUCT INTENDED TO BE USED AS QUICKLY AS POSSIBLE.