



CODE QUIZ

October 2024

1. Per the 2022 CA Plumbing Code, Section 422.4.1, access to required toilet facilities for customers may pass through areas designated as for employee use only such as kitchens, food preparation areas, storage rooms, closets, or similar spaces.
 - a. True
 - b. False

2. Per the 2022 CA Building Code, Section 705.5, for Group A, E, H, I, L and R occupancies, high-rise buildings, and other applications listed in Section 1.11 and regulated by the Office of the State Fire Marshal, exterior walls shall be fire-resistance rated in accordance with Tables 601 and 705.5 and:
 - a. The required fire-resistance rating of exterior walls shall be rated for exposure to fire from the exterior side only.
 - b. The required fire-resistance rating of exterior walls shall be rated for exposure to fire from the interior side only.
 - c. The required fire-resistance rating of exterior walls shall be rated for exposure to fire from both sides.

3. Per the 2022 CA Building Code, Section 1507.2.2, asphalt shingles shall only be used on roof slopes of ____ units vertical in ____ units horizontal or greater.
 - a. 4 and 12
 - b. 2 and 12
 - c. 1 and 12

4. Per the 2022 CA Building Code, Table 1604.5, Buildings and other structures that represent a substantial hazard to human life in the event of failure, including but not limited to: Buildings and other structures containing one or more public assembly spaces, each having an occupant load greater than 300 and a cumulative occupant load of these public assembly spaces of greater than 2,500 are considered Risk Category _____.
 - a. I
 - b. II
 - c. III
 - d. IV

5. Per CA Business and Professions Code, Section 5536.1(b), any stamp used by any architect licensed under this chapter shall be of a design authorized by the board which shall at a minimum bear which of the following?
 - a. licensee's name, license number, renewal date, "licensed architect" and "State of California"
 - b. licensee's name and license number and "licensed architect"
 - c. licensee's name, "licensed architect", renewal date and State of California

Answer Key: 1: b 2: c 3: b 4: c 5: a

Please contact Ron Beehler by email at rbeehler@bpr-grp.com to discuss any questions.

