

## **CODE QUIZ**

## May 2024

1.	Per the exception to Section 406.3.1 of the 2022 California Building Code, the area of private parking garages accessory to Group R-3 one and two-family dwellings shall not be greater than square feet in area:  a. 1,000 square feet b. 2,500 square feet c. 3,000 square feet d. 4,000 square feet e. The area of private garages accessory to Group R-3 one and two-family dwellings is not limited.
2.	Per Section 510.2 of the 2022 California Building Code, where buildings utilize a horizontal separation to create separate and distinct buildings for the purpose of determining area limitations, continuity of fire walls, limitation of number of stories, and type of construction; the buildings shall be separated by a horizontal assembly having a fire-resistance rating of not less thanhours.  a. Two hours b. Three hours c. Four hours
3.	d. No rating is required if the building is completely fire sprinklered.  Per Section 4.505.3(3) of the 2022 California Green Building Standards Code, Residential Mandatory Measures, wall and floor framing shall not be enclosed when the framing members exceedpercent moisture content determined with at least three random moisture readings on wall and floor framing with documentation acceptable to the enforcement agency provided at the time of approval to enclose the wall and floor framing.  a. 12 percent  b. 16 percent  c. 18 percent  d. 19 percent
4.	Per Section 150.0, Part (k)2Ei, of the 2022 California Energy Code, Residential bathrooms, garages, laundry rooms, utility rooms, walk in-closets, and bedrooms shall have at least on installed luminaire controlled by an occupancy or vacancy sensor providing automatic-off functionality.  a. True b. False
5.	Per Section 318.5 of the 2022 California Plumbing Code, test gauges shall have a pressure range not exceeding the test pressure applied.  a. 150 percent of b. Twice c. Three times d. Greater than