



## CODE QUIZ

### September 2024

1. Per Table 601 of the 2022 California Building Code, the required fire resistance rating for interior non-bearing walls in a three level Type III-A building is:
  - a. No fire rating is required
  - b. 1-hour for walls located above the first level
  
2. Per Section 1011.2 of the 2022 California Building Code, the minimum width of a stairway serving an occupant load of less than 50 is:
  - a. 36 inches
  - b. 42 inches
  - c. 44 inches
  
3. Per the California Board for Professional Engineers and Land Surveyors "Guide to Engineering and Land Surveying for City and County Officials". Can a civil engineer sign mechanical or electrical engineering drawings if the civil engineer is not licensed in those disciplines?
  - a. No
  - b. Yes as long as the electrical or mechanical work is in connection with or supplementary to civil engineering work.
  - c. Not for building projects
  
4. Per Section 713.4 of the 2022 California Building Code, shaft enclosures shall have a fire-resistance rating of not less than \_\_\_ hour(s) where connecting four stories or more, and not less than \_\_\_hour(s) where connecting less than four stories.
  - a. Two hours, two hours
  - b. Four hours, two hours
  - c. Two hours, one hour
  
5. According to Section 1011.8 of the 2022 California Building Code, for other than spiral stairways used as a means of egress from technical production areas, a flight of stairs shall not have a vertical rise greater than \_\_\_ feet between floor levels or landings.
  - a. 11
  - b. 12
  - c. 14
  - d. 16

*Answer Key: 1: a 2: a 3: b 4: c 5: b*

Please contact Ron Beehler by email at [rbeehler@bpr-grp.com](mailto:rbeehler@bpr-grp.com) to discuss any questions.