



BPR CODE QUIZ

September 2025

1. Per Section 3115.8.1 of the 2022 California Building Code, intermodal shipping containers repurposed for use as a permanent building or structure shall be supported on foundations and anchored to the foundation or other supporting structures as necessary to provide a continuous load path for code prescribed vertical and lateral loads.
 - a. True
 - b. True unless the shipping containers have an integral steel floor
 - c. False
2. Per Section R311.7 of the 2022 California Residential Code, which of the following stairways do not need to comply with the stairway requirements of Section R311.7.
 - a. Stairways not within or serving a building, porch, or deck.
 - b. Stairways leading to uninhabitable attics.
 - c. Stairways leading to crawl spaces.
 - d. Stairways serving a deck attached to a dwelling, which is not over 30 inches above grade.
 - e. All the above.
3. a, b, and c above.

Per Section 503.1.4 of the 2022 California Building Code, the area of occupied roofs shall not be included in the buildings allowable area determination per CBC Section 506.

 - a. True
 - b. False
4. According to the 2022 California Plumbing Code Section 719.1, Additional building sewer cleanouts shall be installed at intervals not to exceed 100 feet in straight runs and for each aggregate horizontal change in direction exceeding ____ degrees.
 - a. 45
 - b. 90
 - c. 135
 - d. 180
5. Per Section 210.50 (C) of the 2022 California Electrical Code, appliance receptacle outlets installed in a dwelling unit for specific appliances, such as laundry equipment, shall be installed within ____ feet of the intended location of the appliance.
 - a. 2 feet
 - b. 3 feet
 - c. 4 feet
 - d. 5 feet
 - e. 6 feet

Answer Key: 1: a 2: f 3: a 4: c 5: e

Please contact Ron Beehler by email at rbeehler@bpr-grp.com to discuss any questions.