




Pfect-A

Illumin

Biphasic Peeling Solution

Multi Acids + Multi Vitamins + Rejuvenating Complex



What is Illumin?



Uses 4 Types of Acids

Illumin is a Biphasic Peeling containing 4 types of Major Acids, mainly TCA, AHA, BHA and PHA to instantly provide brightened, smoothened and resurfaced skin, without the downtime and pain associated with Chemical peel.

Uses 2 Oil Based Ingredients

Illumin uses Squalane and Bixa Orellana Seed protects the actual formula from oxidation and also provides moisturizing and protective layer to skin during the procedure. It protects the skin by forming an oil film that stabilizes the Acidic components.

Functions

TCA

Removes the damaged surface layer of the skin. Helps improve the appearance of age spots, wrinkles, scars, and rough skin.

AHA

Promotes skin cell regeneration, Increase collagen density, and improves skin elasticity. Helps to achieve glossy skin.

BHA

Softens dead skin cells, helps with exfoliation, has Anti Inflammatory effect and also helps with blemishes Helps clear and refine pores.

PCA

Strengthens the skin barrier, contains anti oxidant, helps to brighten and smoothen the skin. Improves skin from photo ageing damage, and gentle on sensitive skin.

Functions

SQUALANE

Helps with skin regeneration, Anti Oxidant, Anti Ageing.

UBIQUINONE

Brightening, Anti Ageing, prevents Photo damage, and Repair skin from a cellular level.

BIXA ORELLANA SEED OIL

Highly Moisturizing, Anti Ageing

Indications

- Skin Rejuvenation
- Treats mild to moderate acne
- Helps with Acne scars
- Minimizes Blackheads and Whiteheads
- Brightens pigmentation
- Helps minimize pores
- Helps regulate sebum production
- Provides glowing and smoother skin texture
- Brightens dull skin
- Can be used in conjunction with other facial treatments such as Nano Infusions, and such.

Full Ingredients

Water, Trichloroacetic Acid, Salicylic Acid, Glycolic Acid, Mandelic Acid, Citric Acid, Lactic Acid, Butylene Glycol, Squalane, Glycerin, 1,2-Hexanediol, Gluconic Acid, Sodium Hydroxide, Xanthan Gum, Hydroxydecyl Ubiquinone, Bixa Orellana Seed Oil, CI 42090, Ethylhexylglycerin.

OIL LAYER

Helps to minimize irritation, provide protective layer for the skin, moisturizing.

ACID/WATER LAYER

Acidic Layer, for the "peel" treatment.



Preparation



Shake Well

Shake well and make sure both oil and water layer is completely mixed together.



Open Cap


Open cap just enough to expose the gray rubber, and extract the recommended amount by inserting a needle in the middle.



Application


Apply using a brush or gloved hands starting on the T-Zone and move to U-Zone.

Protocol




Prep the skin

It is recommended to prep the skin by double cleansing to make sure all traces of sunscreen and makeup are completely removed. There is no need for a pre exfoliation.



Apply according to area


Apply to T-Zone and U-Zone avoiding eye and lip area.




Leave on skin / Removal

Leave on face, neck and décolleté for 7 minutes and wipe it out with a damp sponge or damp facial tissue. There is no need to Neutralize.

If using for other parts of the body leave on for 5 minutes for sensitive areas and up to 10 minutes for areas like hands, knees, elbows, legs and feet.



T-Zone



U-Zone

Product Amount / Dosage

<i>Face</i>	2.0 ML
<i>Neck</i>	1.5 ML
<i>Decolleté</i>	2.5 ML

Treatment Period

- It is recommended to do a 3 -4 sessions in 7-10 days interval.

A resting phase of 3 months is important before doing another set of treatment and/or before starting Maintenance phase.

Maintenance phase is atleast once every 45 -60 days.



Before & After



Right after 2nd session

results may vary from one individual to another.

Before & After



Before 2nd session

results may vary from one individual to another.

Before & After



Immediately after 1 session
results may vary from one individual to another.

Before & After



Immediately after 1 session

results may vary from one individual to another.

Before & After



Immediately after 1 session

results may vary from one individual to another.

CONTRAINDICATIONS

- Allergy to ingredients listed
- Sensitivity to acids
- Wounds and skin infection
- Pregnant and lactating women
- Individuals under Accutate and Isotretinoin
- Active viral, bacterial, fungal infection on skin

Those individuals under retinoid treatment should stop use at least 7 days before treatment to avoid sensitivity, tingling and/or flaking.

CONTRAINDICATIONS

- Allergy to ingredients listed
- Sensitivity to acids
- Wounds and skin infection
- Pregnant and lactating women
- Individuals under Accutate and Isotretinoin
- Active viral, bacterial, fungal infection on skin

Those individuals under retinoid treatment should stop use at least 7 days before treatment to avoid sensitivity, tingling and/or flaking.



Packing details :
6ml per vial
1 vial per box
10 boxes per carton



MANUFACTURED FOR:

Dermhub Laboratories Pte Ltd
Pfect-A
www.pfecta.com