



Pfect-A

ZE-TOX™
ZERO TOXIN
BOTOLINUM EFFECT
SOLUTION

ZE-TOX

Made and combined with 2 peptides that specifically work with muscle to mimic the effect of BTA injections without the risk associated by using toxin.



01.

Acetyl Octapeptide 8 AKA Snap-8
Used to reduce wrinkles by limiting the ability of neurotransmitters to activate movement in facial muscles.

02.


Acetyl Hexapeptide-8 AKA Argireline
Used to inhibit neurotransmitters that signal muscle contractions mimicking the actual effect of BTA.

INJECTION TECHNIQUE

Since it targets the same points where BTA is injected, it is also recommended to inject the same way, and same technique to the wrinkle areas.

Just to note that this is not toxin and does not “paralyze” the muscle per se, Ze-Tox does not result to lifting such as Brow lifting, Lip Flip, Nose Tip lift like how BTA is used for.

This is mainly focused on reducing wrinkles, and fine lines and preventing them to contract and move naturally.





DOSAGE

Since Ze-Tox is not a toxin there is no unit or specific ML used per area. It is however recommended to finish the vial once opened for maximum benefits, as it is a sterile product.

We do however created a sample dosage for whole face Ze-Tox anti ageing therapy that you can use as a basis for treatments.


This sample dosage is only an example and ML should be adjusted according to depth of the wrinkle or severity of the skin problem being solved.

INJECTION SITES

0.2ML

Per area on forehead.

Crow's feet.





INJECTION SITES

0.5ML

Glabella

Bunny Line



SESSIONS

Since there is no toxin, Sessions can be done every 2 weeks for the first 4 sessions and once every 60 days for maintenance.

It can also be used in conjunction with BTA injections to maximize results, to avoid over BTA injections.

It can be used as an alternate session with BTA to prevent repeated BTA injections.

