

FUNGICIDES

• AZOXYSTROBIN + CYPROCONAZOLE	↔	200g/L + 80g/L SC
• AZOXYSTROBIN + DINICONAZOLE	↔	300g/L + 30g/L SC
• AZOXYSTROBIN + TEBUCONAZOLE	↔	200g/L + 200g/L (72g/L + 148g/L, 120g/L + 160g/L, 200g/L + 120g/L) SC,
• AZOXYSTROBIN + FOLPET	↔	200g/L + 150g/L ME, 50% + 27.7% WDG
• AZOXYSTROBIN + CHLOROTHALONIL	↔	93.5g/L + 500g/L SC
• AZOXYSTROBIN + DIFENOCONAZOLE	↔	60g/L + 500g/L SC
• AZOXYSTROBIN + DIFENOCONAZOLE + HEXACONAZOLE	↔	200g/L + 125g/L + 50g/L FS
• AZOXYSTROBIN + EPOXICONAZOLE	↔	125g/L + 100g/L SC
• AZOXYSTROBIN + CYPROCONAZOLE + TEBUCONAZOLE	↔	110g/L + 40g/L + 125g/L FS
• AZOXYSTROBIN + CYMOXANIL	↔	24% + 37.5% WDG
• CARBENDAZIM + AZOXYSTROBIN	↔	400g/L + 80g/L SC
• CARBENDAZIM + DIETHOFENCARB	↔	25% + 25%WP, 250g/L + 250g/L SC
• CARBENDAZIM + FLUSILAZOLE	↔	16% + 5%WP, 250g/L + 125g/L SC
• CARBENDAZIM + HEXACONAZOLE	↔	220g/L + 30g/L (125g/L + 30g/L)SC
• CARBENDAZIM + METALAXYL + IMIDACLOPRID	↔	10% + 10% + 10%WP
• CARBENDAZIM + PROPICONAZOL	↔	20% + 25% WP, 136g/L + 114g/L SE
• CARBENDAZIM + DIETHOFENCARB	↔	26% + 26%WDG
• CARBENDAZIM + DINICONAZOLE	↔	25% + 2% WP
• CARBENDAZIM + FLUTRIAFOL	↔	20% + 50% DF (WDG), 300g/L + 200g/L SC
• CARBENDAZIM + THIRAM	↔	150g/L + 350g/L SC, 250g/L + 200g/L (50g/L + 100g/L,
• CARBENDAZIM + CHLOROTHALONIL	↔	250g/L + 250g/L) FS
• CARBENDAZIM + EPOXICONAZOLE	↔	100 g/L + 550 g/L (105g/L + 320g/L) SC 125g/L + 125 g/LSC
• CARBENDAZIM + TEBUCONAZOLE	↔	200g/L + 200g/L FS, 220g/L + 80g/L SC
• CARBENDAZIM + IPRODINE + MANCOZEB	↔	20% + 25% + 40% WP
• CAPTAN + FOSETYL ALUMINIUM	↔	25% + 50% WP
• CAPTAN + CYMOXANIL	↔	25% + 25% (50% + 25%) WDG
• CAPTAN + MANCOZEB	↔	10% + 50% WDG
• CAPTAN + KASUGAMYCIN	↔	1.9% + 0.1% WP
• CHLOROTHALONIL + METALAXYL + MANCOZEB	↔	18% + 6% + 48% WP
• CHLOROTHALONIL + HEXACONAZOLE	↔	250g/L + 50g/L SC
• CHLOROTHALONIL + EPOXICONAZOL	↔	500g/L + 100g/L SC
• CHLOROTHALONIL + METALAXYL	↔	72% + 9% WP
• CHLOROTHALONIL + TEBUCONAZOLE	↔	375g/L + 125g/L SC
• COPPER HYDROXIDE + CYMOXANIL + OXADIXYL	↔	50% + 6% + 3% WP
• COPPER HYDROXIDE + CYMOXANIL	↔	50% + 12% WP
• COPPER OXYCHLORIDE + DIMETHOMORPH	↔	67% + 6% WP
• COPPER OXYCHLORIDE + METALAXYL	↔	40% + 5% (35% + 15%, 60% + 12%) WP
• COPPER OXYCHLORIDE + THIOPHANATE-METHYL + SULPHUR	↔	20% + 15% + 15% WP

• COPPER OXYCHLORIDE + CARBENDAZIM + METALAXYL	↔	25% + 20% + 5% WP
• COPPER OXYCHLORIDE + CYMOXANIL	↔	300g/L + 60g/L SC
• COPPER OXYCHLORIDE + BENALAXYL	↔	33% + 4% WP
• COPROUS OXIDE + METALAXYL	↔	60% + 12% WP
• CYMOXANIL + BORDEAUX	↔	8% + 77% WP
• CYMOXANIL + DIMETHOMORPH	↔	120g/L + 185g/L (125g/L + 180g/L) SC
• CYMOXANIL + FAMOXADONE	↔	30% + 22.5% WDG
• CYMOXANIL + MANCOZEB	↔	8% + 64% WP
• CYMOXANIL + MANCOZEB + OXIDIXYL	↔	3.2% + 56% + 8% WP
• CYMOXANIL + PROPINEB	↔	6% + 70% (15% + 60%) WP
• CYMOXANIL + CHLOROTHALONIL	↔	4.2g/L + 318g/L SC
• DIMETHOMORPH + AZOXYSTROBIN	↔	15% + 8% WDG
• DIMETHOMORPH + PYRACLOSTROBIN	↔	10% + 8.7% WDG
• DIMETHOMORPH + DITHIANON	↔	15% + 35% WDG
• DIFENOCONAZOLE + CYPROCONAZOLE	↔	30 g/L + 6.3 g/L FS
• DIFENOCONAZOLE + METALAXYL	↔	150g/L + 125g/L SC
• DIFENOCONAZOLE + DINICONAZOLE	↔	150g/L + 150g/L EC
• DIFENOCONAZOLE + FIPRONIL	↔	250g/L + 250g/L SC
• DIFENOCONAZOLE + PROPICONAZOL	↔	150 g/L + 150g/L (250g/L + 250g/L) EC, 150 g/L + 150g/L SE, 300g/L + 300g/L EW
• DIFENOCONAZOLE + CYPROCONAZOLE	↔	30 g/L + 6.3 g/L EC, 30g/L + 6.25g/L FS
• DIFENOCONAZOLE + FLUDIOXONIL	↔	24g/L + 24g/L FS
• DIFENOCONAZOLE + AZOXYSTROBIN + EPOXICONAZOLE	↔	100 g/L + 200g/L + 75g/L SC
• DIFENOCONAZOLE + TEBUCONAZOLE	↔	20% + 20% WDG
• EPOXICONAZOLE + CARBOXIN	↔	127g/L + 400g/L SC
• EPOXICONAZOLE + PYRACLOSTROBIN	↔	62.5g/L + 62.5g/L SC
• FENTNHYDROOXIDE + ENDOSULFAN	↔	22.5% + 16.5% WP
• FLUTRIAFOL + PROCHLORAZ	↔	50g/L + 200g/L SC
• FLUTRIAFOL + THIABENDAZOLE	↔	20g/L + 20g/L SC, 25g/L + 25g/L FS
• FLUTRIAFOL + THIABENDAZOLE + IMAZALIL	↔	37.5 g/L + 25 g/L + 15 g/L FS
• FLUDIOXONIL + METALAXYL + AZOXYSTROBIN	↔	1.1% + 3.3% + 6.6% FS
• FOSETYL-ALUMINIUM + FOLPET	↔	50% + 25% WP
• IMAZALIL + TRIADIMENOL	↔	100g/L + 60g/L ME
• IPRODINE + CARBENDAZIM	↔	35% + 17.5% WP
• KRESOXIM-METHYL + EPOXICONAZOLE	↔	250g/L + 50g/L SC
• KRESOXIM-METHYL + FLUSILAZOLE	↔	250g/L + 50g/L (125g/L + 125g/L) SC
• KRESOXIM-METHYL + THIABENDAZPLE + IMAZALIL	↔	125g/L + 250g/L + 2g/L SC
• MANCOZEB + METALAXYL	↔	64% + 8% (60% + 10%) WP, 64% + 8% WDG
• MANCOZEB + DIMETHOMORPH	↔	60% + 9% (64% + 8%) WP, 60% + 9% WDG
• MANCOZEB + DIMETHOMORPH + METALAXYL	↔	52.5% + 11.5% + 7.5% WP

• MANCOZEB + FAMOXADONE	↔	62.5% + 6.25% WDG
• MANCOZEB + DIFENOCONAZOLE	↔	60% + 7.5% WP
• METALAXYL + BORDEAUX	↔	8% + 77% WP
• METALAXYL + IMIDACLOPRID	↔	10% + 10%WP, 10% + 6% DS
• METALAXYL + CUPROUS OXIDE	↔	12% + 60% WP
• METALAXYL + PROPICONAZOL + FLUTOLANIL	↔	3% + 2% + 25% WP
• METALAXYL + IMIDACLOPRID + ANTHRAQUINONE	↔	10% + 6% + 4% DS
• METALAXYL + DINICONAZOLE	↔	150g/L + 50g/L SC
• METALAXYL + FLUDIOXONIL	↔	10g/L + 25g/L (37.5g/L + 25g/L) FS
• METIRAM + CYMOXANIL	↔	50% +4.8% (57% + 4.8%) WDG
• MYCLOBUTANIL + CINNAMALDEHYDE	↔	30g/L + 100g/L ME
• PROCHLORAZ + IPRODIONE	↔	8% + 8% SC
• PROCHLORAZ + MYCLOBUTANIL	↔	25g/L + 100g/L EC
• PROCHLORAZ + CARBENDAZIM	↔	15% + 30% WDG
• PROCHLORAZ + PROPICONAZOLE	↔	200g/L + 100g/L EW
• PROCHLORAZ + TEBUCONAZOLE	↔	267g/L + 133g/L EW, 250g/L +50g/L SC
• PROCHLORAZ + CYPROCONAZOLE	↔	30g/L + 60g/L EW
• PROPINEB + TRIADIMENOL	↔	65% + 2% WP
• PROPINEB + TEBUCONAZOLE	↔	50% + 25% WDG
• PIRIMETHANIL + DIETHOFENCARB	↔	10% + 16% WDG
• PROPICONAZOL + CYPROCONAZOLE	↔	250g/L + 80g/L EC
• PROPICONAZOL + TRICYCLAZOLE	↔	12.5% + 40% SE, 125g/L + 400g/L SC
• PROPICONAZOL + BROMOTHALONIL	↔	100g/L +200g/L EC
• TEBUCONAZOLE + TRIADIMENOL	↔	225g/L + 75g/L EC, 25% +55% WP, 150g/L + 150g/L EW
• TEBUCONAZOLE + TRIADIMEFON	↔	125g/L + 125g/L EC, 22.5% 7.5% SE
• TEBUCONAZOLE + TRIADIMEFON + TRIDEMORPH	↔	150g/L + 40g/L + 150g/L EC
• TEBUCONAZOLE + FLUTRIAFOL	↔	200g/L + 150g/L SC
• TEBUCONAZOLE + PROPICONAZOL	↔	150g/L + 250g/L EC
• TEBUCONAZOLE + THIRAM	↔	5% + 25% WP, 30g/L + 500g/L FS
• TEBUCONAZOLE + IMAZALIL	↔	60g/L + 50g/L FS
• TEBUCONAZOLE + THIABENDAZOLE	↔	60g/L + 80g/L FS
• TEBUCONAZOLE + PROPINEB	↔	25% + 50% WDG
• TEBUCONAZOLE + KASUGAMYCIN	↔	25% + 7.5 WDG
• TEBUCONAZOLE + IMIDACLOPRID	↔	233g/L + 13g/L FS
• THIOPHANATE-METHYL + EPOXICONAZOLE	↔	310g/L + 190g/L SC
• THIOPHANATE-METHYL + PENCONAZOLE	↔	70% + 2.5% WP
• THIOPHANATE-METHYL + DIETHOFENCARB	↔	250g/L +250g/L SC
• THIOPHANATE-METHYL + THIRAM	↔	50% + 30% WP
• THIOPHANATE-METHYL + EPOXICONAZOLE	↔	310g/L + 187g/L SC

• THIRAM + CHLORPYRIFOS	↔	25% + 25% WP
• THIRAM + PENCYCURON	↔	32% + 15% WS
• THIRAM + TOLCLOFOS-METHYL	↔	30% + 30% WP
• THIRAM + DIMETACHLONE	↔	25% + 25% WP, 32% + 15% WS
• THIRAM + CARBOXIN	↔	200g/L + 200g/L SC/FS, 37.5% + 37.5% WS
• THIRAM + IMIDACLOPRID	↔	100g/L + 250g/L SC, 10% + 10% DS
• THIRAM + AMICARTHAZOL	↔	35% + 35% WS, 50g/L + 50g/L FS
• THIRAM + PENCYCURON +IMIDACLOPRID	↔	107g/L + 50g/L + 233g/L SC
• THIRAM + CARBENDAZIM + METALAXYL	↔	250g/L + 150g/L + 50g/L (250g/L + 125g/L + 50g/L) FS
• TRIADIMEFON + METALAXYL	↔	25% + 20% WP
• TRICYCLAZOLE + AZOXYSTROBIN	↔	600g/L + 75g/L SC
• TRICYCLAZOLE + HEXACONAZOLE	↔	220g/L + 30g/L SC
• TRICYCLAZOLE + THIOPHANATE METHYL	↔	37.5% + 35% WP
• TRICYCLAZOLE + THIABENDAZOLE	↔	400g/L + 125g/L SC
• TRICYCLAZOLE + ISOPROTHIOLANE	↔	40% + 25% WP
• TRICYCLAZOLE + IPROBENFOS	↔	10% + 10% WP
• THIABENDAZOLE + TEBUCONAZOLE	↔	50% + 20% WDG
• THIABENDAZOLE + KASUGAMYCIN	↔	50% + 7.5% WDG
• TRIFLOXYSTROBIN + TEBUCONAZOLE	↔	100g/L + 300g/L SC, 25% + 50% WDG
• TRIFLOXYSTROBIN + PYRIMETHANIL	↔	120g/L + 400g/L SC