

1. INSECTICIDES

• ABAMECTIN + FIPRONIL	↔	5g/L + 50 g/L SC (50g/L +30g/L, 40g/L +130g/L)
• ABAMECTIN + ACETAMIPRID	↔	18g/L +150g/L SL, 18g/L +32 g/L EC, 1.5% +3% WP
• ABAMECTIN +PYRIDABEN	↔	5g/L + 80g/L EC
• ABAMECTIN + PERMETHRIN	↔	18g/L + 150 g/L EC
• ABAMECTIN + PROPARGITE	↔	18g/L + 80 g/L EC
• ABAMECTIN + CHLORPYRIFOS	↔	5g/L + 200g/L ME, 2 + 150g/L EW
• ABAMECTIN + LAMBDA-CYHALOTHRIN	↔	5g/L + 30g/L ME, 5%+10% WDG
• ABAMECTIN + MONOSULTAP	↔	1% + 95% SP
• ABAMECTIN + FENVALERATE	↔	10g/L +5g/L EC
• ABAMECTIN + CHLORFENAPYR	↔	18g/L + 180g/L SE
• ABAMECTIN + SPINOSAD	↔	20g/L + 30g/L EC
• ABEMACTIN + EMAMECTIN BENZOATE	↔	4% + 4% WDG, 20+30g/L SC
• ACETAMIPRID + FIPRONIL	↔	30g/L + 50g/L EC, 0.9 g/L + 49.8g/L FS
• ACETAMIPRID + CYPERMETHRIN	↔	16g/L + 72g/L EC
• ACETAMIPRID + ENDOSULFAN	↔	20% + 30%WP
• ACETAMIPRID +EMAMECTIN BENZOATE	↔	4%+4% WDG, 20+30g/L SC
• ACETAMIPRID + METHOMYL	↔	28% + 30% SP
• ACETAMIPRID + LAMBDA CYHALOTHRIN	↔	20g/L + 15 g/L EC
• ACETAMIPRID + IMIDACLOPRID + THIAMETHOXAM	↔	6% + 35% + 40% WDG
• BETA-CYPERMETHRIN+ EMAMECTIN BENZOATE	↔	30g/L+0.5g/LME, 4.5% +0.5% WP, 4% +2% WDG
• BETA-CYPERMETHRIN + ABAMECTIN	↔	20g/L + 4g/L EW, 10% + 5% WDG, 26g/L + 2g/L EC
• BETA-CYPERMETHRIN + METHOMYL	↔	12%+40% WP
• BETA-CYPERMETHRIN + LAMBDA CYHALOTHRIN	↔	50g/L + 25g/L EW
• BETA-CYPERMETHRIN + PROPOXUR	↔	75g/L + 25g/L SC
• BUPROFEZIN +FIPRONIL	↔	25% +5%WP
• BUPROFEZIN + IMIDACLOPRID	↔	400g/L + 10g/L SC, 40% +1% WDG
• BUPROFEZIN +THIOPHANATE-METHYL	↔	100g/L + 400g/L SC
• BUPROFEZIN + PROFENOFOS	↔	300g/L + 50g/L SE
• BUPROFEZIN + ISOPROCORB	↔	75g/L + 225g/L EC, 5% + 20% WP
• CHLORFENAPYR + LAMBDA CYHALOTHRIN	↔	100g/L + 25 g/L SC
• CHLORFENAPYR + LAMBDA CYHALOTHRIN + BT	↔	6% +2.5% +20% WP
• CHLORFENAPYR + EMAMECTIN BENZOATE + BT	↔	5% + 0.4% + 8000IU WP
• CHLORFENAPYR + EMAMECTIN BENZOATE	↔	250g/L + 50g/L SC, 5% +20% WDG
• CHLORFENAPYR + DIAFENTHIURON	↔	60 g/L + 80g/L SC
• CHLORFENAPYR + DIAFENTHIURON + DELTAMETHRIN	↔	80g/L +60g/L +20g/L SC
• CARBARY + LAMBDA CYHALOTHRIN	↔	5% + 0.1% WP
• CLOFENTEZINE + FENPYROXIMATE	↔	100g/L + 50 g/L SC
• CHLORPYRIFOS +THIRAM	↔	25% + 25%WP, 25% + 25% WS

• CHLORPYRIFOS + METHOMYL	↔	24% + 12%WP
• CHLORPYRIFOS + BIFENTHRIN	↔	480g/L + 10 g/L EC
• CHLORPYRIFOS + BETA-CYPERMETHRIN	↔	300g/L + 50 g/L EW
• CHLORPYRIFOS + CYPERMETHRIN	↔	480g/L + 50g/L EC, 2% + 2% WP
• CHLORPYRIFOS + DIMETHOATE	↔	275g/L + 225g/L EC
• CHLORPYRIFOS + METHOMYL	↔	240g/L + 100g/L EC
• CHLORPYRIFOS + LAMBDA CYHALOTHRIN	↔	50g/L + 50g/L EC, 225g/L + 25g/L (350g/L + 10g/L) CS
• CHLORPYRIFOS + SPINOSAD	↔	500g/L + 25 g/L EC
• CHLORPYRIFOS + PHOXIM	↔	160g/L + 320g/L EC
• CARTAP + THIAMETHOXAM	↔	45% + 1% SG
• CYPERMETHRIN + METHOMYL	↔	40g/L + 120g/L EC
• CYPERMETHRIN + DIMETHOATE	↔	50g/L + 400 g/L EC
• CYPERMETHRIN + ABAMECTIN	↔	2% + 1% WDG
• CYPERMETHRIN + PHOXIM	↔	30g/L + 220g/L EC
• CYPERMETHRIN + PROFENOFOS	↔	250g/L + 400g/L EC (600g/L + 120g/L, 400g/L + 40g/L)
• CYPERMETHRIN + PROFENOFOS + ACETAMIPRID	↔	21g/L + 150g/L +10 EC
• CYPERMETHRIN + TETRAMETHRIN +PIPERONYL BUTOXIDE	↔	80g/L +10g/L + 150g/L EC
• DELAMETHRIN + EMAMECTIN BENZOATE	↔	10g/L + 15g/L EC
• DICOFOL + HEXYTHIAZOX	↔	200g/L + 25g/L EC
• DIAFENTHIURON+FENOXYCARB	↔	28.5% + 7.2% WP
• FENITROTHION +TETRAMETHRIN	↔	500g/L + 50g/L EC
• FENITROTHION +FENVALERATE	↔	300g/L + 50g/L EC
• FIPRONIL + CHLORPYRIFOS	↔	5g/L +405g/L EC
• FIPRONIL + LAMBDA-CYHALOTHRIN	↔	50g/L + 50 g/L EC, 30g/L + 30 g/L (200g/L + 100 g/L, 250g/L + 100 g/L) SC
• FIPRONIL + DIFENOCONAZOLE	↔	250g/L + 250g/L SC
• FIPRONIL + ABAMECTIN + PHOXIM + CHLORPYRIFOS	↔	40g/L + 10g/L + 160g/L + 100g/L EC
• FIPRONIL + METAXYL + FLUDIOXONIL	↔	60g/L + 10 + 25 g/L FS
• FIPRONIL + MATRINE	↔	50g/L + 3g/L SC
• FIPRONIL + IMIDACLOPRID	↔	250g/L + 250g/L SC, 40% + 40% WDG
• FIPRONIL + EMAMECTIN BENZOATE	↔	15% + 5% WDG
• FIPRONIL + HEXAFLUMURON	↔	100 + 100g/L SC
• FIPRONIL +TRIAZOPHOSE	↔	5g/L + 205g/L EC
• IMIDACLOPRID + BIFENTHRIN	↔	10%+20% WP , 30g/L + 20g/L (312.5g/L + 62.5g/L, 250g/L, +50g/L, 180 +120g/L) SC
• IMIDACLOPRID + METALAXYL+ CARBENDAZIM	↔	10% + 10% + 10% WS
• IMIDACLOPRID + METALAXYL+ CARBENDAZIM + THIRAM	↔	250g/L + 50g/L +100g/L + 100g/L FS
• IMIDACLOPRID + METALAXYL	↔	10% + 10% (20% + 20%) WP, 6% + 10% DS
• IMIDACLOPRID + METALAXYL + ANTHRAQUINONE	↔	20% + 20% + 4% DS
• IMIDACLOPRID + THIRAM	↔	250g/L + 100g/L SC, 175g/L + 100g/L(250g/L +100g/L) FS
• IMIDACLOPRID + MONOSULTAP	↔	70% + 2% WP, 70% + 2%WS

• IMIDACLOPRID + CARTAP	↔	5%+ 45%WP
• IMIDACLOPRID + THIRAM +PENYCURON	↔	233g/L + 107g/L + 50g/L SC
• IMIDACLOPRID + PENCYCURON	↔	120g/L+130g/L FS, 140g/L + 150g/L SC
• IMIDACLOPRID + MUSCALURE	↔	600g/L + 9g/L SC
• IMIDACLOPRID + CARBOXIN	↔	200g/L + 200g/L SC
• IMIDACLOPRID + TEBUCONAZOLE	↔	233g/L + 13g/L (199g/L + 11g/L) FS
• IMIDACLOPRID + DIMETHACHLON	↔	140g/L + 150 g/L EC
• IMIDACLOPRID + ACETAMIPRID	↔	60% + 10%WDG, 20% + 20% WP
• IMIDACLOPRID + ALPHA CYPERMETHRIN	↔	150g/L + 125g/L SC
• IMIDACLOPRID + TRICYCLAZONE	↔	120g/L + 250g/L FS
• IMIDACLOPRID + LAMBDA CYHALOTHRIN	↔	12.5% + 5% WDG, 250 g/L + 100g/L (125g/L + 50g/L,
• IMIDACLOPRID + BETA CYFLUTHRIN	↔	350g/L + 60g/L, 30g/L +20g/L) SC, 30g/L + 60g/L EC
• IMIDACLOPRID + CHLORPYRIFOS	↔	100g/L + 100g/L FS, 21% + 9% WP
• IMIDACLOPRID + DELTAMATHRIN	↔	100g/L + 400g/L EC (50g/L + 20g/L, 20g/L + 200g/L)
• IMIDACLOPRID + TRICYCLAZOLE + KASUGAMYCIN	↔	5% + 72% + 3% WP
• IMIDACLOPRID + ACEPHATE	↔	25% + 45% WP
• IMIDACLOPRID + THIABENDAZOLE	↔	280g/L + 80g/L FS, 280g/L + 80g/ SC
• IMIDACLOPRID + CYPERMETHRIN	↔	200g/L + 150g/L SE, 25g/L + 50g/L EC
• IMIDACLOPRID + PYRIDABEN + FIPRONIL	↔	100g/L + 300g/L + 50g/L SC
• IMIDACLOPRID + PYRIDABEN + CARTAP	↔	3% +11.5% +25% WP
• IMIDACLOPRID + CYPERMETHRIN	↔	200g/L + 150g/L SE
• IMIDACLOPRID + ISOPROCARB	↔	3% + 27% WP
• LAMBDA CYHALOTHRIN + PIPERONYL BUTOXIDE	↔	50g/L + 40g/L EC
• LAMBDA CYHALOTHRIN + ACETAMIPRID + EMAMECTIN BENZOATE	↔	10% +10% +5% WP
• LAMBDA CYHALOTHRIN + PROFENOFOS	↔	48g/L + 600g/L EC (15g/L + 300g/L)
• LAMBDA CYHALOTHRIN + THIAMETHOXAM	↔	100g/L + 140g/L SC
• LUFENURON + EMAMECTIN BENZOATE	↔	40% + 10% WDG
• MALATHON +PROFENOFOS	↔	100g/L + 100g/L EC
• MALATHON + BETA CYPERMETHRIN	↔	360g/L + 40g/L EC
• NITENPYRAM + PYMETROZINE	↔	20% + 60% (30% + 40%) WDG, 10% +15% WP
• NITENPYRAM + BUPROFEZIN + ABAMECTIN	↔	8% + 25% 0.5% WP
• NITENPYRAM + BUPROFEZIN	↔	60% + 10% WDG
• PIRIMIPHOS METHYL + BETA CYFLUTHRIN	↔	1.6% + 0.3% WP
• PYMETROZINE + BUPROFEZIN	↔	8% + 17% SC, 25% + 25% WP
• PYMETROZINE + CHLORPYRIFOS	↔	10% + 15% WP
• PYMETROZINE + INCOXACARB	↔	55% + 5% WDG
• PYRIDABEN + PROPARGITE	↔	5g/L + 100g/L EC
• PYRIDABEN + SPIRODICLOFEN	↔	25% + 5% WP
• PERMETHRIN + PIRIMIPHOS METHYL	↔	0.3% + 1.6% WP

• <i>PHOXIM + FENVALERATE</i>	↔	<i>450g/L + 50g/L EC</i>
• <i>PHOXIM + MALATHION</i>	↔	<i>100g/L + 100g/L EC</i>
• <i>THIODICARB + IMIDACLOPRID</i>	↔	<i>450g/L + 150g/L SC (250g/L + 100g/L)</i>