

## The Widest Choice

Whichever wood or stone design you're thinking of, Quick-Step® has it. Choose from the unique designs contained in fourteen different ranges.



### Super-easy to lay

Thanks to the fantastic Uniclic system, you can lay Quick-Step® floor in one click and it's always perfect.



### Wear and scratch resistant

The protective layer is highly resistant to wear. Scratch guard, the latest Quick-Step® innovation, now provides an even more scratch resistant top layer

**25**  
YEAR  
WARRANTY

DOMESTIC USE

LIFETIME  
UNICLIC  
MULTIFIT  
WARRANTY

DOMESTIC USE

### 25 Year warranty

Quick-Step® provides no less than a 25 year warranty on wear and a lifetime warranty on the Uniclic and Unilink system.



# Flooring and Accessories

**It's easy to trip up when faced with flooring decisions.**

Our range of flooring options offers you great choice and value.

Our flooring accessories will help you make lightwork of installation, finishing and maintenance.



LIVYN

# NEW Quick-Step® Impressive 8mm

Quick-Step® Impressive a whole new generation of laminate floors. Water-resistant floors that look and feel more natural than ever before. Impressive comes in a wide range of 16 designs at a plank thickness of 8mm.

A 12mm plank thickness is also available in the Impressive Ultra range, contact us for further details.



**Natural Pine** | Impressive IM1860



**Classic Oak Beige** | Impressive IM1847



**Classic Oak Brown** | Impressive IM1849




**Saw Cut Oak Beige** | Impressive IM1857



**White Planks**  
Impressive IM1859



**Soft Oak Beige**  
Impressive IM1854



**Concrete Wood Light Grey**  
Impressive IM1861



**Saw Cut Oak Beige**  
Impressive IM1857



**White Varnished Oak**  
Impressive IM3105



**Classic Oak Beige**  
Impressive IM1847



**Sandblasted Oak Natural**  
Impressive IM1853



**Natural Pine**  
Impressive IM1860



Saw Cut Oak Grey | Impressive IM1858



White Planks | Impressive IM1859



Natural Varnished Oak | Impressive IM3106

## HYDROSEAL WATER-REPELLENT COATING



Our new Impressive range comes complete with a HydroSeal water-repellent coating on the bevels, making it the ideal solution for rooms with high moisture levels such as bathrooms, kitchens and laundry rooms.




**Classic Oak Natural**  
Impressive IM1848



**Soft Oak Natural**  
Impressive IM1855



Scraped Oak Grey Brown | Impressive IM1850



**Accessories**  
We have a range of innovative installation and finishing accessories to complete your Quick-Step® laminate floor.

Impressive 8mm	
Plank length	1380mm
Plank width	190mm
Plank thickness	8mm
Pack coverage	1.835m <sup>2</sup>



**Natural Varnished Oak**  
Impressive IM3106



**Scraped Oak Grey Brown**  
Impressive IM1850



**Soft Oak Warm Grey**  
Impressive IM1856



**Saw Cut Oak Grey**  
Impressive IM1858



**Classic Oak Brown**  
Impressive IM1849



**Burned Planks**  
Impressive IM1862

# NEW Quick-Step® Creo

Quick-Step® Creo is a comprehensive range of gorgeous laminate flooring with endless design options. Utilising the Uniclic locking system to give it a seamless finish we can provide you with the perfect floor for any room of the house. It may be a basics range, but it still boasts high quality and durability.

## Creo


Plank length	1200mm
Plank width	190mm
Plank thickness	7mm
Pack coverage	1.8240m <sup>2</sup>



Louisiana Oak Natural | Creo CR3176



Charlotte Oak Brown | Creo CR3177



Virginia Oak Brown | Creo CR3183




Charlotte Oak White | Creo CR3178



**Charlotte Oak White**  
Creo CR3178



**Tennessee Oak Grey**  
Creo CR3181



Tennessee Oak Natural | Creo CR3180



**Virginia Oak Natural**  
Creo CR3182



**Charlotte Oak Brown**  
Creo CR3177




**Tennessee Oak Light Wood**  
Creo CR3179



**Tennessee Oak Natural**  
Creo CR3180



**Louisiana Oak Natural**  
Creo CR3176



**Virginia Oak Brown**  
Creo CR3183



# NEW Quick-Step® Classic

Quick-Step® Classic gives you a natural looking floor with a great feel. Featuring single, double and triple-plank designs, Classic gives you a trendy yet traditional highly durable laminate floor.

## Quick-Step Classic

Plank length	1200mm
Plank width	190mm
Plank thickness	8mm
Pack coverage	1.596m <sup>2</sup>



Midnight Oak Brown | Classic CLM1488



Bleached White Oak | Classic CLM1291



Old Oak Light Grey | Classic CLM1405



Victoria Oak | Classic CLM3185



**Bleached White Teak**  
Classic CLM1290



**Reclaimed White Patina Oak**  
Classic CL1653



**Bleached White Teak** | Classic CLM1290



**Victoria Oak** | Classic CLM3185



**Havanna Oak Natural**  
Classic CLM1655



**Bleached White Oak**  
Classic CLM1291



**Victoria Oak**  
Classic CLM3185



**Enhanced Beech 3 Strip**  
Classic CL1016




**Moonlight Oak Natural** | Classic CLM1659




**Windsor Oak**  
Classic CLM3184




**Midnight Oak Natural**  
Classic CLM1487




**Enhanced Oak Natural 3 Strip**  
Classic CL998



**Moonlight Oak Natural**  
Classic CLM1659



**Midnight Oak Natural** | Classic CLM1487



**Natural Varnished Oak**  
Classic CLM1292




**Midnight Oak Brown**  
Classic CLM1488




**Enhanced Merbau 3 Strip** | Classic CL1039




**Old Oak Natural** | Classic CLM1381



**Old Oak Light Grey**  
Classic CLM1405



**Old Oak Grey**  
Classic CLM1382



**Old Oak Natural**  
Classic CLM1381



**Enhanced Merbau 3 Strip**  
Classic CL1039

# Quick-Step® Elite

Quick-Step® Elite floors with subtle edges are elegant and stylish and because the planks join together seamlessly - like all Quick-Step® floors - there is never any dust or dirt between the joints.

## Elite

Plank length	1380mm
Plank width	156mm
Plank thickness	8mm
Pack coverage	1.722m <sup>2</sup>



Old Oak Grey | Elite UE 1388



**Light Grey Varnished Oak**  
Elite UE 1304



**Worn Light Oak**  
Elite UE 1303




**White Oak Light**  
Elite UE 1491



**Old Oak Light Grey**  
Elite UE 1406




Old Oak Light Grey | Elite UE 1406




**Old White Oak Natural**  
Elite UE 1493



**White Oak Medium**  
Elite UE 1492



**Old Oak Grey**  
Elite UE 1388



**Old White Oak Dark**  
Elite UE 1496



# Quick-Step® Rustic

The Quick-Step® Rustic range has an ideal length and width dimension which makes smaller rooms seem bigger. Rustic floors have a particularly natural look and feel with a pronounced surface texture and bevels. They are an excellent choice for people looking for tradition and style.

Rustic	
Plank length	1200mm
Plank width	123mm
Plank thickness	8mm
Pack coverage	1.777m <sup>2</sup>




Pacific Walnut | Rustic RIC 1415




**White Oak Light**  
Rustic RIC 1497




**White Oak Natural**  
Rustic RIC 1498




**Smoked Oak**  
Rustic RIC 1678




**Natural Hickory**  
Rustic RIC 1424




**White Oak Brown**  
Rustic RIC 1429



**Autumn Hickory**  
Rustic RIC 1426



**Pacific Walnut**  
Rustic RIC 1415



**Coffee Bean Hickory**  
Rustic RIC 1427



White Oak Light | Rustic RIC 1497

# Quick-Step® Eigna and Perspective

The Quick-Step® Eigna floors are strikingly beautiful. The solid, extended long plank floors without bevels generate a soft and tasteful effect.

The Quick-Step® Perspective collection with 4 bevels is characterized by a perfect balance between plank length and plank width. The characteristic grooves of these solid plank floors will expand the optical perspective of your interior.



Vintage Oak Natural Varnished | Eigna U 995



White Varnished Oak | Perspective UF 915



Old Oak Matt Oiled | Perspective UF 312



White Brushed Pine | Eigna U 1235



Varnished Beech Planks | Eligna U866

**Eligna (U)**

Plank length	1380mm
Plank width	156mm
Plank thickness	8mm
Pack coverage	1.722m <sup>2</sup>

**Perspective (UF)**

Plank length	1380mm
Plank width	156mm
Plank thickness	9.5mm
Pack coverage	1.5070m <sup>2</sup>

**Eligna** (U – without bevels)

**Perspective** (UF – 4 bevels)



**Wengé Passionata**  
U 1300 | UF 1300



**White Brushed Pine**  
U 1235 | UF 1235



**White Varnished Oak**  
U 915 | UF 915



**Varnished Beech**  
U 866 | UF 866



**Harvest Oak**  
U 860 | UF 860



**Natural Varnished Cherry**  
U 864 | UF 864



**Vintage Oak Natural Varnished**  
U 995 | UF 995



**Natural Varnished Oak**  
U 896 | UF 896



Wengé Passionata | Perspective UF 1300






**Merbau** | Eigna UF 996



**Harvest Oak** | Perspective UF 860



**Old Oak Matt Oiled**  
U 312 | UF 312



**Dark Varnished Oak**  
U 918 | UF 918




**Antique Oak**  
U 861 | UF 861



**Merbau**  
U 996 | UF 996



**Vintage Oak Dark Varnished** | Perspective UF 1001




**Oiled Walnut**  
U 1043 | UF 1043



**Vintage Oak Dark Varnished**  
U 1001 | UF 1001



**Homage Oak Natural Oiled**  
U 1157 | UF 1157



**Wengé**  
U 1000 | UF 1000

# Quick-Step® Eligna Wide and Perspective Wide

The extra-wide range adds an extra dimension to the Eligna and Perspective collection highlighting the natural colour variations and nicely shows off the rustic patterns.



**Morning Oak Light**  
UW 1535 | ULW 1535 | UFW 1535



**Oak White Oiled**  
UW 1538 | ULW 1538 | UFW 1538



**Oak Natural Oiled**  
UW 1539 | ULW 1539 | UFW 1539



**Oak With Saw Cuts Nature**  
UW 1548 | ULW 1548 | UFW 1548




**Reclaimed Chestnut Natural**  
UW 1541 | ULW 1541 | UFW 1541



**Reclaimed Chestnut Antique**  
UW 1543 | ULW 1543 | UFW 1543



**Reclaimed Chestnut Brown**  
UW 1544 | ULW 1544 | UFW 1544



**Fumed Oak Dark**  
UW 1540 | ULW 1540 | UFW 1540



**Morning Oak Light** | Eligna UW 1535

## Eligna Wide (UW)

Plank length	1380mm
Plank width	190mm
Plank thickness	8mm
Pack coverage	1.835m <sup>2</sup>

## Perspective Wide (ULW)

Plank length	1376mm
Plank width	190mm
Plank thickness	9.5mm
Pack coverage	1.569m <sup>2</sup>

## Perspective Wide (UFW)

Plank length	1380mm
Plank width	190mm
Plank thickness	9.5mm
Pack coverage	1.573m <sup>2</sup>

**Eligna Wide** (UW – without bevels)

**Perspective Wide** (ULW – 2 bevels)

**Perspective Wide** (UFW – 4 bevels)

# Quick-Step® Exquisa

Quick-Step® Exquisa is an innovative plank floor with a large plank serving as the basis for 4 possible flooring layouts. The multi-pattern planks feature extra deep joints that create an attractive interplay of lines to show off your floor.

## Exquisa

Plank length	1224mm
Plank width	408mm
Plank thickness	8mm
Pack coverage	1m <sup>2</sup>



Tivoli Travertine | Exquisa EXQ1556



**Ceramic White**  
Exquisa EXQ1553



**Tivoli Travertine**  
Exquisa EXQ1556



**Crafted Textile**  
Exquisa EXQ1557



**Ceramic Light**  
Exquisa EXQ1554



Slate Dark | Exquisa EXQ1552



**Ceramic Dark**  
Exquisa EXQ1555



**Slate Dark**  
Exquisa EXQ1552



**Slate Black**  
Exquisa EXQ1550



**Slate Black Galaxy**  
Exquisa EXQ1551

# Quick-Step® Arte

Quick-Step® Arte are 18th century inspired magnificent tiles with subtle v-groove that can be used to create a stylish and exclusive tile floor with the practical advantages of laminate.

## Arte

Tile length	624mm
Tile width	624mm
Tile thickness	9.5mm
Pack coverage	1.558m <sup>2</sup>



Leather Tile Dark | Arte UF 1402



**Marble Carrara**  
Arte UF 1400



**Versailles White Oiled**  
Arte UF 1248



**Polished Concrete Natural**  
Arte UF 1246



## Accessories

We have a range of innovative installation and finishing accessories to complete your Quick-Step® laminate floor.



**Leather Tile Light**  
Arte UF 1401



**Leather Tile Dark**  
Arte UF 1402



**Versailles Light**  
Arte UF 1155



**Polished Concrete Dark**  
Arte UF 1247



Polished Concrete Dark | Arte UF 1247

# Quick-Step® Largo

Quick-Step® Elite floors with subtle edges are elegant and stylish and because the planks join together seamlessly - like all Quick-Step® floors – there is never any dust or dirt between the joints.

Largo	
Plank length	2050mm
Plank width	205mm
Plank thickness	9.5mm
Pack coverage	2.522m <sup>2</sup>



**White Vintage Oak | Largo LPU1285**



**Light Rustic Oak**  
Largo LPU1396



**Pacific Oak**  
Largo LPU1507



**Long Island Oak Light**  
Largo LPU1660



**Dominicano Oak Grey**  
Largo LPU1663



**Cambridge Oak Natural | Largo LPU1662**



**Authentic Oak**  
Largo LPU1505



**Dominicano Oak Natural**  
Largo LPU1622



**White Vintage Oak**  
Largo LPU1285



**Long Island Oak Natural**  
Largo LPU1661



**Pacific Oak | Largo LPU1507**



**Accessories**


We have a range of innovative installation and finishing accessories to complete your Quick-Step® laminate floor.



**White Varnished Oak**  
Largo LPU1283



**Cambridge Oak Natural**  
Largo LPU1662



**Natural Varnished Oak**  
Largo LPU1284




**Cambridge Oak Dark**  
Largo LPU1664



**Grey Vintage Oak**  
Largo LPU1286



**Natural Varnished Merbau | Largo LPU1288**



**Natural Varnished Merbau**  
Largo LPU1288



# LOC Floor Basic

Cost effective laminate flooring with the Uniclic patented installation system. LOC can be installed in exactly the same way as Quick-Step® flooring and when installed using Unilin underlay is guaranteed for 15 years.

## Loc Floor Basic

Plank length	1200mm
Plank width	190mm
Plank thickness	7mm
Pack coverage	1.824m <sup>2</sup>



Rustic Oak Nature | LOC LCF052



**Taupe Oak**  
LOC LCF084



**Authentic Oak Nature**  
LOC LCF050



**Classic Oak Nature**  
LOC LCF048



**Rustic Oak Nature**  
LOC LCF052




**Mocha Oak**  
LOC LCF087




**Dark Brown Oak**  
LOC LCF088



**Walnut 2-Plank** | LOC LCF059



**Authentic Oak Dark Grey**  
LOC LCF051



**Walnut 2-Plank**  
LOC LCF059

# Quick-Step® Laminate Prices and Accessories


In order to ensure a quality, quick and easy fit, we have shown here a range of accessories for tasks during installation, finishing and maintenance.



Uniclic standard green underlay



Uni softboard



Quick-Step basic plus underlay



Quick-Step door mat




Quick-Step scotia



Quick-Step standard skirting board



Quick-Step rustic skirting board



Quick-Step stair profile



Quick-Step incizo multi-functional profile



Quick-Step tenon saw



Cleaning kit includes: floor mop, washable microfibre cloth and hand spray



Quick-Step Installation kit includes: tapping block, crowbar and wedges

Quick-Step Laminate	Pack size m <sup>2</sup>	Price code
<b>Range</b>		
Impressive 8mm	1.835	00.34.32
Creo	1.824	00.75.41
Classic	1.596	00.45.71
Elite	1.722	00.56.22
Rustic	1.777	00.80.42
Eligna (U)	1.722	00.00.02
Perspective (UF)	1.507	00.31.62
Eligna Wide (UW)	1.835	00.33.12
Perspective Wide (ULW)	1.569	00.12.72
Perspective Wide (UFW)	1.573	00.82.72
Exquisa	1.000	00.06.21
Arte	1.558	00.07.03
Largo	2.522	00.51.54
LOC Floor	1.824	00.60.21

Quick-Step Laminate Accessories	Price code
<b>Underlay</b>	
Standard green underlay 15m <sup>2</sup>	00.31.01
Standard green underlay 60m <sup>2</sup>	00.75.34
Quick-Step basic plus underlay 15m <sup>2</sup>	00.57.51
Quick-Step basic plus underlay 60m <sup>2</sup>	00.05.85
Uni softboard 10m <sup>2</sup> per pack	00.26.61
Moisture barrier (DPM) 25m <sup>2</sup>	00.52.71
<b>Installation</b>	
Installation kit	00.41.60
Tenon saw	00.97.70
<b>Finishing</b>	
Scotia 2400mm x 17mm x 17mm	00.34.20
Standard skirting board 2400mm x 58mm x 12mm	00.97.30
Rustic skirting board 2400mm x 40mm x 22mm	00.67.30
Parquet skirting board 2790mm x 77mm x 14mm	00.65.90
Radiator pipe covers – pack of 2	00.08.30
Quick-Step doormat 74.6cm x 43.4cm	00.05.34
Incizo profile MDF (Design) – 215cm	00.31.31
Incizo profile metal – 93cm	00.77.11
Incizo profile metal – 270cm	00.93.42
Metal base profile 2150mm x 65mm x 18mm	00.80.41
<b>Maintenance</b>	
Cleaning kit	00.21.31
Clean mop head	00.85.40
Clean spray – 500ml	00.57.30
Mix and fix repair kit	00.89.70
Step seal and click – 125ml	00.77.40



# NEW Quick-Step® Livyn Balance Click

Quick-Step® offers two new Livyn collections, each with unique designs: Balance, which comes in planks, and Ambient which has a tile format. Each of these floors radiates its own mood thanks to the real life details, beautiful surface structure and fascinating colour variations. The collection boasts twenty different looks.



Canyon Oak Grey with Saw Cuts | BACL40030



Cottage Oak Dark Brown | BACL40027



Cottage Oak Natural | BACL40025



**Canyon Oak Beige**  
BACL40038



**Silk Oak Light**  
BACL40052



**Accessories**  
We have a range of innovative installation and finishing accessories to complete your Quick-Step® Livyn floor.

Livyn Balance Click	
Plank length	1251mm
Plank width	187mm
Plank thickness	4.5mm
Pack coverage	2.105m <sup>2</sup>



**Canyon Oak Grey with Saw Cuts**  
BACL40030



**Drift Oak Beige**  
BACL40018



**Select Oak Light**  
BACL40032



**Contemporary Oak Light Natural**  
BACL40021



**Classic Oak Natural**  
BACL40023



**Select Oak Natural**  
BACL40033



**Canyon Oak Natural**  
BACL40039



**Cottage Oak Natural**  
BACL40025



**Vintage Chesnut Natural**  
BACL40029




**Canyon Oak Light Brown with Saw Cuts**  
BACL40031



**Canyon Oak Dark Brown with Saw Cuts**  
BACL40059



**Silk Oak Dark Grey**  
BACL40060



For more information please refer to the latest version of the Quick-Step® Livyn flooring retail brochure.



**Cottage Oak Dark Brown**  
BACL40027



**Pearl Oak Brown**  
BACL40058

# NEW Quick-Step® Livyn Ambient Click



Black Slate Tile | Ambient AMCL40035



**Accessories**  
We have a range of innovative installation and finishing accessories to complete your Quick-Step® Livyn floor.

Livyn Ambient Click	
Plank length	1300mm
Plank width	320mm
Plank thickness	4.5mm
Pack coverage	2.08m <sup>2</sup>



Light Grey Travertin | AMCL40047




**Cream Travertin**  
AMCL40046



**Light Grey Travertin**  
AMCL40047




**Grey Slate**  
AMCL40034



**Black Slate**  
AMCL40035

# Quick-Step® Livyn Prices and Accessories

In order to ensure a quality, quick and easy fit, we have shown here a range of accessories for tasks during installation, finishing and maintenance of your Quick-Step® Livyn floor.



Quick-Step Livyn underlay



Quick-Step Livyn glue



Quick-Step Livyn installation kit



Quick-Step Livyn trowel



Quick-Step Livyn click skirting board



Quick-Step Livyn Scotia skirting board

Quick-Step Livyn Click	Pack size m <sup>2</sup>	Price code
<b>Range</b>		
Livyn Balance Click	2.105	00.77.03
Livyn Ambient Click	2.080	00.04.03

Quick-Step Livyn Click Accessories	Price code
<b>Underlay</b>	
Livyn underlay 15m <sup>2</sup>	00.02.13
<b>Glue</b>	
Livyn Glue 15kg tub for +/- 50m <sup>2</sup>	00.08.74
Livyn Glue 6kg tub for +/- 20m <sup>2</sup>	00.92.12
<b>Installation</b>	
Livyn installation kit	00.03.01
Livyn trowel	00.02.10
<b>Finishing</b>	
Balance click skirting 2400mm x 58mm x 12mm	00.21.40
Ambient click skirting 2400mm x 58mm x 12mm	00.21.40
Balance Scotia 2400mm x 17mm x 17mm	00.08.20
Ambient Scotia 2400mm x 17mm x 17mm	00.08.20
Click expansion profile residential 2000mm x 24mm x 7mm	00.84.21
Click adapter profile residential 2000mm x 26mm x 7mm	00.84.21
Click end profile residential 2000mm x 18mm x 7mm	00.84.21
Multifunction profile silver 1860mm x 47mm x 12.3mm	00.09.51

## Choose Click

Installing a Quick-Step® Livyn floor is simple thanks to the patented Uniclic® Multifit for Livyn click system. This system is highly user-friendly, quicker to install and a lot more solid than other systems. We have shown here a range of accessories for tasks during the installation, finishing and maintenance.

### WHY USE A QUICK-STEP® LIVYN UNDERLAY?

Installing the right underlay has a major impact on the final look, quality and comfort of your Quick-Step® Livyn floor. The high-quality Livyn underlay is easy to install, creates a level base for your new floor and provides excellent acoustic insulation.

- A Quick-Step® Livyn underlay levels and helps to **prevent irregularities and pressure marks**
- It offers good **sound insulation properties** towards the room below and **reduces creaking noises** when you walk across the floor
- This strong and durable underlay is **ideal for the Uniclic® Multit click system**
- It is perfectly suitable for **floor heating and/or cooling**.

## Choose Glue

If you prefer to glue your floor, the Quick-Step® range also includes a special glue for Livyn floors. This glue is of the highest quality and was specifically developed in conjunction with the glue specialist Soudal.

### WHY USE A QUICK-STEP® LIVYN GLUE?

- **Spreads easily**, guarantees fast adhesion and offers the highest strength
- **Doesn't run out** after spreading and provides the best stability in the market
- **Prevents gaps in the floor** caused by temperature differences
- **Damp-proof** and therefore ideal for a Livyn floor
- Perfectly suitable for **floor heating and/or cooling**.

