

Lighting





Kitchen and Bathroom Lighting

No dream kitchen or bathroom is complete without the addition of good lighting adding the ultimate finishing touch.


We are pleased to offer from stock a selection of lighting solutions to make your new kitchen or bathroom sparkle!

Introduce mood lighting and add storage space to your kitchen or bathroom with illuminated shelving.

LED Cabinet Lights




Round Light
BPL096



Square Light
BPL097



Driver
BPL063




**Halo Paesaro
Cabinet Light** BPL108



**Halo Verona
Cabinet Light** BPL109



**Under or Over
Cabinet** BPL095



Triangular LED Light
BPL103

Recessed / Surface Mounted 1.6W LED Downlights

Matt Nickel Finish

Product	Code	Price Code	Price (RRP)
Single Round Light	BPL060	40.57.01	£17.92
Single Round Light with Driver	BPL061	40.05.02	£34.17
Set of 2 Round Lights	BPL062	40.57.82	£47.91

LED Downlights

Product	Code	Price Code	Price (RRP)
Round LED Light - Cool White	BPL096	40.52.80	£13.75
Square LED Light - Warm White	BPL097	40.97.41	£24.65

Recessed LED Downlight

Chrome

Product	Code	Price Code	Price (RRP)
3W LED Light with Driver	BPL090	40.20.61	£26.70
Additional LED Light	BPL091	40.05.01	£17.50
Spacer for Surface Fixing	BPL092	40.07.20	£4.50

Drivers

Product	Code	Price Code	Price (RRP)
5W Driver (up to 3 lights)	BPL063	40.59.90	£16.58
15W Driver (up to 6 lights)	BPL064	40.05.31	£22.50

Over Cabinet LED Lights

Matt Nickel Finish

Product	Code	Price Code	Price (RRP)
Halo Paesaro Cabinet Light	BPL108	40.05.41	£24.17
Halo Verona Cabinet Light	BPL109	40.09.51	£26.50
Under or Over Cabinet	BPL095	40.11.31	£21.85

Triangular Cabinet LED Lights

Brushed Nickel Finish

Product	Code	Price Code	Price (RRP)
Single Light Only	BPL103	40.14.01	£17.35
Set of 2 Lights with Converter	BPL104	40.65.62	£44.27



All lighting products are fully tested and conform to: the electrical safety requirements EN60598, WEEE & RoHS regulations.

All products have individual relevant test certificates, which can be provided on request.

Installation should only be carried out by a fully qualified electrician.

Sirius LED Link Lights



Sirius LED Link Lights BPL148 to BPL159

Sirius LED Link Light - Natural White

Product	Code	Price Code	Price (RRP)
3W Link Light – 222mm	BPL154	40.24.40	£7.37
4W Link Light – 343mm	BPL155	40.59.40	£8.25
8.4W Link Light – 525mm	BPL156	40.22.60	£10.37
10W Link Light – 640mm	BPL157	40.79.60	£11.62
12W Link Light – 904mm	BPL158	40.36.70	£12.72
18W Link Light – 1204mm	BPL159	40.73.90	£15.62

Sirius LED Link Light - Warm White

Product	Code	Price Code	Price (RRP)
3W Link Light – 222mm	BPL148	40.24.40	£7.37
4W Link Light – 343mm	BPL149	40.59.40	£8.25
8.4W Link Light – 525mm	BPL150	40.22.60	£10.37
10W Link Light – 640mm	BPL151	40.79.60	£11.62
12W Link Light – 904mm	BPL152	40.36.70	£12.72
18W Link Light – 1204mm	BPL153	40.73.90	£15.62


Sirius LED Link Light - Additional Parts

Product	Code	Price Code	Price (RRP)
1m Mains Cable	BPL160	40.28.00	£1.36
1m Connector Cable	BPL161	40.76.00	£1.12
Master Control Switch	BPL162	40.16.10	£2.68


Sirius LED Flat Panel Cabinet Lights

Sirius LED Flat Panel Cabinet Lights

Product	Code	Price Code	Price (RRP)
6W LED Panel - Chrome	BPL130	40.47.60	£11.24



Sirius Flat Panel Chrome
BPL130



LED Plinth Lights




15mm 4 Light Plinth Kit
BPL070



15mm 4 Light Plinth Kit BPL070



Sirius Square Plinth Light
BPL110, BPL164, BPL111



Square LED Plinth Light BPL076

Plinth Lights

Individual 15mm LED Lights

Product	Code	Price Code	Price (RRP)
Set of 4 Plinth Lights Kit with Driver*	BPL070	40.54.22	£37.42
Additional Single Light	BPL071	40.05.40	£7.50

*Driver for up to 6 lights

Square LED Plinth Lighting

Matt Nickel Finish with White LED Lights

Product	Code	Price Code	Price (RRP)
Set of 3 Lights Kit with Driver*	BPL075	40.54.22	£37.42
Additional Single Light	BPL076	40.05.40	£7.50

*Driver for up to 6 lights

Sirius Plinth Lighting

Individual LED Lights

Product	Code	Price Code	Price (RRP)
Sirius Square 3 Light Plinth Kit	BPL110	40.00.02	£33.33
Sirius Square 4 Light Plinth Kit	BPL164	40.98.03	£51.49
Additional Sirius Square Single	BPL111	40.05.40	£7.50

LED Strip Lights

LED Strip Lights			
Product	Code	Price Code	Price (RRP)
Strip Starter Kit – 2m	BPL112	40.00.44	£73.33
Y-Splitter	BPL113	40.08.10	£3.00
Bridge Cable – 2m	BPL114	40.01.20	£3.50
Add On Strip	BPL115	40.00.51	£25.00

Drivers			
Product	Code	Price Code	Price (RRP)
20W Driver – for runs 4m of strip	BPL116	40.00.41	£23.33
48W Driver – for runs 10m of strip	BPL117	40.61.91	£31.93



Strip Starter Kit - 2m
BPL112



Y-Splitter
BPL113



Bridge Cable - 2m
BPL114



20W Driver
BPL116



48W Driver
BPL117

Pop up Socket

- High end product designed for use in kitchens, static homes, caravans, motorhomes, hotels, bedrooms and much more.
- Features a built in audio speaker, with Bluetooth wireless connectivity, enabling users to stream music from connected devices, a UK socket and a USB socket capable of charging up to 2.1A, useful for charging smart phones or tablets.
- The socket is easy to fit or retro-fit, and fits flush to worksurfaces. Cut out size is 102mm. Full unit rated power 3250W.

Motorised Pop Up Socket			
Product	Code	Price Code	Price (RRP)
Pop Up Socket (USB & Audio)	BPL163	40.00.102	£335.00



Remote Lighting



WIFI Receiver & Remote Kit BPL131



4 Zone Receiver & Remote Kit
BPL133



WIFI Additional Receiver BPL132

Remote Controlled Lighting			
Product	Code	Price Code	Price (RRP)
WIFI Receiver & Remote Kit	BPL131	40.45.45	£90.90
WIFI Additional Receiver	BPL132	40.45.51	£25.90
4 Zone Receiver & Remote Kit	BPL133	40.05.22	£37.50

LED Shelf Lights



Shelf – 600mm
BPL119



Floating Shelf – 600mm and 900mm
BPL120, BPL121



Floating Corner Shelf
BPL122

LED Shelf Lights			
Product	Code	Price Code	Price (RRP)
Shelf – 600mm	BPL119	40.00.09	£150.00
Floating Shelf – 600mm	BPL120	40.00.001	£166.66
Floating Shelf – 900mm	BPL121	40.00.021	£200.00
Floating Corner Shelf	BPL122	40.00.09	£150.00
500 x 135mm + Integrated Switch	BPL089	40.11.73	£61.85



Rectangular LED Mirror BPL086



Circular LED Mirror BPL087



Oval LED Mirror BPL088



GU10 IP65 Shower Light BPL123



GU10 Fire Rated Downlight BPL124



Cob 8W Fire Rated Downlight BPL125



GU10 6W Non Dimmable Lamp
BPL126



GU10 6.5W Dimmable Lamp
BPL127

Bathroom Lighting

Halo LED Mirror Features

- Integrated TUV LED driver
- A fitted demister
- Frosted acrylic border
- IP 20 Rating
- Rectangular mirror comes with 78 x 0.08 watt SMD LEDs
- Circular mirror comes with 102 x 0.08 watt SMD LEDs
- Oval mirror comes with 84 x 0.08 watt SMD LEDs

Halo LED Illuminated Demister Bathroom Mirrors

Product	Code	Price Code	Price (RRP)
Rectangular – 500 x 390mm	BPL086	40.58.08	£134.75
Circular – 650mm diameter	BPL087	40.92.221	£203.80
Oval – 450x 650mm	BPL088	40.05.79	£162.50

Bathroom Lighting

Product	Code	Price Code	Price (RRP)
Low Voltage Shower Downlight	BPL093	40.26.80	£14.37
GU10 IP65 Shower Light*	BPL123	40.08.40	£8.00
GU10 Fire Rated Downlight*	BPL124	40.83.11	£18.96
Cob 8W Fire Rated Downlight**	BPL125	40.00.03	£50.00
GU10 6W Non Dimmable Lamp	BPL126	40.45.50	£9.23
GU10 6.5W Dimmable Lamp	BPL127	40.09.21	£21.50

*fitting only **with 3 different finish bezels



F02273 Cane round flush ceiling light 180mm **£30**



F02274 Karin round flush ceiling light 370mm **£55**



F02271 Vivid 3 light spotlight **£75**



F02269 Vivid 4 light bar spotlight 600mm **£125**



F002275 Beam wall light with pull cord **£40**



F02272 Curve wall light with pull cord **£40**



F02277 Aqua wall light with pull cord **£35**



F02278 Hollywood bar 5 light wall light **£85**



F02276 Glow 4 light ceiling fitting **£125**



F02270 Crystal dropped chandelier 260mm **£145**



F02268 Boutique 5 light bathroom chandelier 495mm **£175**



Energy Saving LED Ceiling and Panel Lighting



Features:

- 3 different finish bezels included - white, polished chrome and brushed nickel.
- Fully dimmable from most standard wall dimmers.
- Choose from 3000k, 4000k and 5500k colour rendition, using integrated switch.
- Light output equivalent to a 50w GU10 halogen lamp, but uses 85% less energy.

F05664 Switchable COB dimmable LED downlight **£45**



Illuminated LED floating shelf
F05662 600mm **£125**
F05663 900mm **£165**



Plinth Lighting
F05673 10 x LED **£65**
F05674 4 x LED **£35**
F05675 1 x LED (Add on) **£5**



F05661 Motion sensor with adjustable timer and lux level **£115**



F0672 Shaver socket cp **£30**



iCON 15 extractor fan


- Start with a fan unit.
- Add choice of module.
- Choose venting option.



F05652 Icon extractor fan **£95**
F05653 Pull cord module **£30**
F05654 Adjustable timer module **£35**
F05655 Adjustable humidity/timer module **£70**
F05658 Flexible duct venting kit **£25**
F05656 Cavity wall venting kit **£25**

What is bathroom zoning?

To illustrate IP zoning regulations, the bathroom area is divided up into areas or 'zones' which are classified using the numbers 0-3. Light fittings are then assigned an 'IP rating' which indicates how much protection they provide against ingress of water and other particles. Each zone has a minimum IP requirement that must be met if a fitting is to be installed in this area.



Zone	Definition
0	The interior of the bathtub or shower basin.
1	The area around the bathtub or shower basin up to a height of 2.25m above the floor and at a radius of 1.2m from the water outlet.
2	Is limited by the vertical planes external to zone 1 and parallel vertical planes 0.6m external to zone 1
3	Is limited to the vertical planes external to zone 2 and the parallel vertical planes 2.40m external to zone 2.

Notes

Zone 0 - Inside the bath or shower. Any fittings used here must be SELV (Separated Extra Low Voltage - max 12V) and have a minimum rating of IPX7 (IP67) (protected against immersion in water - total immersion proof).

Zone 1 - Above the bath or shower to a height of 2.25m. A minimum rating of IPX4 (IP44) is required. In this zone, if there is a likelihood of water jets being used for cleaning purposes, a minimum of IPX5 is required. Also, subject to IP rating, SELV or 240V luminaires may be used in this zone; if the fitting is 240V, a 30mA residual current device (RCD) must also be used to protect the circuit in this zone.

Zone 2 - The area stretching to 0.6m outside the bath or shower and above the bath or shower if over 2.25m. An IP rating of at least IPX4 (IP44) is required. In this zone, if there is likelihood of water jets being used for

cleaning purposes, a minimum of IPX5 is required. Also, subject to IP rating, SELV or 240V luminaires may be used in this zone. In addition, it is a good practice to also consider the area around the wash basin (within a 60cm radius of any tap) as Zone 2.

Outside the zones - anywhere outside zones 0, 1, and 2. Where water jets are not to be used for cleaning purposes, the general rules of BS7671 apply. Here, there is no requirement for any lighting solutions to be protected against particles or solid objects, e.g. IPX4 - no IP rating required.

The above information is intended as a guide only. For detailed information, refer to the I.E.E. Wiring regulations (BS 7671: 2001 Section 601)