



Adapted bathroom specialists

Enhancing your Independence

Version 3



Looking for a great deal?
Look no further as you've just found it!

Suppliers of great quality property improvement products

Ensuring the highest quality and
standards: meticulous, ethical and
honest - we deliver on promises



Precision engineering...
for your peace of mind

Contents

Page 3	Expert Range: Folding Doors
Page 7	Expert Range: Sliding Doors
Page 10	Expert Range: Advantage Door Option
Page 11	Platinum Door Range
Page 13	Portable Easi-Screens
Page 15	Floor Formers
Page 16	Shower Trays
Page 17	Curtain rails, Curtains, Grab rails and Support rails
Page 18	Seats
Page 19	Showers
Page 20	Pumps
Page 21	Tru Shower Cubicles
Page 22	Tru Shower Toilet Cubicle



Expert Range: Folding Doors

folding doors have been the industry benchmark for over 32 years. We proudly source our products within the UK to deliver outstanding performance. We also deliver optimum safety for the user.

Our folding doors are feature laden for your benefit.



360 degree full length interlocking meshing seals allow the doors to be folded in any direction




Three stage seal ensures a compression fit to optimise performance



Door marking jig with built in spirit levels: facilitates optimum drilling and alignment points for perfect installation



Patented cove profiles to ensure best fit



Bespoke, comprehensive fitting kit containing all components



Transit clip to reduce risk of damage during carriage

An fitting kit is supplied, free of charge, with every door set.

 Call Sales on **0800 044 3881**

Expert folding door options

A continual programme of design enhancement to deliver optimum function is a key element in the success of “Expert” range of folding shower doors.



Option B

Fixed 1850mm panel @ 500mm complete with floor to ceiling pole.



Option C

Fixed half-height panel @ 750mm complete with floor to ceiling pole.



Option D

Fixed half-height panel and floor to ceiling pole @ 400mm complete with straight entry doors, end panel and floor to ceiling pole. Straight entry.



Option E

Fixed half-height panel and floor to ceiling pole @ 400mm complete with 2 sets of bi-folding doors meeting at the corner. Corner entry.



Option F

2 x fixed half-height panels and floor to ceiling poles @ 300mm complete with 2 single doors meeting at the corner. Corner entry.



Option G

2 x bi-folding doors opening across the front. Straight entry.



Option H

2 x bi-folding doors opening at the corner. Corner entry.

Recognised by many as the industry benchmark, our screen's incorporate numerous innovative and user orientated features to enhance the showering experience. Illustrations shown are left hand configured.

Our bespoke shower doors fit any shower tray in the market place.



Option J

1 x bi-folding door and 1 single door meeting at the corner. Corner entry.



Option K

2 x single doors meeting in the middle. Straight entry.



Option M

1 x wall hanging bi-folding door closing into a 400mm fixed panel and floor to ceiling pole. Straight entry.



Option N

Fixed half-height panel and floor to ceiling pole @ 500mm, 1 x tri-folding door closing around the corner onto the floor to ceiling pole.



Option P

2 x half-height single doors meeting at the corner. Corner entry.



Option R

1 x half-height panel and floor to ceiling pole @ 500mm with 1 x bi-folding door closing around the corner onto the floor to ceiling pole. Corner entry.



Option S

1 x half-height bi-folding door. Straight entry.



Option T

1 x bi-folding door and 1 x single door meeting at the front. Straight entry.

Illustrations shown are left hand configured.



Call Sales on 0800 044 3881



Expert Range: Sliding Doors

Expert sliding range of screens offers even more choice when specifying your wetroom.

Designed and manufactured in the UK, the screens are supplied with compensators to facilitate the optimum level of adjustment.


- ✓ 750mm high for optimum assistance
- ✓ 6063 grade aluminium with Epoxy powder coating to ensure a lasting high quality finish
- ✓ Anti-shatter PETG panels as standard to ensure user safety
- ✓ Able to easily separate for cleaning
- ✓ Available in 7 different configurations to support all your bathroom design needs
- ✓ Available in left-hand and right-hand configurations

The sliding screens are also supplied with a patented tool that allows the doors to be separated and cleaned easily.



Expert sliding door options

Available in 7 different configurations to suit individual preference and care needs. Also available with the advantage option at no extra charge – see over.



Option 2

1 x sliding door hung off one wall.



Option 4

2 x sliding doors with straight entry, meeting in the middle.



Option 6

1 x half-height fixed panel and floor to ceiling pole @ 400mm with 2 sets of sliding doors meeting on the corner.



Option 1

2 x sliding doors meeting at the corner.




Option 3

1 x half-height fixed panel @ 400mm complete with floor to ceiling pole, with one set of sliding doors closing onto the floor to ceiling pole.



Option 5

1 x half-height panel @ 400mm complete with floor to ceiling pole with 1 sliding door hung off the floor to ceiling pole.



Option 7

1 x fixed half-height panel and floor to ceiling pole @ 400mm with 1 x set of sliding doors closing on to a half-height end panel and floor to ceiling pole.

Expert Range:

Advantage Door Option

Occasionally clients may experience difficulties opening traditional shower doors. Advantage option is a free add-on to folding and sliding doors, which eradicates door seal maintenance and ensures they are easy to open.

The benefits

Advantage doors incorporate a unique air assisted hinge, operated by a small lever that lifts the door clear of the floor. This provides a smooth operation and prolongs the life of the seal. Once closed, a gentle push down secures the door in position and provides an effective seal.

For the Advantage option please state when placing your order.

How to operate an Advantage door



1

Push the lever to release the Advantage door.



2

The door lifts 20mm off the floor to allow it to swing away.



3

To reset the door, push down as indicated.



Call Sales on 0800 044 3881



Platinum Door Range



We are delighted to present the Platinum door range which function superbly and look beautiful to ensure all bathroom users enjoy preferred aesthetics alongside practicality.

Available in option G (straight entry) and H (corner entry) as standard with additional special sizes and options available on request.

- ✓ 750mm high for optimum assistance
- ✓ 6063 Grade aluminium
- ✓ Contoured edging for comfort
- ✓ Available in left or right hand configurations
- ✓ Highly polished surface finish
- ✓ 360° intermeshing hinge for increased strength, rigidity and waterproofing



Call Sales on **0800 044 3881**



Portable Easi-Screens



2 panel Easi-Screen



3 panel Easi-Screen

Easi-Screens are constructed with the same attention to detail as the wider door range and are 750mm high.

They have the same high quality construction and safety features with the added benefit of being portable, ideal when you need to move them in and out of the showering area.

Available in two panel and three panel configurations. There are 2 size options to choose from.

Sizes



2 Panels

Size: 750mm x 750mm



3 Panels

Size: 500 mm x 500mm x 500mm

Bespoke sizes available upon request on 2 and 3 panels.



Call Sales on **0800 044 3881**

Floor Formers

Floor formers supplied feature a rotating 360 degrees drain plate to help avoid underfloor obstructions. Manufactured using glass content SMC, the former is able to withstand up to 300kg (47 stone) without the need for under boarding. The eccentric drain also features three locating rings to provide enhanced engagement between the former and the rotating drain plate.

The former is consistently of 22mm depth around the perimeter and can be trimmed anywhere up to the solid surround with a standard handsaw and can be fitted on wood and concrete floors.

Sizes available

900mm x 900mm

1000mm x 1000mm

1200mm x 750mm


1300mm x 800mm

1400mm x 900mm

1200mm x 1200mm

1750mm x 750mm


1850mm x 900mm



Shower Trays

All shower trays supplied are tested to **DIM 51097:1992**. Their features include:

- ✓ 35mm high and fully supported
- ✓ CNC machined MDF core to maintain size and consistency
- ✓ 50mm perimeter laid to a minimum 1mm fall to encourage water to flow to the drainage zone
- ✓ Can support weight of 250KG polyester gel coat
- ✓ Available in both left-hand and right-hand configurations
- ✓ Supplied with flexible self-adhesive tiling upstand



Sizes available

900mm x 900mm

1000mm x 1000mm

1200mm x 750mm

1300mm x 800mm



Call Sales on 0800 044 3881

Curtain rails



All curtain rails are made in-house using the latest technologies to ensure the highest quality products.

Straight Rail

7ft (2100mm)
6ft (1800mm)
3ft (900mm)

L Rail

1000 x 1000mm
1200 x 1200mm
1500 x 800mm
1800 x 800mm

U Rail

1000 x 1000mm

Curtains



Width x drop

1830 x 1830mm
1800 x 2135mm
2000 x 2135mm
2200 x 1830mm
1200 x 1200mm

Grab rails



300mm White ABS ribbed
450mm White ABS ribbed
600mm White ABS ribbed

- Made from high quality ABS plastic
- Fluted for extra grip in wet environments
- Suitable for interior and exterior use
- Colour: white, other colours are available on request

Support rails



Trombone hinged support rail

- Lift and lock folding mechanism
- Integral toilet roll holder
- Colour: white, other colours are available on request



Trombone hinged support rail with leg

- Adjustable folding support leg for extra strength
- Integral toilet roll holder
- Colour: white, other colours are available on request

Seats



Wall mounted shower seat with legs

Code: SEAT UP

- Height adjustable with durable clip-on moulded plastic seat
- Non-corrosive aluminium & stainless steel frame construction
- 1 year warranty
- Maximum weight limit 190kg (30 stone)
- 460 (d) x 440-570 (h) x 500mm
- Colour: white



Wall mounted padded shower seat with legs

Code: SEAT P

- Height adjustable with durable clip-on moulded plastic seat
- Closed cell polyurethane construction pads for comfort and maximum hygiene
- Non-corrosive aluminium & stainless steel frame construction
- 1 year warranty
- Maximum weight limit 190kg (30 stone)
- 460 (d) x 460-590 (h) x 500mm
- Colour: white and grey



Wall mounted shower seat with padded arms

Code: ABUP

- Padded fold down arm rests
- Height adjustable with durable clip-on moulded plastic seat
- Non-corrosive aluminium & stainless steel frame construction
- 1 year warranty
- Maximum weight limit 190kg (30 stone)
- 546 (d) x 853-983 (h) x 589mm
- Colour: white



Wall mounted fully padded shower seat

Code: ABP

- Height adjustable with durable clip-on moulded plastic seat
- Closed cell polyurethane construction pads for comfort and maximum hygiene
- Sturdy white epoxy coated aluminium frame
- Padded fold down arm rest
- 1 year warranty
- Maximum weight limit 190kg (30 stone)
- 546 (d) x 851-981 (h) x 589mm
- Colour: white and grey



Call Sales on **0800 044 3881**

Showers



Mira Advance ATL Flex 9kw

- Safe and precise shower
- Tactical raised areas, a dominant on/off LED and audible indicators to aid navigation
- Easy glide slide bar enables one handed operation for ease of height adjustment
- Thermostatic temperature control ensuring a constant and comfortable showering experience
- Extended riser rail with wall or corner mounting options
- 9.0kw



Redring Selectronic Premier Plus 8.5

- Fully thermostatic operation
- Audible feedback response to push-button commands
- Automatic shutdown after 30 minutes of inactivity
- Ingenious temperature "Lock Mode", with three optional settings - eliminating any increase by accident
- Clear print control identification for ease of visibility and legibility
- Automatic shutdown after 30 minutes of inactivity



Triton Safeguard +

- BEAB CARE/RNIB approved thermostatic shower
- Adjustable maximum temperature stop
- Audible feedback option
- Phased shutdown
- Adjustable timed shutdown
- Multi pipe and cable entry points



Mira Select Flex

- Combines stylish looks with the perfect mix of safety features
- Large easy to handle levers with highly visible graphics
- 2m hose and a 1m slide bar
- Thermostatic temperature control ensuring a constant and comfortable showering experience
- Cool valve technology-valve does not get hot during use
- Approved to TMV2 standard

Pumps

Common functions on all Autumn UK's pumps

- Manufactured in the UK
- Removes waste water where connection to the soil stack is not possible or where gravity fall is not available.
- Led display and diagnostic system
- Automatically activates when the shower is used
- Low voltage transformer conforms to EN60742
- Available for left and right hand water feed
- Self priming pump in an IP rated box
- De-puddling cycle: pump turns on for a 20 second period, 15 min after shower is turned off

Our range



Quiescent

- Designed for quieter pump drainage
- Variable speed control for optimised water removal and gully/trap noise reduction
- Maximum 16 litres per minute (additional turbine flow sensor kit is required when installed with a mixer valve shower)
- Suitable for both electric and mixer valve shower unit
- Start delay time:- 1 second intervals up to 20 seconds
- Adjustable over runtime:- between 5 and 80 seconds in 5 second intervals



Dual

- Maximum 16 litres per minute (additional flow sensor kit is required when installing with a mixer valve shower)
- Adjustable over run time. 30, 60 & 90 seconds
- Two-speed settings for electric & mixer showers



Compact

Has the same features as the Dual with the added functionality of;

- Conveniently designed to fit in the smallest of spaces
- Separate transformer for flexible installation



 Call Sales on **0800 044 3881**

Tru Shower Cubicle

Innovative and easy to install cubicles enable a person to adapt their property quickly.

It's ideal for clients and families who do not want to adapt their bathroom to a permanent wet floor. The cubicles can also be relocated and recycled.

The Tru Cubicles have a watertight seal thanks to Advantage screen option.

Features include:



- ✓ 1200 x 1000 x 75mm Shower Tray
- ✓ 3 sided high pressure laminate back and sides
- ✓ Advantage air assisted doors
- ✓ Two LED roof lights
- ✓ Extractor Fan
- ✓ Quiescent shower pump
- ✓ Aluminium ore grab rail
- ✓ Curtain & curtain rail
- ✓ Shower seat
- ✓ Electric shower unit
- ✓ 1200 x 460 x 75mm ramp
- ✓ Can be fitted in 48 hours



Tru Shower Toilet Cubicle

Shower toilet cubicles provide complete showering and toileting facilities all-in-one.

They provide a watertight showering enclosure with the added WC and hand basin to enhance personal care.

Can be a temporary or a permanent installation.

Features include:



- ✓ 1200 x 1000 x 75mm Shower Tray
- ✓ 3 sided high pressure laminate back and sides
- ✓ Advantage air assisted doors
- ✓ Two LED roof lights
- ✓ Extractor Fan
- ✓ Quiescent shower pump
- ✓ Aluminium ore grab rail
- ✓ Curtain & curtain rail
- ✓ Electric shower unit
- ✓ 1200 x 460 x 75mm ramp
- ✓ Wash hand basin complete (with taps)
- ✓ Wall fitted toilet
- ✓ Toilet seat
- ✓ Cistern
- ✓ Macerator
- ✓ Can be fitted in 48 hours

Please Note: The Tru Shower Toilet Cubicle requires an additional area of 400mm to house cistern, waste and if required a macerator.

Adapted bathroom specialists



Warranty

All branded products come with excellent guarantees covering manufacturing and materials, to ensure complete peace of mind for specifiers, installers and end users.

Visit www.tradepip.co.uk
for more information.

