

Looking for a great deal?

Look no further as you've just found it!

Suppliers of great quality property improvement products


THE AV COLLECTION


Established in 2008



Professional Bathroom Television Range

- ✓ Full HD LED panel
- ✓ Freeview HD
- ✓ Consumer Electronic Control
- ✓ IP65 rated unit
- ✓ Ultra slim IP67 waterproof remote control
- ✓ Simple two-step fitting process
- ✓ HDMI x 2, CI, mini AV, mini Ypbpr, USB
- ✓ Built in DVB-T2, DVB-S2, DVB-C
- √ 178 / 178 degree viewing angles
- ✓ Heated screen to prevent screen misting up
- Compatible with Smart TV Plugin Android available on 32" & 43"
- Built-in vibration speakers (24" models)
 Built in 2x10W amplifier (32" to 55" models)
- ✓ Audio out for external speakers (24" to 55" models)
- ✓ Ultra thin profile
- ✓ IR and RS232 connectivity available
- 1080p (24" to 43") 4K Ultra HD (55")
- 2 year warranty







Size	Front frame (mm)			Back mounting box (mm)				
	Α	В	С	D	Е	F	G	Н
24"	595	397	3	510	285	580	380	45
32''	777	506	6	700	395	760	496	61
43''	995	630	6	935	525	984	619	61
55''	1301	804	4	1209	610	1281	796	66










Black - PV24BF-232 Mirror - PV24MF-232

White - PV24WF-232



Black - PV32BF-232

Mirror - PV32MF-232



Black - PV43BF-232

Mirror - PV43MF-232



Black - PV55BF-232

Mirror - PV55MF-232







The Aire Outdoor TV Range

- High Definition (HD) display
- 4K Ultra HD on 65" & 75"
- Anti-reflective screen
- Eco-friendly power timer
- Full HD TV tuner
- Standard VESA mounting
- Readable in sunlight
- IP66 rated



Multiple audio/video inputs



Commercial LG LED panels



High brightness panels



LED backlight



Plug and play



Wide 178 / 178 degrees viewing angle



2 year warranty



Ideal for...



Gardens



Bars & pubs



Indoor / outdoor swimming areas



Super yachts



Theme parks



Shopping centres

The Aire Outdoor TV Range







Fanless outdoor enclosure

The Aire Outdoor TV Range ditches the noisy fans common to other products on the market in favour of a fanless temperature control system; an effective solution to prevent the unit from overheating.

Anti-reflective screen and high brightness panel

The unit's powerful 1500cd/m2 screen means that it is easy to view even in direct sunlight. Glare is also a non-issue due to the anti-glare covering on the front of the screen.


Super slim design

With a depth of just 69mm (42") and a weight 50% lighter than the average outdoor screen, the Aire Outdoor TV offers one of the most compact and attractive solutions on the market.

LG FULL HD LED commercial panel

The LED panels we use are from one of the most respected manufacturer of LED panels in the world ensuring we deliver the most reliable and best product on the market to our customers.

	32"	42''	55"	65''	75"		
	PV32HB	PV42HB	PV55HB	PV65HB	PV75HB		
Max resolution	1920x1080	1920x1080	1920x1080	3840x2160	3840x2160		
VESA standard	200x100mm	400x200mm	400x200mm	580x400mm	400x400mm		
Contrast ratio	3500:1	4500:1	6000:1	7000:1	6000:1		
Brightness	1000cd/m2	1500cd/m2	1500cd/m2	1500cd/m2	2000-30000cd/m2		
Max power consumption	≤120W	≤150W	≤180W	≤200W	≤200W		
IR out	1PC	1PC	1PC	1PC	1PC		
TV dimension	787 x 491 x 71 mm	974 x 584 x 66mm	1272 x 755 x 77mm	1511 x 904 x 90mm	1714 x 1007 x 87mm		
Depth including input cover	72+13=84mm	66+13=79mm	77+13=90mm	90+13=103mm	87+13=100mm		
Weight	21kg	32kg	45kg	65kg	85kg		
Signal input	DVB-C/S/T2	DVB-C/S/T2	DVB-C/S/T2	DVB-C/S/T2	DVB-C/S/T2		
TV format		•	1080p		•		
Mini YPbPr			1 group				
HDMI			2PCS (ARC + MHL)				
RF			1PC	1PC			
RS232			1PC				
Mini AV			1PC				
USB			1PC				
Coaxial audio out			YES				
Cl card			YES				
Audio out			3.5mm line out				
Sound modes			4				
Power input range			AC 110 - 240V				
TV systems			PAL				
Audio system			D/K,B/G,I,M				
Built-in triple tuner			YES				
Multilanguage OSD YES							
Viewing angle			178 degree /178 degree (H/V)				
Waterproof remote control			1PC				
Batteries			1PC				
User manual			1PC				
CI & screws			1PC				
VESA screws			4PCS	4PCS			
Operation temperature			-20 to 60 degrees				
Humidity			90%				






The Lifestyle Outdoor TV Range











 \checkmark Secure connectivity area

✓ Super thin bezel

√ 700cd/m2

✓ IP66 rated

PV43LHB

Max resolution	1920x1080		
Aspect ratio	16:9		
Contrast ratio	5000:1		
Brightness	700cd/m2		
Viewing angle	178 degree /178 degree (H/V)		
Frame material	Brushed aluminium		
Colour	Silver		
Max power consumption	≤120W		
Power input range	AC 90 – 240V		
TV systems	PAL B/G/SECAM/NTSC (optional)		
Signal input	Analog DVB-T/T2/\$/\$2/C		
Audio system	D/K,B/G,I,M		
Multilanguage OSD	Yes		
VGA	1PC		
Mini AV	1 Group		
Mini YPbPr	1 Group		
	.1		

HDMI	2PCS		
RF	1PC		
PC Audio	1PC		
USB	1PC		
Audio out	3.5mm line out		
Built-in amplifier	(15W+15W output)		
Waterproof remote control	1PC		
VESA standard	200x200mm		
VESA screw	4PCS		
Cable box	Yes		
Operating temperature	-20 to 60 degrees		
Humiditiy	90%		
Dimensions	970 x 580 x 56mm		
Depth including inputs	56+13 = 69mm		

PV43LHB-232

As above with the addition of RS232 & IR





The Durascreen Outdoor TV Range

- HD High Definition (HD) display
- Anti-reflective screen
- Eco-friendly power timer
- Full HD TV tuner
- Standard VESA mounting
- Readable in sunlight
- IP65 rated

- Multiple audio/video inputs
- Built-in fan cooling
- LED backlight
- Tempered glass
- Wide viewing angle
- Temperature control
- 2 year warranty



Ideal for...

- V Tou
 - Tourist attractions
- Factories Factories
- Bars & pubs
 - Mobile displays
- Venues & events
- Hotels
- Shops & retail
- Schools & colleges







Toughened Glass

A robust design and tempered glass makes the Durascreen Outdoor TV Range one of the toughest outdoor commercial solutions on the market, ideal for public areas where vandalism maybe a concern.

Easy access for maintenance

The front panel of all the Durascreen Outdoor TVs can be unlocked to gain access to the inside for easy servicing or upgrading, making them future-proofed.

Fan cooling system

The Durascreen Outdoor TV Range uses built-in fans to prevent overheating; an effective solution to ensure smooth running of the screen on the hottest of days.

Built in speakers

2 x 15W speakers give viewers of the Durascreen Outdoor TV Range a fully integrated audio/visual experience. Audio out is also available if external speakers are preferable.

ı	42''	55''	65"		
	PV42DHB	PV55DHB	PV65DHB		
Max resolution	1920x1080	1920x1080	1920×1080		
VESA standard	800x400mm	800x400mm	800x400mm		
Contrast ratio	3000:1	3000:1	3000:1		
Brightness	1500cd/m2	1500cd/m2	1500cd/m2		
Max power consumption	≤230W	≤280W	≤475W		
TV dimension	1158.7 x 852.5 x 169.5mm	1449.6 x 990.6 x 169.5mm	1689.9 x 1113.7 x 169.5mm		
Weight	55kg	75kg	100kg		
TV format		1080p			
Built-in tuner		DVB-T2/S2/C			
YPbPr		1PC			
HDMI		2PCS			
RS232		1PC			
VGA		1PC			
AV		1PC			
SCART		1PC			
PC audio		1PC			
Earphone		1PC			
Tuner		2PC			
Coaxial		1PC			
USB		1PC			
CI card		1PC			
Audio output power		2x15W			
Power input range		AC 110 – 240V			
TV systems		PAL			
Tempered glass		YES			
Viewing angle		170 degree /160 degree (H/V)			
Waterproof remote control		1PC			
Batteries		1PC			
User manual		1PC			
Power adaptor		1PC			
Usage time per day		16-20 hours			
IP rating		IP65			
Cooling system		Fans			
Operating temperature		-20 to 50 degrees			



Looking for a great deal?

Look no further as you've just found it!

Suppliers of great quality property improvement products



*The Bathroom television ranges and the Durascreen range.