

Name:

# Knee



## Muscle Strength Testing Results

	Position	HHD place- ment	L	R	Normal	% BW	# tested
Extension	Seated, 90° flex- ion	Fixated, distal tib- ia			55.3 Lb 25.1 Kg	52.8	1358
Flexion	Seated, 90° flex- ion	Distal tib- ia			35.1 Lb 15.9 Kg	36.0	510

### References

- McKay, M., Baldwin, J., Ferreira, P., Simic, M., & Vanicek, J. (2016). Normative reference values for strength and flexibility of 1,000 children and adults.
- Katoh, M. (n.d.-a). Reliability of isometric knee extension muscle strength measurements made by a hand-held dynamometer and a belt: a comparison of two types of device.
- Jackson, S. M., Cheng, M. S., Smith, A. R., & Kolber, M. J. (2017). Intrarater reliability of hand held dynamometry in measuring lower extremity isometric strength using a portable stabilization device. *Musculoskeletal Science and Practice*, 27, 137–141. <https://doi.org/10.1016/j.math.2016.07.010>
- Katoh, M., & Isozaki, K. (n.d.). Reliability of Isometric Knee Extension Muscle Strength Measurements of Healthy Elderly Subjects Made with a Hand-held Dynamometer and a Belt.
- Hirano, M., Katoh, M., Gomi, M., & Arai, S. (n.d.). Validity and reliability of isometric knee extension muscle strength measurements using a belt-stabilized hand-held dynamometer: a comparison with the measurement using an isokinetic dynamometer in a sitting posture.
- Suzuki, T. (n.d.). Reliability of measurements of knee extensor muscle strength using a pull-type hand-held dynamometer.
- Kim, S.-G., & Lee, Y.-S. (n.d.). The intra-and inter-rater reliabilities of lower extremity muscle strength assessment of healthy adults using a hand held dynamometer.
- Mentiplay, B. F., Perraton, L. G., Bower, K. J., Adair, B., Pua, Y. H., Williams, G. P., McGaw, R., & Clark, R. A. (2015). Assessment of lower limb muscle strength and power using hand-held and fixed dynamometry: A reliability and validity study. *PLoS ONE*, 10(10). <https://doi.org/10.1371/journal.pone.0140822>
- Douma, R. K. W., Soer, R., Krijnen, W. P., Reneman, M., & van der Schans, C. P. (2014). Reference values for isometric muscle force among workers for the Netherlands: A comparison of reference values. *BMC Sports Science, Medicine and Rehabilitation*, 6(1). <https://doi.org/10.1186/2052-1847-6-10>
- Buckinx, F., Croisier, J. L., Reginster, J. Y., Dardenne, N., Beaudart, C., Slomian, J., Leonard, S., & Bruyère, O. (2017). Reliability of muscle strength measures obtained with a hand-held dynamometer in an elderly population. *Clinical Physiology and Functional Imaging*, 37(3), 332–340. <https://doi.org/10.1111/cpf.12300>

Full reference list at PeakForceSystems.com/education