


GS ELEVATOR & ESCALATOR SOLUTION





Electrifying Movement with Improvement



PASSANGER ELEVATOR

User Friendly & Latest Technology

Passenger Elevator

Autodoor

The Passenger elevators detailed here are designed to handle promptly and efficiently the transportation requirements of any type of building -which means any traffic condition.

They are renowned for fine quality and robust performance. Delivers maximum lifting power with a minimum of effort. A superior combination of flexibility and performance. It gives benefits of jerk less traveling economically low power consumption and excellent design. Features: Cent percent safety, Jark Free, Noise Less







Glass with Stainless Steel Framed Finish Auto Door



Stainless Steel finish auto Door



MS Power Coated Telescopic



MS Power Coated Center Opening Auto Door



Stainless Steel Designed Finish Auto Door





Speed	0.70 to 2.00 mps.
Capacity	06 to 20 passenger
Car Finish	M. S. Power Coated Car. Stainless Steel Hair Line Finish Car. Steel Designed & Steel Hair Line Finish Car. Steel Mirror & Stainless Steel Hair Line Finish Car. Titanium Gold Designed with Stainless Steel Finish Car.
Type of Doors	Center-Opening Auto Door • Telescopic Auto Door
Doors Finish	M. S. Swing Manual Doors, M. S. Collapsible Manual Doors Wooden Swing Manual Doors
Switch Panel Button	Surface Micro Electro Button, Touch Button
Switch Panels Display	Seven Segment Digital LED Display LCD Display

PASSANGER ELEVATOR





Passenger Elevator Manual Elevator

Being a customer focused organization, We are engaged in offering a wide and comprehensive range of Manual Door Elevators. These elevators are audited on different parameters by our proficiency analysts so as to offer a defect free range to clients. Also, this range is acclaimed by our clients for it. secure safe usage, durability and high strength.



Collapsible Wooden Swing Door



Glass View M.S. Door



Full Glass Door




Speed	0.70 to 1 mps.
Capacity	04 to 30 passenger
Car Finish	M. S. Power Coated Car. Stainless Steel Hair Line Finish Car. Steel Designed & Steel Hair Line Finish Car. Steel Mirror & Stainless Steel Hair Line Finish Car.
Doors Finish	M. S. Swing Manual Doors, M. S. Collapsible Manual Doors Wooden Swing Manual Doors
Switch Panel Button	Surface Micro Electro Button, Touch Button
Switch Panels Display	Seven Segment Digital LED Display LCD Display





Capsule Elevator

Capsule Panaramic Elevators 90 / 180 / 360 degree view (One Side, Three Side, Round type with Toughened Glass). Lift for Residential, Commercial Hotel, Clubs, Bungalows & Building depending upon the shaft size with speed / Amenities upto choice of owners.





Glass with Ms Power Coated Car



Glass with Ms Power Coated Car



Round Glass with Stainless Steel Hair Line finish Car



Glass with Stainless Steel Hair Line Finish Car




Speed	0.75 to 2 mps.								
Capacity	08 to 20 passenger								
Type of Car	One side View Three side View Half Round View								
Type of Door	Center - Opening Auto Door Telescopic Auto Door								
Car Finish	Glass with M S Power Coated Car Glass with Stainless Steel Hair Line Finish Car Glass with Steel Designed & Steel Hair Line Finish Car Glass with Steel Mirror & Stainless Steel Hair Line Finish Car Glass with Titanium Gold Designed with stainless Steel Finish Car.								
Doors Finish	M S Power Coated Auto Door Stainless Steel Hair Line, Designed Finish Auto Door Titanium Gold Designed Finish Auto Door. Glass with Stainless Steel Framed Finish Door.								
Switch Panels Button	Surface Micro Electro Button, Touch Button								
Switch Panels Display	Seven Segment Digital LED Display Digital Dot Matrix Display LCD Display.								

ENERGY SAVING

ELEVATOR


Hydraulic Elevator For Low Rise

Hydraulic Passenger / Goods Elevator Manual / Auto Door for Residential, Commercial, Hotel, Clubs Bungalows & Industrial Machine Room Less Movement of Men Material & Vehicles. With speed / amenities up to choice of owners.




• Rope Type

Side indirect acting suspension with wire ropes with one piston for regular loads and long travels.




• Hole Type

Direct Suspension. The simplest solution for any load with a simple or split piston



Hole Less Type

Side Direct suspension with two simple piston for large loads and short travels. (Max. Travel 4 Mt.)





Hydraulic Cylinder

VAIII00001 110	VALUE OF THE AVAILABLE						
Speed	0.32 mps.						
Capacity	06 to 12 passenger						
Car Finish	M. S. Power Coated Car. Stainless Steel Hair Line Finish Car. Steel Designed & Steel Hair Line Finish Car. Steel Mirror & Stainless Steel Hair Line Finish Car. Titanium Gold Designed with Stainless Steel Finish Car.						
Type of Doors	Auto Doors • Manual Doors						
Doors Finish	M. S. Swing Manual Doors, M. S. Collapsible Manual Doors Wooden Swing Manual Doors						
Switch Panel Button	Surface Micro Electro Button, Touch Button						
Switch Panels Display	Seven Segment Digital LED Display LCD Display						

FREIGHT / GOODS ELEVATOR





Freight/Goods Elevator

With string durable and scientific space design products of G S Elevators freight elevator series fully understand the needs of up and down logistics transportation to provide user friendly design. Spaciousness and extremely convenient Technology makes it reliable.









Speed	0.32 to 1.00 mps.
Capacity	15 to 30 passenger
Car Finish	M. S. Power Coated Car. Stainless Steel Hair Line Finish Car. Steel Designed & Steel Hair Line Finish Car. M. S. Swing Manual Door
Doors Finish	M. S. Swing Manual Doors. M. S. Collapsible / Imperforated Manual Doors M. S. Power Coated Finish Auto Door. Stainless Steel Hair Line Finish Auto Door. Glass with Stainless Steel Framed Finish Auto Door. Wooden Swing Manual Doors.
Switch Panel Button	Surface Micro Electro Button, Touch Button
Switch Panels Display	Seven Segment Digital LED Display. Digital Dot Matrix Diplay LCD Display

MRL SAVING ELEVATOR






Machine Roomless

Our Machine roomless (MRL) designs keep people and the environment in mind with compact and highly efficient machine which consume little energy, yet deliver a very smooth and safe operation in combination with G S ELEVATOR advanced control and drive system technology.

The birth of our machine roomless product, catering for low to medium rise buildings, was a result technological advancement and innovative research. The permanent magnet synchronous (PMS) gearless drive unit is installed inside the shaft, eliminating the need for a traditional machine room, thus construction cost for the building is consequently reduced. Furthermore, this allows more freedom and flexibility in the building's architectural design.









Speed	1.00 to 1.5 mps.
Capacity	06 to 20 passenger
Car Finish	M. S. Power Coated Car. Stainless Steel Hair Line Finish Car. Steel Designed & Steel Hair Line Finish Car. Steel Mirror & Stainless Steel Hair Line Finish Car. Titanium Gold Designed with Stainless Steel Finish Car.
Type of Door	Center Opening • Telescopic
Doors Finish	M. S. Powder Coated Finish Auto Door. Stainless Steel Hair Line Finish Auto Door. Stainless Steel Designed Finish Auto Door. Titanium Gold Designed Finish Auto Door. Glass with Stainless Steel Framed Finish Auto Door.
Switch Panel Button	Surface Micro Electro Button, Touch Button
Switch Panels Display	Seven Segment Digital LED Display Digital Dot Matrix Display LCD Display

AUTOMOBILE ELEVATOR



Automobile Elevator

Car Auto Door Elevator for Residential, Commercial, Hotel, Clubs, Bungalows, Industrial Buildings depending upon the shaft size by owner / developer for convenient movement of men & vehicle. with speed / amenities up to Choice of owners.





Bal-Parting Auto Door



Telescopic Auto Door



Vertical Auto Door



Speed	0.3 mps.
Capacity	3000 kg.
Car Finish	M. S. Power Coated Car. Stainless Steel Hair Line Finish Car.
Type of Door	Vertical Auto Door. Telescopic Auto Doors. Bal-Parting Autodoor
Doors Finish	M. S. Powder Coated Finish Auto Door. Stainless Steel Haie Line Finish Auto Door.
Switch Panels Button	Surface Micro Electro Button
Switch Panels Display	Seven Segment Digital LED Display Digital Dot Matrix Display

A Wide Choice of Durable Interior Materials **DESIGNS**



Optional Car Designs

The novel and graceful designs, the broad and bright space, it can want only arrange and combine the ceiling floor and Car wall. It meets the Individual demands and displays an aristocratic personality.





























Push Button Operation Panel

Landing Push Button & Car Operating Panel

Features & Specifications



Gold Mirror & Matt Finish S.S., Rose Finish S.S. & Black S.S.

Various Push Button of your Choice

Position Indicator: 7 Segments & Arrow.

Scrolling Dot Matrix Display & LCD Display e-Motive

Display, Monochrome LCD., Multi Color, TFT Screen Display.

























Function in Beauty

SPECIFICATION _____

CHART



PASSENGER LIFT

LO	AD	CARI	NSIDE	ELEVATO	OR WELL	ENT	MACHINE ROOM		TYPE OF DOOR	
PERSONS	KG	WIDTH	DEPTH	WIDTH	DEPTH	E	WIDTH K	DEPTH L	HEIGHT H	
4	272	900	900	1400	1450	700	2400	2400	2500	
5	340	1100	850	1550	1400	700	2400	2400	2500	
6	408	1100	1000	1550	1550	800	2400	2400	2500	MANUAL
8	544	1300	1100	1800	1650	800	2400	2400	2500	
4	272	1100	700	1600	1350	700	2400	2400	2500	
5	340	1100	850	1600	1500	700	2400	2400	2500	
6	408	1100	1000	1600	1550	700	2400	2400	2500	
8	544	1300	1100	1800	1700	800	2600	2400	2500	
10	680	1350	1300	1850	1900	800	2600	2400	2500	AUTOMATIC
16	1088	2000	1300	2500	2100	1000	2600	2400	2500	AUTOWATIC
13	884	2000	1100	2500	1900	900	2600	2400	2500	
20	1360	2000	1550	2500	2400	1000	2600	2400	2500	
24	1632	2150	1650	2500	2500	1000	2750	2400	2500	

HOSPITAL ELEVATORS

LOAD	CAR SPEED	CAR INSIDE		ELEVATOR WELL		ENT	MACHINE ROOM	
PERSONS	KG	WIDTH A	DEPTH B	WIDTH C	WIDTH D	E	WIDTH K	DEPTH L
15	1020	1100	2500	1800	3000	800	2400	3000
20	1360	1300	2500	2100	3000	1000	2600	3000
26	1768	1600	2500	2350	3000	1200	2950	3000

DUMB WAITERS

LOAD	CAR SPEED	CAR INSIDE		ELEVATOR WELL		ENT	MACHIN	E ROOM	
KG	KG	WIDTH A	DEPTH B	HEIGHT C	WIDTH C	WIDTH D	E	WIDTH K	DEPTH L
100	0.25	600	600	600	1000	1000	600	1400	1500
150	0.25	800	800	900	1200	1200	800	1500	1500
200	0.25	900	900	1000	1300	1300	800	1500	1800
250	0.25	1000	1000	1200	1400	1400	900	1800	2000

FREIGHT ELEVATORS

LOAD	CAR INSIDE		ELEVATO	OR WELL	ENT	MACHINE ROOM	
KG	WIDTH A	DEPTH B	WIDTH C	WIDTH D	E	WIDTH K	DEPTH L
500	1500	1500	2100	1800	900	2700	2400
1000	1500	1800	2200	2100	1200	2800	2700
1500	1700	2000	2400	2300	1500	2800	2700
2000	1700	2500	2500	2800	1500	2900	3400
3000	2000	3000	2800	3300	1800	3400	3900
4000	2500	3000	3400	3300	2000	3400	3900
5000	2500	3600	3400	3900	2200	4000	3900

MACHINE ROOM LESS ELVEVATORS

LOAD	CAR INSIDE		ELEVAT	ENT	
KG	WIDTH A	DEPTH B	WIDTH C	WIDTH D	E
4	900	900	1650	1450	700
5	900	1050	1650	1600	700
6	1000	1100	1850	1650	800
8	1100	1300	1950	1850	800
10	1300	1350	2150	1900	900
13	1500	1500	2350	2050	1000
15	1600	1750	2450	2300	1200



Accelerate your Moves



GS ELEVATOR & ESCALATOR SOLUTION

Plot No. 56, Street No. 3, Sidharthi Enclave Bhagwati Garden Extn, Near Dwarka Mor Uttam Nagar, New Delhi-110059

E-mail:gselevatorescalator@gmail.com

Office: 8860839051, 8447380131