



FFEC3025US

30" Electric Cooktop

SPECIFICATIONS

Carton Dimensions

| | |
|---------------|----------|
| Carton Depth | 0.610000 |
| Carton Height | 0.610000 |
| Carton Width | 2.180000 |

Certifications & Approvals

| | |
|-----------------------------|--------|
| ADA Compliant - All Brands | No |
| Agency Approval(All Brands) | UL/CSA |
| ANSI Certified | No |

Cooktop

| | |
|-----------------------------|---------------------|
| Cooking Surface | Black Ceramic Glass |
| Cooktop Surface Type | smooth surface |
| Hot-Surface Indicator Light | Yes |

Dimensions: Cut-Out

| | |
|--------|-------------------|
| Depth | 19-5/8" - 20-1/2" |
| Height | 5" |
| Width | 28-1/2" - 29-7/8" |

Dimensions: Exterior

| | |
|--------|---------|
| Depth | 21-3/8" |
| Height | 2-5/8" |
| Width | 30-5/8" |

Electrical Specifications

| | |
|-----------------------|-------------|
| Amps @ 240 Volts | 32.9 / 28.3 |
| Connected Load @ 240V | 7.9 / 5.9 |
| Connection Location | Right Rear |

General Specifications

| | |
|------------------------|-----|
| Frigidaire Fit Promise | Yes |
| PROP 65 Label | No |
| Reconditioned | No |



FFET3026TS

30" Double Electric Wall Oven

SPECIFICATIONS

Certifications & Approvals

| | |
|-----------------------------|--------|
| ADA Compliant - All Brands | No |
| Agency Approval(All Brands) | UL/CSA |
| ETL Listed | No |

Cooking Controls

| | |
|----------------|---------------------------------|
| Automatic Oven | Multiple Functions - Both Ovens |
| Bake | Both Ovens |
| Broil | Variable - Both Ovens |

Dimensions: Cut-Out

| | |
|--------|-------------------|
| Depth | 24" |
| Height | 48-7/8" - 49-5/8" |
| Width | 28-1/2" - 29" |

Dimensions: Exterior

| | |
|-------------------------|----------|
| Depth | 24-3/4" |
| Depth(w/ 90° Door Open) | 45-3/4" |
| Height | 50-7/16" |

Electrical Specifications

| | |
|-----------------------|------------------|
| Amps @ 240 Volts | 30.8 / 26.9 |
| Connected Load @ 240V | 7.4 / 5.6 |
| Connection Location | Left Rear Bottom |

Oven

| | |
|-----------------|-------------------|
| Broil | 6 pass 3400 Watts |
| Cleaning System | Self-Clean |

Oven 2

| | |
|-----------------|------------------|
| Baking System | True Hidden Bake |
| Broiling System | Broil Variable |



FFMV1645TS

1.6 Cu. Ft. Over-The-Range Microwave

SPECIFICATIONS

Controls

| | |
|----------------|----------|
| Add 30 Seconds | Yes |
| Controls | Membrane |
| Display Color | Green |

Cut-Out Dimensions

| | |
|----------------------|-----|
| Cut-Out Depth (Max.) | 14" |
| Cut-Out Depth (Min) | 12" |
| Cut-Out Height (Max) | 17" |

Electrical Specifications

| | |
|-----------------------------------|----------------|
| Amps @ 120 Volts | 13 |
| Connected Load (kW Rating) @ 120V | 1.6 |
| Power Supply Connection Location | Right Rear Top |

Exterior Dimensions

| | |
|--------|-----------|
| Depth | 15-1/4" |
| Height | 16-13/32" |
| Width | 29-7/8" |

Internal Specifications

| | |
|---------------------------|-----------|
| Interior Light | Yes |
| Microwave Interior Depth | 14-13/32" |
| Microwave Interior Height | 9-1/4" |

Microwave Oven Specifications

| | |
|------------------------------|---------|
| Frequency (Mhz) | 2450 |
| Interior Light Wattage | LED |
| Microwave Turntable Diameter | 12-1/2" |

Vent & Light System

| | |
|-------------------------------------|--------------------|
| Auto-start Heat Sensor | Yes |
| Cooktop Light | LED 6 Light Module |
| Ducted / Ductless Vent Installation | Yes |



FGID2466QF

24" Built-In Dishwasher

SPECIFICATIONS

| | |
|--|--|
| | |
|--|--|

| | |
|--|--|
| | |
|--|--|

