






Please answer the following questions for each of your symptoms.

Location of pain? Pain intensity? Circle one 1 (minimal) to 10 (extreme pain)	Date of onset?	What percent of the time does it hurt?	1-100 %	Is it worse in the morning, after noon or night ?	Is it dull, sharp, throbbing, burning, deep, aching, tingling, stabbing, cramping, numbness, radiating, stiffness	What makes the pain worse: sitting, standing, walking, bending, stooping, lifting, sleeping, sneezing, coughing, straining, reaching, twisting, looking up, looking down, movement, rest, lying supine, driving, typing, scooping, house chores, exercise, lying prone, stair stepping	What makes the pain better: sitting, standing, lying, knees bent up, support, no movement, movement, heat, ice, analgesic topical, ibuprofen, medication, rest, stretching/exercise, adjustments
Location:  Onset:							
Location:  Onset:							
Location:  Onset:							
Location:  Onset:							

Name: _____

Date: _____

Please place an X(s) over your symptom area(s)



NECK BOURNEMOUTH QUESTIONNAIRE

Patient Name _____ Date _____

Instructions: The following scales have been designed to find out about your neck pain and how it is affecting you. Please answer ALL the scales, and mark the ONE number on EACH scale that best describes how you feel.

1. Over the past week, on average, how would you rate your neck pain?

No pain Worst pain possible
0 1 2 3 4 5 6 7 8 9 10

2. Over the past week, how much has your neck pain interfered with your daily activities (housework, washing, dressing, lifting, reading, driving)?

No interference Unable to carry out activity
0 1 2 3 4 5 6 7 8 9 10

3. Over the past week, how much has your neck pain interfered with your ability to take part in recreational, social, and family activities?

No interference Unable to carry out activity
0 1 2 3 4 5 6 7 8 9 10

4. Over the past week, how anxious (tense, uptight, irritable, difficulty in concentrating/relaxing) have you been feeling?

Not at all anxious Extremely anxious
0 1 2 3 4 5 6 7 8 9 10

5. Over the past week, how depressed (down-in-the-dumps, sad, in low spirits, pessimistic, unhappy) have you been feeling?

Not at all depressed Extremely depressed
0 1 2 3 4 5 6 7 8 9 10

6. Over the past week, how have you felt your work (both inside and outside the home) has affected (or would affect) your neck pain?

Have made it no worse Have made it much worse
0 1 2 3 4 5 6 7 8 9 10

7. Over the past week, how much have you been able to control (reduce/help) your neck pain on your own?

Completely control it No control whatsoever
0 1 2 3 4 5 6 7 8 9 10

Examiner

OTHER COMMENTS: _____

BACK BOURNEMOUTH QUESTIONNAIRE

Patient Name _____ Date _____

Instructions: The following scales have been designed to find out about your back pain and how it is affecting you. Please answer ALL the scales, and mark the ONE number on EACH scale that best describes how you feel.

1. Over the past week, on average, how would you rate your back pain?

No pain Worst pain possible
0 1 2 3 4 5 6 7 8 9 10

2. Over the past week, how much has your back pain interfered with your daily activities (housework, washing, dressing, walking, climbing stairs, getting in/out of bed/chair)?

No interference Unable to carry out activity
0 1 2 3 4 5 6 7 8 9 10

3. Over the past week, how much has your back pain interfered with your ability to take part in recreational, social, and family activities?

No interference Unable to carry out activity
0 1 2 3 4 5 6 7 8 9 10

4. Over the past week, how anxious (tense, uptight, irritable, difficulty in concentrating/relaxing) have you been feeling?

Not at all anxious Extremely anxious
0 1 2 3 4 5 6 7 8 9 10

5. Over the past week, how depressed (down-in-the-dumps, sad, in low spirits, pessimistic, unhappy) have you been feeling?

Not at all depressed Extremely depressed
0 1 2 3 4 5 6 7 8 9 10

6. Over the past week, how have you felt your work (both inside and outside the home) has affected (or would affect) your back pain?

Have made it no worse Have made it much worse
0 1 2 3 4 5 6 7 8 9 10

7. Over the past week, how much have you been able to control (reduce/help) your back pain on your own?

Completely control it No control whatsoever
0 1 2 3 4 5 6 7 8 9 10

Examiner

OTHER COMMENTS: _____