AURICULOTHERAPY: REFLEX POINTS FOR BALANCE  PATRICIA DODD MS LAC, AGNP-C, HN-BC, HWNC-BC, REIKI MASTER	
Dísclosures	
• None	
Charts with the permission of Meridia, Auriculo 360'	
, (co., 55, 50, 50, 50, 50, 50, 50, 50, 50, 50	
<b>和</b>	

•Overview

ResearchAnatomyProtocols

OBJECTIVES

1


## AURICULAR THERAPY


- Traditional Chinese Medicine Qi, point, channel
- Stimulation at strategic pressure points to balance the flow of energy, QI through pathways of the body
- Connections between the external ear and the primary acupuncture meridians.




## QI

- · Vital Energy
- · Permeates all things
- Assume different forms
- · Travels in Meridians
- Qí dísturbance or ímbalance = dís-Ease













# NOGIER


- $\bullet\ 1950s\,Father\,of\,Auriculo\,therapy$
- Focus on a neuroan atomical connection between the auricle and the nervous system
- • Somatotrophic Map of the Human Body – Upside Down Fetus











#### BATTLEFIELD ACUPUNCTURE

- · Chronic Pain/Opioid Epidemic Nonpharmacologic Approach
- · 2001 Dr Col Richard Niemtzow, DoD/Dept Veteran's Affairs
- Aíguille Semi Permanent ASP needles
- · 5 specific Pts influence Pain Processing





> Med Care. 2020 Sep;58 Suppl 2 9S(2 9 Suppl):S101-S107. doi: 10.1097/MLR.000000000001368.

Patient Feedback on the Effectiveness of Auricular Acupuncture on Pain in Routine Clinical Care: The Experience of 11,406 Veterans

Steven B. Zeliadt <sup>1, 2</sup>, Eva R. Thomas <sup>3</sup>, Juli Olson <sup>3</sup>, Scott Coggeshall <sup>1</sup>, Karleen Giannitrapani <sup>4</sup>, Princess E. Ackland <sup>S. 6</sup>, Kavitha P. Reddy <sup>7, 8</sup>, Daniel G. Federman <sup>9, 19</sup>, David F. Drake <sup>11, 12, 13</sup>, Benjamin Kligler <sup>12, 14</sup>, Stephanie L. Taylor <sup>15, 16</sup>


Affiliations + expand
PMID: 32826779 PMCID: PMC7497594 DOI: 10.1097/MLR.000000000001368





## NADA

- The National Acupuncture Detoxification Association (NADA) standardized 5-point ear acupuncture protocol, born of a community-minded response to turbulent times not unlike today- 1980's Opiate/Cocaine Epidemic.
- Widely implemented acupuncture-assisted protocol, not only for substance abuse, but also
  for broad behavioral health applications. Strong psychoscial treatment that can augment the
  impact of other treatment modalities
- Inconsistent data as a stand alone treatment. More current research should focus on the impact of NADA alone in comparison to NADA with other accepted treatment







## NADA

Shen Men Sympathetic Kidney Liver Lung



Yulan Yang, Jian Wen, Jianyun Hong  Evidence-Based Complementary and Alternative Medicine   Volume 2020, Issue 1  First published: 25 May 2020  Abstract  Objective. This study aims to systematically assess the efficacy and safety of auricular therapy for cancer pain. Methods. A systematic search was conducted using Publied, EMBASE, Cochrane library databases, CNNI, VIP, WanFang Data, and CBM for randomized controlled traits (RCTs), Review Manager 5.3 was used for meta-analysis. Results. Of the 275 screened studies, nine RCTs involving 783 patients with cancer pain were systematically reviewed. Compared with drug therapy, auricular therapy plus drug therapy has significant advantages both in the effective rate for pain relief (RR = 1.40, 95% C1-22, 1.60, P = 0.0001) and adverse effects rate (RR = 0.46, 95% C1, 0.37, 0.58, P = 0.04). On 1.0001). And the result revealed that auricular acupuncture (SMD = 1.45, 95% C1-21, 26, 0.00, P = 0.0001) and adverse effects rate (RG = 0.46, 95% C1, 27, 0.58, P = 0.04). However, the analysis indicated no difference on the effective rate for pain relief between auricular therapy and drug therapy (RR = 1.42, 95% C1, 0.71, 2.16, P = 0.46). Condizion. Our meta-analysis indicated that auricular acupuncture (SMD), condizion, our meta-analysis indicated that auricular acupuncture in terms of pain relief or adverse driverse in terms of pain relief or adverse driverse in terms of pain relief or adverse are driverse than drug therapy alone, whether in terms of pain relief or adverse	ne Effects of Auricular Therapy for Cancer Pain: A Systematic Review and Meta-Analysis
Abstract  Abstra	ılan Yang, Jian Wen, Jianyun Hong
Abstract  Abstract  Objective. This study aims to systematically assess the efficacy and safety of auricular therapy for cancer pain. Methods. A systematic search was conducted using PubMed, EMBASE, Cochrane library databases, CNKI, VIP, WanFang Data, and CBM for randomized controlled trials (RCTs). Review Manager 5.3 was used for meta-analysis. Results. Of the 275 screened studies, nine RCTs involving 783 patients with cancer pain were systematically reviewed. Compared with origit therapy, auricular therapy plus drug therapy has significant advantages both in the effective rate for pain relief (RR = 1.40; 95% Cl 1.22, 1.60; P < 0.0001). And the result revealed that auricular acupuncture that 9 – 0.46; 95% Cl 0.37, 0.58; P < 0.00001). And the result revealed that auricular acupuncture for pain relief petween auricular therapy and drug therapy (RR = 1.44; 95% Cl 0.77, 2.16; P = 0.46, Conclusion. Our meta-analysis indicated that auricular acupuncture for pain relief between auricular therapy and drug therapy (RR = 1.44; 95% Cl 0.77, 2.16; P = 0.46, Conclusion. Our meta-analysis indicated that auricular acupuncture for pain relief between auricular therapy and drug therapy is effective and safe for the treatment of cancer pain, and auricular therapy plus drug therapy is ordered reflective than drug therapy alone, whether in terms of pain relief or adverse	idence-Based Complementary and Alternative Medicine   Volume 2020, Issue 1
Abstract Objective. This study aims to systematically assess the efficacy and safety of auricular therapy for cancer pain. Methods. A systematic search was conducted using PubMed, EMBASE, Cochrane library databases, CNIX, IVP, WanFang Data, and CBM for randomized controlled trials (RCTs). Review Manager 5.3 was used for meta-analysis. Results. Of the 275 screened studies, nine RCTs involving 783 patients with cancer pain were systematically reviewed. Compared with drug therapy, auricular therapy plus drug therapy has significant advantages both in the effective rate for pain relief (RR = 1.40; 95% C1.22, 1.60; $P = 0.00001$ ), and adverse effects rate (RR = 0.46; 95% C1.0.27, 0.58; $P < 0.00001$ ). And the result revealed that auricular acupuncture thad superior pain-relieving effects as compared with sham auricular acupuncture (SMD = 1.45; 95% C1.27, 0.72, 0.67; $P = 0.000$ ). However, the analysis indicated no difference on the effective rate for pain relief between auricular therapy and drug therapy (RR = 1.44; 95% C1.07, 2.16; $P = 0.00$ ). Conclusion, Our meta-analysis indicated that auricular acupant of cancer pain, and auricular therapy plus drug therapy is effective and safe for the treatment of cancer pain, and auricular therapy plus drug therapy is off effective that drug therapy since, whether in terms of pain relief or adverse	st published: 25 May 2020
Objective. This study alms to systematically assess the efficacy and safety of auricular therapy for cancer pain. Methods. A systematic search was conducted using PubMed, EMBASE, Cochrane library databases, CNRI, VIP, WanFang Data, and CBM for randomized controlled trials (RCTs), Review Manager 5.3 was used for meta-analysis. Results. Of the 275 screened studies, nine RCTs involving 783 patients with cancer pain were systematically reviewed. Compared with ergy therapy, auricular therapy plus drug therapy has significant advantages both in the effective rate for pain relief (RR = 1.40, 99% CI 1.22, 1.60, P < 0.0001) and adverse effects rate (RR = 0.46, 99% CI 0.37, 0.58, P < 0.0001). And the result revealed that auricular acupuncture that purport pain-relieving effects a compared with sham auricular acupuncture (SMD = 1.45, 99% CI -2.20, -0.09, P = 0.0.49). However, the analysis indicated no difference on the effective rate for pain relief between auricular therapy and drug therapy (RR = 1.24, 59% CI -0.71, -21, 67, P = 0.46). Conclusion. Our meta-analysis indicated that auricular therapy is effective and safe for the treatment of cancer pain, and auricular therapy plus drug therapy is more effective than drug therapy alone, whether in terms of pain relief or adverse	ostract ^
Objective. This study alms to systematically assess the efficacy and safety of auricular therapy for cancer pain. Methods. A systematic search was conducted using PubMed, EMBASE, Cochrane library databases, CNRI, VIP, WanFang Data, and CBM for randomized controlled trials (RCTs), Review Manager 5.3 was used for meta-analysis. Results. Of the 275 screened studies, nine RCTs involving 783 patients with cancer pain were systematically reviewed. Compared with ergy therapy, auricular therapy plus drug therapy has significant advantages both in the effective rate for pain relief (RR = 1.40, 99% CI 1.22, 1.60, P < 0.0001) and adverse effects rate (RR = 0.46, 99% CI 0.37, 0.58, P < 0.0001). And the result revealed that auricular acupuncture that purport pain-relieving effects a compared with sham auricular acupuncture (SMD = 1.45, 99% CI -2.20, -0.09, P = 0.0.49). However, the analysis indicated no difference on the effective rate for pain relief between auricular therapy and drug therapy (RR = 1.24, 59% CI -0.71, -21, 67, P = 0.46). Conclusion. Our meta-analysis indicated that auricular therapy is effective and safe for the treatment of cancer pain, and auricular therapy plus drug therapy is more effective than drug therapy alone, whether in terms of pain relief or adverse	Abstract
reactions. However, the included KLTs had some methodological limitations; future large, rigor, and high-quality RCTs are still needed to confirm the benefits of auricular therapy on cancer pain.	Objective. This study alms to systematically assess the efficacy and safety of auricular therapy for cancer pain. Methods. A systematic search was conducted using PubMed, EMBASE, Cochrane library databases, CNN, VIP, WanFang Data, and CBM for randomized controlled trials (RCTs). Review Manager 5.3 was used for meta-analysis. Newlis. Of the 275 screened studies, nine RCTs involving 763 patients with cancer pain were systematically reviewed. Compared with drug therapy, auricular therapy plus drug therapy has significant advantages both in the effective rate for pain relief (RR = 1.400) by Art. 212, 1.60, P. eveloed that advantages both in the effective rate for pain relief (RCTs). A compared Arkth Panna suricular advantages with the state had sufficient pain relief in the state of the stat





### REFERENCES

- Auriculo 360 App/Meridia Technologies
- Montgomery, A. D., & Ottenbacher, R. (2020). Battlefield Acupuncture for Chronic Pain Management in Patients on Long-Term Opioid Therapy. Medical acupuncture, 32(1), 38– 44. https://doi.org/10.10.000/cpus.2010.13.23
- Oleson T. (2018). Application of Polyvagal Theory to Auricular Acupuncture. Medical acupuncture, 30(3), 123–125. https://doi.org/10.1089/acu.2018.29085.tol
- Stuyt, E. B., Voyles, C. A., & Bursac, S. (2018). NADA Protocol for Behavioral Health. Putting Tools in the Hands of Behavioral Health Providers: The Case for Auricular Detoxification Specialists. Medicines (Basel, Switzerland), 5(1), 20. <a href="https://doi.org/10.3390/medicines5010020">https://doi.org/10.3390/medicines5010020</a>
- Wirz-Ridolfi A. (2019). The History of Ear Acupuncture and Ear Cartography: Why Precise Mapping of Auricular Points Is Important. Medical acupuncture, 31(3), 145–156. https://doi.org/10.1089/acu.2019.1349