



Enability's GAIT COMPARISON CHART

Patient ID: MB Age: 68 Diagnosis: Stroke Observed Side: **RIGHT** / LEFT

PREVIOUS ASSESSMENT - Date: 00/01 Walking Aid Used: Cane **CURRENT ASSESSMENT** - Date: 00/02 Walking Aid Used: AFO+Cane

Rate the change in following parameters since the previous assessment	Significant Decline	Moderate Decline	No Change	Moderate Improvement	Significant Improvement
Balance / Stability <i>(Improvement = Greater stability)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Equality / Symmetry <i>(Improvement = Similar limb movements observed)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Energy Consumption <i>(Improvement = Lower energy used for walking)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Progression <i>(Improvement = Faster walking speed)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Shock Absorption <i>(Improvement = "Normative" joint movement observed during weight transfer)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Gait Deviations <i>(Improvement = Fewer deviations observed)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Step Length <i>(Improvement = Greater symmetry in step length)</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stance Time <i>(Improvement = Greater symmetry in stance time)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Step Width <i>(Improvement = "Normative" step width observed)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Toe Angle <i>(Improvement = "Normative" toe out angle observed)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Overall, the patient's / client's gait since the previous assessment shows:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

RECOMMENDATION: Continue with the AFO and physical therapy