

NUG RUN Extracts Knockout THCP Blend

Sample ID: 2512AFL2234.8211
Strain: Green Crack
Matrix: Concentrates & Extracts
Type: Formulated Vape Oil
Unit Weight: 1 g

Internal Lab ID: ATL-33840
Received: 12/29/2025
Completed: 02/03/2026
Batch#: NR1G5122325

Client
NUGRUN HEMP
Lic. # 2026-N-2229181
2030 Stirling rd apt 102
Hollywood, FL 33020



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	01/16/2026	Complete
Residual Solvents	01/26/2026	Pass
Microbials	01/16/2026	Pass
Mycotoxins	01/26/2026	Pass
Pesticides	01/26/2026	Pass
Heavy Metals	02/03/2026	Pass
Foreign Matter	01/16/2026	Pass

Basic Potency

Complete

ND Total THC	ND Total CBD	88.496% Total Cannabinoids
------------------------	------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.007	0.021	ND	ND	9S-HHC	0.010	0.029	ND	ND
CBDV	0.007	0.022	ND	ND	9R-HHC	0.010	0.029	ND	ND
CBDa	0.007	0.021	ND	ND	Δ9-THCH	0.008	0.023	ND	ND
CBGa	0.007	0.021	ND	ND	Δ8-THCH	0.008	0.024	ND	ND
CBG	0.007	0.022	ND	ND	Δ9-THCP	0.007	0.022	6.787	67.87
CBD	0.007	0.022	ND	ND	Δ8-THCP	0.008	0.023	ND	ND
THCV	0.007	0.022	ND	ND	Δ8-THCO	0.007	0.021	ND	ND
Δ8-THCV	0.008	0.024	ND	ND	Δ9-THCO	0.007	0.021	ND	ND
THCVa	0.007	0.021	ND	ND	9(S)-HHCP	0.008	0.023	ND	ND
CBN	0.007	0.022	0.915	9.15	9(R)-HHCP	0.008	0.023	ND	ND
Δ9-THC	0.007	0.022	ND	ND	11-Hydroxy-THC	0.008	0.023	ND	ND
Δ8-THC	0.007	0.022	80.795	807.95	1(S)-H4-CBD	0.008	0.024	ND	ND
(6aR,9S)-d10-THC	0.008	0.024	ND	ND	1(R)-H4-CBD	0.008	0.024	ND	ND
(6aR,9R)-d10-THC	0.008	0.024	ND	ND	Δ9-THCB	0.007	0.022	ND	ND
CBC	0.007	0.022	ND	ND	Δ8-THCB	0.008	0.024	ND	ND
CBCa	0.007	0.021	ND	ND	CBDp	0.008	0.024	ND	ND
THCa	0.007	0.021	ND	ND	Total			88.496	884.96

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2
Date Tested: 01/16/2026
Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Pass Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3 Foreign Matter
---	---	--



Lise Berthe-Laurent
Lise Berthe-Laurent
Laboratory Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



NUG RUN Extracts Knockout THCP Blend

Sample ID: 2512AFL2234.8211

Internal Lab ID: ATL-33840

Client

Strain: Green Crack

NUGRUN HEMP

Matrix: Concentrates & Extracts

Received: 12/29/2025

Lic. # 2026-N-2229181

Type: Formulated Vape Oil

Completed: 02/03/2026

2030 Stirling rd apt 102

Unit Weight: 1 g

Batch#: NR1G5122325

Hollywood, FL 33020

Pesticides

Pass

Analyte	LOD PPB	LOQ PPB	Limit PPB	Result Status	Analyte	LOD PPB	LOQ PPB	Limit PPB	Result Status
Abamectin			100	ND Pass	Fludioxonil			100	ND Pass
Acephate			100	ND Pass	Hexythiazox			100	ND Pass
Acequinocyl			100	ND Pass	Imazalil			100	ND Pass
Acetamiprid			100	ND Pass	Imidacloprid			400	ND Pass
Aldicarb			100	ND Pass	Kresoxim Methyl			100	ND Pass
Azoxystrobin			100	ND Pass	Malathion			200	ND Pass
Bifenazate			100	ND Pass	Metalaxyl			100	ND Pass
Bifenthrin			100	ND Pass	Methiocarb			100	ND Pass
Boscalid			100	ND Pass	Methomyl			100	ND Pass
Captan			700	ND Pass	Mevinphos			100	ND Pass
Carbaryl			500	ND Pass	Myclobutanil			0	ND Pass
Carbofuran			100	ND Pass	Naled			250	ND Pass
Chlorantraniliprole			1000	ND Pass	Oxamyl			500	ND Pass
Chlordane			100	ND Pass	Paclobutrazol			100	ND Pass
Chlorfenapyr			100	ND Pass	Parathion Methyl			100	ND Pass
Chlormequat Chloride			1000	ND Pass	Pentachloronitrobenzene			150	ND Pass
Chlorpyrifos			100	ND Pass	Permethrin			100	ND Pass
Clofentezine			200	ND Pass	Phosmet			100	ND Pass
Coumaphos			100	ND Pass	Piperonyl Butoxide			3000	ND Pass
Cyfluthrin			500	ND Pass	Prallethrin			100	ND Pass
Cypermethrin			500	ND Pass	Propiconazole			100	ND Pass
Daminozide			100	ND Pass	Propoxur			100	ND Pass
Diazinon			100	ND Pass	Pyrethrins			500	ND Pass
Dichlorvos			100	ND Pass	Pyridaben			200	ND Pass
Dimethoate			100	ND Pass	Spinetoram			200	ND Pass
Dimethomorph			200	ND Pass	Spinosad			100	ND Pass
Ethoprophos			100	ND Pass	Spiromesifen			100	ND Pass
Etofenprox			100	ND Pass	Spirotetramat			100	ND Pass
Etoxazole			100	ND Pass	Spiroxamine			100	ND Pass
Fenhexamid			100	ND Pass	Tebuconazole			100	ND Pass
Fenoxycarb			100	ND Pass	Thiacloprid			100	ND Pass
Fenpyroximate			100	ND Pass	Thiamethoxam			500	ND Pass
Fipronil			100	ND Pass	Trifloxystrobin			100	ND Pass
Fonicamid			100	ND Pass					

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1
Date Tested: 01/26/2026
Pesticide via LC-MS/MS and GC-MS/MS



Lise Berthe-Laurent
Lise Berthe-Laurent
Laboratory Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

NUG RUN Extracts Knockout THCP Blend

Sample ID: 2512AFL2234.8211	Internal Lab ID: ATL-33840	Client
Strain: Green Crack		NUGRUN HEMP
Matrix: Concentrates & Extracts	Received: 12/29/2025	Lic. # 2026-N-2229181
Type: Formulated Vape Oil	Completed: 02/03/2026	2030 Stirling rd apt 102
Unit Weight: 1 g	Batch#: NR1G5122325	Hollywood, FL 33020

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 01/16/2026

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.35	4.04		ND	Tested
Aflatoxin B2	1.33	4.00		ND	Tested
Aflatoxin G1	1.35	4.04		ND	Tested
Aflatoxin G2	1.33	4.00		ND	Tested
Ochratoxin A	13.47	40.40	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 01/26/2026


Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 01/16/2026




Lise Berthe-Laurent
Laboratory Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



NUG RUN Extracts Knockout THCP Blend

Sample ID: 2512AFL2234.8211

Internal Lab ID: ATL-33840

Client

Strain: Green Crack

NUGRUN HEMP

Matrix: Concentrates & Extracts

Received: 12/29/2025

Lic. # 2026-N-2229181

Type: Formulated Vape Oil

Completed: 02/03/2026

2030 Stirling rd apt 102

Unit Weight: 1 g

Batch#: NR1G5122325

Hollywood, FL 33020

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene		0.7	8	ND	Pass	n-Heptane		40	5000	ND	Pass
1,2-Dichloroethane		0.2	2	ND	Pass	Isobutane				ND	Tested
1,4-Dioxane				ND	Tested	Isopentane				ND	Tested
2,2-Dimethylbutane				ND	Tested	Isopropanol		40	500	ND	Pass
2,3-Dimethylbutane				ND	Tested	Isopropyl Acetate				ND	Tested
2-Butanol				ND	Tested	m-Xylene + p-Xylene				ND	Tested
2-Ethoxyethanol				ND	Tested	Methanol		20	250	ND	Pass
2-Methylpentane				ND	Tested	Methylene Chloride		10	125	ND	Pass
3-Methylpentane				ND	Tested	n-Butane		71		ND	Tested
Acetone		59	750	ND	Pass	n-Hexane		5		ND	Tested
Acetonitrile		5	60	ND	Pass	n-Pentane		59		ND	Tested
Benzene		0.08	1	ND	Pass	Neopentane				ND	Tested
Chloroform		0.2	2	ND	Pass	o-Xylene				ND	Tested
Cumene				ND	Tested	Propane		165	5000	ND	Pass
Cyclohexane				ND	Tested	Tetrahydrofuran				ND	Tested
Ethanol		79	5000	ND	Pass	Toluene		12	150	ND	Pass
Ethyl Acetate		20	400	ND	Pass	Trichloroethene		2	25	ND	Pass
Ethylbenzene				ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether		40	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol				ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide		0.4	5	ND	Pass	Xylenes		12	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3
Date Tested: 01/26/2026
Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	4.83	100	200	ND	Pass
Cadmium	0.64	100	200	ND	Pass
Lead	11.76	100	500	ND	Pass
Mercury	0.58	100	200	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9
Date Tested: 02/03/2026



Lise Berthe-Laurent
Laboratory Director
02/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.