

# NUGRUN Extracts 2g Hashholes

Sample ID: 2602AFL0233.0838

Internal Lab ID: ATL-34702

Client

Strain: Mango Crack

NUGRUN Hemp

Matrix: Plant

Received: 02/19/2026

Lic. # 2026-N-2229181

Type: Preroll

Completed: 03/05/2026

Lake Worth Beach, FL 33461

Unit Weight: 2 g

Batch#: NR2GHHMC21826



## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/23/2026	Complete
Residual Solvents	03/02/2026	Pass
Microbials	03/02/2026	Pass
Mycotoxins	03/05/2026	Pass
Pesticides	03/05/2026	Pass
Heavy Metals	03/03/2026	Pass
Foreign Matter	03/02/2026	Pass

## Basic Potency

Complete

<b>ND</b> Total THC	<b>ND</b> Total CBD	<b>42.261%</b> Total Cannabinoids
------------------------	------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.003	0.008	ND	ND	9S-HHC	0.004	0.011	ND	ND
CBDV	0.003	0.008	ND	ND	9R-HHC	0.004	0.011	ND	ND
CBDa	0.003	0.008	ND	ND	Δ9-THCH	0.003	0.009	ND	ND
CBGa	0.003	0.008	5.123	102.46	Δ8-THCH	0.003	0.009	ND	ND
CBG	0.003	0.008	0.261	5.22	Δ9-THCP	0.003	0.008	14.168	283.36
CBD	0.003	0.008	ND	ND	Δ8-THCP	0.003	0.009	ND	ND
THCV	0.003	0.008	ND	ND	Δ8-THCO	0.003	0.008	ND	ND
Δ8-THCV	0.003	0.009	ND	ND	Δ9-THCO	0.003	0.008	ND	ND
THCVa	0.003	0.008	ND	ND	9(S)-HHCP	0.003	0.009	ND	ND
CBN	0.003	0.008	0.050	1.00	9(R)-HHCP	0.003	0.009	ND	ND
Δ9-THC	0.003	0.008	ND	ND	11-Hydroxy-THC	0.003	0.009	ND	ND
Δ8-THC	0.003	0.008	21.912	438.24	1(S)-H4-CBD	0.003	0.009	ND	ND
(6aR,9S)-d10-THC	0.003	0.009	ND	ND	1(R)-H4-CBD	0.003	0.009	ND	ND
(6aR,9R)-d10-THC	0.003	0.009	ND	ND	Δ9-THCB	0.003	0.009	ND	ND
CBC	0.003	0.008	0.038	0.76	Δ8-THCB	0.003	0.009	ND	ND
CBCa	0.003	0.008	0.709	14.18	CBDp	0.003	0.009	ND	ND
THCa	0.003	0.008	ND	ND	<b>Total</b>			<b>42.261</b>	<b>845.22</b>

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 02/23/2026

Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDA), Potency via HPLC

<b>NT</b> Not Tested Document ID: Moisture Content	<b>NT</b> Not Tested Document ID: Water Activity	<b>Pass</b> Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3 Foreign Matter
---	---	--



*Lise Berthe-Laurent*  
Lise Berthe-Laurent  
Laboratory Director  
03/05/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



# NUGRUN Extracts 2g Hashholes

Sample ID: 2602AFL0233.0838

Internal Lab ID: ATL-34702

Client

Strain: Mango Crack

NUGRUN Hemp

Matrix: Plant

Received: 02/19/2026

Lic. # 2026-N-2229181

Type: Preroll

Completed: 03/05/2026

Lake Worth Beach, FL 33461

Unit Weight: 2 g

Batch#: NR2GHHMC21826

## Pesticides

Pass

Analyte	LOD PPB	LOQ PPB	Limit PPB	Result Status	Analyte	LOD PPB	LOQ PPB	Limit PPB	Result Status
Abamectin			100	ND Pass	Fludioxonil			100	ND Pass
Acephate			100	ND Pass	Hexythiazox			100	ND Pass
Acequinocyl			100	ND Pass	Imazalil			100	ND Pass
Acetamiprid			100	ND Pass	Imidacloprid			400	ND Pass
Aldicarb			100	ND Pass	Kresoxim Methyl			100	ND Pass
Azoxystrobin			100	ND Pass	Malathion			200	ND Pass
Bifenazate			100	ND Pass	Metalaxyl			100	ND Pass
Bifenthrin			100	ND Pass	Methiocarb			100	ND Pass
Boscalid			100	ND Pass	Methomyl			100	ND Pass
Captan			700	ND Pass	Mevinphos			100	ND Pass
Carbaryl			500	ND Pass	Myclobutanil			0	ND Pass
Carbofuran			100	ND Pass	Naled			250	ND Pass
Chlorantraniliprole			1000	ND Pass	Oxamyl			500	ND Pass
Chlordane			100	ND Pass	Paclobutrazol			100	5.966 Pass
Chlorfenapyr			100	ND Pass	Parathion Methyl			100	ND Pass
Chlormequat Chloride			1000	ND Pass	Pentachloronitrobenzene			150	ND Pass
Chlorpyrifos			100	ND Pass	Permethrin			100	ND Pass
Clofentezine			200	ND Pass	Phosmet			100	ND Pass
Coumaphos			100	ND Pass	Piperonyl Butoxide			3000	ND Pass
Cyfluthrin			500	ND Pass	Prallethrin			100	ND Pass
Cypermethrin			500	ND Pass	Propiconazole			100	ND Pass
Daminozide			100	ND Pass	Propoxur			100	ND Pass
Diazinon			100	ND Pass	Pyrethrins			500	ND Pass
Dichlorvos			100	ND Pass	Pyridaben			200	ND Pass
Dimethoate			100	ND Pass	Spinetoram			200	ND Pass
Dimethomorph			200	ND Pass	Spinosad			100	ND Pass
Ethoprophos			100	ND Pass	Spiromesifen			100	ND Pass
Etofenprox			100	ND Pass	Spirotetramat			100	ND Pass
Etoxazole			100	ND Pass	Spiroxamine			100	ND Pass
Fenhexamid			100	ND Pass	Tebuconazole			100	ND Pass
Fenoxycarb			100	ND Pass	Thiacloprid			100	ND Pass
Fenpyroximate			100	ND Pass	Thiamethoxam			500	ND Pass
Fipronil			100	ND Pass	Trifloxystrobin			100	ND Pass
Fonicamid			100	ND Pass					

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1  
Date Tested: 03/05/2026  
Pesticide via LC-MS/MS and GC-MS/MS



*Lise Berthe-Laurent*  
Lise Berthe-Laurent  
Laboratory Director  
03/05/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



## NUGRUN Extracts 2g Hashholes

Sample ID: 2602AFL0233.0838

Internal Lab ID: ATL-34702

Client

Strain: Mango Crack

NUGRUN Hemp

Matrix: Plant

Received: 02/19/2026

Lic. # 2026-N-2229181

Type: Preroll

Completed: 03/05/2026

Lake Worth Beach, FL 33461

Unit Weight: 2 g

Batch#: NR2GHHMC21826

### Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	400	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2  
Date Tested: 03/02/2026

### Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.35	4.04		ND	Tested
Aflatoxin B2	1.33	4.00		ND	Tested
Aflatoxin G1	1.35	4.04		ND	Tested
Aflatoxin G2	1.33	4.00		ND	Tested
Ochratoxin A	13.47	40.40	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1  
Date Tested: 03/05/2026

### Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3  
Date Tested: 03/02/2026



Lise Berthe-Laurent  
Laboratory Director  
03/05/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

## NUGRUN Extracts 2g Hashholes

Sample ID: 2602AFL0233.0838

Internal Lab ID: ATL-34702

Client

Strain: Mango Crack

NUGRUN Hemp

Matrix: Plant

Received: 02/19/2026

Lic. # 2026-N-2229181

Type: Preroll

Completed: 03/05/2026

Lake Worth Beach, FL 33461

Unit Weight: 2 g

Batch#: NR2GHHMC21826

### Residual Solvents

Pass

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status	Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
1,1-Dichloroethene		0.7	8	ND	Pass	n-Heptane		40	5000	ND	Pass
1,2-Dichloroethane		0.2	2	ND	Pass	Isobutane				ND	Tested
1,4-Dioxane				ND	Tested	Isopentane				ND	Tested
2,2-Dimethylbutane				ND	Tested	Isopropanol		40	500	<40.000	Pass
2,3-Dimethylbutane				ND	Tested	Isopropyl Acetate				ND	Tested
2-Butanol				ND	Tested	m-Xylene + p-Xylene				ND	Tested
2-Ethoxyethanol				ND	Tested	Methanol		20	250	26.742	Pass
2-Methylpentane				ND	Tested	Methylene Chloride		10	125	ND	Pass
3-Methylpentane				ND	Tested	n-Butane		71		ND	Tested
Acetone		59	750	<59.000	Pass	n-Hexane		5		<5.000	Tested
Acetonitrile		5	60	ND	Pass	n-Pentane		59		ND	Tested
Benzene		0.08	1	ND	Pass	Neopentane				ND	Tested
Chloroform		0.2	2	ND	Pass	o-Xylene				ND	Tested
Cumene				ND	Tested	Propane		165	5000	ND	Pass
Cyclohexane				ND	Tested	Tetrahydrofuran				ND	Tested
Ethanol		79	5000	<79.000	Pass	Toluene		12	150	ND	Pass
Ethyl Acetate		20	400	ND	Pass	Trichloroethene		2	25	ND	Pass
Ethylbenzene				ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether		40	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol				ND	Tested	Pentanes			750	ND	Pass
Ethylene Oxide		0.4	5	ND	Pass	Xylenes		12	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3  
Date Tested: 03/02/2026  
Residual Solvents via HS-GC-MS

### Heavy Metals

Pass

Analyte	LOD PPB	LOQ PPB	Limit PPB	Result PPB	Status
Arsenic	4.83	100	200	<LOQ	Pass
Cadmium	0.64	100	200	<LOQ	Pass
Lead	11.76	100	500	<LOQ	Pass
Mercury	0.58	100	200	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9  
Date Tested: 03/03/2026



*Lise Berthe-Laurent*  
Lise Berthe-Laurent  
Laboratory Director  
03/05/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.