

Filterwell
Outdoor Water Solutions

净益科技产品手册

Filterwell Technology Product brochure

2024

Shenzhen Filterwell Technology Co.ltd

ADD: 301 Block B ,Dingsheng Industrial park Longwan Market Road ,Longtian Community,Longtian Street.Pingshan District Shenzhen.

Mr wade lee

wechat Whatapp : 0086 13760415747

Email : sales01@filter-well.com

Web: www.Filter-well.com

CE NSF


SGS FDA EPA

深圳市净益科技有限公司

Shenzhen Filterwell Technology Co.ltd

目录

Catalog



公司简介

Company Profile

作为户外过滤器的制造商,净益开发了多种先进的户外净水产品来满足终端消费者的要求,净益总是让你的想法轻松实现。

以下是我们的热销产品:

- 净水吸管(Water Filter Straw)
- 手压/电动泵式过滤器(Hand / Electric Pump Filter)
- 房车过滤器(RV Water Filter)
- 户外清洗过滤器(Outdoor Cleaning And Filter)
- 花园喷雾系统过滤器(Garden Misting Systems)
- 净水杯/水袋(Water Filter Bladder & Bottle)
- 泳池过滤产品(Swimming Pool Water Filter)

我们深知,在户外环境下,饮用水安全健康非常重要.净益承诺原料符合食品和药物管理局法规和标准,同时产品符合CE EPA FDA ROSH标准。

所有产品均配有高性能过滤介质。先进的设计和严格的生产确保向客户提供优质的产品。

we are Manufacturer Of Personal Water Filter products In China;Filterwell Has Developed Several Advanced Product series To Meet End Consumer's Requirements Filterwell Always Make Your Ideas Come True Easily. Following Are Our Main Products :

- Water Filter Straw
- Hand / Electric Pump Filter
- RV Water Filter
- Outdoor Cleaning And Filter
- Garden Misting Systems
- Water Filter Bladder & Bottle
- Swimming Pool Water Filter

We Deeply Know That drinking water safty Healthy Is Very Important under outdoor situation.Filterwell Promise That Raw Materials Meet Food And Drug Administration Regulations And Standards,Meanwhile Products Meet CE EPA FDA ROSH Standards. All products equipped with highly performance filter media. Adanced design & strict production ensure good quality products to customer.



专利证书

Patent certificate



检测认证

Inspection and certification



权威机构认证



CE认证
Conformite Europeenne



环保认证
Restriction of Hazardous Substances



美国食品和药物管理局
Food and Drug Administration



通用公证行
Societe Generale de Surveillance S.A.



美国环境保护署
Environment Protection Agency



美国国家卫生基金会
National Sanitation Foundation

KDF 55

KDF55能够有效去除重金属Pb,Cu和Fe,去除率分别为90%,90%,95%。而且所配置重金属,Pb,Cu和Fe溶液浓度分别为98.38ppb,256ppb和231ppb,接近生活饮用水标准GB5749中所规定的限值,从而可见,KDF在重金属低浓度的条件下仍然可以较好的去除重金属。还可抑制细菌和藻类滋生。

KDF55 can effectively remove heavy metals Pb, Cu and Fe with removal rates of 90%, 90% and 95% respectively. In addition, the concentrations of the configured heavy metals, Pb, Cu and Fe solutions are 98.38ppb, 256ppb and 231ppb respectively, which are close to the limits specified in the standard of drinking water GB5749. It can be seen that KDF can still remove heavy metals well under the condition of low concentrations of heavy metals.It can also inhibit the growth of bacteria and algae.




原理及特点


Applicable water source

特点characteristic:

- 有效去除氯, 农药, 有机物, 锈味, 难闻的味道和气味。
Effectively remove chlorine, pesticide, organic matter, rust smell, unpleasant taste and smell.
- 有效杀死藻类和真菌, 控制细菌生长。
Effectively kill algae and fungi, and control bacterial growth.
- 有效去除水中可溶性重金属离子, 如Pb2+, Cd2+, Cr6+as3+, Hg2+, Mn2+, Ni2+ Al3+, Fe3+等。
Effectively remove soluble heavy metal ions in water, such as Pb2+, Cd2+, Cr6+as3+, Hg2+, Mn2+, Ni2+Al3+, Fe3+, etc.
- 有效去除硫化氢, 钙和其他有机化合物。
Effectively remove hydrogen sulfide, calcium and other organic compounds.



过滤原理
Filtering principle



KDF去除金属效果
KDF metal removal effect




原理及特点

Applicable water source

ACF对各种有机和无机气体以及水溶液中的有机物和贵金属离子等具有较大的吸附量和较快的吸附速度,净化效率高。尤其聚丙烯腈基活性碳纤维(PAN-ACF)中含有氮,对硫系化合物和氮系化合物具有特殊的吸附能力,这是任何其他原料基ACF无法与其比拟的。

ACF has large adsorption capacity and fast adsorption speed for various organic and inorganic gases, organic matters and precious metal ions in aqueous solution, and has high purification efficiency. In particular, polyacrylonitrile based activated carbon fiber (PAN-ACF) contains nitrogen and has special adsorption capacity for sulfur compounds and nitrogen compounds, which is incomparable to any other raw material based ACF.




活性炭纤维


Activated carbon fiber

纳米活性炭纤维对无机物、染料、有机物和重金属具有吸附能力。它的水溶液比粒状活性炭高5-6倍。例如,大肠杆菌的吸附率可以达到94-99%。它对低浓度ppm级污染物也具有较高的吸附能力。

Nano activated carbon fiber have adsorption capacity to inorganic matter, dye, organic matter and heavy metal. It aqueous solution is 5-6 times higher than that of granular activated carbon. For example, the adsorption rate of Escherichia coli can reach 94-99%. It also has high adsorption capacity for low concentration ppm level pollutants.



吸附功能对比表
Adsorption Function Comparison Table



拦截功能对比表
Interception Function Comparison Table

反渗透膜

Reverse osmosis membrane

RO RO是英语中反渗透的缩写，水流方向通常从低浓度到高浓度。水一旦加压，就会从高浓度流向低浓度，这就是所谓的反渗透原理。RO反渗透膜的孔径小到纳米(1纳米=10*-9米)。在一定压力下，水分子可以通过反渗透膜，而源水中含无机盐、重金属离子、有机物、胶体、细菌和病毒。杂质不能通过反渗透薄膜，因此严格区分渗透纯水和不渗透浓水。

RO is the abbreviation of Reverse Osmosis in English, Flow direction of water usually from low concentration to high concentration. Once the water is pressurized, it will flow from high concentration to low concentration, which is the so-called reverse osmosis principle . The pore size of RO reverse osmosis membrane is as small as nanometers (1 nanometer = 10*-9 meters). Under certain pressure, water molecules can pass through the RO membrane, while the source water contains inorganic salts, heavy metal ions, organic matter, colloids, bacteria, and viruses . Impurities cannot pass through the RO membrane, so that the permeable pure water and the impenetrable concentrated water are strictly distinguished.

超滤膜


ultrafiltration membrane

中空纤维超滤膜以其填料密度高、有效膜面积大、纯水通量高、操作简单、易于清洗等优点，在终端水净化领域得到广泛应用。其孔径仅允许水中的水分子、有益矿物质和微量元素通过，最小的细菌体积在0.02微米以上。因此，超滤膜可以截留细菌以及比细菌大得多的胶体、铁锈、悬浮固体、沉积物和大分子有机物，从而实现净化过程。


Hollow fiber ultrafiltration membranes are widely used in the field of terminal water purification due to its advantages such as high packing density, large effective membrane area, high pure water flux, simple operation and easy cleaning . There are about 6 billion 0.01 micron pores on the wall of each meter-long ultrafiltration membrane filament tube. Its pore size only allows water molecules, beneficial minerals and trace elements in the water to pass through, and the smallest bacteria have a volume above 0.02 microns . Therefore, bacteria, as well as colloids, rust, suspended solids, sediments, and macromolecular organics that are much larger than bacteria can be intercepted by the ultrafiltration membrane, thereby realizing the purification process.

原理及特点

Applicable water source



过滤原理
Filtering principle



剖析图
Anatomy

特点：(1)在高流速下具有高效脱盐率；(2)能耐受化学或生化作用的影响；(3)受pH值、温度等因素影响较小；(4)能在较低操作压力下发挥功能；


characteristic:(1)High desalting rate at high flow rate; (2)Resistance to chemical or biochemical effects; (3) It is less affected by pH value, temperature and other factors; (4)It can function under low operating pressure;

原理及特点

Applicable water source




水进入超滤膜后，在水压的作用下，净化水从超滤膜管壁渗出，水中的细菌、病毒、铁锈、胶体等杂质被截留，并保留对人体有益的矿物质和微量元素，人能从水里吸收有利健康的物质。

After the water enters the ultrafiltration membrane, under the action of water pressure, the purified water seeps out from the ultrafiltration membrane tube wall, and the impurities such as bacteria, viruses, rust, colloids in the water are intercepted, and minerals and trace elements beneficial to human body are retained, so that people can absorb substances beneficial to health from the water.



过滤原理
Filtering principle

— 超滤膜与渗透膜的区别 —



超滤膜出水快、出水量大，纯物理过滤，废水率低；
Ro反渗透膜出水慢，出水量低，废水率高，但过滤精度高。

The ultrafiltration membrane has the advantages of fast water outflow, large water outflow, pure physical filtration and low wastewater rate;
Ro reverse osmosis membrane has low water output, slow water outflow, high wastewater rate, but high

型号：JY-XG-01



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	170*35mm
Size	170*35mm
净重	70g
N. W	70g

(可乐瓶、矿泉水瓶通用)
(Coke bottles, mineral water bottles)

(1) 配置：UF超滤膜、活性炭纤维
Configure:UF Hollow Fiber Membrane, Activated Carbon Fiber

(2) 配置：KDF55、UF超滤膜、活性炭纤维
Configure:KDF55,UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity



产品全家福


Product family photo

①吸管主体 Filter Straw Mainbody	②挤压水袋 Squeeze Pouch	③过滤砂头 Ceramic Filter Head	④挂绳 Sling
⑤彩盒 Color Box	⑥PP磨砂塑料盒 PP Frosted Plastic Box	⑦飞机盒 Yellow Neutral Carton	⑧PP塑料盒 PP Plastic Case

侧流冲洗
Side flow flush



反冲洗
Backwash with water bottle or pouch



多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤	①+②+③+④+⑥	①+②+③+④+⑦	①+②+③+④+⑧	①+③+④+⑨	颜色 color
JY-XG-01							

适用场景

Applicable scenarios



直接接触

Drinking Directly From Fresh Water Source



连接延长管

Attaches To Silicone Extend Hose



连接挤压水袋

Attaches To Squeeze Pouch



重力&虹吸原理

Gravity siphon principle



龙头过滤

Tap filtration

型号：JY-XG-02-A



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	120*30mm
Size	120*30mm
净重	40g
N. W	40g

(1) 配置：UF超滤膜
Configure: UF Hollow Fiber Membrane

(2) 配置：UF超滤膜、活性炭纤维
Configure: UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

型号：JY-XG-02-B



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	120*30mm
Size	120*30mm
净重	50g
N. W	50g

滤材：UF超滤膜、活性炭纤维
Filter Material: UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

(可乐瓶、矿泉水瓶通用)
(Coke bottles, mineral water bottles)

产品全家福

Product family photo

①吸管主体 Filter Straw Mainbody	②过滤砂头 Ceramic Filter Head
③PP塑料盒 PP Plastic Case	④说明书 manual

选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④	颜色 color
JY-XG-02-A			
JY-XG-02-B			

产品全家福

Product family photo

①吸管主体 Filter Straw Mainbody	②过滤砂头 Ceramic Filter Head
③PP塑料盒 PP Plastic Case	

选配方式

Multiple options

主体 subject	配件 parts	①+②+③	颜色 color
JY-XG-02-B			
JY-XG-02-A			

型号： JY-XG-02-C



产品参数

Product parameters

滤芯寿命
Filter Life

4000升
4000L

净水流速
Water Flow Rate

0.3升 / 分钟
0.3L/Minute

适用水源
Applicable To Water

常见户外淡水水源
Common outdoor fresh water sources

尺寸
Size

120*30mm
120*30mm

净重
N. W

40g
40g

滤材：UF超滤膜、活性炭纤维

Filter Material: UF Hollow Fiber Membrane,
Activated Carbon Fiber

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity

(28MM螺牙-连接可乐瓶)
(28MM Screw Thread - Connecting Coke Bottle)

28mm螺牙-连接可乐瓶

28mm screw thread - connects
to Coke bottle



30mm水瓶转换器-连
接矿泉水瓶

30mm Water Bottle Converter -
Connecting Mineral Water Bottles



28mm螺牙-连
接挤压水袋

28mm screw thread -
Connecting Squeeze Water Bag



产品全家福

Product family photo



①吸管主体
Filter Straw Mainbody



②过滤砂头
Ceramic Filter Head



③挤压水袋(选配)
Squeeze Pouch (Optional)



④PP塑料盒
PP Plastic Case

选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④	颜色 color
JY-XG-02-C			 军绿色 Military green 白色 white

适用场景

Applicable scenarios



直接接触

Drinking Directly From
Fresh Water Source



连接延长管

Attaches To Silicone Extend Hose

型号： JY-XG-02-D



尺寸:13.5*3cm 尺寸:22*3cm

产品参数

滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	135*30mm / 220*30mm
Size	135*30mm / 220*30mm
净重	50g
N. W	50g

(28MM螺牙-连接可乐瓶)
(28MM Screw Thread - Connecting Coke Bottle)

(1) 配置：UF超滤膜
Configure:UF Hollow Fiber Membrane

(2) 配置：UF超滤膜、PP棉(选配)
Configure:UF Hollow Fiber Membrane, PP cotton(optional)

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

产品全家福

Product family photo



选配方式

Multiple options



超滤膜

UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。

Removes turbidity caused by particles consisting of suspended solids, colloids and proteins.

超滤膜

UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。

Removes turbidity caused by particles consisting of suspended solids, colloids and proteins.

PP棉(选配)

PP cotton(optional)

1um过滤精度它能有效去除液体中的悬浮物、颗粒、铁锈等。

1um filtration precision it can effectively remove suspended matter, particles, rust, etc. in the liquid.

PP棉内可选内置(选配):

PP cotton can be built-in (optional):

抑菌球

UF Hollow Fiber Membrane

能有效去水中的细菌、颗粒、抑制细菌生成。
It effectively removes bacteria and particles from water and inhibits the generation of bacteria.

KDF 55

去除水中的有机物、颗粒、铁锈、余氯和异味。
Removes organic matter, particles, rust, residual chlorine and odors from water.

28mm螺牙口

28mm screw thread port



矿泉水瓶

water bottle

挤压水袋

Squeeze water bag

加厚O形密封圈

Thickened O-ring seal

防止连接处漏水,使密封效果更好

Prevents leakage at the joints for a better sealing effect

O形密封圈

O-Ring Seal



型号： JY-XG-03



480ML

重： 50G

1.5L

重： 60G

产品参数

Product parameters

滤芯寿命	1000升
Filter Life	1000L
净水流速	0.3升 / 分钟 (挤压)
Water Flow Rate	0.3L/Minute (squeeze)
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	265*120mm / 230*247mm
Size	265*120mm / 230*247mm
净重	50g/60g
N. W	50g/60g

滤材：超滤膜、KDF 55

Filter Material: UF Hollow Fiber Membrane, KDF 55

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity

型号： JY-XG-04A (长款)



产品参数

Product parameters

滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	190*30mm
Size	190*30mm
净重	55g
N. W	55g

滤材：UF超滤膜、活性碳纤维

Filter Material: UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity


产品全家福

Product family photo

	
①480ML水袋 480ML water bag	②1.5L水袋 1.5L water bag
	
③过滤主体 Filter body	

选配方式

Multiple options

主体 subject	配件 parts	① + ③	颜色 color
JY-XG-03	 	 	480ML水袋 480ML water bag 1.5L水袋 1.5L water bag



产品全家福

Product family photo

			
①吸管主体 Filter Straw Mainbody	②挤压水袋(选配) Squeeze Pouch (Optional)	③过滤砂头(选配) Ceramic Filter Head (Optional)	④水瓶转换器(选配) Plastic converter(Optional)
			
⑤挂绳/挂扣 Sling/Buckle	⑥飞机盒(选配) Yellow Neutral Carton(Optional)	⑦塑料袋 plastic bag	

多重选配方式

Multiple options

主体 subject	配件 parts	① + ⑤ + ⑦	① + ② + ③ + ④ + ⑤ + ⑥	颜色 color
JY-XG-04A (长款)	  	   	 	军绿色 Military green 天蓝色 azure

型号： JY-XG-04A(短款)



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	140*30mm
Size	140*30mm
净重	70g
N. W	70g

滤材：UF超滤膜
Filter Material: UF Hollow Fiber Membrane

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity



超滤膜

UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。

Removes turbidity caused by particles consisting of suspended solids, colloids and proteins.

产品全家福

Product family photo

①吸管主体 Filter Straw Mainbody	②挤压水袋(选配) Squeeze Pouch (Optional)	③过滤砂头(选配) Ceramic Filter Head (Optional)	④水瓶转换器(选配) Plastic converter(Optional)
⑤挂绳/挂扣 Sling/Buckle	⑥飞机盒(选配) Yellow Neutral Carton(Optional)	⑦塑料袋 plastic bag	

多重选配方式

Multiple options

主体 subject	配件 parts	①+⑤+⑦	①+②+③+④+⑤+⑦	颜色 color
JY-XG-04A (长款)				 军绿色 Military green

28mm螺牙口

28mm screw thread port

28mm



可乐瓶
Coke bottle



挤压水袋
Squeeze water bag

30mm水瓶转换器

30mm water bottle converter



30mm



矿泉水瓶
Mineral water bottle



型号：JY-XG-04B(长款)



产品参数

Product parameters

滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	165*30mm
Size	165*30mm
净重	40g
N. W	40g

滤材：UF超滤膜、活性炭纤维

Filter Material: UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity

型号：JY-XG-04B(短款)



产品参数

Product parameters

滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	120*30mm
Size	120*30mm
净重	45g
N. W	45g

滤材：UF超滤膜、活性炭纤维

Filter Material: UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity


产品全家福

Product family photo

	
①吸管主体 Filter Straw Mainbody	②过滤砂头 Ceramic Filter Head
	
③吸嘴*4 sucker mouth*4	④水瓶转换器 Plastic converter
	
⑤塑料袋 plastic bag	


选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤	颜色 color
JY-XG-04			 天蓝色 azure 军绿色 Military green




产品全家福

Product family photo

			
①吸管主体 Filter Straw Mainbody	②吸嘴*2 sucker mouth*2	③过滤砂头 Ceramic Filter Head	④水瓶转换器 Plastic converter
			
⑥挤压水袋(选配) Squeeze Pouch (Optional)	⑥冲洗注射器(选配) Rinse syringe(Optional)	⑦飞机盒(选配) Yellow Neutral Carton(Optional)	⑧塑料袋 plastic bag

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑧	①+②+③+④+⑤+⑥+⑦	颜色 color
JY-XG-04A (短款)				 军绿色 Military green

型号： JY-XG-05



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟 - 0.5升 / 分钟
Water Flow Rate	0.3L/Minute - 0.5L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	140*30mm
Size	140*30mm
净重	50g
N. W	50g

(1) 配置：UF超滤膜、活性炭纤维
Configure:UF Hollow Fiber Membrane, Activated Carbon Fiber

(2) 配置：KDF55、UF超滤膜、活性炭纤维
Configure:KDF55,UF Hollow Fiber Membrane, Activated Carbon Fiber

(2) 配置：抑菌球、UF超滤膜、活性炭纤维
Configure:antibacterial ball,UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium


浊度去除率：>99%
Removing 99% Of Turbidity



①活性炭纤维
①Activated Carbon Fiber

②超滤膜
②UF Hollow Fiber Membrane

③抑菌球
③antibacterial ball



①活性炭纤维
①Activated Carbon Fiber


②超滤膜
②UF Hollow Fiber Membrane

③KDF 55
③KDF 55



①活性炭纤维
①Activated Carbon Fiber

②超滤膜
②UF Hollow Fiber Membrane



①活性炭纤维
①Activated Carbon Fiber

②超滤膜
②UF Hollow Fiber Membrane

产品全家福

Product family photo

①吸管主体 Filter Straw Mainbody	②过滤砂头 Ceramic Filter Head
③挂扣 Buckle	④水瓶转换器 Plastic converter
⑤防尘帽 dust cap	⑥塑料袋 plastic bag

选配方式

Multiple options

配件 parts	①+②+③ +④+⑤+⑥	颜色 color
主体 subject		
JY-XG-05		深蓝色 navy blue 天蓝色 azure blue 橙色 orange 黑色 black

28mm螺牙-连接可乐瓶
28mm screw thread - connects to Coke bottle



30mm水瓶转换器-连接矿泉水瓶
30mm Water Bottle Converter - Connecting Mineral Water Bottles



型号： JY-XG-06



产品参数

滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟 - 0.5升 / 分钟
Water Flow Rate	0.3L/Minute - 0.5L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	135*35mm
Size	120*35mm
净重	60g
N. W	60g

(28MM螺牙-连接水瓶)
(28MM screw threads - to connect water bottles)

(1) 配置：UF超滤膜
Configure:UF Hollow Fiber Membrane

(2) 配置：PP棉、KDF 55、除氯球
Configure:PP cotton,KFD 55,dechlo-
rinator ball

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity



超滤膜

UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的
颗粒造成的浑浊。

Removes turbidity caused by particles consisting
of suspended solids, colloids and proteins.

PP棉

PP cotton



孔径大小均匀,耐酸碱抗的优良特性可以有效地
去除悬浮物、颗粒、铁锈等。超强纳污能力,
流量大,寿命长。

The uniform pore size and excellent resistance to
acid and alkali caneffectivelyremove suspended
solids, particles, rust, etc. Superstrong pollution
capacity, large flow rate, and long service life.

外置·KDF 55 (选配)

External - KDF 55 (optional)



可抑制有害物质的繁殖,延长使用寿命。减少余氯、
重金属、亚铁、软化水,降低硬度

It can inhibit the reproduction of harmful substances
and prolongthe service life, Reduce residual
chlorine, heavy metals, canreduce water hardness.

外置·除氯球(选配)

External -dechlorinator ball (optional)



去除化学余氯、游离余氯、次氯酸、次氯酸离子等。

Remove chemical residual chlorine, free
residuachlorine, hypochlorite, hypochlorite ion, etc.

产品全家福

Product family photo

①吸管主体 Filter Straw Mainbody	②外置前置PP棉 External front PP cotton	③1.5L水袋*2 1.5L water bag*2	④转换头 adapter	⑤防尘盖*2 Dust Cover*2
⑥垫圈*2 Washers*2	⑦60cm软管 60cm hose	⑧30ML注射器 30ML syringe	⑨水桶球阀 Bucket Ball Valve	

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦+⑧+⑨	颜色 color
JY-XG-04A (长款)			黑色 black

28mm螺牙口

28mm screw thread port



矿泉水瓶
water bottle



挤压水袋
Squeeze water bag

O形密封圈

O-Ring Seal



手压/电动泵式系列产品

HAND / ELECTRIC PUMP FILTER


注意：适用于山泉水、江河湖水、地下水、雨水、地表水、自来水等无化学污染的淡水源。

Note: It is suitable for freshwater sources without chemical pollution such as mountain spring water, rivers and lakes, groundwater, rainwater, surface water and tap water.



储备物资

material reserve



自然灾害

natural disaster



户外徒步

outdoor walking



户外骑行

Outdoor Riding



探险爬山

Adventure Climbing



野外露营

wild camping

• JY-SYUF-01

• JY-SYUF-03

• JY-SYRO-01

• JY-EUF-01

• JY-SYUF-02

• JY-SYCTO-01

• JY-SYRO-02

• JY-EUF-02

型号：JY-SYUF-01



产品参数

滤芯寿命	8000升
Filter Life	8000L
净水流速	0.7-1升 / 分钟
Water Flow Rate	0.7-1L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	300*90*50mm
Size	300*90*50mm
净重	350g
N.W	350g

滤材：KDF 55、UF超滤膜、活性炭纤维
Filter Material:KDF 55,UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity



超滤膜

UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。
Removes turbidity caused by particles consisting of suspended solids, colloids and proteins.

活性炭纤维

Activated Carbon Fiber

它可以吸附水溶液中的无机化合物、苯甲酸和其他有机化合物，有效地去除异味颜色和改善味道。
It adsorbs inorganic compounds and benzoic acid in aqueous solutions, effectively removing odor color and improving taste.

KDF 55

可抑制有害物质的繁殖，延长使用寿命。
减少余氯、重金属、亚铁、软化水，降低硬度
It can inhibit the reproduction of harmful substances and prolong the service life. Reduce residual chlorine, heavy metals, can reduce water hardness.

产品全家福

Product family photo

①过滤主体 Filter body	②挤压水袋 Squeeze Pouch	③过滤砂头 Ceramic Filter Head	④浓水管 thick water pipe
⑤纯水管 Pure water pipe	⑥尼龙携行袋 Nylon carrying bag	⑦彩盒 Color box	

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦	颜色 color
JY-SYUF-01 (塑胶阀门)			

过滤方法

Filter method



步骤1：
Step1
将手柄转出
Turn the handle out



步骤2：
Step2
不断上下按压
Constant up and down pressure



型号：JY-SYUF-03



产品参数

Product parameters

滤芯寿命	4000升
Filter Life	4000L
净水流速	0.5-0.7升 / 分钟
Water Flow Rate	0.5-0.7/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	160*80mm
Size	160*80mm
净重	200g
N. W	200g

滤材：UF超滤膜、活性炭纤维

Filter Material:UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity





产品全家福

Product family photo

				
①过滤主体	②挤压水袋	③过滤砂头	④前置过滤(选配)	⑤水瓶转换器
Filter body	Squeeze Pouch	Ceramic Filter Head	Pre filter(Optional)	Multifunton Cap
				
⑥纯水管	⑦尼龙携行袋(选配)	⑧EVA携行盒(选配)	⑨彩盒	
Pure water pipe	Nylon carrying bag(Optional)	EVA Carrying Case(Optional)	Color box	

多重选配方式

Multiple options

配件	①+②+③+⑤	①+②+③+⑤	①+②+④+⑤	①+②+④+⑤	颜色
主体	+⑥+⑦+⑨	+⑥+⑧+⑨	+⑥+⑦+⑨	+⑥+⑧+⑨	color
subject					
JY-SYUF-03					
					军绿色
					Military green

向上抽出手柄

Pull out the handle upward




抽出至手柄可轻松抬起

Pulls out to handle for easy lifting



不断上下按压手柄

Press the handle up and down constantly



取得可饮水

Access to drinking water



28mm螺牙口

28mm screw thread port



可乐瓶

Coke bottle



挤压水袋

Squeeze water bag



延长管

extension tube





可拆卸

removable

型号：JY-SYCTO-01



产品参数	
Product parameters	
滤芯寿命	8000升
Filter Life	8000L
净水流速	0.7-1升 / 分钟
Water Flow Rate	0.7-1L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	300*90*50mm
Size	300*90*50mm
净重	350g
N. W	350g

滤材：UF超滤膜、碳棒
Filter Material:UF Hollow Fiber Membrane, Carbon rod

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

型号：JY-SYUF-02



产品参数	
Product parameters	
滤芯寿命	8000升
Filter Life	8000L
净水流速	0.8-1升 / 分钟
Water Flow Rate	0.8-1/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
容量	3-5L
Capacity	3-5L
净重	560g
N. W	350g

滤材：UF超滤膜
Filter Material:UF Hollow Fiber Membrane

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

产品全家福

Product family photo

①过滤主体 Filter body	②挤压水袋 Squeeze Pouch	③过滤砂头 Ceramic Filter Head	④浓水管 thick water pipe
⑤纯水管 Pure water pipe	⑥尼龙携行袋 Nylon carrying bag	⑦彩盒 Color box	

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦	颜色 color
JY-SYCTO-01			 军绿色 Military green 灰色 grey 蓝色 blue

产品全家福

Product family photo

①过滤桶 filter bucket	②过滤主体 Filter body
③尼龙布袋 nylon bag	④水嘴转换盖+延长管 Spout Conversion Cap + Extension Tube

选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④	颜色 color
JY-SYUF-02			 蓝色 Blue 灰色 Grey

型号： JY-SYRO-01



产品参数

Product parameters

滤芯寿命 Filter Life	8000升 8000L
净水流速 Water Flow Rate	0.2-0.3升 / 分钟 0.2-0.3L/Minute
适用水源 Applicable To Water	常见户外淡水水源 Common outdoor fresh water sources
尺寸 Size	300*90*50mm 300*90*50mm
净重 N. W	430g 430g

滤材：UF超滤膜、RO反渗透膜
Filter Material:UF Hollow Fiber Membrane, RO Membrane

除菌率：>99.9999%
Removing 99.9999% Of Bacteria
隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity



RO反渗透膜

RO Membrane

RO反渗透膜一定的压力下可以去除水中的无机盐、重金属离子、有机物、胶体、细菌、病毒等。

RO reverse osmosis membrane under a certain pressure can remove inorganic salts, heavy metal ions, organic matter, colloids, bacteria, viruses, etc. in water.

超滤膜

UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。

Removes turbidity caused by particles consisting of suspended solids, colloids and proteins.



产品全家福

Product family photo

			
①过滤主体 Filter body	②挤压水袋 Squeeze Pouch	③过滤砂头 Ceramic Filter Head	④浓水管 thick water pipe
			
⑤纯水管 Pure water pipe	⑥尼龙携行袋 Nylon carrying bag	⑦彩盒 Color box	


多重选配方式

Multiple options

配件 parts	①+②+③+④+⑤+⑥+⑦				颜色 color
主体 subject					
JY-SYRO-01					 军绿色 Military green
					 灰色 grey
					 蓝色 blue

TDS去除率：≥95%

TDS Remove : ≥95%



型号：JY-SYRO-02



产品参数	
Product parameters	
滤芯寿命	8000升
Filter Life	8000L
净水流速	0.3-0.5升 / 分钟
Water Flow Rate	0.3-0.5/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	350*80mm
Size	350*80mm
净重	1300g
N. W	1300g

滤材：碳棒、RO反渗透膜
Filter Material:carbon rod, RO Membrane

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

TDS≥95%



碳棒

Carbon Block Filter

它有效去除液体中对人体有害的物质和颗粒、铁锈、余氯和异味

It effectively removes harmful substances and particles, rust, residual chlorine and odor from liquids

RO反渗透膜

RO Membrane

RO反渗透膜一定的压力下可以去除水中的无机盐、重金属离子、有机物、胶体、细菌、病毒等。

RO reverse osmosis membrane under a certain pressure can remove inorganic salts, heavy metal ions, organic matter, colloids, bacteria, viruses, etc. in water.

产品全家福

Product family photo


①过滤主体 Filter body	②挤压水袋 Squeeze Pouch	③过滤砂头 Ceramic Filter Head	④浓水管 thick water pipe
⑤纯水管 Pure water pipe	⑥水瓶转换器 Multifuntion Cap	⑦尼龙携行包 Nylon carrying bag	

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦	颜色 color
JY-SYUF-02			 不锈钢 stainless steel

进水口连接过滤砂头
Inlet connection filter sand head



连接纯水管和浓水管
Connecting the pure water pipe and the concentrated water pipe



砂头放入需要过滤水中
Sand head into the water to be filtered



握住手柄不断按压
Hold the handle and keep pressing



型号： JY-EUF-01(电动款)



产品参数

Product parameters

滤芯寿命	4000升	电池容量	2600毫安
Filter Life	4000L	Battery capacity	2600MA
净水流速	0.5-0.7升 / 分钟	使用时间	5-7h
Water Flow Rate	0.5-0.7L/Minute	Available hours	5-7h
适用水源	常见户外淡水水源	输入	5V/1.2A
Applicable To Water	Common outdoor fresh water sources	Input	5V/1.2A
尺寸	130*110*45mm	输出	5V/1.0A
Size	130*110*45mm	Output power	5V/1.0A
净重	450g		
N. W	450g		

滤材：KDF 55、UF超滤膜、
活性炭纤维

Filter Material：KDF 55, UF
Hollow Fiber Membrane,
Activated Carbon Fiber

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%



超滤膜

UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。
Removes turbidity caused by particles consisting of suspended
solids, colloids and proteins.

活性炭纤维

Activated Carbon Fiber

它可以吸附水溶液中的无机化合物、苯甲酸和其他
有机化合物，有效地去除异味颜色和改善味道。
It adsorbs inorganic compounds and benzoic acid in aqueous
solutions, effectively removing odor color and improving taste.

KDF 55

可抑制有害物质的繁殖，延长使用寿命。
减少余氯、重金属、亚铁、软化水，降低硬度
It can inhibit the reproduction of harmful substances and prolong
the service life. Reduce residual chlorine, heavy metals, can
reduce water hardness.

产品全家福

Product family photo

①过滤主体 Filter body	②挤压水袋 Squeeze Pouch	③前置过滤 Pre filter	④纯水管 Pure water pipe
⑤水瓶转换器 Multifunctor Cap	⑥type-c充电线 Type-C USB charge cable	⑦EVA携行盒 EVA Carrying Case	⑧彩盒 Color box

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦+⑧	颜色 color
JY-EUF-01 (电动款)			军绿色 Military green

28mm螺牙口

28mm screw thread port



28mm



可乐瓶

Coke bottle



挤压水袋

Squeeze water bag



矿泉水瓶

Mineral water bottle

USB端口
USB out

Type-C端口
Type-C in

LED指示灯
LED indicator light

开关按钮
ON/OFF button



可拆卸
removable

型号： JY-EUF-02(太阳能款)



5200MA / 2600MA


产品全家福

Product family photo

			
①过滤主体 Filter body	②挤压水袋 Squeeze Pouch	③前置过滤 Pre filter	④纯水管、水瓶转换器 Outlet Hose, Multifunton Cap
			
⑤type-c充电线 Type-C USB charge cable	⑥飞机盒 Yellow Neutral Carton	⑦EVA携行盒 EVA Carrying Case	

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦	颜色 color
JY-EUF-01 (太阳能款)			 军绿色 Military green

产品参数

Product parameters

滤芯寿命 Filter Life	5000升 5000L	电池容量 Battery capacity	2600/5200毫安 2600/5200MA
净水流速 Water Flow Rate	0.5-0.7升 / 分钟 0.5-0.7L/Minute	使用时间 Available hours	5-7h / 10-12h 5-7h/10-12h
适用水源 Applicable To Water	常见户外淡水水源 Common outdoor fresh water sources	输入 Input	5V/1.2A 5V/1.2A
尺寸 Size	130*110*45mm 130*110*45mm	输出 Output power	5V/1.0A 5V/1.0A
净重 N.W	400g 400g	太阳能功率 Solar Penal Power	5V 220MA 5V 220MA

滤材：KDF 55、UF超滤膜、
活性炭纤维

Filter Material: KDF 55, UF
Hollow Fiber Membrane,
Activated Carbon Fiber

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity

超滤膜

UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。
Removes turbidity caused by particles consisting of suspended
solids, colloids and proteins.

活性炭纤维

Activated Carbon Fiber

它可以吸附水溶液中的无机化合物、苯甲酸和其他
有机化合物，有效地去除异味颜色和改善味道。

It adsorbs inorganic compounds and benzoic acid in aqueous
solutions, effectively removing odor color and improving taste.

KDF 55

可抑制有害物质的繁殖，延长使用寿命。

减少余氯、重金属、亚铁、软化水，降低硬度


It can inhibit the reproduction of harmful substances and prolong
the service life. Reduce residual chlorine, heavy metals, can
reduce water hardness.

(注意:更换内置时需要与连接盖子一起整体更换)

(Note: When replacing the built-in, it is necessary to replace
the whole unit together with the connecting cover)

从底部向上呈90°打开、高度可随意调整，
最大限度为180°。

Open 90° from the bottom upwards, height
Adjustable up to 180°.



可太阳能充电, 拥有大容量电池

Solar rechargeable with high capacity battery



5200MA



2600MA





过滤水杯/水袋产品

WATER FILTER BLADDER & BOTTLE

注意：适用于山泉水、江河湖水、地下水、雨水、地表水、自来水等无化学污染的淡水源。

Note: It is suitable for freshwater sources without chemical pollution such as mountain spring water, rivers and lakes, groundwater, rainwater, surface water and tap water.

• JY-XG-02

• JY-XG-04

• JY-RV-05

型号： JY-XG-02(水杯过滤)



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	230*70mm
Size	230*70mm
净重	155g
N. W	155g
容量	500/650/750ML
capacity	500/650/750ML

滤材：超滤膜
Filter Material:UF Hollow Fiber Membrane

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

型号： JY-XG-04(水杯过滤)



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	265*75mm
Size	265*75mm
净重	230g
N. W	230g
容量	750ML
capacity	750ML

滤材：超滤膜、活性炭纤维
Filter Material:UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

产品全家福

Product family photo



①水瓶
water bottle

②过滤主体
Filter body

选配方式

Multiple options

配件 parts	①+②	颜色 colour
主体 subject		
JY-RV-02 (水瓶过滤)		蓝色 Blue

产品全家福

Product family photo



①水瓶
water bottle

②不锈钢水瓶
Stainless steel water bottle

③过滤主体
Filter body

选配方式

Multiple options

配件 parts	①+②	颜色 colour
主体 subject		
JY-RV-04 (水瓶过滤)		绿色 green
JY-RV-04 (不锈钢水瓶 过滤)		蓝色 Blue
		黑色 black

型号：JY-XG-02(挤压水袋)

型号：JY-XG-02/04 2L/3L PEVA/TPU水袋过滤



产品参数 Product parameters	
滤芯寿命 Filter Life	4000升 4000L
净水流速 Water Flow Rate	0.3升 / 分钟 0.3L/Minute
适用水源 Applicable To Water	常见户外淡水水源 Common outdoor fresh water sources
尺寸 Size	250*85mm 250*85mm
净重 N. W	75g 75g
容量 capacity	500ML/700ML/1L/2L 500ML/700ML/1L/2L

滤材：超滤膜
Filter Material:UF Hollow Fiber Membrane

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity



产品参数 Product parameters	
滤芯寿命 Filter Life	4000升 4000L
净水流速 Water Flow Rate	0.3升 / 分钟 0.3L/Minute
适用水源 Applicable To Water	常见户外淡水水源 Common outdoor fresh water sources
尺寸 Size	400*175mm 400*175mm
净重 N. W	175g 175g
容量 capacity	2L/3L 2L/3L

滤材：超滤膜、活性炭纤维
Filter Material:UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

产品全家福

Product family photo



产品颜色

Product Color



产品全家福

Product family photo



多重选配方式

Multiple options

主体 subject	配件 parts	①+②	规格 standard
JY-XG-02 (挤压水袋)			

多重选配方式

Multiple options

主体 subject	配件 parts	①+③+⑤ / ①+④+⑤	②+③+⑤ / ②+④+⑤	颜色 color
JY-XG-02				蓝色透明 Blue Transparent
JY-XG-04				蓝色 blue

型号：JY-XG-02 5L复合水袋



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	445*175mm
Size	450*225mm
净重	200g
N. W	200g
容量	5L
capacity	5L

滤材：UF超滤膜
Filter Material:UF Hollow
Fiber Membrane

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity

型号：JY-XG-04(重力水袋)



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	340*170mm
Size	340*170mm
净重	230g
N. W	230g
容量	2L
capacity	2L

滤材：超滤膜、活性炭纤维
Filter Material:UF Hollow Fiber Membrane,
Activated Carbon Fiber

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity


产品全家福

Product family photo

	
①水袋 Water bag	②过滤主体 Filter body
	
③出水管 Outlet pipe	④连接器 Connector
	
⑤挂绳 lanyard	

选配方式

Multiple options

配件 parts	①+②+③ +④+⑤	颜色 color
主体 subject		 白色透明 white transparent
JY-SYUF-02		

产品全家福


Product family photo


①过滤主体 filter bucket

②软管接头 hose connector

选配方式

Multiple options

配件 parts	①+②	颜色 colour
主体 subject		 白色 white
JY-RV-04 (重力水袋)		

型号： JY-XG-04(6L TPU水袋)/JY-RV-05(6L 重力水袋过滤)



产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	0.3升 / 分钟
Water Flow Rate	0.3L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	450*225mm
Size	450*225mm
净重	280g/300g
N. W	280g/300g
容量	6L
capacity	6L

滤材：超滤膜、活性炭纤维
Filter Material:UF Hollow Fiber Membrane, Activated Carbon Fiber

除菌率：>99.9999%
Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%
Removing 99.99% Of Cryptosporidium

浊度去除率：>99%
Removing 99% Of Turbidity



超滤膜

UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。
Removes turbidity caused by particles consisting of suspended solids, colloids and proteins.

活性炭纤维

Activated Carbon Fiber

它可以吸附水溶液中的无机化合物、苯甲酸和其他有机化合物，有效地去除异味颜色和改善味道。
It adsorbs inorganic compounds and benzoic acid in aqueous solutions, effectively removing odor color and improving taste.

产品全家福

Product family photo

①水袋 Water bag	②过滤吸管 Filter straw	③过滤主体 Filter body	④挂绳 lanyard	⑤软管 Hose	⑥塑料转换器 Plastic converter
⑦快接接口 quick connector	⑧接头 terminal	⑨止水夹 Waterstop clamp	⑩吸嘴 sucker mouth	⑪尼龙携行袋 Nylon carrying bag	

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+④+⑤+⑥+⑨+⑩+⑪	①+③+④+⑤+⑦+⑧+⑨+⑩+⑪	颜色 color
JY-XG-04 (6L TPU水袋)				
JY-RV-05 (重力水袋过滤)				





房车过滤器产品

RV WATER FILTER

注意：适用于常见户外淡水水源以及市政水源。

Note: Suitable for common outdoor fresh water sources as well as municipal water sources.

- JY-RV-01

- JY-RV-03

- JY-RV-05

- JY-RV-02

- JY-RV-04

- JY-RV-06

型号： JY-RV-01



A

B



产品全家福

Product family photo



①过滤主体
Filter body

②软管
Hose

产品参数

Product parameters

滤芯寿命

3-6个月

Filter Life

3-6 months

净水流速

5-8升 / 分钟

Water Flow Rate

5-8L/Minute

适用水源

常见户外淡水水源

Applicable To Water

Common outdoor fresh water sources

尺寸

280*60mm

Size

280*60mm

净重

350g

N. W

350g

滤材：颗粒活性炭、KDF55、除氯球
Filter Material: granular activated carbon, KDF55, dechlorinator ball

选配方式

Multiple options

配件 parts	① + ②		颜色 colour	
主体 subject				
JY-RV-01				
			蓝色 Blue 深蓝色 navy blue 白色 white	



PP棉

PP cotton

隔离沙子、铁锈和大部分杂质。
Isolates sand, rust and most impurities.

KDF 55

可抑制有害物质的繁殖, 延长使用寿命。
减少余氯、重金属、亚铁、软化水, 降低硬度
It can inhibit the reproduction of harmful substances and prolong the service life. Reduce residual chlorine, heavy metals, can reduce water hardness.

除氯球(选配)

dechlorinator ball (optional)

去除化学余氯、游离余氯、次氯酸、次氯酸离子等。
Remove chemical residual chlorine, free residual chlorine, hypochlorite, hypochlorite ion, etc.


活性炭颗粒

Activated carbon particles

它对水中的无机物、染料、有机物和重金属具有吸附能力
It has the ability to adsorb inorganic substances, dyes, organic substances and heavy metals in water

6分美式3/4" GHT龙头接口

6 points American 3/4 "GHT tap interface



6分软管保护接头 (适配)

花园水管适配

6 branch hose protection connector (adaptation)
garden water pipe adaptation



型号： JY-RV-02



产品参数	
Product parameters	
滤芯寿命	6-9个月
Filter Life	6-9 months
净水流速	5-8升 / 分钟
Water Flow Rate	5-8L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	320*95mm
Size	320*95mm
净重	950g
N. W	950g

(1) 配置：PP棉、除氯球、KDF55
Configure:PP cotton, Dechlorination ball,KDF55

(1) 配置：硅磷晶球
Configure:Replacement siliphos ball



PP棉
PP cotton
隔离沙子、铁锈和大部分杂质。
Isolates sand, rust and most impurities.

KDF 55
可抑制有害物质的繁殖，延长使用寿命。
减少余氯、重金属、亚铁、软化水，降低硬度
It can inhibit the reproduction of harmful substances and prolong the service life. Reduce residual chlorine, heavy metals, can reduce water hardness.

活性炭颗粒
Activated carbon particles
它对水中的无机物、染料、有机物和重金属具有吸附能力
It has the ability to adsorb inorganic substances, dyes, organic substances and heavy metals in water


产品全家福
Product family photo



选配方式
Multiple options

配件 parts	① + ②	颜色 colour
主体 subject		
JY-RV-02)		白色 white 蓝色 Blue

6分美式3/4”GHT龙头接口
6 points American 3/4 "GHT tap interface



6分软管保护接头 (适配)
花园水管适配
6 branch hose protection connector (adaptation)
garden water pipe adaptation



型号：JY-RV-03



产品参数

Product parameters

滤芯寿命	6-9个月
Filter Life	6-9 months
净水流速	5-8升 / 分钟
Water Flow Rate	5-8L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	325*115mm
Size	325*115mm
净重	1.5kg
N. W	1.5kg

- (1) 配置：折叠棉、CTO
Configure:cotton folding, CTO
- (2) 配置：PP棉、KDF 55、活性炭颗粒
Configure:PP cotton,KDF 55,granular activated carbon
- (3) 配置：PP棉、CTO
Configure:PP cotton, CTO
- (4) 配置：CTO
Configure: CTO
- (5) 配置：钢网、超滤膜
Configure:stencil, UF Hollow Fiber Membrane

折叠棉、碳棒

cotton folding, CTO



PP棉、KDF 55、活性炭颗粒

PP cotton,KDF 55,granular activated carbon



PP棉、碳棒

PP cotton, CTO



碳棒

CTO



钢网、超滤膜

stencil, UF Hollow Fiber Membrane




产品全家福

Product family photo



产品颜色

Product Color



多重选配方式

Multiple options

主体	配件	①+②+③+④		颜色	
subject	parts			color	
JY-XG-03					
				透明瓶	灰瓶
				transparent bottle	ashcan

6分美式3/4”GHT龙头接口

6 points American 3/4 "GHT tap interface



6 points American 3/4 "GHT tap interface

6分软管保护接头 (适配)

花园水管适配


6 branch hose protection connector (adaptation)
garden water pipe adaptation

进水口

inlet

出水口

outlet




型号: ① JY-RV-04 16000 grain ② JY-RV-04 16000 with pre filter



Product parameters	
滤芯寿命 Filter Life	650-16000加仑 650-16000Gallon
净水流速 Water Flow Rate	8-12升 / 分钟 8-12L/Minute
适用水源 Applicable To Water	常见户外淡水水源 Common outdoor fresh water sources
尺寸 Size	500*250mm 500*250mm
净重 N. W	14kg 14kg

滤材: 软化树脂
Filter Material:Softening Resin




软化树脂 SOFTENING RESIN

它能消除形成水垢等的钙镁离子。可以净化水源降低水的硬度。去除有害物质, 延长设备使用寿命

It eliminates calcium and magnesium ions that form limescale and so on. It can purify the water source to reduce the hardness of water. Removes harmful substances and extends the service life of equipment

产品全家福

Product family photo


					
①罐体 canister	②前置过滤(选配) pre-filter(optional)	③软管 Hose	④90°接头 90°connector	⑤接口 connector	⑥提手 Handle
					
⑦接头 connector	⑧O型密封圈 O-rings	⑨阀门(选配) Shut Off Valve (optional)	⑩Y型分流器(选配) Y Splitter (optional)	⑪PTFE 密封带和纤维布(选配) PTFE SealTape And Fiber Cloth (optional)	⑫布套(选配) Neoprene Cover (optional)

多重选配方式

Multiple options

主体 subject	配件 parts			颜色 color	颜色 color
		①+②+③+④+⑤ +⑥+⑦+⑧	①+③+④+⑤+⑥ +⑦+⑧+⑨+⑩		
JY-RV-04					

玻璃纤维增强塑料(FRP) 罐体 FIBERGLASS REINFORCEDPLASTIC(FRP) TANKS



型号：JY-RV-04 RV Water softener(内置预处理过滤器)



产品参数	
Product parameters	
滤芯寿命	650-16000加仑
Filter Life	650-16000Gallon
净水流速	8-12升 / 分钟
Water Flow Rate	8-12L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	500*250mm
Size	500*250mm
净重	14kg
N. W	14kg

滤材：软化树脂
Filter Material:Softening Resin

前置：PP折叠棉(选配)、碳棒(选配)、PP棉(选配)、活性炭颗粒(选配)
Filter Material:PP cotton folding、carbon rod、PP cotton、granular activated carbon

产品全家福

Product family photo

①罐体 canister	②前置过滤 pre-filter	③软管 Hose	④90°接头 90°connector	⑤接口 connector	⑥提手 Handle
⑦接头 connector	⑧O型密封圈 O-rings	⑨阀门(选配) Shut Off Valve (optional)	⑩Y型分流器(选配) Y Splitter (optional)	⑪PTFE 密封带和纤维布(选配) PTFE SealTape And Fiber Cloth (optional)	⑫布套(选配) Neoprene Cover (optional)

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤ +⑥+⑦+⑧	罐体颜色 Tank Color	布套颜色 Cover color
JY-RV-04				
			黑色 black	黑色 black
			白色 white	蓝色 blue
			蓝色 blue	
			橙色 orange	橙色 orange

可替换滤芯：

Replaceable cartridge:



PP折叠棉

PP cotton folding



碳棒

carbon rod



PP棉

PP cotton



活性炭颗粒

granular activated carbon



预处理滤芯阀头过滤器

Pretreatment Cartridge Valve Head Filter





产品参数

Product parameters

滤芯寿命 650-16000加仑

Filter Life 650-16000Gallon

净水流速 8-12升 / 分钟

Water Flow Rate 8-12L/Minute

适用水源 市政水源

Applicable To Water Municipal water source

尺寸 500*250mm

Size 500*250mm

净重 14kg

N. W 14kg

(1) 配置: 软化树脂

Configure: Softening Resin

(2) 配置: 活性炭、KDF 55

Configure: activated carbon, KDF 55



软化树脂

SOFTENING RESIN

它能消除形成水垢等的钙镁离子。可以净化水源降低水的硬度。去除有害物质, 延长设备使用寿命

It eliminates calcium and magnesium ions that form limescale and so on. It can purify the water source to reduce the hardness of water. Removes harmful substances and extends the service life of equipment

产品全家福

Product family photo



①罐体

canister



②接头

connector



③接口

connector

选配方式

Multiple options

配件

parts


主体

subject

① + ② + ③ + ④

颜色

color



不锈钢

stainless steel

JY-RV-04-A QC

组成结构

6 points American 3/4 "GHT tap interface



6分美式3/4" GHT龙头接口

6 points American 3/4 "GHT tap interface



型号：快接6mm除菌滤芯



产品参数

Product parameters

滤芯寿命	6-9个月
Filter Life	6-9 months
净水流速	3-5升 / 分钟
Water Flow Rate	3-5/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	245*50mm
Size	245*50mm
净重	300g
N. W	300g

滤材：UF超滤膜、活性炭颗粒
Filter Material:UF Hollow Fiber Membrane, activated carbon

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity

型号：房车过滤器（10寸大胖款）



产品参数

Product parameters

滤芯寿命	6-9个月
Filter Life	6-9 months
净水流速	8-12升 / 分钟
Water Flow Rate	8-12L/Minute
适用水源	市政水源
Applicable To Water	Municipal water source
尺寸	330*180mm
Size	330*180mm
净重	/g
N. W	/g

滤材：UF超滤膜/颗粒活性炭/
PP折叠棉（自选）

Filter Material:UF Hollow
Fiber Membrane,Folding cotton,
(optional)

除菌率：>99.9999%

Removing 99.9999% Of Bacteria

隐孢子虫去除率：>99.99%

Removing 99.99% Of Cryptosporidium

浊度去除率：>99%

Removing 99% Of Turbidity


产品全家福

Product family photo



选配方式

Multiple options




产品全家福

Product family photo



多重选配方式

Multiple options





20寸大胖 - 一级(推车)
20 inch chubby - level I (trolley)



20寸大胖-二级(推车)
20 inch chubby - level II (trolley)



10寸大胖-二级
10 inch chubby - level II



10寸大胖-二级(支架)
10 inch chubby - level II (bracket)



白色
white



黑色
black



不锈钢
stainless steel



10寸大胖-三级(支架)
10 inch chubby - level III (bracket)



白色
white



黑色
black



不锈钢
stainless steel



20寸大胖-二级(支架)
20 inch chubby - level II (bracket)



白色
white



黑色
black



不锈钢
stainless steel



20寸大胖-三级(支架)
20 inch chubby - level III (bracket)



白色
white



黑色
black



不锈钢
stainless steel



型号: JY-RV-02 Jumbo*4 composite filter



产品参数 Product parameters	
滤芯寿命 Filter Life	400-1040加仑*4 400-1040Gallon*4
净水流速 Water Flow Rate	5-8升 / 分钟 5-8L/Minute

(1) 配置: 软化阻垢
Configure: Softening and scale inhibition

(2) 配置: 活性炭、超滤膜等
Configure: Activated carbon, ultra-filtration membrane, etc



活性炭纤维

Activated carbon particles

它对水中的无机物、染料、有机物和重金属具有吸附能力

It has the ability to adsorb inorganic substances, dyes, organic substances and heavy metals in water

PP棉

PP cotton

孔径大小均匀,耐酸碱抗的优良特性可以有效地去除悬浮物、颗粒、铁锈等。超强纳污能力,流量大,寿命长

The uniform pore size and excellent resistance to acid and alkali can effectively remove suspended solids, particles, rust, etc. Superstrong pollution capacity, large flow rate, and long service life.

硅磷晶球

Silica phosphorus crystal ball

防止钙、镁和二氧化硅形成水垢,降低水的硬度,还可以在各种金属部件如管道和供水设备中形成保护膜

Prevents calcium, magnesium and silicon dioxide from forming scale, reduces water hardness, and also forms a protective film on various metal parts such as pipes and water supply equipment.




产品全家福

Product family photo

		
①过滤主体 canister	②铁架 iron frame	③提手 handle
		
④快接头 Quick Connectors	⑤球阀 ball valve	⑥软管 flexible tube


多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥	颜色 Color
JY-XG-02	     		蓝色 blue

过滤原理:

Filtration principle



澳洲款

Australian style



T33
1.8*12 inch



T33
1.8*12 inch



T33
1.8*12 inch

可替换
replacement

房车龙头

RV faucet



黑色
black



白色
white

滤瓶过滤器

Bottle filter



两级
Two levels



三级
Level III

配件表

List of accessories



洗车过滤器产品

CAR WASH FILTER

注意：适用于常见户外淡水水源以及市政水源。

Note: Suitable for common outdoor fresh water sources as well as municipal water sources.

- JY-DI-01 DI Water Filter
- JY-DI-01 DI Water Filter (with wheel cart)
- JY-DI-02 DI Water Filter (single vessel with wheel cart)
- JY-DI-02 Double Vessel With Wheel cart
- JY-DI-03 Multi Stage Inline DI Water Filter



型号： JY-DI-01 DI Water Filter



产品参数

Product parameters

滤芯寿命 400-1040加仑
Filter Life 400-1040Gallon

净水流速 5-8升 / 分钟
Water Flow Rate 5-8L/Minute

滤材：混床树脂
Filter Material:MIXED-BED RESIN

(TDS笔可测)
(TDS pen can measure)


产品全家福

Product family photo

		
①罐体 canister	②软管 Hose	③快接接头 Quick Coupler
		
④提手 Handle	⑤TDS 笔 TDS pen	⑥防尘帽 dust cap

多重选配方式

Multiple options

主体 subject	配件 parts	罐体颜色 Tank Color
	①+②+③+④+⑤+⑥	
JY-DI-01 DI Water Filter		 黑色 black 白色 white 蓝色 blue 橙色 orange



混床树脂

MIXED-BED RESIN

去除水中杂质和离子。能够消除水里的氯离子、硝酸根离子等。
使用它可以净化水源去除其中的有害物质、金属离子例如铅、铜、镍等和有机物质,提高水质。


Removes impurities and ions from water. It can eliminate chlorine ions, nitrate ions, etc. from water. Use it to purify water by removing harmful substances, metal ions such as lead, copper, nickel, etc. and organic substances from it, and improve water quality.

可用TDS笔检测
Can be tested with TDS pen
(Up to 0 Ppm)



玻璃纤维增强塑料(FRP) 罐体

FIBERGLASS REINFORCEDPLASTIC(FRP) TANKS



型号: JY-DI-01 DI Water Filter (with wheel cart)



产品参数 Product parameters	
滤芯寿命 Filter Life	400-1040加仑 400-1040Gallon
净水流速 Water Flow Rate	5-8升 / 分钟 5-8L/Minute

(TDS笔可测)
(TDS pen can measure)

滤材: DI树脂
Filter Material:DI RESIN

产品全家福
Product family photo

①罐体 canister	②推车 trolley	③软管 Hose	④接头 terminal	⑤O形密封圈 O-Ring Seal
⑥TDS笔 TDS pen	⑦PTFE 密封带(选配) PTFE Seal Tape(optional)	⑧Y型分流器(选配) Y Splitter(optional)	⑨阀门(选配) Shut Off Valve(optional)	

多重选配方式
Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥	罐体颜色 Tank Color
JY-XG-04			黑色 black 白色 white 蓝色 blue 橙色 orange



DI树脂
DI Resin

混床去离子水树脂是由 H+强酸阳离子树脂和OH+强碱阴离子树脂组成的优质树脂混合物, 具有极佳的去离子水过滤功能。

Mixed-bed deionized water resin is a high-quality resin mixture consisting of H+ strong acid cation resin and OH+ strong base anion resin, which has excellent deionized water filtration function.

(Up to 0 Ppm)
可用TDS笔检测
Can be tested with TDS pen

高强度便携式推车
HIGH-STRENGTH PORTABLE TROLLEY

焊接牢固承重能力强 Strong welding and load bearing capacity	可调节钢球用于个性化高度调节 Adjustable steel ball for individual height adjustment
防滑耐磨脚轮灵活性好 Non-slip wear-resistant casters with good flexibility	高质量高强度材料 High-quality, high-strength material



型号： JY-DI-02 DI Water Filter (single vessel with wheel cart)



产品参数	
Product parameters	
滤芯寿命	400-1040加仑
Filter Life	400-1040Gallon
净水流速	5-8升 / 分钟
Water Flow Rate	5-8L/Minute

(TDS笔可测)
(TDS pen can measure)

滤材：DI树脂
Filter Material:DI RESIN

产品全家福
Product family photo

①罐体 canister	②推车 trolley	③接头 terminal	④扳手 wrench	⑤TDS 笔 TDS pen
⑥挂板&螺钉(选配) Hanging plate & screws (optional)	⑦花园软管(选配) Garden hose (optional)	⑧不锈钢管(选配) Stainless steel tube (optional)	⑨PVC管 (选配) PVC pipe (optional)	

多重选配方式
Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥	罐体颜色 Tank Color
JY-XG-04			 蓝色 blue




DI树脂
DI Resin

混床去离子水树脂是由 H+强酸阳离子树脂和OH+强碱阴离子树脂组成的优质树脂混合物, 具有极佳的去离子水过滤功能。
Mixed-bed deionized water resin is a high-quality resin mixture consisting of H+ strong acid cation resin and OH+ strong base anion resin, which has excellent deionized water filtration function.

(Up to 0 Ppm)
可用TDS笔检测
Can be tested with TDS pen

过滤原理示意:
FILTRATION PRINCIPLE:



型号: JY-DI-02 DI Double Vessel With Wheel Cart



产品参数

Product parameters

滤芯寿命 400-1040加仑
Filter Life 400-1040Gallon

净水流速 5-8升 / 分钟
Water Flow Rate 5-8L/Minute

滤材: DI树脂*2
Filter Material:DI RESIN*2

(TDS笔可测)
(TDS pen can measure)



产品全家福

Product family photo

				
①罐体 canister	②推车 trolley	③接头 terminal	④扳手 wrench	⑤固定螺丝 screw
				
⑥花园软管(选配) Garden hose (optional)	⑦不锈钢管(选配) Stainless steel tube (optional)	⑧PVC管 (选配) PVC pipe (optional)	⑨接头 (选配) Connector(optional)	⑩双通接头*2(选配) Two-way connector*2(optional)

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤	反流冲洗配件 ⑧+⑨+⑩	罐体颜色 Tank Color
JY-XG-04				 蓝色 blue





DI树脂

DI Resin

混床去离子水树脂是由 H⁺强酸阳离子树脂和OH⁻强碱阴离子树脂组成的优质树脂混合物, 具有极佳的去离子水过滤功能。

Mixed-bed deionized water resin is a high-quality resin mixture consisting of H⁺ strong acid cation resin and OH⁻ strong base anion resin, which has excellent deionized water filtration function.

(Up to 0 PPM)

可用TDS笔检测
Can be tested with TDS pen

侧流设计 (SIDESTREAM DESIGN):

使用时可先用未过滤水洗去泥沙等物质, 随后使用过滤软水冲洗使车辆更干净无残留污渍
Use unfiltered water to wash away sediment and other materials, then rinse with filtered soft water to make the vehicle cleaner and free of residual stains

- 将过滤器连接阀门关闭, 与软管连接阀门打开。可使用未过滤水。
Close the filter connection valve and open the valve to the hose. Unfiltered water may be used.
- 将过滤器连接阀门打开, 与软管连接阀门关闭。便可使用已过滤水。
Open the filter connection valve and close the valve to the hose. The filtered water can then be used.



型号: JY-DI-03 DI Multi Stage Inline DI Filter



产品参数 Product parameters	
滤芯寿命 Filter Life	400-1040加仑 400-1040Gallon
净水流速 Water Flow Rate	5-8升 / 分钟 5-8L/Minute

(TDS笔可测)
(TDS pen can measure)

滤材: DI树脂*4
Filter Material:DI RESIN*4



DI树脂
DI Resin

混床去离子水树脂是由 H+强酸阳离子树脂和OH+强碱阴离子树脂组成的优质树脂混合物, 具有极佳的去离子水过滤功能。
Mixed-bed deionized water resin is a high-quality resin mixture consisting of H+ strong acid cation resin and OH+ strong base anion resin, which has excellent deionized water filtration function.

可用TDS笔检测
Can be tested with TDS pen
(Up to 0 PPM)



产品全家福
Product family photo

①过滤主体 canister	②铁架 iron frame	③提手 handle	④TDS笔 TDS pen
⑤快接头 Quick Connectors	⑥阀门 ball valve	⑦软管 flexible tube	

多重选配方式
Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦	颜色 Color
JY-XG-03			蓝色 blue

连接示意(CONNECTION SCHEME):



快接头
quick coupler



球阀
ball valve

出水口
water outlet

进水口
water inlet



花园喷雾系统

GARDEN MISTING SYSTEMS

可连接喷雾系统、花园计时器、软管分流器、室外水龙头。
Can be connected to a misting system, garden timer, hose diverter, outdoor faucet.

- JY-RV-05
- JY-PW-3M
- JY-PW-3M QC



洗衣机热水器过滤

Washer Filter/Heater Filter

可连接洗衣机、热水器。
Can be connected to a washer, heater.



型号：JY-RV-05(硅磷晶球)



产品参数

Product parameters

滤芯寿命	≥6个月
Filter Life	≥6 months
净水流速	≥5升 / 分钟
Water Flow Rate	≥5L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	180*60mm
Size	180*60mm
净重	250g
N. W	250g

滤材：硅磷晶球
Filter Material:Replacement
siliphos ball

硅磷晶球

Silica phosphoruscrystal ball

可防止水中的微生物对金属材料的腐蚀和结垢。它可以防止钙、镁和二氧化硅形成水垢,降低水的硬度,还可以在各种金属部件如管道和供水设备中形成保护膜。还可以渗透到锈瘤中,使其脱落,清洁管壁。

It can prevent the corrosion and scaling of metal materials by microorganisms in water. It can prevent calcium, magnesium, and silicon dioxide from forming scale, reduce the hardness of water, and also form protective films in various metal components such as pipelines and water supply equipment. It can also penetrate into rust nodules, causing them to fall off and clean the pipe wall.




产品全家福

Product family photo



选配方式

Multiple options



6 points American
3/4 "GHT port
(花园水管接头)



软管分流器
Hose Splitter



花园喷雾
mist system



室外水龙头
Outdoor Faucet



花园计时器
Garden Timer



型号： JY-RV-05(阻垢片)



产品参数

滤芯寿命	≥6个月
Filter Life	≥6 months
净水流速	≥5升 / 分钟
Water Flow Rate	≥5L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	180*60mm
Size	180*60mm
净重	190g
N. W	190g

滤材：PP棉，阻垢片
Filter Material:PP cotton、
ScaleInhibitor

阻垢片

ScaleInhibitor

安全、环保，性能非常稳定。性能稳定，在高PH值和高浓度的环境中保持高效的阻垢率，能有效防止管道的腐蚀。
Safe, environmentally friendly, and highly stable performance. Stable performance, maintaining efficient scale inhibition in high pH and concentration environments, can effectively prevent pipeline corrosion.

PP棉

PP cotton

孔径大小均匀，耐酸碱抗的优良特性可以有效地去除悬浮物、颗粒、铁锈等。超强纳污能力，流量大，寿命长。
The uniform pore size and excellent resistance to acid and alkali can effectively remove suspended solids, particles, rust, etc. Super strong pollution capacity, large flow rate, and long service life.



产品全家福

Product family photo



①过滤主体
filter bucket



②纸盒
carton

选配方式

Multiple options

主体 subject	配件 parts	① + ②	颜色 color
JY-RV-05 (阻垢片)			 黑色 black 蓝色 Blue 白色 white

6 points American
3/4 "GHT port
(花园水管接头)



室外水龙头
Outdoor Faucet



花园喷雾
mist system



洗衣机
washer



热水器
heater



型号： JY-RV-05(活性炭碳棒)



产品参数

滤芯寿命	≥6个月
Filter Life	≥6 months
净水流速	≥5升 / 分钟
Water Flow Rate	≥5L/Minute
适用水源	常见户外淡水水源
Applicable To Water	Common outdoor fresh water sources
尺寸	180*60mm
Size	180*60mm
净重	250g
N. W	250g

滤材：活性炭碳棒
Filter Material:Activated carbon carbon rods

活性炭碳棒

Activated carbon carbon rods

以优良的果壳炭和煤质活性炭为原料,基本上可以去除水中的杂质物质和余氯。其他放射性物质,并具有去除异色异味的作用

Using excellent fruit shell charcoal and coal based activated carbon as raw materials, impurities and residual chlorine in water can be basically removed. Other radioactive substances with the function of removing discolored odors



产品全家福

Product family photo



①过滤主体
filter bucket



②纸盒
carton

选配方式

Multiple options

主体 subject	配件 parts	①+②	颜色 color
JY-RV-05			 白色 white 黑色 black 蓝色 Blue

6 points American
3/4 "GHT port
(花园水管接头)



洗衣机
washer



热水器
heater



室外水龙头
Outdoor Faucet



花园计时器
Garden Timer




型号：增压泵




产品参数	
Product parameters	
滤芯寿命	220VAC/ 24V DC
Filter Life	220VAC/ 24V DC
净水流速	1L-5L
Water Flow Rate	1L-5L
适用水源	市政自来水水源
Applicable To Water	Municipal tap water source
尺寸	18*12*26CM
Size	18*12*26CM
净重	2.5KG
N. W	2.5KG

场景1：RO前置增压泵
Scenario 1: RO front booster pump



场景2：低压物化系统增压泵
Scenario 2: Booster Pump for Low Pressure
Physical Chemistry System



型号：JY-PW-(3M~23M)螺纹式

配件 长度	 软管/个	 龙头连接器 -可选金属黄或者塑料快插款	 黄铜喷嘴	 接口	 接头连接器 -绿色或黑色	 堵口	 扎带	 管扣	 生料带 -选配	 切割器 -选配
3米(M)	1卷(3M)	1	4	4	1	1	10	10	1	1
6米(M)	1卷(6M)	1	6	6	1	1	20	20	1	1
8米(M)	1卷(8M)	1	10	10	1	1	30	30	1	1
10米(M)	1卷(10M)	1	12	12	1	1	30	30	1	1
12米(M)	1卷(12M)	1	14	14	1	1	40	40	1	1
15米(M)	1卷(15M)	1	17	17	1	1	40	40	1	1
18米(M)	1卷(18M)	1	20	20	1	1	50	50	1	1
20米(M)	1卷(20M)	1	22	22	1	1	50	50	1	1
23米(M)	1卷(23M)	1	25	25	1	1	60	60	1	1

型号：JY-PW-(3M~23M) QC 直插式

配件 长度	 软管/个	 龙头连接器 -可选金属黄或者塑料快插款	 黄铜喷嘴	 接口	 接头连接器 -绿色或黑色	 堵口	 扎带	 管扣	 生料带 -选配	 切割器 -选配
3米(M)	1卷(3M)	1	4	4	1	1	10	10	1	1
6米(M)	1卷(6M)	1	6	6	1	1	20	20	1	1
8米(M)	1卷(8M)	1	10	10	1	1	30	30	1	1
10米(M)	1卷(10M)	1	12	12	1	1	30	30	1	1
12米(M)	1卷(12M)	1	14	14	1	1	40	40	1	1
15米(M)	1卷(15M)	1	17	17	1	1	40	40	1	1
18米(M)	1卷(18M)	1	20	20	1	1	50	50	1	1
20米(M)	1卷(20M)	1	22	22	1	1	50	50	1	1
23米(M)	1卷(23M)	1	25	25	1	1	60	60	1	1

泳池过滤器产品

Swimming Pool Water Filter

注意：适用于常见户外淡水水源以及市政水源。

Note: Suitable for common outdoor fresh water sources as well as municipal water sources.

- P-1001
- Portable Pool Filter Purification Tank



型号: P-1001



产品参数	
Product parameters	
滤芯寿命	40,000L加仑
Filter Life	40,000L Gallon
净水流速	8-10升 / 分钟
Water Flow Rate	8-10L/Minute
适用水源	市政自来水水源
Applicable To Water	Municipal tap water source

滤材: PP折叠棉+碳棒
Filter Material:pleated PP+carbon block



产品全家福

Product family photo

①过滤器 Water filter vessel	②浮球盒 Floatina ball case	③支架*8PCS Flexible bracket *8PCS	④紧固螺钉套件*12PCS Tightening screw kit 12 PCS	⑤花园螺纹水管 Garden thread water hose
⑥外螺纹连接器*2 Male thread connector x2	⑦3/4 L型连接器 3/4 L connector	⑧扳手 wrench	⑨携行袋 Carry cover bag	

多重选配方式

Multiple options

主体 subject	配件 parts	颜色 color
P-1001	①+②+③+④+⑤+⑥+⑦+⑧+⑨ 	 透明瓶 transparent bottle

支架固定和水位设置 (用于室内泳池)

Bracket lock together and water level setting
(for in groud pool)

地面支架泳池(泳池壁厚度可变) (≤8cm)

Bracket for up ground pool (variable pool wall
thickness) (≤8cm)

Step 1:

Step 2:

Step 3:

Step 4:

Step 5:

Step 6:

Step 1:

Step 2:

Step 3:

Step 4:

Step 5:

Step 6:

型号: Portable Pool Filter Purification Tank



产品参数

滤芯寿命	40,000L加仑
Filter Life	40,000L Gallon
净水流速	8-10升 / 分钟
Water Flow Rate	8-10L/Minute
适用水源	市政自来水水源
Applicable To Water	Municipal tap water source

滤材: 不锈钢网滤芯+过滤棉球+石英砂
Filter Material:Stainless Steel Mesh Filter+Filter cotton ball + quartz sand

产品全家福

①过滤器 Water filter vessel	②轮车 Tire	③软管 Hose	④软管适配器 (黄铜材质) Hose adapter (in brass)	⑤O形密封圈 O-rings
⑥接头 Connector	⑦3/4L型连接器 3/4 L connector	⑧PTFE 螺纹密封带(选配) PTFE thread seal tape(optional)	⑨布套(选配) Neoprene Cover (optional)	

多重选配方式

配件 parts	①+②+③+④+⑤+⑥+⑦			罐体颜色 Tank Color
主体 subject				
Portable Pool Filter Purification Tank				黑色 black 白色 white 蓝色 blue 橙色 orange



不锈钢网滤芯

Stainless Steel Mesh Filter

有效拦截 40 微米以上的红虫、铁锈、泥沙颗粒等杂质,同时
确保出水基本不受影响。

Effectively intercept more than 40 micronsof red worms, rust, particles of sedimentand other impurities, while ensuring that the water out put basically has no impact.

过滤棉球

Filter Cotton Balls

纤维球滤料是由涤纶、丙纶或腈纶纱线扎成的非球面滤料,
具有表面积大不浮于水面、空隙大、工作周期长的特点。

Fiber ball filter media is made of polyester,polypropylene oracrylic yarn tied into aspherical filter media,the surface area of alarge surface area does not float on thewater surface, large voids, long work cycle characteristics.



石英砂

quartz sand

石英砂用于去除水中的悬浮颗粒、胶体、微生物和其他杂质,
从而提高水的清澈度和透明度。石英砂过滤能有效去除
水中的悬浮颗粒、泥沙、铁锈和其他杂质

Quartz sand is used to remove suspendedparticles,colloids, microorganisms andotherimpurities from water,thus improving water clarity and transparency.Quartz sandfiltration can effectivelyremove suspended particles,sediment, rust and otherimpu-rities from water.



过滤原理示意:

Filtration Principle Schematic



型号: Portable Pool Filter Purification Tank



产品参数

Product parameters

滤芯寿命
Filter Life

40,000L加仑
40,000L Gallon

净水流速
Water Flow Rate

8-10升 / 分钟
8-10L/Minute

适用水源
Applicable To Water

市政自来水水源
Municipal tap water source

滤材: 不锈钢网滤芯+过滤棉球+石英砂
Filter Material:Stainless Steel Mesh
Filter+Filter cotton ball + quartz
sand

产品全家福

Product family photo

①过滤器 Water filter vessel	②轮车 Tire	③软管 Hose	④软管适配器 (黄铜材质) Hose adapter (in brass)	⑤O形密封圈 O-rings
⑥接头 Connector	⑦3/4L型连接器 3/4 L connector	⑧PTFE 螺纹密封带(选配) PTFE thread seal tape(optional)	⑨布套(选配) Neoprene Cover (optional)	

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦	罐体颜色 Tank Color
Portable Pool Filter Purification Tank			
			黑色 black
			白色 white
			蓝色 blue
			橙色 orange



不锈钢网滤芯

Stainless Steel Mesh Filter

有效拦截 40 微米以上的红虫、铁锈、泥沙颗粒等杂质,同时
确保出水基本不受影响。

Effectively intercept more than 40 micronsof red worms, rust, particles of
sedimentand other impurities, while ensuring that the water out put
basically has no impact.

过滤棉球

Filter Cotton Balls

纤维球滤料是由涤纶、丙纶或腈纶纱线扎成的非球面滤料,
具有表面积大不浮于水面、空隙大、工作周期长的特点。

Fiber ball filter media is made of polyester,polypropylene oracrylic yarn
tied into aspherical filter media,the surface area of alarge surface area
does not float on thewater surface, large voids, long work cycle
characteristics.

石英砂


quartz sand

石英砂用于去除水中的悬浮颗粒、胶体、微生物和其他杂质,
从而提高水的清澈度和透明度。石英砂过滤能有效去除
水中的悬浮颗粒、泥沙、铁锈和其他杂质

Quartz sand is used to remove suspendedparticles,colloids, microorganisms
andotherimpurities from water,thus improving water clarity and
transparency.Quartz sandfiltration can effectivelyremove suspended
particles,sediment, rust and otherimpu-rities from water.

组成结构:

composition



其它产品

Other Product



型号: JY-RV-05

产品参数	
Product parameters	
滤芯寿命	≥6个月
Filter Life	≥6 months
净水流速	0.5-1升 / 分钟
Water Flow Rate	0.5-1L/min

滤材: 活性炭纤维 或 超滤膜、活性炭纤维
Filter Material: Activated Carbon Fiber or
UF Hollow Fiber Membrane, Activated Carbon
Fiber



超滤膜
UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。
Removes turbidity caused by particles consisting of suspended
solids, colloids and proteins.

活性炭纤维
Activated Carbon Fiber

它可以吸附水溶液中的无机化合物、苯甲酸和其他
有机化合物, 有效地去除异味颜色和改善味道。
It adsorbs inorganic compounds and benzoic acid in aqueous
solutions, effectively removing odor color and improving taste.


产品全家福

Product family photo

			
①过滤主体 Filter body	②软管 flexible tube	③快插接头 Quick plug connector	④接头 connector
			
⑤阀门 valve	⑥钻头 drill	⑦钻柄 drill handle	⑧塑料桶(选配) plastic bucket (optional)

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦	主体颜色 body color
JY-RV-05			 黑色 black

如何使用:

How to use



1、选择合适位置使用钻孔器钻取
合适大小的出水孔
Choose a suitable location and use a drill to
drill a suitable size water outlet hole.



2、水龙头开关与水桶紧密连接
The faucet switch is tightly connected
to the bucket



3、将过滤主体两端与接头连接
Connect both ends of the filter body with
the connector



4、最后将进水口端与快接接口
连接即可
Finally connect the water inlet end with the
quick connect interface to connect

龙头开关

软管

快接接口

过滤主体

接头

防尘帽

其它产品

Other Product



型号：Gravity Filter Bucket

产品参数	
Product parameters	
滤芯寿命	4000升
Filter Life	4000L
净水流速	1-2升 / 分钟
Water Flow Rate	1-2/Minute

滤材：UF超滤膜
Filter Material:UF Hollow Fiber Membrane



超滤膜
UF Hollow Fiber Membrane

去除由悬浮固体、胶体和蛋白质组成的颗粒造成的浑浊。
Removes turbidity caused by particles consisting of suspended solids, colloids and proteins.







产品全家福

Product family photo

			
①过滤主体 Filter body	②软管 flexible tube	③过滤器入口接头 Filter inlet connector	④截止阀 Shut off valve
			
⑤阀门 valve	⑥钻头 hole extractor	⑦钻柄 plastic bucket	⑧塑料桶(选配) plastic bucket (optional)

多重选配方式

Multiple options

主体 subject	配件 parts	①+②+③+④+⑤+⑥+⑦	主体颜色 Body Color
Gravity Filter Bucket	       		浅黄色 light yellow

使用示意：


Illustration of use




1、选择合适位置使用钻孔器钻取合适大小的出水孔
Choose a suitable location and use a drill to drill a suitable size water outlet hole.



2、水龙头开关与水桶紧密连接
The faucet switch is tightly connected to the bucket



3、将过滤主体连接后即可使用
Connect the filter body and it is ready to use





型号： hand pump filter veplaceable RV-(02/03)

(1) 配置： PP棉、CTO
Configure:PP cotton, CTO
(2) 配置： 棉碳复合滤芯
Configure:Cotton carbon composite

产品参数	
Product parameters	
滤芯寿命	6-9个月
Filter Life	6-9 months
净水流速	5-8升 / 分钟
Water Flow Rate	5-8/Minute

		
①03过滤主体 Filter body	②02过滤主体 Filter body	③手压泵 Hand pressure pump
		
④软管 Hose	⑤进水管 Water inlet pipe	



型号： 400G RO system

滤材： PP棉、CTO、RO反渗透膜
Filter Material:PP cotton, CTO,RO reverse osmosis membrane

产品参数	
Product parameters	
滤芯寿命	6-9个月
Filter Life	6-9 months
净水流速	3-5升 / 分钟
Water Flow Rate	3-5/Minute

		
①水袋 Water bag	②充电器 Charger	③纯水管 Pure water pipe
		
④浓水管 Concentrated water pipe	⑤进水管 Water inlet pipe	