

ABOUT US



With Over 40 years of experience in Brush Manufacturing & 30 years of experience in Paint Manufacturing in India, P.P. Organics Pvt Ltd formed by Mr. Prem Gandhi goes Global with Highest technological advancement. His vision of honesty with quality and service let us stand here for what we are today. He understood the market needs and transformed the company accordingly by establishing sustainable quality manufacturing, defining the vision for Research & Development while keeping emerging needs as the key focus. His vision and effort have resulted in TIGERCOAT's impressive success over the last 4 decades. His strong belief in customer delight and uncompromising business ethics has helped PPOPL go global today while staying true to its values and promise. He is a tremendous source of inspiration for whole PPOPL family.

OUR VISION

Is to build an organization that relentlessly adds value in what it does (i.e. products) and for whom it does (i.e. customers) & through whom it does (i.e. employees).

OUR MISSION

Is to be a front runner in offering innovative, user friendly & environmentally sustainable painting solutions to customers around the globe.



PRODUCT LINE 1- THINNERS

LINE 1.1. EXCLUSIVE

RETARDER MP-111



DESCRIPTION

Company's premium quality thinner. Perfect blend of exclusive solvents. It gives excellent finish even in bad weather conditions because of presence of prime solvents.

APPLICATIONS-

Used for finishing coat of Nitrocellulose based paints and wooden coatings, Enamels, Melamine and PU coatings.

1 Ltr 5 Ltr 10 Ltr 20 Ltr SIZES ·

FEATURES

Recoatable: Based on Coatings





INDOOR / OUTDOOR

RETARDER MP-121



DESCRIPTION

Company's premium quality thinner. Perfect blend of exclusive solvents. It gives excellent finish even in bad weather conditions because of presence of prime solvents.

APPLICATIONS-

Used for finishing coat of Nitrocellulose based paints and wooden coatings, Enamels, Melamine and PU coatings.

5 Ltr 20 Ltr 10 Ltr SIZES:

FEATURES

Recoatable: Based on Coatings







INDOOR / OUTDOOR

NC THINNER T-1



DESCRIPTION

Thinner for use in all types of wooden and automotive coating. For economical use only.

Applications-

Automotive Coatings, NC Putty, NC Surfacer, NC paints, Sanding Sealer, NC Lacquer, Melamine Coatings

5 Ltr 20 Ltr

FEATURES

Recoatable: Based on Coatings







INDOOR / OUTDOOR

PU THINNER 311



DESCRIPTION

Perfect blend of solvents for a better PU Finish. This is company's economical range of PU Thinner

APPLICATIONS-

Used for PU coatings on wooden and other surfaces

5 Ltr SIZES :

FEATURES

Recoatable: Based on Coatings









PU THINNER 331



DESCRIPTION

Company's premium quality PU thinner. Perfect blend of exclusive solvents. It gives excellent finish even in bad weather conditions because of presence of slow drying prime solvents. Perfect thinner for Italian 2k coatings

20 Ltr

20 Ltr

APPLICATIONS-

SIZES:

1 Ltr

Used for finishing coat of wooden and metal surfaces for PU Coatings

5 Ltr

FEATURES

Recoatable: Based on Coatings





A 1 hour

INDOOR / OUTDOOR

POLISH REDUCER



DESCRIPTION

Premium range quality Dissolves natural resin Shellac, white shellac 100%, and Lakhdana.

APPLICATIONS-

Gives Excellent finish in Shellac Lakhdana, Chauri & White Shellac Polish

5 Ltr

FEATURES

Recoatable: Based on Coatings







INDOOR / OUTDOOR

ENAMEL THINNER



DESCRIPTION

SIZES:

Slow drying combination of solvents. For Synthetic Enamels and Primers, no problem of bottles D-SHAPING. Water White in colour and very good odour. 100% Pure MTO.

Applications-

SIZES :

Gives excellent gloss and finish in Synthetic Enamel and Primers

FEATURES

Recoatable: Based on Coatings



20 Ltr





INDOOR / OUTDOOR

PAINT REMOVER



DESCRIPTION

Paint stripper for removing paints, finishers and coatings. Painters 1st choice in market.

APPLICATIONS-

Removes old coats from wooden and other surfaces

500 MI

FEATURES

Recoatable: Based on Coatings







INDOOR / OUTDOOR

SIZES :

1 Ltr

b Ltr

PRODUCT LINE 2- NC COATINGS

4 Ltr

NC SANDING SEALER



DESCRIPTION

TIGERCOAT Sanding sealer is used as an added layer of protection on the wood and to create a smooth finish by filling wooden pores. Using sanding sealer on wood products creates a strong & long lasting smoother finish.

APPLICATIONS-

Used for filling wooden pores and prepares a strong long lasting base for a better top coat

FEATURES

Recoatable: 6 - 8 hours **Thinner**: Retarder MP 111



20 Ltr



INDOOR / OUTDOOR

sizes: 500 MI 1 Ltr

NC T.T CLEAR



DESCRIPTION

It is a glossy clear to be applied on wooden surface by hand ragging or by spraying. It may be applied directly on wooden surface, metal surface, coil board, etc. It has high bonding strength to the substrate.

APPLICATIONS-

Used for giving high gloss to the wooden surface

FEATURES

Recoatable: 6 - 8 hours **Thinner**: Retarder MP 111







INDOOR / OUTDOOR

sizes: 500 MI 1 Ltr 4 Ltr 10 Ltr 20 Ltr

MELAMINE SEALER



DESCRIPTION

Melamine sealer is used as an added layer of protection on the wood and to create a smooth finish by filling wooden pores. this is specially used for a under coat for melamine Top-coat. Comes in 2k pack

APPLICATIONS

SIZES:

Used for filling wooden pores and prepares a strong long lasting base for a better top coat

1Ltr

FEATURES

Recoatable: 6 - 8 hours **Thinner**: Retarder MP 111







INDOOR / OUTDOOR

MELAMINE GLOSSY



DESCRIPTION

Melamine Glossy is an acid curing 2 pack transparent Glossy Clear for transparent wood coating. It is specially formulated as a protective and decorative clear finishes for wood.

4 Ltr

20 Ltr

APPLICATIONS-

Melamine gives protection to Oil, Food & Beverage stains thus maintaining natural beauty of wood for years.

SIZES: 1Ltr 4 Ltr 20 Ltr

FEATURES

Recoatable: 6 - 8 hours **Thinner**: Retarder MP 111









MELAMINE MATT



DESCRIPTION

Melamine Matt is an acid curing 2 pack transparent Matt Clear for transparent wood coating. It is specially formulated as a protective and decorative clear finishes for wood.

APPLICATIONS-

Melamine gives protection to Oil, Food & Beverage stains thus maintaining natural beauty of wood for years.

sizes: 1Ltr 4 Ltr 20 Ltr

FEATURES

Recoatable: 6 - 8 hours
Thinner: Retarder MP 111







INDOOR / OUTDOOR

NC LPS GREY / WHITE



DESCRIPTION

NC LPS Grey/ White is a special primer based on Nitrocellulosve and alkyd resins The product has been designed to have optimum balance between sandibility, wat resistance and hold out of the top coat.

APPLICATIONS-

Special Primer for NC Systems applications specially for Automotive and Wood Industry.

sizes: 1 Ltr 4 Ltr 20 Ltr

FEATURES

Recoatable: 6 - 8 hours **Thinner**: Retarder MP 111







INDOOR / OUTDOOR

NC PAINTS



DESCRIPTION

NC paints is based on Nitrocellulose, specially modified short oil alkyd resin. The system suitably plasticized contains pigments to produce different shades.

APPLICATIONS-

SIZES ·

The product is designed to use as a top coat and also can be used for refinishing purpose. For use in Automotive and Wooden furniture.

20 Ltr

4 Ltr

FEATURES

Recoatable: 6 - 8 hours **Thinner**: Retarder MP 111







INDOOR / OUTDOOR

NC PUTTY



DESCRIPTION

NC Putty is a special glazing filler based on NC System. It gives extra body to the surface and as levelling filler to all wooden and metal surfaces. It also gives good sanding property.

APPLICATIONS-

It is mainly used as a levelling filler for wood, furniture and automotive industry.

FEATURES

Recoatable: 6 - 8 hours **Thinner**: Retarder MP 111







INDOOR / OUTDOOR

SIZES :

1Kg.

1Ltr

5Ka.



Touch Wood 1K PU



DESCRIPTION

Touchwood is a single pack polyurethane modified, clear & brushable wood finish for interior furniture, door, & windows. It enhances the natural look of the wood and good resistance to normal wear and tear.

APPLICATIONS-

It is mainly used as top coat for interior furniture & doors.

Available in Glossy and Matt Finish.

1Ltr 4 Ltr 20 Ltr SIZES :

FEATURES

Recoatable: 6 - 8 hours Thinner: Retarder MP 111







INDOOR

Wood Filler



DESCRIPTION

Glanz wood filler can be easily applied with a putty knife and by ragging. It provides good grain clarity & can be applied on both interior and exterior wooden surfaces. It provides excellent filling of the wood grains. Glanz wood filler provides such toughness to the wood that it can be cut with a saw or drilled using a machine.

Available in 3 colours: White, Teak And Wallnut.

1Kg SIZES:

FEATURES



Wood Stains



DESCRIPTION

Glanz Wood Stains are colors for wooden surfaces and are used for maintaing color consistency of the wooden substrate. Imparting color to natural wood elevates the substrate to give it a premium look and enriches the wood grain.

FEATURES







SIZES :

100ml

1Ltr

2K POLYESTER PUTTY



DESCRIPTION

Two Pack system. An ideal putty filler for filling of dents while painting Automobiles. It has ideal filling properties, Non shrinking, Provides perfect adhesion, Quick drying and Easy to sand.

APPLICATIONS-

Used for filling dents on automobiles & metal products before painting.

Available Packs: 1KG (980gm + 20gm hardner)

FEATURES



PRODUCT LINE 3 - POLYURETHANE COATINGS

PU CLEAR SEALER- ITALIAN 2K



DESCRIPTION

This is a universal polyurethane sealer, characterised by high transparency, good general properties and coverage

APPLICATIONS-

It is suitable for painting doors for interior and exterior, accessories and furniture in general.

RATIO- 2:1

SIZES:

1.5 Ltr

7.5 Ltr

30 Ltr

FEATURES



INDOOR / OUTDOOR

PU WHITE SEALER- ITALIAN 2K



DESCRIPTION

Glanz PU White Sealer is a super luxury wood finish with exceptional image clarity and superior film strength. It is a solvent based 2K high solid, acrylic and isocyanate pigmented white based wood sealer.

APPLICATIONS-

It is suitable for painting doors for interior and exterior, accessories and furniture in general.

RATIO-2:1

SIZES

1.5 Kg

7.5 Kg

30 Kg

FEATURES

- ✓ Excellent scratch & stain resistance



INDOOR / OUTDOOR

PU ACRYLIC HIGH GLOSS- ITALIAN 2K



DESCRIPTION

A Two component Acrylic Aliphatic Isocyanate PU Coating with excellent gloss and colour retention. Glanz PU Gloss cures to a very tough, abrasive resistant film with exceptional exterior durability, chalk resistance, colour stability and long term gloss retention.

APPLICATIONS-

Used for giving a mirror like finish as a top coat.

zes: 1.5 Ltr 7.5 Ltr 30 Ltr

FEATURES

- ✓ All Weather Durable & UV resistant



INDOOR / OUTDOOR

PU ACRYLIC MATT G-20 - ITALIAN 2K



DESCRIPTION

A Two component Acrylic Aliphatic Isocyanate PU Coating with excellent matt finish and colour retention. Glanz PU matt cures to a very tough, abrasive resistant film with exceptional exterior durability.

APPLICATIONS-

Used as a top coat super silk finish where gloss 20 is required.

sizes: 1.5 Ltr 7.5 Ltr 30 Ltr

FEATURES

- ≚ All Weather Durable & UV resistant



PRODUCT LINE 4- WATER BASE COATINGS

Glamour Interior Wall Primer



DESCRIPTION

Glamour is manufactured with special type of acrylic binder and micro fined pigments along with extenders and different additives. It is an air drying low smell primer providing hard tough film.

APPLICATIONS-

Used for interior walls.

SIZES: 1 Ltr 4 Ltr 10 Ltr 20 Ltr

FEATURES

☑ RECOATABLE: 2-3 HOURS



INDOOR

Xperience Exterior Wall Primer



DESCRIPTION

Xperience Exterior Primer is formulated with special grade pigment, that provides extra whiteness with excellent opacity. It is water base primer for exterior walls and a suitable undercoat for exterior emulsions.

APPLICATIONS-

Used for exterior walls.

sizes: 1 Ltr 4 Ltr 10 Ltr 20 Ltr

FEATURES

☑ THINNER: WATER



OUTDOOR

Eco-Shield Dual Primer



DESCRIPTION

Eco shield Primer is formulated with special grade pigment, that provides whiteness with excellent opacity. It is water base primer for economical purpose.

APPLICATIONS-

Used for Interior and Exterior walls for semi durability.

SIZES: 1 Ltr 4 Ltr 10 Ltr 20 Ltr

FEATURES

☑ RECOATABLE: 2-3 HOURS



OUTDOOR

Elegant Matt Emulsion



DESCRIPTION

Elegant Waterproof Exterior Emulsion is a high performance, long lasting exterior paint specially formulated to withstand extreme tropical conditions of high rainfall, humidity and heat.

APPLICATIONS-

It is an Exterior Wall finish that can be applied on various type of cement plaster, exterior ceiling, asbestos sheets, concrete etc.

Colours Available: More than 40 ready shades

SIZES: 1 Ltr 4 Ltr 10 Ltr 20 Ltr

FEATURES

✓ RECOATABLE: 2-3 HOURS

☑ THINNER: WATER



OUTDOOR



Elegant High Sheen Emulsion



DESCRIPTION

Elegant High Sheen Emulsion is crafted to give your walls the smoothest finish. It is best in class durable and washable paint possessing innovative water beading technology. Gives 200% stretching to the surface.

APPLICATIONS

Suitable for exterior walls where royal and sheen is required.

Colours Available: More than 40 ready shades

sizes: 1Ltr 4 Ltr 20 Ltr

FEATURES

✓ RECOATABLE: 2-3 HOURS



INDOOR

High Gloss Emulsion



DESCRIPTION

High Gloss Emulsion is mainly used for exterior wall paintings and wall writings. It gives excellent Gloss and Resistant to harsh weather conditions.

APPLICATIONS-

Suitable for exterior walls.

FEATURES

✓ RECOATABLE: 2-3 HOURS



OUTDOOR

sizes: 1 Ltr 4 Ltr 10 Ltr 20 Ltr

Texture Finish- Rustic/ Super Fine/ Perlina



DESCRIPTION

TigerCoat Texture Finish provides excellent durability and adds beauty to Interior and Exterior walls. It is specially formulated with acrylic binders to give extra long lasting strength.

Available in 3 types: Rustic, Super Fine and Perlina



RUSTIC



SUPERFINE



PERLINA

sizes: 25 Kg (Bag/ Bucket)

Metallic Emulsions



DESCRIPTION

Water base Metallic Emulsion gives a sparkling metallic texture to your walls. Available in ready made light fast colours. Metallic emulsion not only beautify the walls, but also keeps the wall algae and fungus free.

APPLICATIONS-

Suitable for interior & exterior walls. Does not fade even in harsh sunlight.

Colours Available: Silver, Copper, Golden, Blue, Red.

sizes: 100ml 1Ltr.

FEATURES

☑ Drying Time: 2 hours.





Supremo Acrylic Distemper



DESCRIPTION

This water-based acrylic distemper from TIGERCOAT Paints has 100+ shades to choose from to make sure you get a home in the colour of your choice. Moreover, Supremo is a washable, lead-free paint with a stylish matt finish.

APPLICATIONS-

Suitable for Interior walls.

sizes: 5Kg 10 Kg 20 Kg

FEATURES

- ✓ RECOATABLE: 2-3 HOURS



INDOOR

WallTech Acrylic Distemper



DESCRIPTION

WallTech Acrylic Distemper Paint is a-100% water based acrylic co-polymer emulsion designed for interior walls. Available in both factory-made ready shades and in a tintable format, it gives surfaces an elegant and durable mat finish.

APPLICATIONS-

Suitable for Interior walls.

sizes: 5Kg 10 Kg 20 Kg

FEATURES

☑ RECOATABLE: 2-3 HOURS



OUTDOOR

Acrylic Putty



DESCRIPTION

Tigercoat Acrylic Putty is a water based putty used on alkali resistant Primer, which provides rich, smooth finish when applied on masonry walls to fill substrate imperfections. Acrylic putty's unique design and butter like consistency ensures easy applicability, excellent fitting, levelling and sanding properties.

sizes: 5Kg 10 Kg 20 Kg

FEATURES

☑ RECOATABLE: 2-3 HOURS

☑ THINNER: WATER



OUTDOOR

Dry Polymer Wall Putty



DESCRIPTION

Wall putty is a white cement-based powder made of polymer and other minerals that make the wall look smoother. It is primarily used to fill in cracks and holes in walls and prepare an even wall surface before applying paint.

FEATURES

✓ RECOATABLE: 2-3 HOURS

☑ THINNER: WATER



OUTDOOR

sizes: 20 Kg 40 Kg

Bringing joy of NEW HOME



PRODUCT LINE 5- OIL BASE PAINTS

SIGNATURE PU ENAMEL



DESCRIPTION

Signature Synthetic Enamel is based on modified Alkyd Resin designed for both exterior & interior use. This is a high gloss brilliant finish, which is suitable for steel, wood & synthetic board. This can be applied on cement based surface after application of proper primer.

APPLICATIONS-

Used for interior & Exterior Finishes.

SIZES:

50 MI	100 MI	200 MI	500 MI
1 Ltr	4 Ltr	10 Ltr	20 Ltr

FEATURES

M RECOATABLE: 6-7 HOURS



INDOOR / OUTDOOR

WELGLOW HD ENAMEL



DESCRIPTION

Welglow HD Enamel imparts a shiny new look to surfaces painted with this finish. Itforms a tough film that is highly resistant to household stains. It thereby serves as a protective armour around the surface. This is a economical range product which gives beauty with cost saving

APPLICATIONS-

Used for interior & Exterior Finishes.

SIZES : 500 MI 1 Ltr 4 Ltr 10 Ltr

FEATURES

✓ RECOATABLE: 6-7 HOURS



INDOOR / OUTDOOR

SIGNATURE PREMIUM SATIN ENAMEL

SIZES:



DESCRIPTION

Signature Satin Enamel is stain resistant and gives a long lasting washable finish. It is just as durable as premium enamels. With its finish and durability, this enamel is sure to bring sophistication to your home.

APPLICATIONS-

Used for interior & Exterior Finishes.

FEATURES

✓ RECOATABLE: 6-7 HOURS



INDOOR / OUTDOOR



DESCRIPTION

Give your home's metal surfaces a rich and long lasting look. TIGERCOAT Red Oxide Metal Primer comes with good corrosion resistance and also offers good opacity, coverage, flow, and leveling properties.

1 Ltr

APPLICATIONS-

Used for interior & Exterior Finishes

FEATURES

✓ RECOATABLE: 6-7 HOURS



INDOOR / OUTDOOR

200 MI 500 MI 1 Ltr 4 Ltr 10 Ltr

4 Ltr

10 Ltr



TIGERCOAT PRIMER SURFACER WHITE & PINK



DESCRIPTION

TIGERCOAT PSW (GP) comes with good corrosion resistance and also offers good opacity, coverage, flow, and leveling properties. This can be used both for wooden surfaces and metal surfaces

1 Ltr

4 Ltr

10 Ltr

APPLICATIONS-

200 MI

It is mainly used as top coat for interior furniture & doors.

500 MI

FEATURES

☑ RECOATABLE: 6-7 HOURS

20 Ltr



INDOOR / OUTDOOR

" **Transform Your Space** with Colors That Reflect Your Style!

PRODUCT LINE 6-2K EPOXY COATINGS

■ 2K ZINC PHOSPHATE EPOXY PRIMER



DESCRIPTION

Quick Drying, Two Pack, Chromate Free Anticorrosive Epoxy Primer for Bus Body, Chassis, Heavy OEM Machineries, and Implements. It is specially developed for new works and repairs. It is easy to apply, sand and offers excellent adhesion to a variety of substrates, corrosion resistance, film built and gloss hold out.

APPLICATIONS-

Used for Industrial applications, OEM, Heavy Machineries.

SIZES: 1 Ltr 5 Ltr 20 Ltr

FEATURES

- ✓ RECOATABLE: 6-7 HOURS



2K EPOXY PAINTS



DESCRIPTION

A two-component epoxy coating that is specially formulated to provide an attractive and durable finish. A durable finish coat for epoxy based coating systems. Tough, hard wearing finish with overall durability properties. High resistance to impact and abrasion.

APPLICATIONS-

Used for Industrial applications, OEM, Heavy Machineries.

sizes: 1 Ltr 5 Ltr 20 Ltr

FEATURES

- ✓ RECOATABLE: 6-7 HOURS



EPOXY INSULATOR



DESCRIPTION

A solvent based epoxy insulator, GLANZ Epoxy Insulator provides a stronger film by penetrating inside the wood and helps to impart the actual colour of wood. It can be used for both interior and exterior wooden surfaces.

APPLICATIONS-

Used for wooden applications

SIZES: 1 Ltr 2 Ltr 10 Ltr 20 Ltr

FEATURES

- ✓ RECOATABLE: 6-7 HOURS





PAINT BRUSHES

1.) CHINESE MIXED BRISTLE - DOUBLE





2.) CHINESE MIXED BRISTLE - SINGLE



PAINT BRUSHES

3.) PREMIUM CHINESE FILAMENT- DOUBLE







4.) PREMIUM CHINESE FILAMENT- SINGLE

4 Inch

SIZES:

5 Inch



H-1

3 Inch

SIZES:



SIZES:

1 Inch

2 Inch





TIGERCOAT

Elegant





"FEEL THE MARK OF PERFECTION" P.P ORGANICS PVT. LTD.

(A ZED CERTIFIED COMPANY)
Corporate Office: 32/10, Village Nagla Mega,
Meerut Road, Karnal 132 001 (Haryana)

Toll Free No: **1800 890 5004** Email: sales@tigercoat.co.in Website: www.tigercoat.co.in