

● Housing

- Die-formed aluminum for maximum heat dissipation and rust protection
- Housing adjusts to 1/2" to 1 3/8" ceiling thickness. Trims are held in place with high tension clips
- Housing is compatible with IC and Non-IC applications.

● Connection

- Polarity-specific EZ-connect system engineered to match with EZ-connect trims.



UL listed for through branch wiring.

● Hanger Bar

Allow housing to be positioned and locked at any point within a 24" joist span.

Can be shortened for 12" joists.
Contain integral nail.

Hanger fit onto T-bar spline for quick alignment.

● Junction Box

6" RECESSED HOUSING

New Construction

1/2" and 3/4" romex wiring knockouts and four romex knockouts with integral strain clamps, all knockouts



have true pry-out slots .
J-Box is designed for straight through conduit runs .
Fixture fully assembled including pre-wired ballast for easy installation .
Removable access plates for easy installation .

- **Thermal Protector**

Standard thermal protection device guards against improper installation and misuse of insulation material.

- **Air-Shut**

Provided with gasket to prevent airflow from heated or air-conditioned spaces. Meets or exceeds all national air flow requirements.

- **Listing & Warranty**

UL listed to US and Canada standards for wet locations.
5-year limited warranty .



5 FIVE YEARS WARRANTY

6" RECESSED HOUSING


New Construction

Product Ordering code

FDK-XX-YY-X-XX

Housing Type	Installation Type	Internal Series Number	SIZE
RC - RECESSED CAN	QC - QUICK CONNECT	F2	06 - 6inch

Outline Drawing & Overall Size



TRIMS



FDK-BW-F1-06-WH

White Baffle
75W Max.
PAR30/BR30
O. D. 8"



FDK-ST-F1-06-WH

Important notes:

All recessed housings, New Construction or Remodel, are designed as per North American standard.

All recessed housings, New Construction or Remodel, are compatible with Progress, Elite, Juno, Halo, and PVR trims.

All trims, Baffle or Shower, are compatible with Progress, Elite, Juno, Halo, and PVR recessed cans.

We recommend you to use Fudakin Lighting Trims for standard Recessed Housings.



5 FIVE YEARS WARRANTY

Email: info@fudakinlighting.com | www.fudakinlighting.com