

6" RECESSED HOUSING

New Construction

- Housing
- Die-formed aluminum for maximum heat dissipation and rust protection
- Housing adjusts to 1/2" to 1 3/8" ceiling thickness. Trims are held in place with high tension clips
- •Housing is compatible with IC and Non-IC applications.

Connection



E26 Standard Edison Base Socket.

Hanger Bar

Allow housing to be positioned and locked at any point within a 24" joist span.


Can be shortened for 12" joists.
Contain integral nail.
Hanger fit onto T-bar spline for quick alignment.

Junction Box

UL listed for through branch wiring.

1/2" and 3/4" romex wiring knockouts and four romex knockouts with integral strain clamps, all knockouts have true pry-out slots.

J-Box is designed for straight through conduit runs.



Fixture fully assembled including pre-wired ballast for easy installation.

Removable access plates for easy installation.

Thermal Protector
Standard thermal protection device guards against improper installation and misuse of insulation material.

Air-Shut

Provided with gasket to prevent airflow from heated or air-conditioned spaces. Meets or exceeds all national air flow requirements.

Listing & Warranty
UL listed to US and Canada standards for wet locations.

5-year limited warranty.












340 Marshall Avenue #103, Aurora IL 60506 | Telephone 630.486.1070 | Fax 630.486.1034 Email: info@fudakinlighting.com | www.fudakinlighting.com

6" RECESSED HOUSING


New Construction


Product Ordering code





Outline Drawing & Overall Size





TRIMS





FDK-ST-F1-06-WH

Important notes:

All recessed housings, New Construction or Remodel, are designed as per North American standard.

All recessed housings, New Construction or Remodel, are compatible with Progress, Elite, Juno, Halo, and PVR trims.

All trims, Baffle or Shower, are compatible with Progress, Elite, Juno, Halo, and PVR recessed cans.

We recommend you to use Fudakin Lighting Trims for standard Recessed Housings.











340 Marshall Avenue #103, Aurora IL 60506 | Telephone 630.486.1070 | Fax 630.486.1034 Email: info@fudakinlighting.com | www.fudakinlighting.com