

GASTECH®

Natural Gas Equipment Technologies



metagaz enerji

FİYAT LİSTESİ 2021

Doğalgaz Ekipmanları ve Brülör Yedek Parçaları



CONTENTS / İÇİNDEKİLER

General Sales Conditions / Genel Satış Koşulları	3
Gas Pressure Regulators / Gaz Regülatörleri	
R Serie, Threaded, Spring Loaded, Pmax: 16bar	4
F Serie, Flanged, Spring Loaded, Pmax: 25bar	5-6
F-P Serie, Flanged, Pilot Loaded, Pmax: 25bar	7
Z-P Serie, Flanged, Pilot Loaded, Pmax: 50bar	8
G-P Serie, Flanged, Pilot Loaded, Pmax: 102bar	9
R250 Serie, CNG Regulators Pmax: 250bar	10
RL Serie, Gas Governors, Pmax: 1bar	11
Gas Filters / Gaz Filtreleri	
GS Serie, Pmax: 25bar	12
Z Serie, Pmax: 50	13
GF Serie, Pmax: 6bar	14
Manually Reset Solenoid Valves / Elkurmalı Solenoid Vanalar	
SV Serie, Pmax: 0.5 bar, Normaly Open	15
SV Serie, Pmax: 6 bar, Normaly Open	16
SV Serie, Pmax: 0.5 bar, Normaly Closed	17
SV Serie, Pmax: 6 bar, Normaly Closed	18
Slum Shut Valves/ Emniyet Kapatma Vanaları	
SL Serie, Pmax: 16-25 bar	19
SLH Serie, Pmax: 50-102 bar	20
Safety Relief Valves / Emniyet Tahliye Vanaları	
RLT Serie	21
Zero Governor / Eşit Basınç Regülatörleri	
RLZ Serie, Zero Pressure Regulators	22
RLZ Serie, Differantial Pressure Regulator	22
Pressure Switch / Prosestadlar	
SP Serie,Companct Desing for Gas/Air	23
SPN Serie, for Gas/Air	23
SPL Serie, for Air	23
Gas Meters / Gaz Sayaçları	
BK Serie, Diaphragm Meter	24
CMK Serie, Electronic Volume Corrector	24
CPT01 Serie, Quantometer	25
CGR/FX Serie, Rotarymeter	26
CGT Serie, Turbinmeter	27
Insulating Joint / İzole Jointler	
IJ Serie ANSI 150	28
IJ Serie ANSI 300-600	28
Ball Valves / Küresel Vanalar	
GKV Serie, Flanged Connections	29
GKD Serie, Threaded Connections	29
Pressure Gauges / Manometreler	
ø63 Pressure Gauge	30
ø100 Pressure Gauge	30
Siemens Burner Equipments / Brülör Ekipmanları	
Burner Control Box, LME - LFL	31-32
Servomotors, SQN - SQM	33-38
Flame Sensor, QRA - QRI	39
Gas Valves, VGD	40
Actuators for Gas Valves, SKP	41
Controllers, LFS - LDU - RWF	42
Butterfly Valves, VKF	43
Lineer Control Valves, VKP	44
Dungs Burner Equipments / Brülör Ekipmanları	
Multibloc, MB-DLE, MB-ZRDLE	45
Multibloc, MBC	46
Solenoid Valves, MVD	47
Valve Leakage Control, VPS-VDK	47

GASTECH GENERAL SALES CONDITIONS

Quotations:

Quotations of Gastech products are valid for 3 weeks from issue date. After this deadline the quotation is valid only prior consultation and authorization of Gastech's sales office.

Orders:

The orders that Gastech receives from customers can be considered as accepted by Gastech, as for prices and sales conditions, only after written and official order confirmation from Gastech.

Delivery Terms:

If not differently agreed upon in the quotation, delivery of the goods from Gastech is always intended EX WORKS.

Delivery Time:

Definitive delivery time of an order (always to be intended as approximate and not binding) is confirmed in the order confirmation and is subjected to prior assessment of material availability and work conditions at the moment of the order.

Complaints:

Complaints will be accepted within and not after 14 days from when the receiver has received the goods. At goods receipt the customer has to check that the weight of the shipment corresponds to what is stated in the packing list, before accepting delivery from the transporter. Gastech does not respond in case of damages or theft happened during transportation, if the customer has not verified the weight and informed Gastech of the possible missing goods before accepting the goods.

Warranty:

Gastech warrants all products for two years from the date of shipment from our premises for the manufacturing defects. In special projects 2 years of warranty period begins after the products start to work.

Returns:

Any return shipment to Gastech has to be agreed upon with Gastech's sales office in 14 days. Returns which have not been agreed upon with our sales office will not be accepted.

GASTECH GENEL SATIŞ KOŞULLARI

Teklifler:

Gastech ürünlerinin teklifleri veriliş tarihinden itibaren 3 hafta geçerlidir. Bu sürenin bitiminden sonra, fiyat teklifinin geçerliliği için Gastech satış ofisine danışılmalıdır.

Siparişler:

Gastech'in müşterilerinden aldığı siparişler, fiyatlar ve satış koşulları açısından, ancak Gastech'ten yazılı ve resmi sipariş onayından sonra Gastech tarafından kabul edilmiş sayılabilir.

Teslimat Koşulları:

Teklifte farklı bir şekilde kararlaştırılmamışsa, malların taşıma ve sigorta bedelleri alıcıya aittir..

Teslim Süresi:

Bir siparişin kesin teslimat süresi (her zaman yaklaşık olarak düşünülmelidir ve bağlayıcı değildir) sipariş onayında onaylanır ve sipariş anında malzeme mevcudiyeti ve çalışma koşulları ile ilgili önceden değerlendirmeye tabi tutulur.

Şikayetler:

Şikayetler, alıcının malları teslim aldığı tarihten itibaren 14 gün içinde kabul edilecektir. Mal girişinde müşteri, nakliyeciden teslimatı kabul etmeden önce sevkiyatın ağırlığının paketleme listesinde belirtilen ağırlığa uygun olup olmadığını kontrol etmelidir. Müşteri, malları teslim almadan önce olası eksik malların ağırlığını doğrulamamış ve Gastech'i bilgilendirmemişse, nakliye sırasında meydana gelen hasar veya hırsızlık durumunda, Gastech yanıt vermez.

Garanti:

Gastech, üretim hatalarına karşı tüm ürünleri tesislerimizden sevkiyat tarihinden itibaren iki yıl süreyle garanti eder. Özel projelerde ürünler çalışmaya başladıktan sonra 2 yıl garanti süresi başlar.

İadeler:

Gastech'e yapılacak herhangi bir iade nakliyesi iade eden şirkete aittir. İadeler için Gastech'in satış ofisi ile 14 gün içerisinde anlaşılması gerekir. Satış ofisimizle mutabık kalınmayan iadeler kabul edilmeyecektir.

R Serie

Medium Pressure Spring-Loaded Regulator

Yaylı Orta Basınç Regülatörleri

EN 334:2019 EN14382:2019 2014/68/EU
 PS 16 bar (1600kPa)
 Threaded Connection *Dişli Bağlantı*



Without SSV - *Emniyet Kapatmasız Regülatör*

Order Code <i>Sipariş Kodu</i>	Code <i>Kod</i>	Diameter <i>Çap</i>	Outlet Pressure Range <i>Çıkış Basınç Aralığı</i>	Price <i>Fiyat</i>
32100	R10 MP	1" x 1"	80-350 mbar	108 €
32101	R10 AP	1" x 1"	350-2000 mbar	108 €
32102	R25 BP	1" x 1"	20-80 mbar	233 €
32103	R25 MP	1" x 1"	80-350 mbar	233 €
32104	R25 AP	1" x 1"	300-4000 mbar	233 €
32105	R40 BP	1 1/2" x 1 1/2"	20-80 mbar	250 €
32106	R40 MP	1 1/2" x 1 1/2"	80-350 mbar	250 €
32107	R40 AP	1 1/2" x 1 1/2"	300-4000 mbar	250 €
32108	R50 BP	2" x 2"	20-80 mbar	575 €
32109	R50 MP	2" x 2"	80-350 mbar	575 €
32110	R50 AP	2" x 2"	300-4000 mbar	575 €

Regulator + Slum slum Shut Valve

Order Code <i>Sipariş Kodu</i>	Code <i>Kod</i>	Diameter <i>Çap</i>	Outlet Pressure Range <i>Çıkış Basınç Aralığı</i>	Price <i>Fiyat</i>
32111	R10/S MP	1" x 1"	80-350 mbar	158 €
32112	R10/S AP	1" x 1"	350-2000 mbar	170 €
32113	R25/S BP	1" x 1"	20-80 mbar	300 €
32114	R25/S MP	1" x 1"	80-350 mbar	300 €
32115	R25/S AP	1" x 1"	300-4000 mbar	325 €
32116	R40/S BP	1 1/2" x 1 1/2"	20-80 mbar	317 €
32117	R40/S MP	1 1/2" x 1 1/2"	80-350 mbar	317 €
32118	R40/S AP	1 1/2" x 1 1/2"	300-4000 mbar	350 €
32119	R50/S BP	2" x 2"	20-80 mbar	650 €
32120	R50/S MP	2" x 2"	80-350 mbar	650 €
32121	R50/S AP	2" x 2"	300-4000 mbar	692 €

Options
* NPT Connection
* Monitor Version
* Internal Impulse
* Low Temperature Desing (-40°C)

Complements	Price
Mechanical Switch for SSV	142 €
Microswitch for SSV	130 €
Remote Shut Down	150 €

F Serie

Medium Pressure Spring-Loaded Regulator

Yaylı Orta Basınç Regülatörleri



EN 334:2019 EN14382:2019 2014/68/EU
 PS 25 bar (2500kPa)
 Flanged Connection *Flanşlı Bağlantı*

Without SSV - Emniyet Kapatmasız Regülatör

Order Code <i>Sipariş Kodu</i>	Code <i>Kod</i>	Diameter <i>Çap</i>	Outlet Pressure Range <i>Çıkış Basınç Aralığı</i>	Price <i>Fiyat</i>
32122	F25 BP	DN25	20-80 mbar	520 €
32123	F25 MP	DN25	80-350 mbar	520 €
32124	F25 AP	DN25	300-4000 mbar	520 €
32125	F40 BP	DN40	20-80 mbar	550 €
32126	F40 MP	DN40	80-350 mbar	550 €
32127	F40 AP	DN40	300-4000 mbar	550 €
32128	F50 BP	DN50	20-80 mbar	603 €
32129	F50 MP	DN50	80-350 mbar	603 €
32130	F50 AP	DN50	300-4000 mbar	603 €
32131	F50-H BP	DN50	20-80 mbar	1.082 €
32132	F50-H MP	DN50	80-350 mbar	1.082 €
32133	F50-H AP	DN50	300-4000 mbar	1.082 €

Regulator + Slum slum Shut Valve

Order Code <i>Sipariş Kodu</i>	Code <i>Kod</i>	Diameter <i>Çap</i>	Outlet Pressure Range <i>Çıkış Basınç Aralığı</i>	Price <i>Fiyat</i>
32134	F25/S BP	DN25	20-80 mbar	650 €
32135	F25/S MP	DN25	80-350 mbar	650 €
32136	F25/S AP	DN25	300-4000 mbar	692 €
32137	F40/S BP	DN40	20-80 mbar	708 €
32138	F40/S MP	DN40	80-350 mbar	708 €
32139	F40/S AP	DN40	300-4000 mbar	742 €
32140	F50/S BP	DN50	20-80 mbar	858 €
32141	F50/S MP	DN50	80-350 mbar	858 €
32142	F50/S AP	DN50	300-4000 mbar	892 €
32143	F50/S-H BP	DN50	20-80 mbar	1.442 €
32144	F50/S-H MP	DN50	80-350 mbar	1.442 €
32145	F50/S-H AP	DN50	300-4000 mbar	1.487 €

Options
* ANSI Flanged
* Monitor Version
* Low Temperature Desing (-40°C)

Complements	Price
Mechanical Switch for SSV	142 €
Microswitch for SSV	130 €
Remote Shut Down	150 €

F Serie

Medium Pressure Spring-Loaded Regulator

Yaylı Orta Basınç Regülatörleri



EN 334:2019 EN14382:2019 2014/68/EU

PS 25 bar (2500kPa)

Flanged Connection

Flanşlı Bağlantılar

Without SSV - Emniyet Kapatmasız Regülatör

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32146	F65 BP	DN65	20-80 mbar	1.533 €
32147	F65 MP	DN65	80-350 mbar	1.533 €
32148	F65 AP	DN65	300-4000 mbar	1.533 €
32149	F80 BP	DN80	20-80 mbar	1.603 €
32150	F80 MP	DN80	80-350 mbar	1.603 €
32151	F80 AP	DN80	300-4000 mbar	1.603 €
32152	F100 BP	DN100	20-80 mbar	2.717 €
32153	F100 MP	DN100	80-350 mbar	2.717 €
32154	F100 AP	DN100	300-4000 mbar	2.717 €

Regulator + Slum slum Shut Valve

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32155	F65/S BP	DN65	20-80 mbar	1.698 €
32156	F65/S MP	DN65	80-350 mbar	1.698 €
32157	F65/S AP	DN65	300-4000 mbar	1.698 €
32158	F80/S BP	DN80	20-80 mbar	2.025 €
32159	F80/S MP	DN80	80-350 mbar	2.025 €
32160	F80/S AP	DN80	300-4000 mbar	2.025 €
32161	F100/S BP	DN100	20-80 mbar	2.980 €
32162	F100/S MP	DN100	80-350 mbar	2.980 €
32163	F100/S AP	DN100	300-4000 mbar	2.980 €

Options
* ANSI Flanged
* Monitor Version
* Low Temperature Desing (-40°C)

Complements	Price
Mechanical Switch for SSV	142 €
Microswitch for SSV	130 €
Remote Shut Down	150 €

F-P Serie

Medium Pressure Pilot-Loaded Regulator

Pilotlu Orta Basınç Regülatörleri

EN 334:2019 EN14382:2019 2014/68/EU
PS 25 bar (2500kPa)
Flanged Connection



Regulator + Pre-Pilot +Pilot

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32164	F25-P AP	DN25	0.3-4 bar	1.633 €
32165	F25-P AAP	DN25	3-16 bar	1.967 €
32166	F40-P AP	DN40	0.3-4 bar	1.767 €
32167	F40-P AAP	DN40	3-16 bar	2.100 €
32168	F50-P AP	DN50	0.3-4 bar	1.898 €
32169	F50-P AAP	DN50	3-16 bar	2.233 €
32170	F80-P AP	DN80	0.3-4 bar	2.637 €
32171	F80-P AAP	DN80	3-16 bar	3.025 €
32172	F100-P AP	DN100	0.3-4 bar	3.230 €
32173	F100-P AAP	DN100	3-16 bar	3.800 €

Regulator + Pre-Pilot + Pilot + Slum Shut Valve

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32174	F25/S-P AP	DN25	0.3-4 bar	1.927 €
32175	F25/S-P AAP	DN25	3-16 bar	2.260 €
32176	F40/S-P AP	DN40	0.3-4 bar	2.050 €
32177	F40/S-P AAP	DN40	3-16 bar	2.383 €
32178	F50/S-P AP	DN50	0.3-4 bar	2.215 €
32179	F50/S-P AAP	DN50	3-16 bar	2.550 €
32180	F80/S-P AP	DN80	0.3-4 bar	2.970 €
32181	F80/S-P AAP	DN80	3-16 bar	3.358 €
32182	F100/S-P AP	DN100	0.3-4 bar	3.730 €
32183	F100/S-P AAP	DN100	3-16 bar	4.300 €

Options

- * ANSI Flanged
- * Monitor Version
- * Low Temperature Desing (-40°C)
- * Silencer

Complements

Complements	Price
Mechanical Switch for SSV	142 €
Microswitch for SSV	130 €
Remote Shut Down	150 €
Pressure Switch	433 €
Pilot Heater	575 €

Z-P Serie

High Pressure Pilot-Loaded Regulator

Pilotlu Yüksek Basınç Regülatörleri

EN 334:2019 EN14382:2019 2014/68/EU

PS 50 bar (5000kPa)

Flanged Connection



Regulator + Pre-Pilot +Pilot

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32184	Z25-P AP	DN25	0.3-4 bar	2.037 €
32185	Z25-P AAP	DN25	3-16 bar	2.185 €
32186	Z40-P AP	DN40	0.3-4 bar	2.075 €
32187	Z40-P AAP	DN40	3-16 bar	2.225 €
32188	Z50-P AP	DN50	0.3-4 bar	2.397 €
32189	Z50-P AAP	DN50	3-16 bar	2.545 €
32190	Z80-P AP	DN80	0.3-4 bar	3.480 €
32191	Z80-P AAP	DN80	3-16 bar	3.628 €
32192	Z100-P AP	DN100	0.3-4 bar	4.733 €
32193	Z100-P AAP	DN100	3-16 bar	4.882 €

Regulator + Pre-Pilot + Pilot + Slum Shut Valve

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32194	Z25/S-P AP	DN25	0.3-4 bar	2.370 €
32195	Z25/S-P AAP	DN25	3-16 bar	2.518 €
32196	Z40/S-P AP	DN40	0.3-4 bar	2.425 €
32197	Z40/S-P AAP	DN40	3-16 bar	2.575 €
32198	Z50/S-P AP	DN50	0.3-4 bar	2.763 €
32199	Z50/S-P AAP	DN50	3-16 bar	2.912 €
32200	Z80/S-P AP	DN80	0.3-4 bar	3.863 €
32201	Z80/S-P AAP	DN80	3-16 bar	4.012 €
32202	Z100/S-P AP	DN100	0.3-4 bar	5.150 €
32203	Z100/S-P AAP	DN100	3-16 bar	5.298 €

Options

- * ANSI Flanged
- * Monitor Version
- * Low Temperature Desing (-40°C)
- * Silencer

Complements

Complements	Price
Mechanical Switch for SSV	142 €
Microswitch for SSV	130 €
Remote Shut Down	150 €
Pressure Switch	433 €
Pilot Heater	575 €

G-P Serie

High Pressure Pilot-Loaded Regulator

Pilotlu Yüksek Basınç Regülatörleri

EN 334:2019 EN14382:2019 2014/68/EU
 PS 102 bar (10.2mPa)
 Flanged Connection



Regulator + Pre-Pilot +Pilot

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32204	G25-P AP	DN25	0.3-4 bar	2.037 €
32205	G25-P AAP	DN25	3-16 bar	2.185 €
32206	G40-P AP	DN40	0.3-4 bar	2.075 €
32207	G40-P AAP	DN40	3-16 bar	2.225 €
32208	G50-P AP	DN50	0.3-4 bar	2.397 €
32209	G50-P AAP	DN50	3-16 bar	2.545 €
32210	G80-P AP	DN80	0.3-4 bar	3.480 €
32211	G80-P AAP	DN80	3-16 bar	3.628 €
32212	G100-P AP	DN100	0.3-4 bar	4.733 €
32213	G100-P AAP	DN100	3-16 bar	4.882 €

Regulator + Pre-Pilot + Pilot + Slum Shut Valve

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32214	G25/S-P AP	DN25	0.3-4 bar	2.370 €
32215	G25/S-P AAP	DN25	3-16 bar	2.518 €
32216	G40/S-P AP	DN40	0.3-4 bar	2.425 €
32217	G40/S-P AAP	DN40	3-16 bar	2.575 €
32218	G50/S-P AP	DN50	0.3-4 bar	2.763 €
32219	G50/S-P AAP	DN50	3-16 bar	2.912 €
32220	G80/S-P AP	DN80	0.3-4 bar	3.863 €
32221	G80/S-P AAP	DN80	3-16 bar	4.012 €
32222	G100/S-P AP	DN100	0.3-4 bar	5.150 €
32223	G100/S-P AAP	DN100	3-16 bar	5.298 €

Options
* ANSI Flanged
* Monitor Version
* Low Temperature Desing (-40°C)
* Silencer

Complements	Price
Mechanical Switch for SSV	142 €
Microswitch for SSV	130 €
Remote Shut Down	150 €
Pressure Switch	433 €
Pilot Heater	575 €

GS 250 Serie - R 250 Serie

High Pressure Gas Filter and Pressure Regulator for CNG

Yüksek Basınç Filtresi ve Basınç Regülatörü, CNG için

2014/68/EU

PS 250 bar (25 mPa)

Threaded Connection



Only Solid Particle - Sadece Katı Partiküller için

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Filtering Filtrasyon	Price Fiyat
32224	GS25-250	1"	2 µ	1.833 €
32225	GS40-250	1 1/2"	2 µ	1.967 €
32226	GS50-250	2"	2 µ	2.333 €

Solid Particle and Licked Separated - Katı Partikül ve Sıvılar için

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Filtering Filtrasyon	Price Fiyat
32227	GS25-250 LS	1"	2 µ - 100ml	1.900 €
32228	GS40-250 LS	1 1/2"	2 µ - 200ml	2.050 €
32229	GS50-250 LS	2"	2 µ - 250ml	2.417 €

Pilot Operated Gas Pressure Regulator - Pilot Kontrollü Gaz Basınç Regülatörü

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32230	R250-25	1"	1-40 bar	2.133 €
32231	R250-40	1 1/2"	1-40 bar	2.433 €
32232	R250-50	2"	1-40 bar	2.583 €

Order Code	Complements Description	Price
32233	Drain Valve, Threaded	27 €
32234	Pressure Switch IP65	467 €
32235	Pressure Switch Ex-Proof	642 €

Options

* NPT Connection

* Low Temperature Desing (-40°C)

RL Serie

Low Pressure Spring-Loaded Regulator

Düşük Basınç Regülatörü

EN 88
PS 1 bar (100kPa)
Threaded Connection



Regulator with Filter

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32236	RL15	1/2"	10-350 mbar	27 €
32237	RL20	3/4"	10-350 mbar	27 €
32238	RL25	1"	10-350 mbar	27 €
32239	RL32	1 1/4"	10-350 mbar	45 €
32240	RL40	1 1/2"	10-350 mbar	45 €
32241	RL50	2"	10-350 mbar	61 €

Regulator + SSV with Filter

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32240	RL15/S	1/2"	10-350 mbar	45 €
32241	RL20/S	3/4"	10-350 mbar	45 €
32242	RL25/S	1"	10-350 mbar	45 €
32243	RL32/S	1 1/4"	10-350 mbar	62 €
32244	RL40/S	1 1/2"	10-350 mbar	62 €
32245	RL50/S	2"	10-350 mbar	64 €

Options

- * NPT Connection
- * Low Temperature Desing (-40°C)
- * External Impulse
- * Without Filter

GS Serie
Medium Pressure Gas Filter

Orta Basınç Gaz Filtresi

2014/68/EU
PS 25 bar (2500kPa)
Flanged Connection



Order Code Sipariş Kodu	Code Kod	Diameter Çap	Cardridge Size Kartuş Tipi	Price Fiyat
32246	GS 25	DN25	G-0.5	183 €
32247	GS 25-1	DN25	G-1	350 €
32248	GS 32	DN32	G-0.5	190 €
32249	GS 32-1	DN32	G-1	353 €
32250	GS 40	DN40	G-0.5	200 €
32251	GS 40-1	DN40	G-1	353 €
32252	GS 50	DN50	G-0.5	213 €
32253	GS 50-1	DN50	G-1	367 €
32254	GS 65	DN65	G-1.5	358 €
32255	GS 80	DN80	G-1.5	358 €
32256	GS100	DN100	G-1.5	433 €
32257	GS 125	DN125	G-2.5	922 €
32258	GS 150	DN150	G-3	1.157 €
32259	GS 200	DN200	G-4	1.875 €
32260	GS 250	DN250	G-5	3.067 €
32261	GS 300	DN300	G-6	4.108 €

Order Code	Complements Description	Price
32262	Drain Valve GS 25-100, CL800, Threaded	27 €
32263	Drain Valve GS 125-300, CL800, Threaded	37 €
32264	Differential Pressure Gauge, 0-1 bar / with Electrical Contact	217 €
32265	Liquid Level Sensor, Explosion Proof , Mechanical trans. Magnetic	542 €
32266	Liquid Separator GS25-50, AISI 316, Condensing Methot	300 €
32267	Liquid Separator GS65-100, AISI 316, Condensing Methot	400 €
32268	Liquid Separator GS125-150, AISI 316, Condensing Methot	600 €
32269	Liquid Separator GS200-250, AISI 316, Condensing Methot	917 €
32270	Liquid Separator GS300, AISI 316, Condensing Methot	1.300 €

Options
* ANSI Flanged
* Low Temperature Desing (-40°C)

Z Serie
High Pressure Gas Filter

Yüksek Basınç Gaz Filtresi

2014/68/EU
PS 50 bar (5000kPa)
Flanged Connection



Order Code Sipariş Kodu	Code Kod	Diameter Çap	Cardridge Size Kartuş Tipi	Price Fiyat
32272	Z 25	DN25	G-0.5	325 €
32273	Z 25-1	DN25	G-1	525 €
32274	Z 32	DN32	G-0.5	330 €
32275	Z 32-1	DN32	G-1	530 €
32276	Z 40	DN40	G-0.5	330 €
32277	Z 40-1	DN40	G-1	530 €
32278	Z 50	DN50	G-0.5	350 €
32279	Z 50-1	DN50	G-1	550 €
32280	Z 65	DN65	G-1.5	538 €
32281	Z 80	DN80	G-1.5	563 €
32282	Z100	DN100	G-1.5	700 €
32283	Z 125	DN125	G-2.5	1.659 €
32284	Z 150	DN150	G-3	2.082 €
32285	Z 200	DN200	G-4	3.375 €
32286	Z 250	DN250	G-5	5.520 €
32287	Z 300	DN300	G-6	7.395 €

Order Code	Complements Description	Price
32262	Drain Valve Z 25-100, CL800, Threaded	27 €
32263	Drain Valve Z 125-300, CL800, Threaded	37 €
32271	Differential Pressure Gauge, 0-2 bar / with Electrical Contact	217 €
32265	Liquid Level Sensor, Explosion Proof , Mechanical trans. Magnetic	542 €
32266	Liquid Separator GS25-50, AISI 316, Condensing Methot	300 €
32267	Liquid Separator GS65-100, AISI 316, Condensing Methot	400 €
32268	Liquid Separator GS125-150, AISI 316, Condensing Methot	600 €
32269	Liquid Separator GS200-250, AISI 316, Condensing Methot	917 €
32270	Liquid Separator GS300, AISI 316, Condensing Methot	1.300 €

Options
* ANSI Flanged
* Low Temperature Desing (-40°C)

GF Serie
Low Pressure Gas Filter

Düşük Basınç Gaz Filitresi

2014/68/EU
PS 6 bar (600kPa)



Threaded Connection - Dişli Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Filtering Filtrasyon	Price Fiyat
32295	GF15	1/2"	20µ	9 €
32296	GF20	3/4"	20µ	9 €
32297	GF25	1"	20µ	9 €
32298	GF32	1 1/4"	20µ	12 €
32299	GF40	1 1/2"	20µ	12 €
32300	GF50	2"	20µ	13 €

Flanged Connection - Flanşlı Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Filtering Filtrasyon	Price Fiyat
32301	GF25 F	DN25	20µ	60 €
32302	GF32 F	DN32	20µ	63 €
32303	GF40 F	DN40	20µ	63 €
32304	GF50 F	DN50	20µ	62 €
32305	GF65 F	DN65	20µ	115 €
32306	GF80 F	DN80	20µ	118 €
32307	GF100 F	DN100	20µ	150 €
32308	GF125 F	DN125	20µ	467 €
32309	GF150 F	DN150	20µ	483 €
32310	GF200 F	DN200	20µ	1.267 €
32311	GF250 F	DN250	20µ	2.133 €
32312	GF300 F	DN300	20µ	2.233 €

Order Code	Complements Description	Price
32313	Differantial Pressure Gauge, 0-100 mbar / with Electical Contact	200 €
32314	Differantial Pressure Gauge, 0-100 mbar	183 €

Options

- * ANSI Flanged
- * Low Temperatur Desing (-40°C)
- * Filtering Element 10µ or 50µ

SV Serie

Manually Reset Soneloid Valve

Elkurmali Selenoid Vana

2014/68/EU
PS 0.5 bar (50kPa)
Normally Open



Threaded Connection - Dişli Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32330	SV15	1/2"	0.5 bar	11 €
32331	SV20	3/4"	0.5 bar	11 €
32332	SV25	1"	0.5 bar	11 €
32333	SV32	1 1/4"	0.5 bar	17 €
32334	SV40	1 1/2"	0.5 bar	17 €
32335	SV50	2"	0.5 bar	19 €

Flanged Connection - Flanşlı Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32336	SV25 F	DN25	0.5 bar	73 €
32337	SV32 F	DN32	0.5 bar	73 €
32338	SV40 F	DN40	0.5 bar	73 €
32339	SV50 F	DN50	0.5 bar	93 €
32340	SV65 F	DN65	0.5 bar	153 €
32341	SV80 F	DN80	0.5 bar	163 €
32342	SV100 F	DN100	0.5 bar	275 €
32343	SV125 F	DN125	0.5 bar	533 €
32344	SV150 F	DN150	0.5 bar	533 €
32345	SV200 F	DN200	0.5 bar	1.358 €
32346	SV250 F	DN250	0.5 bar	2.542 €
32347	SV300 F	DN300	0.5 bar	2.687 €

Order Code	Complements Description	Price
32354	Exproof Coil for Threaded Models	75 €
32355	Exproof Coil for Flanged Models	130 €

Options
* ANSI Flanged
* Low Temperature Desing (-40°C)
* 230Vac/50-60Hz. - 110V/50Hz. - 24Vac/50Hz - 24Vdc - 12Vac/50Hz - 12Vdc

SV Serie

Manually Reset Soneloid Valve

Elkurmalı Selenoid Vana

2014/68/EU

PS 6 bar (600kPa)

Normally Open



Threaded Connection - Dişli Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32360	SV15/6b	1/2"	6 bar	29 €
32361	SV20/6b	3/4"	6 bar	29 €
32362	SV25/6b	1"	6 bar	37 €
32363	SV32/6b	1 1/4"	6 bar	61 €
32364	SV40/6b	1 1/2"	6 bar	61 €
32365	SV50/6b	2"	6 bar	70 €

Flanged Connection - Flanşlı Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32370	SV25 F/6b	DN25	6 bar	85 €
32371	SV32 F/6b	DN32	6 bar	88 €
32372	SV40 F/6b	DN40	6 bar	88 €
32373	SV50 F/6b	DN50	6 bar	107 €
32374	SV65 F/6b	DN65	6 bar	192 €
32375	SV80 F/6b	DN80	6 bar	198 €
32376	SV100 F/6b	DN100	6 bar	327 €
32377	SV125 F/6b	DN125	6 bar	700 €
32378	SV150 F/6b	DN150	6 bar	700 €
32379	SV200 F/6b	DN200	6 bar	1.845 €
32380	SV250 F/6b	DN250	6 bar	2.650 €
32381	SV300 F/6b	DN300	6 bar	2.917 €

Order Code	Complements Description	Price
32354	Exproof Coil for Threaded Models	75 €
32355	Exproof Coil for Flanged Models	130 €

Options

* ANSI Flanged

* Low Temperature Desing (-40°C)

* 230Vac/50-60Hz. - 110V/50Hz. - 24Vac/50Hz - 24Vdc - 12Vac/50Hz - 12Vdc

SV Serie

Manually Reset Soneloid Valve

Elkurmali Selenoid Vana

2014/68/EU
PS 0.5 bar (50kPa)
Normally Closed



Threaded Connection - Dişli Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32390	SV15 NC	1/2"	0.5 bar	13 €
32391	SV20 NC	3/4"	0.5 bar	13 €
32392	SV25 NC	1"	0.5 bar	13 €
32393	SV32 NC	1 1/4"	0.5 bar	21 €
32394	SV40 NC	1 1/2"	0.5 bar	21 €
32395	SV50 NC	2"	0.5 bar	22 €

Flanged Connection - Flanşlı Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32400	SV25 F NC	DN25	0.5 bar	93 €
32401	SV32 F NC	DN32	0.5 bar	93 €
32402	SV40 F NC	DN40	0.5 bar	93 €
32403	SV50 F NC	DN50	0.5 bar	115 €
32404	SV65 F NC	DN65	0.5 bar	225 €
32405	SV80 F NC	DN80	0.5 bar	230 €
32406	SV100 F NC	DN100	0.5 bar	325 €
32407	SV125 F NC	DN125	0.5 bar	650 €
32408	SV150 F NC	DN150	0.5 bar	683 €
32409	SV200 F NC	DN200	0.5 bar	1.933 €
32410	SV250 F NC	DN250	0.5 bar	2.733 €
32411	SV300 F NC	DN300	0.5 bar	2.867 €

Order Code	Complements Description	Price
32354	Exproof Coil for Threaded Models	75 €
32355	Exproof Coil for Flanged Models	130 €

Options

- * ANSI Flanged
- * Low Temperature Desing (-40°C)
- * 230Vac/50-60Hz. - 110V/50Hz. - 24Vac/50Hz - 24Vdc - 12Vac/50Hz - 12Vdc

SV Serie

Manually Reset Soneloid Valve

Elkurmalı Selenoid Vana

2014/68/EU
PS 6 bar (600kPa)
Normally Closed



Threaded Connection - Dişli Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32430	SV15/6b NC	1/2"	6 bar	6 €
32431	SV20/6b NC	3/4"	6 bar	7 €
32432	SV25/6b NC	1"	6 bar	8 €
32433	SV32/6b NC	1 1/4"	6 bar	9 €
32434	SV40/6b NC	1 1/2"	6 bar	10 €
32435	SV50/6b NC	2"	6 bar	11 €

Flanged Connection - Flanşlı Bağlantı

Order Code Sipariş Kodu	Code Kod	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32440	SV25 F/6b NC	DN25	6 bar	103 €
32441	SV32 F/6b NC	DN32	6 bar	103 €
32442	SV40 F/6b NC	DN40	6 bar	103 €
32443	SV50 F/6b NC	DN50	6 bar	115 €
32444	SV65 F/6b NC	DN65	6 bar	240 €
32445	SV80 F/6b NC	DN80	6 bar	257 €
32446	SV100 F/6b NC	DN100	6 bar	420 €
32447	SV125 F/6b NC	DN125	6 bar	887 €
32448	SV150 F/6b NC	DN150	6 bar	897 €
32449	SV200 F/6b NC	DN200	6 bar	1.967 €
32450	SV250 F/6b NC	DN250	6 bar	2.830 €
32451	SV300 F/6b NC	DN300	6 bar	3.150 €

Order Code	Complements Description	Price
32354	Exproof Coil for Threaded Models	75 €
32355	Exproof Coil for Flanged Models	130 €

Options
* ANSI Flanged
* Low Temperature Desing (-40°C)
* 230Vac/50-60Hz. - 110V/50Hz. - 24Vac/50Hz - 24Vdc - 12Vac/50Hz - 12Vdc

SL Serie

Safety Slum Shut Valve

Emniyet Kapatma Vanası

2014/68/EU EN 14382:2019
PS 16 - 25 bar (1600-2500kPa)
Minimum or/and Maximum Closing



Threaded Connection - Dişli Bağlantı

Order Code Sipariş Kodu	Type Tip	Dia. Çap	Min. Close Ran. Min.Kapatma	Max. Close Ran. Max. Kapatma	Price Fiyat
32461	SL25 BP	1"	15-110 mbar	35-230 mbar	170 €
32462	SL25 MP	1"	30-400 mbar	170-800 mbar	170 €
32463	SL25 AP	1"	165-3200 mbar	490-5500 mbar	192 €
32464	SL40 BP	1 1/2"	15-110 mbar	35-230 mbar	183 €
32465	SL40 MP	1 1/2"	30-400 mbar	170-800 mbar	183 €
32466	SL40 AP	1 1/2"	165-3200 mbar	490-5500 mbar	207 €
32467	SL50 BP	2"	15-110 mbar	35-230 mbar	325 €
32468	SL50 MP	2"	30-400 mbar	170-800 mbar	325 €
32469	SL50 AP	2"	165-3200 mbar	490-5500 mbar	367 €

Flanged Connection - Flanşlı Bağlantı

Order Code Sipariş Kodu	Type Tip	Dia. Çap	Min. Close Ran. Min.Kapatma	Max. Close Ran. Max. Kapatma	Price Fiyat
32470	SL25F BP	DN25	15-110 mbar	35-230 mbar	557 €
32471	SL25F MP	DN25	30-400 mbar	170-800 mbar	557 €
32472	SL25F AP	DN25	165-3200 mbar	490-5500 mbar	575 €
32473	SL40F BP	DN40	15-110 mbar	35-230 mbar	633 €
32474	SL40F MP	DN40	30-400 mbar	170-800 mbar	633 €
32475	SL40F AP	DN40	165-3200 mbar	490-5500 mbar	692 €
32476	SL50F BP	DN50	15-110 mbar	35-230 mbar	682 €
32477	SL50F MP	DN50	30-400 mbar	170-800 mbar	682 €
32478	SL50F AP	DN50	165-3200 mbar	490-5500 mbar	713 €
32479	SL65F BP	DN65	15-110 mbar	35-230 mbar	983 €
32480	SL65F MP	DN65	30-400 mbar	170-800 mbar	983 €
32481	SL65F AP	DN65	165-3200 mbar	490-5500 mbar	867 €
32482	SL80F BP	DN80	15-110 mbar	35-230 mbar	1.370 €
32483	SL80F MP	DN80	30-400 mbar	170-800 mbar	1.370 €
32484	SL80F AP	DN80	165-3200 mbar	490-5500 mbar	1.415 €
32485	SL100F BP	DN100	15-110 mbar	35-230 mbar	1.747 €
32486	SL100F MP	DN100	30-400 mbar	170-800 mbar	1.747 €
32487	SL100F AP	DN100	165-3200 mbar	490-5500 mbar	1.817 €

Options

* ANSI Flanged

SLH Serie

Safety Slum Shut Valve

Emniyet Kapatma Vanası

2014/68/EU EN 14382:2019
PS 50 bar (5000kPa)
Minimum or/and Maximum Closing



Flanged Connection - Flanşlı Bağlantı

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Dia. <i>Çap</i>	Min. Close Ran. <i>Min.Kapatma</i>	Max. Close Ran. <i>Max. Kapatma</i>	Price <i>Fiyat</i>
32490	SLH25F AP	DN25	0.16 - 3.2 bar	0.49 - 5.5 bar	800 €
32491	SLH25F HP	DN25	3 - 16 bar	4-16 bar	860 €
32492	SLH40F AP	DN40	0.16 - 3.2 bar	0.49 - 5.5 bar	850 €
32493	SLH40F HP	DN40	3 - 16 bar	4-16 bar	900 €
32494	SLH50F AP	DN50	0.16 - 3.2 bar	0.49 - 5.5 bar	1.050 €
32495	SLH50F HP	DN50	3 - 16 bar	4-16 bar	1.108 €
32496	SLH65F AP	DN65	0.16 - 3.2 bar	0.49 - 5.5 bar	1.508 €
32497	SLH65F HP	DN65	3 - 16 bar	4-16 bar	1.575 €
32498	SLH80F AP	DN80	0.16 - 3.2 bar	0.49 - 5.5 bar	1.508 €
32499	SLH80F HP	DN80	3 - 16 bar	4-16 bar	1.575 €
32500	SLH100F AP	DN100	0.16 - 3.2 bar	0.49 - 5.5 bar	2.463 €
32501	SLH100F HP	DN100	3 - 16 bar	4-16 bar	2.522 €

Order Code	Complements Description	Price
32508	Mechanical Switch for SSV, Telemecanique EN 50041-IP66	142 €
32509	Mechanical Switch for SSV EExd IIC T6 - IP65	325 €
32510	Microswitch for SSV	325 €
32511	Remote Shut Down	183 €



Options

* ANSI Flanged

RLT Serie

Safety Relief Valve

Emniyet Tahliye Vanası

2014/68/EU
PS 1 - 6 - 16 bar (100-600-16000kPa)



Threaded Connection - Dişli Bağlantı

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Relief Set Range Tahliye Set Basıncı	Price Fiyat
32515	RLT 15/1b	1/2"	16-1000 mbar	63 €
32516	RLT 15/6b	1/2"	0.3 - 6 bar	103 €
32517	RLT 15/16b	1/2"	2 - 16 bar	217 €
32518	RLT 20/1b	3/4"	16-1000 mbar	103 €
32519	RLT 20/6b	3/4"	0.3 - 6 bar	63 €
32520	RLT 20/16b	3/4"	2 - 16 bar	217 €
32521	RLT 25/1b	1"	16-1000 mbar	63 €
32522	RLT 25/6b	1"	0.3 - 6 bar	103 €
32523	RLT 25/16b	1"	2 - 16 bar	242 €
32524	RLT 40/1b	1 1/2"	16-1000 mbar	158 €
32525	RLT 40/6b	1 1/2"	0.3 - 6 bar	183 €
32526	RLT 40/16b	1 1/2"	2 - 16 bar	483 €
32527	RLT 50/1b	2"	16-1000 mbar	183 €
32528	RLT 50/6b	2"	0.3 - 6 bar	242 €
32529	RLT 50/16b	2"	2 - 16 bar	533 €

Flanged Connection - Flanşlı Bağlantı

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Relief Set Range Tahliye Set Basıncı	Price Fiyat
32536	RLT 25F/1b	DN25	16-1000 mbar	467 €
32537	RLT 25F/6b	DN25	0.3 - 6 bar	517 €
32538	RLT 25F/16b	DN25	2 - 16 bar	575 €
32539	RLT 40F/1b	DN40	16-1000 mbar	497 €
32540	RLT 40F/6b	DN40	0.3 - 6 bar	550 €
32541	RLT 40F/16b	DN40	2 - 16 bar	608 €
32542	RLT 50F/1b	DN50	16-1000 mbar	533 €
32543	RLT 50F/6b	DN50	0.3 - 6 bar	592 €
32544	RLT 50F/16b	DN50	2 - 16 bar	633 €

Options

* ANSI Flanged

* Low Temperature Desing (-40°C)

RLZ Serie

Zero Pressure Regulator

Sıfır Basınç ve Eşit Basınç Regülatörü

EN 88
PS 500 mbar (50kPa)
Threaded Connection



Zero Pressure Regulator

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32552	RLZ 15	1/2"	10-200 mbar	70 €
32553	RLZ 20	3/4"	10-200 mbar	75 €
32554	RLZ 25	1"	10-200 mbar	75 €
32555	RLZ 32	1 1/4"	10-200 mbar	103 €
32556	RLZ 40	1 1/2"	10-200 mbar	103 €
32557	RLZ 50	2"	10-200 mbar	123 €
32558	RLZ 65	DN65	10-200 mbar	533 €
32559	RLZ 80	DN80	10-200 mbar	575 €
32560	RLZ 100	DN100	10-200 mbar	700 €

Differential Pressure Ratio Regulator

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Outlet Pressure Range Çıkış Basınç Aralığı	Price Fiyat
32566	RLZ 15D	1/2"	5-200 mbar	120 €
32567	RLZ 20D	3/4"	5-200 mbar	127 €
32568	RLZ 25D	1"	5-200 mbar	150 €
32569	RLZ 32D	1 1/4"	5-200 mbar	233 €
32570	RLZ 40D	1 1/2"	5-200 mbar	233 €
32571	RLZ 50D	2"	5-200 mbar	317 €
32572	RLZ 65D	DN65	5-200 mbar	717 €
32573	RLZ 80D	DN80	5-200 mbar	758 €
32574	RLZ 100D	DN100	5-200 mbar	850 €

Options

* NPT Connection


* With Filter

SP-SPN-SPL Serie

Pressure Switch for Gas/Air

Gaz Presostadları Gaz/Hava

EN 1854 2016/426 EU 2014/35 EU
IP 54 - 65



Compact Desing for GAS/AIR

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Diameter <i>Çap</i>	Set Pressure Range <i>Set Basınç Aralığı</i>	Price <i>Fiyat</i>
32580	SP-3G	1/4" Rp.	0.7 - 3 mbar	22 €
32581	SP-10G	1/4" Rp.	2 - 10 mbar	22 €
32582	SP-50G	1/4" Rp.	5 - 50 mbar	22 €
32583	SP-150G	1/4" Rp.	5 - 150 mbar	22 €
32584	SP-500G	1/4" Rp.	100 - 500 mbar	28 €

for GAS/AIR

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Diameter <i>Çap</i>	Set Pressure Range <i>Set Basınç Aralığı</i>	Price <i>Fiyat</i>
32585	SPN-3G	1/4" Rp.	0.4 - 3 mbar	28 €
32586	SPN-10G	1/4" Rp.	2 - 10 mbar	28 €
32587	SPN-50G	1/4" Rp.	2.5 - 50 mbar	28 €
32588	SPN-150G	1/4" Rp.	30 - 150 mbar	28 €
32589	SPN-500G	1/4" Rp.	100 - 500 mbar	30 €

for Air

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Diameter <i>Çap</i>	Set Pressure Range <i>Set Basınç Aralığı</i>	Price <i>Fiyat</i>
32590	SPL-3G	1/4" Rp.	0.4 - 3 mbar	25 €
32591	SPL-10G	1/4" Rp.	1 - 10 mbar	25 €

Options
* Au Contact
* Exproof Version

Complements	Price
Socket for SP Serie	3 €

BK Serie

Diaphragm Gas Meter

Körüklü Doğalgaz Sayaçları

Pmax: 500mbar



Order Code Sipariş Kodu	Type Tip	Diameter Çap	Qmin - Qmax m³/h	Price Fiyat
33120	G 4	1"	0.04 - 6	0 €
33121	G 6	1"	0.06 - 10	142 €
33122	G 10	1 1/2"	0.1 - 16	410 €
33123	G 16	1 1/2"	0.16 - 25	420 €
33124	G 25	2"	0.25 - 40	665 €

CMK Serie

Electronic Volume Korrektor

Elektronik Hacim Düzelticiler



Order Code Sipariş Kodu	Type Tip	Measuring Pressure Ölçülecek Basınç	Calculating in function Hesaplama Yöntemi	Price Fiyat
33125	CMK-03	0.9 - 6 bar (abs)	PTZ SGERG-88 or AGA8-92DC	1.250 €
33126	CMK-03	6 - 40 bar (abs)	PTZ SGERG-88 or AGA8-92DC	1.250 €
	CMK-03	10 - 70 bar (abs)	PTZ SGERG-88 or AGA8-92DC	1.250 €

Order Code	Complements Description	Price
33127	Analog Output Converter (Puls - 4-20mA)	392 €
33128	External Power Supply 24vdc	30 €

CPT01 Serie
Gas Quantometer

Quantometre Gaz Sayaçları

Pmax: 20 bar - 2mPa
Aluminum body (except DN200 which is steel body)
Wafer type PN16
Flow direction: HV (horizontal or vertical)



Order Code Sipariş Kodu	Type Tip	Diameter Çap	Qmin - Qmax m³/h	Price Fiyat
32622	G 16	DN25	2,5 - 25	
32623	G 25	DN25	4 - 40	
32624	G 25	DN32	4 - 40	
32625	G 40	DN40	6,5 - 65	
32626	G 65	DN40	10 - 100	
32627	G 40	DN50	6,5 - 65	1.070 €
32628	G 65	DN50	10 - 100	1.070 €
32629	G 65	DN65	8 - 100	1.153 €
32630	G 100	DN65	8 - 160	1.153 €
32631	G100	DN80	8 - 160	1.112 €
32632	G 160	DN80	13 - 250	1.153 €
32633	G 250	DN80	20 - 400	1.153 €
32634	G160	DN100	13 - 250	1.385 €
32635	G 250	DN100	20 - 400	1.385 €
32636	G 400	DN100	32 - 650	1.286 €
32637	G 400	DN150	32 - 650	1.921 €
32638	G 650	DN150	50 - 1000	1.921 €
32639	G 1000	DN150	80 - 1600	1.921 €
32641	G 1000	DN200	80 - 1600	3.779 €
32642	G 1600	DN200	130 - 2500	3.779 €

Order Code	Complements Description	Price
32643	CLFi pulser, low frequency, inductive, in the index	114 €
32644	AFK anti-fraud reed contact in the index	7 €
32645	HF medium/high frequency, in the index	203 €
32646	HF high frequency, inductive, taking pulses from rotor blades	360 €

Options

* ANSI Connection

CGR/FX Serie
Gas Rotarymeter

Rotarymetre Gaz Sayaçları

Pmax: 16 bar - 1,6mPa
Aluminum body (except DN200 which is steel body)
Wafer type PN16
Flow direction: HV (horizontal or vertical)



Order Code Sipariş Kodu	Type Tip	Diameter Çap	Qmin - Qmax m³/h		Price Fiyat
32647	G 10	40/50	0,3	16	1.132 €
32648	G 16	40/50	0,4	25	1.132 €
32649	G 16	40/50	0,5	25	1.168 €
32650	G 25	40/50	0,4	40	1.132 €
32651	G 25	40/50	0,65	40	1.168 €
32652	G 25	40/50	0,8	40	1.351 €
32653	G 40	40/50	0,4	65	1.168 €
32654	G 40	40/50	1	65	1.351 €
32655	G 40	40/50	1,3	65	1.442 €
32656	G 65	50/80	0,65	100	1.351 €
32657	G 65	50/80	1,6	100	1.442 €
32658	G 65	50/80	2	100	1.859 €
32659	G 100	50/80	1	160	1.442 €
32660	G 100	50/80	2,5	160	1.859 €
32661	G 100	80/100	2,5	160	1.888 €
32662	G 100	80/100	3,2	160	2.622 €
32663	G 160	80/100	1,6	250	1.888 €
32664	G 160	80/100	4	250	2.622 €
32665	G 160	80/100	5	250	2.860 €
32666	G 250	100	2,5	400	2.622 €
32667	G 250	100	6,5	400	2.860 €
32668	G 400	100	4	650	2.860 €

Order Code	Complements Description	Price
32669	cLFI pulser, low frequency, inductive, in the index	126 €
32670	AFK anti-fraud reed contact in the index	8 €
32671	HF medium/high frequency, in the index	223 €
32672	TP Temperature Pocket installed in the body	39 €

Options

* ANSI Connection

CGT02 Serie
Gas Turbinmeter

Türbinmetre Gaz Sayaçları

Pmax: 16 bar - 1,6mPa
Aluminum body (except DN200 which is steel body)
Wafer type PN16
Flow direction: HV (horizontal or vertical)



Order Code Sipariş Kodu	Type Tip	Diameter Çap	Qmin - Qmax m³/h			Price Fiyat
32673	G65	DN50	5		100	1.322 €
32674	G100	DN80	8		160	1.527 €
32675	G160	DN80	13		250	1.530 €
32676	G250	DN80	20		400	1.532 €
32677	G160	DN100	13		250	1.750 €
32678	G250	DN100	20		400	1.753 €
32679	G400	DN100	32		650	1.756 €
32680	G400	DN150	32		650	2.734 €
32681	G650	DN150	50		1000	2.736 €
32682	G1000	DN150	80		1600	2.739 €
32683	G650	DN200	50		1000	4.551 €
32684	G1000	DN200	80		1600	4.551 €
32685	G1600	DN200	130		2500	4.551 €
32686	G1000	DN250	80		1600	11.293 €
32687	G1600	DN250	130		2500	11.296 €
32688	G2500	DN250	200		4000	11.298 €
32689	G1600	DN300	130		2500	12.577 €
32690	G2500	DN300	200		4000	12.579 €
32691	G4000	DN300	320		6500	12.582 €
32692	G2500	DN400	200		4000	33.367 €
32693	G4000	DN400	320		6500	33.369 €
32694	G6500	DN400	500		10000	33.372 €

Order Code	Complements Description	Price
32695	cLFi pulser, low frequency, inductive, in the index	126 €
32696	AFK anti-fraud reed contact in the index	8 €
32697	HF medium/high frequency, in the index	223 €
32698	HF high frequency, inductive, taking pulses from rotor blades	395 €
32699	HF high frequency, inductive, taking pulses from reference wheel (DN100 & bigger)	458 €
32700	TP Temperature Pocket installed in the body	39 €

Options

* ANSI Connection

IJ Serie
Insulating Joints

Izole Joint



Pmax: 25bar (ANSI150) or 100bar (ANSI300)
Electrical insulation resistance in dry air 10Mohm
Dielectric resistance in dry air 3kV


Order Code Sipariş Kodu	Type Tip	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32701	J150-15	1/2" - DN15	25 bar	53 €
32702	J150-20	3/4" - DN20	25 bar	53 €
32703	J150-25	1" - DN25	25 bar	53 €
32704	J150-32	1 1/4" - DN32	25 bar	82 €
32705	J150-40	1 1/2" - DN40	25 bar	82 €
32706	J150-50	2" - DN50	25 bar	93 €
32707	J150-65	2 1/2" - DN65	25 bar	123 €
32708	J150-80	3" - DN80	25 bar	154 €
32709	J150-100	4" - DN100	25 bar	193 €
32710	J150-125	5" - DN125	25 bar	303 €
32711	J150-150	6" - DN150	25 bar	397 €
32712	J150-200	8" - DN200	25 bar	519 €
32713	J150-250	10" - DN250	25 bar	1.050 €
32714	J150-300	12" - DN300	25 bar	1.423 €

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Working Pressure Çalışma Basıncı	Price Fiyat
32715	J300-15	1/2" - DN15	100 bar	111 €
32716	J300-20	3/4" - DN20	100 bar	111 €
32717	J300-25	1" - DN25	100 bar	111 €
32718	J300-32	1 1/4" - DN32	100 bar	163 €
32719	J300-40	1 1/2" - DN40	100 bar	163 €
32720	J300-50	2" - DN50	100 bar	216 €
32721	J300-65	2 1/2" - DN65	100 bar	245 €
32722	J300-80	3" - DN80	100 bar	350 €
32723	J300-100	4" - DN100	100 bar	513 €
32724	J300-125	5" - DN125	100 bar	817 €
32725	J300-150	6" - DN150	100 bar	916 €
32726	J300-200	8" - DN200	100 bar	1.552 €
32727	J300-250	10" - DN250	100 bar	2.188 €
32728	J300-300	12" - DN300	100 bar	3.092 €

GKV Serie

Ball Valve for Gas

Küresel Vanalar



Pmax: 16 bar or 25 bar - 1,6mPa or 2,5 mPa
EN331

Flanged Connection

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Fluid Akış	Price Fiyat
32729	GKV 15	DN15	Full Bore	30 €
32730	GKV 20	DN20	Full Bore	37 €
32731	GKV 25	DN25	Full Bore	43 €
32732	GKV 32	DN32	Full Bore	57 €
32733	GKV 40	DN40	Full Bore	65 €
32734	GKV 50	DN50	Full Bore	81 €
32735	GKV 65	DN65	Full Bore	121 €
32736	GKV 80	DN80	Full Bore	155 €
32737	GKV 100	DN100	Full Bore	213 €
32738	GKV 125	DN125	Full Bore	360 €
32739	GKV 150	DN150	Full Bore	607 €
32740	GKV 200	DN200	Full Bore	1.073 €

Threaded Connection

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Fluid Akış	Price Fiyat
32741	GKD 15	1/2"	Full Bore	21 €
32742	GKD 20	3/4"	Full Bore	23 €
32743	GKD 25	1"	Full Bore	28 €
32744	GKD 32	1 1/4"	Full Bore	40 €
32745	GKD 40	1 1/2"	Full Bore	47 €
32746	GKD 50	2"	Full Bore	61 €

Options

* ANSI Connection

PG Serie

Pressure Gauge

Manometreler

Ø63 or Ø100
Class 1.6 or 2.5



CL2.5 - Ø63

Order Code Sipariş Kodu	Type Tip	Connection Diameter Bağlantı Çapı	Price Fiyat
32747	Manometer 0 - 25 mbar	1/4"	20 €
32748	Manometer 0 - 40 mbar	1/4"	20 €
32749	Manometer 0 - 60 mbar	1/4"	20 €
32750	Manometer 0 - 100 mbar	1/4"	20 €
32751	Manometer 0 - 160 mbar	1/4"	20 €
32752	Manometer 0 - 250 mbar	1/4"	20 €
32753	Manometer 0 - 400 mbar	1/4"	20 €
32754	Manometer 0 - 600 mbar	1/4"	20 €
32755	Manometer 0 - 1000 mbar	1/4"	20 €

CL2.5 - Ø100

Order Code Sipariş Kodu	Type Tip	Connection Diameter Bağlantı Çapı	Price Fiyat
32756	Manometer 0 - 25 mbar	1/2"	41 €
32757	Manometer 0 - 40 mbar	1/2"	41 €
32758	Manometer 0 - 60 mbar	1/2"	41 €
32759	Manometer 0 - 100 mbar	1/2"	41 €
32760	Manometer 0 - 160 mbar	1/2"	41 €
32761	Manometer 0 - 250 mbar	1/2"	41 €
32762	Manometer 0 - 400 mbar	1/2"	41 €
32763	Manometer 0 - 600 mbar	1/2"	41 €
32764	Manometer 0 - 1000 mbar	1/2"	41 €

Order Code Sipariş Kodu	Type Tip	Connection Diameter Bağlantı Çapı	Price Fiyat
32765	Push Button Valve	1/2"	12 €
32766	3 Way Valve for Pressure Gauge	1/2"	48 €

LME Serie
Gas Burner Controllers

Brülör Kontrol Otomatları

2014/35/EC 2009/142/EC



Burner controls for 1-stage burners (up to 120 kW output)

Order Code Sipariş Kodu	Type Tip	Main Voltage	TSA Max.	Price Fiyat
32804	LME11.230C2	AC 230V	3	67 €
32805	LME11.330C2	AC 230V	3	67 €

Burner controls for 2-stage burners, without actuator control

Order Code Sipariş Kodu	Type Tip	Main Voltage	TSA Max.	Price Fiyat
32806	LME21.130C1	AC 120V	3	87 €
32807	LME21.130C2	AC 230V	3	82 €
32808	LME21.230C2	AC 230V	3	82 €
32809	LME21.330C1	AC 120V	3	87 €
32810	LME21.330C2	AC 230V	3	82 €
32811	LME21.350C1	AC 120V	5	87 €

Burner controls for 2-stage burners, with actuator control

Order Code Sipariş Kodu	Type Tip	Main Voltage	TSA Max.	Price Fiyat
32812	LME22.131C1	AC 120V	3	90 €
32813	LME22.231C2	AC 230V	3	90 €
32814	LME22.232C2	AC 230V	3	90 €
32815	LME22.233C2	AC 230V	3	90 €
32816	LME22.331C1	AC 120V	3	96 €
32817	LME22.331C2	AC 230V	3	90 €

Burner controls for 2-stage burners, with actuator control, blue flame dedector

Order Code Sipariş Kodu	Type Tip	Main Voltage	TSA Max.	Price Fiyat
32818	LME23.331C2	AC 230V	3	94 €
32819	LME23.351C2	AC 230V	5	94 €

LFL Serie
Gas Burner Controllers

Brülör Kontrol Otomatları

2014/35/EC 2009/142/EC



for Atmosphoric gas burner

Order Code Sipariş Kodu	Type Tip	Main Voltage	TSA Max.	Price Fiyat
32822	LFL1.148	AC 230V	4	367 €
32823	LFL1.638	AC 230V	2,5	367 €

for draft burner

Order Code Sipariş Kodu	Type Tip	Main Voltage	TSA Max.	Price Fiyat
32824	LFL1.122	AC 230V	2	367 €
32825	LFL1.133	AC 230V	3	367 €
32826	LFL1.322	AC 230V	2	367 €
32827	LFL1.333	AC 230V	3	367 €
32828	LFL1.335	AC 230V	2,5	367 €
32829	LFL1.622	AC 230V	2	367 €
32830	LFL1.635	AC 230V	2,5	367 €
32831	LFL1.638	AC 230V	2,5	367 €

Order Code	Complements Description	Price
32832	Socket AGM410490550 Pg11	28 €
32833	Socket AGM14.1 M16	24 €

SQN3 Serie
Servomotor

Servomotor



EN 60730-1 EN 60730-2-14 2014/30/EC

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Rotation <i>Dönüş Yönü</i>	Running time for 90° Sec <i>Dönüş Zamanı 90°</i>	Price <i>Fiyat</i>
32834	SQN30.102A2700	counterclockwise	4,5	185 €
32835	SQN30.111A2700	counterclockwise	4,5	193 €
32836	SQN30.111A3500	counterclockwise	4,5	206 €
32837	SQN30.121A2700	counterclockwise	4,5	205 €
32838	SQN30.121A3500	counterclockwise	4,5	219 €
32839	SQN30.131A2700	counterclockwise	4,5	210 €
32840	SQN30.151A2700	counterclockwise	4,5	217 €
32841	SQN30.251A2700	counterclockwise	12	217 €
32842	SQN30.401A2700	counterclockwise	30	177 €
32843	SQN30.401A2730	counterclockwise	30	182 €
32844	SQN30.402A2700	counterclockwise	30	185 €
32845	SQN30.402A2730	counterclockwise	30	191 €
32846	SQN30.431A2700	counterclockwise	30	210 €
32847	SQN30.451A2700	counterclockwise	30	217 €

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Rotation <i>Dönüş Yönü</i>	Running time for 90° Sec <i>Dönüş Zamanı 90°</i>	Price <i>Fiyat</i>
32848	SQN31.101A2700	clockwise	4,5	177 €
32849	SQN31.102A2700	clockwise	4,5	185 €
32850	SQN31.111A2700	clockwise	4,5	193 €
32851	SQN31.111A2760	clockwise	4,5	197 €
32852	SQN31.121A2700	clockwise	4,5	205 €
32853	SQN31.121A2730	clockwise	4,5	210 €
32854	SQN31.121A2760	clockwise	4,5	210 €
32855	SQN31.151A2700	clockwise	4,5	217 €
32856	SQN31.151A2730	clockwise	4,5	222 €
32857	SQN31.221A2700	clockwise	12	205 €
32858	SQN31.221A2730	clockwise	12	210 €
32859	SQN31.251A2700	clockwise	12	217 €
32860	SQN31.251A2730	clockwise	12	222 €
32861	SQN31.252A2700	clockwise	12	225 €
32862	SQN31.351A2700	clockwise	15	217 €
32863	SQN31.401A2700	clockwise	30	177 €
32864	SQN31.401A2730	clockwise	30	182 €
32865	SQN31.401A2760	clockwise	30	182 €
32866	SQN31.402A1700	clockwise	30	200 €
32867	SQN31.402A2700	clockwise	30	185 €
32868	SQN31.411A2700	clockwise	30	191 €
32869	SQN31.411A2730	clockwise	30	197 €
32870	SQN31.762A2700	clockwise	30	232 €
32871	SQN31.941A2700	clockwise	30	

SQN7 Serie

Servomotor

Servomotor

EN 60730-1

EN 60730-2-14

2014/30/EC



Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Rotation <i>Dönüş Yönü</i>	Running time for 90° Sec <i>Dönüş Zamanı 90°</i>	Price <i>Fiyat</i>
32880	SQN70.224A20	counterclockwise	4	137 €
32881	SQN70.244A20	counterclockwise	4	143 €
32882	SQN70.254A20	counterclockwise	4	143 €
32883	SQN70.264A20	counterclockwise	4	107 €
32884	SQN70.294A20	counterclockwise	4	114 €
32885	SQN70.324A20	counterclockwise	6	137 €
32886	SQN70.424A20	counterclockwise	12	137 €
32887	SQN70.454A20	counterclockwise	12	143 €
32888	SQN70.464A20	counterclockwise	12	107 €
32889	SQN70.464A23	counterclockwise	12	110 €
32890	SQN70.624A20	counterclockwise	30	137 €
32891	SQN70.664A20	counterclockwise	30	107 €
32892	SQN70.664A23	counterclockwise	30	110 €
32893	SQN70.694A20	counterclockwise	30	112 €

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Rotation <i>Dönüş Yönü</i>	Running time for 90° Sec <i>Dönüş Zamanı 90°</i>	Price <i>Fiyat</i>
32894	SQN71.244A20	clockwise	4	143 €
32895	SQN71.264A20	clockwise	4	107 €
32896	SQN71.424A20	clockwise	12	137 €
32897	SQN71.444A20	clockwise	12	143 €
32898	SQN71.454A20	clockwise	12	143 €
32899	SQN71.464A21	clockwise	12	104 €
32900	SQN71.624A23	clockwise	30	138 €
32901	SQN71.664A20	clockwise	30	107 €
32902	SQN71.694A20	clockwise	30	114 €
32903	SQN71.669A23	clockwise	30	115 €

SQM10 - 20 Serie

Servomotor

Servomotor

EN 60730-1

EN 60730-2-14

2014/30/EC



Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Rotation <i>Dönüş Yönü</i>	Running time for 90° Sec <i>Dönüş Zamanı 90°</i>	Price <i>Fiyat</i>
32906	SQM10.15502	counterclockwise	14	583 €
32907	SQM10.15561	counterclockwise	14	622 €
32908	SQM10.15562	counterclockwise	14	583 €
32909	SQM10.16102	counterclockwise	29	583 €
32910	SQM10.16501	counterclockwise	29	622 €
32911	SQM10.16502	counterclockwise	29	583 €
32912	SQM10.16532	counterclockwise	29	583 €
32913	SQM10.16561	counterclockwise	29	622 €
32914	SQM10.16562	counterclockwise	29	583 €
32915	SQM10.17502	counterclockwise	70	583 €
32916	SQM11.15502	clockwise	14	583 €
32917	SQM11.15562	clockwise	14	554 €
32918	SQM11.16501	clockwise	29	622 €
32919	SQM11.16502	clockwise	29	583 €

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Rotation <i>Dönüş Yönü</i>	Running time for 90° Sec <i>Dönüş Zamanı 90°</i>	Price <i>Fiyat</i>
32920	SQM20.16502	counterclockwise	29	1.051 €
32921	SQM20.18502	counterclockwise	45	1.051 €
32922	SQM21.16502	clockwise	29	1.051 €
32923	SQM21.18502	clockwise	45	1.051 €
32924	SQM21.18501	clockwise	45	1.110 €
32925	SQM21.18521	clockwise	45	1.110 €

SQM33 - 45 - 48 Serie

Servomotor

Servomotor

EN 60730-1

EN 60730-2-14

2014/30/EC



Order Code Sipariş Kodu	Type Tip	Rotation Dönüş Yönü	Running time for 90° Sec Dönüş Zamanı 90°	Price Fiyat
32932	SQM33.410A9	1,2	5	230 €
32933	SQM33.411A9	1,2	5	240 €
32934	SQM33.510A9	3	5	280 €
32935	SQM33.511A9	3	5	290 €
32936	SQM33.550A9	3	5	314 €
32937	SQM33.711A9	10	17	424 €
32938	SQM33.750A9	10	17	447 €

Order Code Sipariş Kodu	Type Tip	Rotation Dönüş Yönü	Running time for 90° Sec Dönüş Zamanı 90°	Price Fiyat
32939	SQM45.291B9	3	10-120	314 €
32940	SQM45.291C8	3	10-120	316 €
32941	SQM45.295B9	3	10-120	300 €
32942	SQM45.295C8	3	10-120	316 €
32943	SQM46.491C8	10	30-120	625 €
32944	SQM46.495C8	10	30-120	625 €
32945	SQM47.497C8	20	30-120	772 €
32946	SQM48.497B9	35	30-120	750 €
32947	SQM48.697B9	35	60-120	1.654 €
32948	SQM48.697C8	35	60-120	1.654 €

SQM40 Serie
Servomotor

Servomotor

EN 60730-1 EN 60730-2-14 2014/30/EC



Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Rotation <i>Dönüş Yönü</i>	Running time for 90° Sec <i>Dönüş Zamanı 90°</i>	Price <i>Fiyat</i>
32950	SQM40.025A21	2,5	5	340 €
32951	SQM40.065A23	2,5	5	321 €
32952	SQM40.115R11	5	15	363 €
32953	SQM40.115R13	5	15	368 €
32954	SQM40.141A21	5	15	358 €
32955	SQM40.144R11	5	15	366 €
32956	SQM40.145A21	5	15	358 €
32957	SQM40.161A20	5	15	248 €
32958	SQM40.165A20	5	15	248 €
32959	SQM40.165A21	5	15	276 €
32960	SQM40.171A20	5	15	259 €
32961	SQM40.175A21	5	15	286 €
32962	SQM40.235A20	10	30	290 €
32963	SQM40.241A21	10	30	372 €
32964	SQM40.244A21	10	30	380 €
32965	SQM40.245A21	10	30	372 €
32966	SQM40.247A21	10	30	382 €
32967	SQM40.255A21	10	30	347 €
32968	SQM40.261A20	10	30	262 €
32969	SQM40.261A21	10	30	289 €
32970	SQM40.265A20	10	30	262 €
32971	SQM40.265A21	10	30	289 €
32972	SQM40.267A20	10	30	273 €
32973	SQM40.271A20	10	30	273 €
32974	SQM40.275A20	10	30	273 €
32975	SQM40.281A20	10	30	256 €
32976	SQM40.285A20	10	30	256 €
32977	SQM40.285A23	10	30	301 €
32978	SQM40.317A23	18	65	410 €
32979	SQM40.387A20	18	65	307 €
32980	SQM40.387A23	18	65	346 €

SQM41 Serie

Servomotor

Servomotor

EN 60730-1

EN 60730-2-14

2014/30/EC



Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Rotation <i>Dönüş Yönü</i>	Running time for 90° Sec <i>Dönüş Zamanı 90°</i>	Price <i>Fiyat</i>
32988	SQM41.141A21	5	15	358 €
32989	SQM41.145A21	5	15	358 €
32990	SQM41.181A20	5	15	251 €
32991	SQM41.215R13	10	30	369 €
32992	SQM41.241A21	10	30	372 €
32993	SQM41.244A21	10	30	380 €
32994	SQM41.245A21	10	30	372 €
32995	SQM41.261A21	10	30	289 €
32996	SQM41.264A21	10	30	297 €
32997	SQM41.267A21	10	30	296 €
32998	SQM41.275A21	10	30	299 €
32999	SQM41.285A23	10	30	301 €
33000	SQM41.357A23	18	65	418 €
33001	SQM41.367A21	18	65	338 €
33002	SQM41.387A23	18	65	357 €

QRA Serie

Flamle Dedector

Alev Dedektörü

EN 60730-1

EN 60730-2-14

2014/30/EC



Order Code Sipariş Kodu	Type Tip	Voltage Voltaj	Sensitivity Hassasiyet	Price Fiyat
33009	QRA10.C	-	Normal	273 €
33010	QRA10M.C	-	High	293 €
33011	QRA2	-	Normal	107 €
33012	QRA2.9	-	Normal	113 €
33013	QRA2(1)	-	Normal	113 €
33014	QRA2(2)	-	Normal	113 €
33015	QRA2M	-	High	129 €
33016	QRA2M(1)	-	High	135 €
33017	QRA2M(2)	-	High	136 €
33018	QRA4.U	-	Normal	114 €
33019	QRA4M.U	-	High	135 €
33020	QRA50M	-	High	1.096 €
33021	QRA51M	-	High	1.059 €
33022	QRA53.E17	AC 100...110 V	Normal	560 €
33023	QRA53.E27	AC 220...240 V	Normal	524 €
33024	QRA53.G17	AC 100...110 V	High	640 €
33025	QRA53.G27	AC 220...240 V	High	599 €
33026	QRA55.E17	AC 100...110 V	Normal	560 €
33027	QRA55.E27	AC 220...240 V	Normal	524 €
33028	QRA55.G17	AC 100...110 V	High	640 €
33029	QRA55.G27	AC 220...240 V	High	599 €
33030	QRA73.A17	AC 100...110 V	Normal	542 €
33031	QRA73.A27	AC 220...240 V	Normal	507 €
33032	QRA75.A17	AC 100...110 V	Normal	542 €
33033	QRA75.A27	AC 220...240 V	Normal	507 €

Order Code Sipariş Kodu	Type Tip	Voltage Voltaj	Cable Lenght Kablo Uzunluğu	Price Fiyat
33034	QRI2A2.B180B	Frontal	180 cm	343 €
33035	QRI2B2.B180B	Lateral	180 cm	343 €
33036	QRI2B2.B180B1	Lateral	180 cm	349 €

VGD Serie
 Gas Valve Body

Vana G vdesi

EU/2016/426

EN 13611



Order Code <i>Sipariř Kodu</i>	Type <i>Tip</i>	Diameter <i>ap</i>	Connection <i>Baęlantı řekli</i>	Price <i>Fiyat</i>
33037	VGD20.2511	DN25	Threaded	218 �
33038	VGD20.3211	DN32	Threaded	218 �
33039	VGD20.4011	DN40	Threaded	218 �
33040	VGD20.403	DN40	Threaded	207 �
33041	VGD20.5011	DN50	Threaded	239 �
33042	VGD20.503	DN50	Threaded	227 �
33043	VGD40.040	DN40	Flanged	949 �
33044	VGD40.050	DN50	Flanged	978 �
33045	VGD40.065	DN65	Flanged	963 �
33046	VGD40.080	DN80	Flanged	1.485 �
33047	VGD40.100	DN100	Flanged	2.809 �
33048	VGD40.125	DN125	Flanged	4.066 �
33049	VGD40.150	DN150	Flanged	6.235 �
33050	VGD41.040	DN40	Flanged	949 �
33051	VGD41.050	DN50	Flanged	978 �
33052	VGD41.065	DN65	Flanged	963 �
33053	VGD41.080	DN80	Flanged	1.485 �
33054	VGD41.100	DN100	Flanged	2.809 �
33055	VGD41.125	DN125	Flanged	4.066 �

Order Code	Complements Description	Price
33056	AGF10.15 - 1/2" Connection flange for VGD20.xxx	21 �
33057	AGF10.20 - 3/4" Connection flange for VGD20.xxx	21 �
33058	AGF10.25 - 1" Connection flange for VGD20.xxx	21 �
33059	AGF10.32 - 1 1/4" Connection flange for VGD20.xxx	21 �
33060	AGF10.40 - 1 1/2" Connection flange for VGD20.xxx	21 �
33061	AGF10.50 - 2" Connection flange for VGD20.xxx	21 �

SKP Serie

Actuator for Gas Valve

Aktuatörler, Vana Gövdeleri için

EN 161

EN 88



Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Voltage <i>Voltaj</i>	Stage <i>Kademe</i>	Price <i>Fiyat</i>
33062	SKP15.000E1	AC 100-110V	Single Stage	285 €
33063	SKP15.000E2	AC 220-240V	Single Stage	266 €
33064	SKP15.001E1	AC 100-110V	Single Stage	329 €
33065	SKP15.001E2	AC 220-240V	Single Stage	311 €

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Voltage <i>Voltaj</i>	Stage <i>Kademe</i>	Price <i>Fiyat</i>
33066	SKP25.001E1	AC 100-110V	Single Stage, With Governor	444 €
33067	SKP25.001E2	AC 220-240V	Single Stage, With Governor	414 €
33068	SKP25.003E1	AC 100-110V	Single Stage, With Governor	396 €
33069	SKP25.003E2	AC 220-240V	Single Stage, With Governor	369 €
33070	SKP25.203E1	AC 100-110V	Two Stage, With Governor	461 €
33071	SKP25.203E2	AC 220-240V	Two Stage, With Governor	429 €

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Voltage <i>Voltaj</i>	Stage <i>Kademe</i>	Price <i>Fiyat</i>
33072	SKP55.001E1	AC 100-110V	Differential Pressure Control	601 €
33073	SKP55.001E2	AC 220-240V	Differential Pressure Control	562 €
33074	SKP55.003E1	AC 220-240V	Differential Pressure Control	540 €
33075	SKP55.003E2	AC 100-110V	Differential Pressure Control	518 €

Order Code <i>Sipariş Kodu</i>	Type <i>Tip</i>	Voltage <i>Voltaj</i>	Stage <i>Kademe</i>	Price <i>Fiyat</i>
33076	SKP75.001E1	AC 100-110V	Pnomatic Modulation	569 €
33077	SKP75.001E2	AC 100-110V	Pnomatic Modulation	532 €
33078	SKP75.003E1	AC 100-110V	Pnomatic Modulation	522 €
33079	SKP75.003E2	AC 220-240V	Pnomatic Modulation	487 €

Controllers

Flame Supervision System

Alev Monitorleri



Order Code Sipariş Kodu	Type Tip	Voltage Voltaj	Stage Kademe	Price Fiyat
	LFS1.11A2	AC 220-240V	RAR9 - Oil	212 €
	LFS1.21A2	AC 220-240V	ION, QRA2, QRA4, QRA10 Oil and Gas	226 €
	LFS1.11A1	AC 100-110V	RAR9 - Oil	242 €
	LFS1.21A1	AC 100-110V	ION, QRA2, QRA4, QRA10 Oil and Gas	258 €

Valve Proving System for Gas Valves

Sızdırmazlık Kontrol Cihazları



Order Code Sipariş Kodu	Type Tip	Voltage Voltaj	T3 - T4	Price Fiyat
	LDU11.323A17	AC 100-110V	2.5sn - 2.5sn	326 €
	LDU11.323A27	AC 220-240V	2.5sn - 2.5sn	324 €
	LDU11.523A17	AC 100-110V	5sn - 5sn	343 €
	LDU11.523A27	AC 220-240V	5sn - 5sn	324 €

Universal Controller

Sızdırmazlık Kontrol Cihazları



Order Code Sipariş Kodu	Type Tip		Price Fiyat
	RWF50.20A9	Basic version with 3-position	216 €
	RWF50.30A9	Basic version with 3-position or analog output	279 €
	RWF55.50A9	Full version with 3-position	465 €
	RWF55.60A9	Full version with 3-position or analog output	686 €

VKF 41

Butterfly Valve

Kelebek Vanalar

2014/68/EU



Order Code Sipariş Kodu	Type Tip	Diameter Çap	Fluid Akışkan	Price Fiyat
33080	VKF41.040C	11/2"	Naturalgas or Air	
33081	VKF41.050C	2"	Naturalgas or Air	
33082	VKF41.065C	21/2"	Naturalgas or Air	
33083	VKF41.080C	3"	Naturalgas or Air	
33084	VKF41.100C	4"	Naturalgas or Air	268 €
33085	VKF41.125C	5"	Naturalgas or Air	299 €
33086	VKF41.150C	6"	Naturalgas or Air	337 €
33087	VKF41.200C	8"	Naturalgas or Air	397 €

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Fluid Akışkan	Price Fiyat
33088	VKF41.040H	11/2"	FGR or Hot air	
33089	VKF41.050H	2"	FGR or Hot air	
33090	VKF41.065H	21/2"	FGR or Hot air	
33091	VKF41.080H	3"	FGR or Hot air	
33092	VKF41.100H	4"	FGR or Hot air	206 €
33093	VKF41.125H	5"	FGR or Hot air	265 €
33094	VKF41.150H	6"	FGR or Hot air	299 €
33095	VKF41.200H	8"	FGR or Hot air	362 €

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Fluid Akışkan	Price Fiyat
33096	VKF41.040B	11/2"	Corrosive gases such as Biogas	
33097	VKF41.050B	2"	Corrosive gases such as Biogas	
33098	VKF41.065B	21/2"	Corrosive gases such as Biogas	
33099	VKF41.080B	3"	Corrosive gases such as Biogas	
33100	VKF41.100B	4"	Corrosive gases such as Biogas	
33101	VKF41.125B	5"	Corrosive gases such as Biogas	
33102	VKF41.150B	6"	Corrosive gases such as Biogas	
33103	VKF41.200B	8"	Corrosive gases such as Biogas	

VKP Serie
Lineer Controller Valve

Oransal Gaz Vanaları


2014/68/EU



Order Code Sipariş Kodu	Type Tip	Diameter Çap	Fluid Akışkan	Price Fiyat
33104	VKP40.15	1/2"	Naturalgas or Air	197 €
33105	VKP40.20	3/4"	Naturalgas or Air	197 €
33106	VKP40.25	1"	Naturalgas or Air	197 €
33107	VKP40.32	1 1/4"	Naturalgas or Air	197 €
33108	VKP40.40	1 1/2"	Naturalgas or Air	197 €
33109	VKP40.50	2"	Naturalgas or Air	197 €
33110	VKP40.50H	2"	Naturalgas or Air	197 €
33111	VKP40.50S	2"	Naturalgas or Air	197 €

Order Code	Complements Description	Price
33056	AGF10.15 - 1/2" Connection flange	23 €
33057	AGF10.20 - 3/4" Connection flange	23 €
33058	AGF10.25 - 1" Connection flange	23 €
33059	AGF10.32 - 1 1/4" Connection flange	23 €
33060	AGF10.40 - 1 1/2" Connection flange	23 €
33061	AGF10.50 - 2" Connection flange	23 €
33062	Mounting plate ASK33.1 for SQM33 or SQM4	25 €
33063	Mounting plate ASK33.2 for SQN13	37 €
33064	Mounting plate ASK33.3 for SQM5	

MB-DLE, MB-ZRDLE Serie
Gas Multibloc



Single Stage, Tek Kademe

Pmax: 360mbar, Pout: 4-50mbar

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Working Çalışma	Price Fiyat
33070	MB-DLE 403 B01 S50	1/2"	Single Stage	530 €
33071	MB-DLE 405 B01 S50	1/2"	Single Stage	390 €
33072	MB-DLE 407 B01 S50	3/4"	Single Stage	403 €
33073	MB-DLE 410 B01 S50	1"	Single Stage	512 €
33074	MB-DLE 412 B01 S50	1 1/4"	Single Stage	577 €
33075	MB-DLE 415 B01 S50	1 1/2"	Single Stage	730 €
33076	MB-DLE 420 B01 S50	2"	Single Stage	910 €

Duble Stage, Çift Kademe

Pmax: 360mbar, Pout: 4-50mbar

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Working Çalışma	Price Fiyat
33077	MB-ZDLE 405 B01 S50	1/2"	Double Stage	573 €
33078	MB-ZDLE 407 B01 S50	3/4"	Double Stage	585 €
33079	MB-ZDLE 410 B01 S50	1"	Double Stage	722 €
33080	MB-ZDLE 412 B01 S50	1 1/4"	Double Stage	730 €
33081	MB-ZDLE 415 B01 S50	1 1/2"	Double Stage	960 €
33081	MB-ZDLE 420 B01 S50	2"	Double Stage	930 €

Complements Description	Price
Flange for 403 with test point	20
Flange for 407 with test point	20
Flange for 410 with test point	24
Flange for 412 with test point	24
Flange for 415 with test point	30
Flange for 420 with test point	30

Complements Description	Price
Flange for 403	9
Flange for 407	9
Flange for 410	12
Flange for 412	12
Flange for 415	18
Flange for 420	18


Complements Description	Price
Socket, Grey (Presostad)	
Socket, Black (Valve)	

MBC Serie

Gas Multibloc

Air/Gas Ratio Control

Hava/Gaz Oransal Kontrol



Order Code Sipariş Kodu	Type Tip	Diameter Çap	Pmax	Price Fiyat
33082	MBC-300-VEF	1/2" - 1 1/4"	360mbar	703 €
33083	MBC-700-VEF	1" - 2"	360mbar	902 €
33084	MBC-1200-VEF	1" - 2"	360mbar	1.662 €
33085	MBC-1900-VEF	DN65	360mbar	2.083 €
33086	MBC-3100-VEF	DN80	360mbar	2.690 €
33087	MBC-5000-VEF	DN100	360mbar	4.960 €

On-off, with Pressure Regulator

Tek Kademe, Çıkış Basıncı Ayarlanabilir.

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Outlet Pressure Set Range Çıkış Basıncı Çalışma Aralığı	Price Fiyat
33088	MBC-300-SE	1/2" - 1 1/4"	4-20mbar or 5-80mbar or 30-300mbar	690 €
33089	MBC-700-SE	1" - 2"	4-20mbar or 5-80mbar or 30-300mbar	1.122 €
33090	MBC-1200-SE	1" - 2"	4-20mbar or 5-80mbar or 30-300mbar	1.793 €
33091	MBC-1900-SE	DN65	4-20mbar	3.240 €
33092	MBC-3100-SE	DN80	4-20mbar	4.382 €
33093	MBC-5000-SE	DN100	4-20mbar	5.140 €

Complements Description	Price
Flange for 1/2 for MBC300	20,5
Flange for 3/4 for MBC300	20,6
Flange for 1" for MBC300	21,8
Flange for 1 1/4" for MBC300	26,2

Complements Description	Price
Flange for 1" for MBC700-1200	22,5
Flange for 1 1/4" for MBC700-1200	22,5
Flange for 1 1/2" for MBC700-1200	22,6
Flange for 2" for MBC700-1200	22,8

Complements Description	Price
Socket, Grey (Presostad)	4
Socket, Black (Valve)	4

MVD Serie
Gas Solenoid Valve, Fast Open-Flow Control



Order Code Sipariş Kodu	Type Tip	Diameter Çap	Pmax	Price Fiyat
33094	MVD203/5	3/8"	200 mbar	202 €
33095	MVD205/5	1/2"	200 mbar	222 €
33096	MVD210/5	1"	200 mbar	250 €
33097	MVD215/5	1 1/2"	200 mbar	293 €
33098	MVD220/5	2"	200 mbar	380 €
33099	MVD2065/5	DN65	200 mbar	960 €
33100	MVD2080/5	DN80	200 mbar	1.077 €
33101	MVD2100/5	DN100	200 mbar	1.722 €
33102	MVD2125/5	DN125	200 mbar	5.677 €
33103	MVD2150/5	DN150	200 mbar	6.000 €

Order Code Sipariş Kodu	Type Tip	Diameter Çap	Pmax	Price Fiyat
33104	MVD 503/5	3/8"	500 mbar	195 €
33105	MVD 505/5	1/2"	500 mbar	220 €
33106	MVD 510/5	1"	500 mbar	252 €
33107	MVD 515/5	1 1/2"	500 mbar	323 €
33108	MVD 520/5	2"	500 mbar	487 €
33109	MVD 5065/5	DN65	500 mbar	1.015 €
33110	MVD 5080/5	DN80	500 mbar	1.385 €
33111	MVD 5100/5	DN100	500 mbar	2.677 €
33112	MVD 5125/5	DN125	500 mbar	4.870 €
33113	MVD 5150/5	DN150	500 mbar	4.980 €

Valve leakage Control System



Order Code Sipariş Kodu	Type Tip	Voltage	Electrical Protection	Price Fiyat
33114	VPS504S02	230 Vac	IP40	395 €
33115	VPS504S04	230 Vac	IP65	702 €
33116	VDK200S02	230 Vac	IP40	817 €

GASTECH®

Natural Gas Equipment Technologies



HEAD OFFICE Kavacık Mahallesi, Özgür Caddesi, Pan Plaza, No:23 Kat:8, 34810 Beykoz İstanbul – Türkiye

FACTORY Çanakkale Organize Sanayi Bölgesi, 1. Cadde No:28, 17100 Merkez Çanakkale – Türkiye

Phone: +90 216 465 14 75 Fax : +90 216 465 14 77 E-mail: info@gastech.com.tr Web : www.gastech.com.tr

Subject to changes and errors. The information given in this document only contains general descriptions and/or performance features which may not always specifically reflect those described, or which may undergo modification in the course of further development of the products. The requested performance features are