


GYMNASTICS CATALOG



COMPETITION & TRAINING
Apparatus and Allied Equipment



URL

STANDARD SPORTS INDUSTRIES PVT. LTD.

36-2, Dhandekar Industrial Estate, Kondhwa, Pune 411 048 (MH)

88063 96501 / 94033 21450 / stan_sports@rediffmail.com / <https://www.ssipl.info>

A BRIEF INTRODUCTION

STANDARD SPORTS INDUSTRIES PVT. LTD. was incorporated in 1986 by Late Mr. Ashok Grover and today is one of the leading manufacturers, distributors and suppliers of Gymnastics Competition and Training equipment to the Indian Defence Forces, Government Sporting Departments, Schools and other reputed institutions in India.

With over 40+ years of dedicated service in the field of sports and fitness, has seen the company grow from a small backyard workshop to a fully-fledged manufacturing unit. Being in the field of Gymnastics over the years, has given us the expertise and has evolved our brand **PHYSIQUE** to one of the best manufacturers for gymnastic equipment's in India and are known for incorporating some of the best materials in our manufactured products.

Our knowledge, experience and expertise in gymnastics has given us the opportunity to collaborate with brands like **American Athletic Instruments (AAI) – USA; Eurotramp – Germany and Gaofei - China** and also our manufactured equipment under the branding which has now  **PHYSIQUE**TM become one of the noted brands in the country.

We provide the following services and solutions

- FIG Approved Gymnastics equipment from AAI, USA
- FIG Approved Trampolines from Eurotramp, GmbH
- Budget friendly FIG Approved equipment from Gaofei, China.
- MAGA recommended
- Complete Turn-Key Solutions for centers ranging from toddlers to FIG competition Arenas.
- Allied equipment and coaches testing and evaluation tools.
- Complete design of centers offering the best solutions.

We take pride in our production and the solutions we have to offer. We are your ONE-STOP Gymnastics Shop.

Thank You.





Varun Grover
Director. 0091 88063 96501

INDEX:	Pg. No.
a. Parallel bars and allied equipment	4 - 5
b. Horizontal bar and allied equipment	6 - 7
c. Uneven bars and allied equipment	8 - 9
d. Balance beam and allied equipment	9 - 10
e. Rings and allied equipment	11 - 12
f. Pommel horse and allied equipment	13 - 14
g. Vault and allied equipment	15 - 17
h. Floor and Tumbling	17 - 18
i. Air modules	18 - 19
j. Trampolines	20 - 21
k. Mats	21
l. Allied training equipment and accessories	22 - 23
m. Rhythmic tools and Grips	24 - 25

PARALLEL BARS

1001-IS	Competition Parallel Bars: <i>PHYSIQUE IMPORTED SERIES Conforming to FIG Specifications</i>	
	• “NEW AND IMPROVED COMPETITION SPECIFIC” • FIG spec competition fiber glass rails with wood veneer finish • Bar Length: 350 cm • Height Adjustment: 160 cm – 210 cm • FIG marking at 200cm • Height markings on adjuster bars. • Lever locking system • Width Adjustment: 42cm – 62 cm. • Includes upright protective pads	
1002	Training Parallel Bars:	
	• PHYSIQUE FIG Spec. fiber glass rails with wood veneer finish • Bar Length: 350 cm • Height Adjustment: 160 cm – 240 cm • FIG marking at 200cm • Height markings on adjuster bars. • Width Adjustment: 42cm – 62 cm. • 80mm x 40mm x 40mm stability weights in base • All hard chrome machined upright with FIG height markings. • Extra heavy weighted uprights.	
1003	Junior Parallel Bars:	
	• Bar Length: 270cm fiber glass rails with wood veneer finish • Height Adjustable: 120 – 165cm • Width Adjustment: 32cm – 52cm	
1004	Low Parallel Bars:	
	• Bar Length: 270cm fiber glass rails with wood veneer finish • Height: 40 cms • Width Adjustment: 32cm – 52cm	
1005	Kids Parallel Bars:	
	• Bar Length: 180 cm • Height Adjustable: 90 cm – 180 cm • Width Adjustable. • Fiber glass bars of 4cm Ø. • Quick width adjustments with T-bolts. • Quick height adjustments with spring loaded plungers.	

1006	Parallel Bar Competition Landing Mat Configurations: <i>Conforming to FIG Specifications</i>	
	- Size: 11m x 4.5m x 20cm PHYSIQUE imported high density PVC covers according to FIG norms; velcro connected - HR40D high density PU foam fillers - Size and Quantity: 200cm x 100cm x 20cm x 01 nos. 300cm x 200cm x 20cm x 02 nos. 100cm x 125cm x 20cm x 04 nos. 300cm x 70cm x 20cm x 01 nos. 190cm x 300cm x 20cm x 02 nos.	
1007	Parallel Bar Training Blocks:	
	- Block size: 140 (L) x 50 (W) x 120 (H) cm, - Width Adjustment: 40 cm to 80 cms. - Steel frame core frame - Covered with HD-XPE 36kg³ 1" foam. - Double Coated Nylon PVC Cover; non-tearing and washable. 1007-IS: OPTIONAL IMPORTED SERIES	
1008	Crash Move Mat for Parallel Bars:	
	- Size: 150cm (L) x 90cm (W) x 15cm (H) - Marine Ply Core Covered with HD-XPE 36kg³ foam of 2" - Double Coated Nylon PVC Cover; non-tearing and washable.	
1009-IS	Spare Rails: 3.5m (L)	
	- Size: 3.5m (L) x 5cm Ø (Oval) 1009A: PHYSIQUE Competition FIG Spec. Fiber Glass Rails with wood veneer. 1009B: PHYSIQUE 270cm junior FIG fiber rails. 1009C: PHYSIQUE 183cm kids rails; 40mmØ 1029 GAOFEI FIG Approved Fiber Glass Rails with wood veneer.	
1010	Protective Padding:	
	- Thickness: 20mm - Length: 100cm - Top Width: 28cm - Bottom Width: 36cm	
1011-IS	Parallel Bar Spotting Platform:	
	- Size: 255cm x 25cm Platform - Height adjustable: 55 – 80cm - Hook mounting system on bars - Made from 18mm Marine ply with veneer covering - PU finish	
1012-IS	Parallel Bar Training Pads:	
	- Length: 120cm; OD: 20cm; ID: 6cm, - Outside folder Cotton, inside PVC leather. - Padding in pairs	

2001-IS	Competition Horizontal Bars: <i>PHYSIQUE IMPORTED SERIES</i> Conforming to FIG Specifications	
	• "NEW AND IMPROVED COMPETITION SPECIFIC" • FIG spec competition stainless steel bar with wire insert. • Height Adjustment: 255cm – 295cm • FIG markings at 280cm • Bar Width: 240 cm • Includes mounting accessories i.e. wire rope, chain, turnbuckle, pullies • Includes upright protective pads.	
2002	Training Horizontal Bars: <i>Conforming to FIG Specifications</i>	
	• PHYSIQUE 28mmØ FIG Spec. Spring Steel Bar • Height Adjustment: 270 cm – 300 cm • FIG markings at 280cm • Bar Width: 240 cm • 35mmØ bar machined for height adjustments. • Height markings on adjuster bar • Includes mounting accessories i.e. wire rope, chain, turnbuckle, wire rope adjusters. • Includes mounting accessories i.e. Turnbuckles, Chain, Wire rope. • Floor Anchors Not Included.	
2003	Multi Function Single Bar Trainer: <i>NEW & IMPROVED</i>	
	• Height Adjustment: 90 cm – 280 cm • Bar Width: 240 cm • Bar size: 01 nos. 28mm Ø heavy duty spring steel bar + 01 nos. 4cm Ø Fiber Glass Uneven Bar. • Made from heavy gauge 80mm x 40mm x 3mm & 100mm x 50mm x 3mm steel. • Single Bar Trainer with Quick Release System to interchange bars from 28mmØ steel bar to 4cm Uneven Bar. • Rapid tensioner system. • Spin knobs for bar collar mounts for quick change between Horizontal bar and Uneven Bar • Spring loaded plunger for bar height adjustments. • Spin lock for additional safety. • Includes mounting accessories i.e. Turnbuckles, Chain, Wire rope. • Floor Anchors Not Included.	
2004	Kids Horizontal Bar:	
	• Height Adjustment: 120cm – 200cm • Rail Length: 180cms • Fiber glass bars of 4cm Ø. • Quick width adjustments with T-bolts. • Quick height adjustments with spring loaded plungers.	

2005	Pit Trench Bar:	
	28mm Ø spring steel bar OR 40mmØ FIG spec UB rail - Height: 40 cm - Length: 240cm 8mm thick base plate for firm stability. - Includes mounting accessories i.e. Turnbuckles, Chain, Wire rope.	
2006	Horizontal Bar Competition Landing Mat Configuration: <i>Conforming to FIG Specifications</i>	
	- Size: 12m x 3m x 20cm PHYSIQUE imported high density PVC covers according to FIG norms; velcro connected. - HR40D high density PU foam fillers - Size and Quantity: 300cm x 200cm x 20cm (6pcs) 400cm x 200cm x 10cm (2pcs) top soft mats	
2007-IS	Spare Bar for Horizontal Bars:	
	- Size: 2.4m (L) x 28mmØ 2007A-IS: PHYSIQUE Competition FIG Spec. 28mmØ Stainless Steel Bar with wire insert and collars. 2007B-IS: PHYSIQUE 28mmØ Spring Steel Bar with Collars 2007B: PHYSIQUE 28mmØ Spring Steel Bar with Collars (2003 & 2005) 1028: GAOFEI FIG Approved 28mm Ø Stainless Spring Steel Rail.	
2008	Release Move Mat for Horizontal Bar:	
	- Length: 140cm - Inner Width: 40mm - Thickness: 2" - Non-tearing cover with nylon handle.	
2009	Low Single Bar:	
	- Bar length: 240cm; Bar diameter: 4cm; - High quality glass reinforced plastic with wooden veneer. - Height: 40cm.	
2010	Spotting Platform for Horizontal Bar:	
	- Platform Size: 100cm x 45cm - Height Adjustable: 140 – 180 cm - Made from 18mm Marine ply with veneer covering 1" HD-XPE Foam covered with FIG PU Leather. - Hydraulic Based release system - 2 nos. hydraulics	

3001-IS	Competition Uneven Bars: <i>PHYSIQUE IMPORTED SERIES</i> Conforming to FIG Specifications	
	• “NEW AND IMPROVED COMPETITION SPECIFIC” • FIG Approved 240 cm fiber glass rails with wood veneer. • High Bar Height: 220 – 260cm • Low Bar Height: 140 – 180cm • Width: 130cm – 190cm • Bar Ø: 4cm • Bar Length: 240cm • All hard chrome machined upright with FIG height markings. • Shaft driven threaded width adjustment system with distance markings and wire rope adjusters. • Includes mounting accessories i.e. Turnbuckles, Chain, Wire rope. • Floor Anchors Not Included. • Includes upright protective pads.	
3002	Training Uneven Bars: <i>Conforming to FIG Specifications</i>	
	• PHYSIQUE Competition FIG Spec. Fiber Glass with wood veneer finish. • High Bar Height: 230 – 280cm with FIG markings at 255cm • Low Bar Height: 150 – 200cm with FIG markings at 175cm • Width: 130cm – 185cm • Bar Ø: 4cm • Bar Length: 240cm • All hard chrome machined upright with FIG height markings. • Shaft driven threaded width adjustment system with distance markings and wire rope adjusters. • Includes mounting accessories i.e. Turnbuckles, Chain, Wire rope. • Floor Anchors Not Included. • FIG Approved fiber glass rails from Gaofei - Optional	
3003	Junior Uneven Bars:	
	• Uneven bars without the need of anchoring • Frame length 200cm, width 255cm, • width adjustment 60-140cm, • low bar height adjustable 140-170cm, • high bar height adjustable 210-240cm. with standard women's bars. • FIG spec fiber glass rails with wood veneer.	
3004	Kids Uneven Bars / Asymmetrical Bars:	
	• Bar Ø: 4cm; • Bar length: 180cm; • Height adjustment of low bar: 110cm - 140cm in 5cm increments • Height adjustment of high bar is 160cm - 200cm in 5cm increments • Width Adjustable. • Fiber glass bars of 4cm Ø. • Quick width adjustments with T-bolts. • Quick height adjustments using spring loaded plungers with height markings	


UNEVEN BARS

3005	Uneven Bars Competition Landing Mat Configuration: <i>Conforming to FIG Specifications</i>	
	- Size: 14m x 2m x 20cm PHYSIQUE imported high density PVC covers according to FIG norms; velcro connect - High Density and High Resilience HR40D PU Foam - Size and Quantity 300cm x 200cm x 20cm (4pcs) 200cm x 200cm x 20cm (1 pc) 400cm x 200cm x 10cm (1pcs) top soft mat.	
3006-IS	Spare Rails for Uneven Bars:	
	- Size: 2.4m (L) x 4cm Ø 3004A: PHYSIQUE Competition FIG Spec. Fiber Glass Rails with wood veneer. 1030 GAOFEI FIG Approved Fiber Glass Rails with wood veneer.	
3007	Release Move Mat for Uneven Bar:	
	- Length: 140cm - Inner Width: 40mm - Thickness: 2" - Non-tearing cover with nylon handle.	
3008	Spotting Platform for Uneven Bars:	
	- Platform Size: 100cm x 45cm - Height Adjustable: 140 – 180 cm - Made from 18mm Marine ply with veneer covering 1" HD-XPE Foam covered with FIG PU Leather. - Hydraulic Based release system.	

BALANCE BEAM


4001-IS	Competition Balance Beam: <i>PHYSIQUE IMPORTED SERIES Conforming to FIG Specifications</i>	
	"NEW AND IMPROVED COMPETITION SPECIFIC" FIG Approved PU beam top. - Aluminum core - Beam length: 500cm; Upper width: 10cm; Beam Height: 20cm. - Height Adjustment: 90cm – 140cm in 5 cm increments. - FIG markings at 125cm - FIG Approved PU Leather cover on 10mm HD-XPE foam with wood core.	
4002	Competition Balance Beam: <i>Conforming to FIG Specifications</i>	
	- Beam length: 500cm; - Upper width: 10cm; - Beam Height: 20cm. - Height Adjustment: 115cm – 135cm in 5 cm increments. - FIG markings at 125cm	


BALANCE BEAM

4003	Low Balance Beam:	
	- Size: 5m / 16.5' (L) x 30cm (H) - Size: 3m / 10' (L) x 30cm (H) 5m (L) Beam top conforming to FIG Specifications. - FIG Approved PU Leather cover on 10mm HD-XPE foam with wood core. - Floor levelers on base.	
4004	Foam Balance Beam:	
	4m (L) x 300mm (B/W) x 200mm (T/W) x 300mm (H) - Made with a combination of HD-XLPE and HR-PU foam. 1680D Double coated nylon PVC cover; non-tearing and washable. 10cm FIG approved PU Leather Strip on beam top. ** (B/W = Bottom Width; T/W = Top Width)	
4005-IS	Balance Beam Surface Widener:	
	- Size: 250cm (L) x 20cm (W) - Board top made from high density foam and non-skid leatherette cover - Features: Special safety belt to be fixed on the balance beam surface, suitable for junior practitioners.	
4006-IS	Soft Mat for Beam:	
	- Size: 2.5m (L) x 40 cm (W) x 2 cm (T) - Good Stability, Easy to install, appropriate flexibility - FIG PU Leather top which provides authentic Beam feel. - Anti-Slip underlay. - Velcro Attachments.	
4007	Balance Beam Competition Landing Mat Configuration: <i>Conforming to FIG Specifications</i>	
	- Size: 18m x 4m x 20cm PHYSIQUE imported high density PVC covers according to FIG norms; velcro connect - High Density and High Resilience HR40D PU Foam - Size and Quantity: 200cm x 200cm x 20cm (1pcs), 300cm x 200cm x 20cm (3pcs), 100cm x 100cm x 20cm (4pcs), 250cm x 200cm x 20cm (4pcs), 200cm x 100cm x 20cm (1pc) 400cm x 200cm x 10cm soft mat. (1pc)	

5001-IS	Competition Rings: <i>PHYSIQUE IMPORTED SERIES</i> Conforming to FIG Specifications	
	• <i>"NEW AND IMPROVED COMPETITION SPECIFIC"</i> • FIG Approved fiber rings with leather strapping, wire rope and swivel; • Size: 590cm (H) • Distance Between Columns: 260 cm • Distance Between rings: 50 cm • FIG spec fiber glass rings with wood veneer finish and good moisture absorption. 290cm from mat • Damping device incorporated in ring frame. • Includes mounting accessories i.e. wire rope, chain, turnbuckle, wire rope adjusters • Includes protective pads • FIG Approved Rings from Gaofei - Optional	
5002	Competition Rings: <i>Conforming to FIG Specifications</i>	
	• PHYSIQUE Competition Fiber Glass with wood veneer finish • Size: 650cm (H) • Distance Between Columns: 260 cm • Distance Between rings: 50 cm • FIG spec fiber glass rings with wood veneer finish and good moisture absorption. 290cm from mat • Damping device incorporated in ring frame. • Includes mounting accessories i.e. wire rope, chain, turnbuckle, wire rope adjusters • Floor Anchors Not Included.	
5003	Kids Rings:	
	• Ring diameter: 16cm Fiber Glass Rings.; • Ring height adjustment: 110 cm – 150 cm in 5 cm increments. • Quick width adjustments with T-bolts. • Quick height adjustments with spring loaded plungers.	
5004	Arm Strength Trainer:	
	• Size: 250 cm (L) × 60 cm (W) × 75 – 125 cm (H). • Size of the sliding board: 70 x 35 cm, covered with PVC cloth, inner is plywood board and XPE Foam. • Equipped with bearing loaded rolling devices • Rings are fiber glass • Features: Smooth sliding, flexible height adjustment, and stable standing.	
5005	Wall Mounted Rings:	
	• 28mmØ Fiber Glass rings. • Arm length: 180cm, rings' distance: 50cm. • Rings are made of fiber glass with wood veneer. • Height adjustment scope from rings to the ground is 50cm-275cm, adjustable.	

5006	Ring Frame Competition Landing Mat Configuration: <i>Conforming to FIG Specifications</i>	
	- Size: 5m x 2m x 20cm PHYSIQUE imported high density PVC covers according to FIG norms; velcro connect - High Density and High Resilience HR40D PU Foam - Size and Quantity: 300cm x 200cm x 20cm (1pcs), 100cm x 200cm x 20cm (2pcs) 400cm x 200cm x 10cm (1pcs) top soft mat	
5007-IS	Ring Trainer:	
	- Easy Set up with Adjustable belts (based off size) - The Ring Trainer eliminates about 50% of your body weight to allow you to train multiple skills and work on that proper technique for each one. - Great tool for improving your upper body strength while having fun doing it. - Train Progressions from Pull Ups to the Iron Cross with the Ring trainer	
5008-IS	Spare Rings:	
	5007: 'PHYSIQUE' Competition Fiber Glass Rings with wood veneer finish 1031: GAOFEI FIG Approved Fiber Glass Rings with wood veneer finish - Includes Rings; Leather Strap; Wire Rope and swivel.	
5009-IS	Cross Brace Trainer:	
	- Size: 35 cm x 18 cm. - The elastic band adopts nylon rubber, and the wide elastic band is built in the framework. Medium elasticity makes arm touching comfortable. - The framework is welded by high-quality carbon steel tube and hooks, equipped with special hanging device	
5010	Spotting Platform for Rings:	
	100cm x 45cm Platform - Height Adjustable: 140 – 180 cm - Made from 18mm Marine ply with veneer covering 1" HD-XPE Foam covered with FIG PU Leather. - Hydraulic release system.	
5011	Hook for rings	
	- Length: 180cm, diameter: 1.8cm, - Stainless steel	

6001-IS	Competition Pommel Horse: <i>PHYSIQUE IMPORTED SERIES Conforming to FIG Specifications</i>	
	• "NEW AND IMPROVED COMPETITION SPECIFIC" • FIG Approved Natural Leather top with FIG Nylon Pommel Grips • Pommels with adjustable aluminum base and studs. • Firm molded grip. (As per FIG Specs) • Size: 160 cm (L) x 35 cm (W) x 30 cm (H) of pommel • Pommel Height: 12cm; • Distance between Pommels: 40 - 45cm, adjustable; • Height Adjustable: 95 cm – 125 cm in 5cm increments. • FIG Markings at 115 cm • Includes turnbuckle; chain; anchor plate for stability. • Includes protective pads and inbuilt transport system	
6002	Training Pommel Horse: <i>Conforming to FIG Specifications</i>	
	• Fiberglass pommels with adjustable aluminum base and studs. • Firm molded grip. (As per FIG Specs) • Size: 160 cm (L) x 35 cm (W) x 28 cm (H) of pommel • FIG Approved natural leather cover with high density XLPE foam. • Pommel Height: 12cm; • Distance between Pommels: 40 - 45cm, adjustable; • Height Adjustable: 95 cm – 125 cm in 5cm increments. • FIG Markings at 115 cm • Includes turnbuckle; chain; anchor plate for stability.	
6003	Low Pommel Horse:	
	• Fiberglass pommels with adjustable aluminum base and studs. • Firm molded grip. (As per FIG Specs) • Pommel Top Conforming to FIG Specifications with FIG Approved natural leather cover with high density • Size: 160 cm (L) x 35 cm (W) x 28 cm (H) of pommel • Pommel Height: 12cm; • Distance between Pommels: 40 - 45cm, adjustable;	
6004	Mushroom Trainers:	
	• 6004A Adjustable Mushroom Trainer. • 6004B Adjustable Mushroom Trainer with 1 nos. Pommel Grip • 6004C Adjustable Mushroom Trainer with 2 nos. Pommel Grips • 6004D Floor Mushroom: 100cm Ø x 20cm (H) • Mushroom Head: 60cmØ • Height Adjustable from 50cm – 70cm in 5cm increments • FIG Approved natural leather top • Fiberglass pommels with adjustable aluminum base.	
6005	Mushroom Rotation Trainer:	
	• Rotating Mushroom Table: 150cmØ • Mushroom Head: 60cmØ with FIG natural leather top • Anti-Skid, synthetic leatherette cover on rotation table • Height: 60cm. • Bearing loaded rotation sleeves for rotating table.	

6006-IS	Wall Fixed Mushroom Leg Trainer:	
	- Gaofei item code 3001 - Wall Mounted frame. - Height adjustable from 250cm to 300 cm. - Bearing loaded dual axis twisting frame. - Leather + Nylon cushioned leg supports. - Accessory for 6003 + 6004	
6007	Pommel Horse Competition Landing Mat Configuration: <i>Conforming to FIG Specifications</i>	
	- Size: 4m x 4m x 10cm PHYSIQUE imported high density PVC covers according to FIG norms; velcro connect - High Density and High Resilience HR40D PU Foam - Size and Quantity: 4m x 2m x 10cm (2pcs.)	
6008	Adjustable mushroom Landing mats:	
	- Size: 3m x 3m x 10cm PHYSIQUE imported high density PVC covers according to FIG norms; velcro connect - High Density and High Resilience HR40D PU Foam - Size and Quantity: 3m x 1.5m x 10cm (2pcs.)	
6007-IS	Spare Pommel Grips:	
	6007A: PHYSIQUE Competition Nylon grips with Aluminum Base and studs 6007B: GAOFEI FIG Approved Nylon Grips with Aluminum Base and studs	
6008	Pommel Soft Pads:	
	- Pre-Moulded base conforming to pommel top. - Covered with HD-XPE Foam and PU Leather - Thickness: 1" - Velcro attachment to Pommel Top	
6009	Floor Pommel Buck:	
	- Size: 800 cm (L) x 35 cm (W) x 28 cm (H) of pommel - FIG approved natural leather cover with high density XPE foam. - Pommel Height: 12cm; - Total Height: 45cm	

VAULT TABLE

7001-IS	Competition Vault Table: <i>PHYSIQUE IMPORTED SERIES</i> Conforming to FIG Specifications	
	• “NEW AND IMPROVED COMPETITION SPECIFIC” • Fiber moulded table top with FIG Approved PU Leather top. • Vault Head Size: 120cm (H) x 95 cm (W) • Height Adjustable from 110 cm – 140 cm in 5 cm increments with heavy duty steel base • Hydraulic based height adjustment system. • Base upright covers with height adjustment markings. • Includes anchoring system	
7002	Training Vault Table: <i>Conforming to FIG Specifications</i>	
	• Vault Head Size: 120cm (H) x 95 cm (W) • Moulded Table Top with FIG Approved PU Leather top + 4” HD-XPE Foam. • Height Adjustable from 105 cm – 135 cm in 5 cm increments with heavy duty steel base • Hydraulic based height adjustment system. • Base upright covers with height adjustment markings. • Additional 80 x 40 x 40mm weight flats for added weight. • Includes anchoring system and transport wheels	
7003-IS	Competition Spring Board: <i>PHYSIQUE IMPORTED SERIES</i> Conforming to FIG Specifications	
	• “NEW AND IMPROVED COMPETITION SPECIFIC” • 7003A: 8 nos. High Compression Springs. HARD • 7003B: 5 nos. High Compression Springs. SOFT • Moulded Double Flex System with carbon-kevlar sandwiched top. • Size: 120cm x 60cm x 22cm (H) • FIG Approved carpet top with HD-XPE Foam.	
7004	Competition Spring Board: <i>Conforming to FIG Specifications</i>	
	• 7004A: 8 nos. High Compression Springs. HARD • 7004B: 5 nos. High Compression Springs. SOFT • Moulded Double Flex System. • Size: 120cm x 60cm x 22cm (H) • FIG Approved carpet top with HD-XPE Foam.	 
7005	Kids Spring Board:	
	• Moulded Double Flex System. • Size: 90cm x 60cm x 22cm (H) • Acrylic carpet top with HD-XPE Foam.	
7006	Vault Runway Mat: <i>Conforming to FIG Specifications</i>	
	• Size: 3’ (W) x 25m (L) x 25mm / 1” thickness • Made from High Density XPE foam with anti-skid and anti-static acrylic carpet surface laminated to the foam. • Includes Runway Mat Marker.	

7007	Safety Collar for Spring Boards: Conforming to FIG Specifications	
	• Dimensions: 120 cm (L) x 100 cm (W) x 20 cm (H). • Ideal for the safety of gymnasts, especially when performing round-off vaults. • Fits all competition springboards.	
7008	Foam Vault:	
	• Size: 120cm (L) x 135cm (H) x 95cm (W) • 3 Connecting Pieces for use in men's or women's vaulting programs. • FIG Approved PU Leather Top for better grip while performing elements. • Add or remove blocks to adjust height - Top Block: 95cm (W) x 120cm (L) x 60cm (H) - Centre Block: 95cm (W) x 120cm (L) x 40cm (H) - Bottom Block: 95cm (W) x 120cm (L) x 25cm (H) - Men's Block: 95cm (W) x 120cm (L) x 10cm (H)	
7009	Vault Competition Landing Mat Configuration:	
	• Size: 6m x 2.5m x 20cm • PHYSIQUE imported high density PVC covers according to FIG norms; velcro connect • High Density and High Resilience HR40D PU Foam • Size and Quantity: 200cm x 250cm x 20cm (3pcs) 200cm x 600cm x 10cm (1pcs) Top mat with markings. Includes 2m x 1m x 20cm Vault Anchor Mat	
7010-IS	Vault Handmat:	
	• Specs: 1.2m x 1m x 30mm Thick • HD XPE Foam with Anti-Skid PU Leather Cover	
7011	Vaulting Horse:	
	• Size: 125 cm (L) x 78 cm (W) x 125cm (H) • Made of Teakwood • 4 section Vaulting Horse • 2" Cushion top with synthetic leatherette cover. • PU Finish	
7012	Vaulting Buck:	
	• 7012A Small Vaulting Buck: Buck Size: 50 cm (L) x 35 cm (W) x 28 cm (H) Height Adjustable: 80 cm – 110 cm in 5cm increments • 7012B Large Vaulting Buck: Buck Size: 60 cm (L) x 35 cm (W) x 28 cm (H) Height Adjustable: 100 cm – 140 cm in 5cm increments • Molded top with PU Leather Cover.	

VAULT TABLE

7013	Vault Anchor Mat:	
	- Size: 2m x 1m x 20cm Anchor Mat - Heavy duty PVC cover with HR40D PU foam fillers. - Anchor mat designed to fit the vault base. - Can be also used as a coach's spotting platform	
7014	Vault Folding Board:	
	- Size: 4.4m (L) x 1m (W) x 25mm (T) - Made from marine ply with carpet top. - Rubber strip to stabilize the springboard	
7015	Runway Marker	
	- Size: 1m (L) x 5cm x 5cm marker in white. - Made from seasoned Pinewood. - Velcro on bottom for connection to the runway mat.	
7016	Vault Push off Pad:	
	- Can be used either on the floor or on a horse. - FIG approved PU Leather top cover as the vaulting tables and metal frame with elastic bungee cords. - Length: 90 cm.	

FLOOR EXERCISE:

8001-IS	Competition Artistic Floor: <i>Conforming to FIG Specifications</i>	
	8001A: <i>PHYSIQUE FIG Spec Imported Carpet</i> - Size: 14m x 14 m / Performance Area: 12m x 12m - Size: 3.5m x 4 nos; Velcro Connect - Performance area marked by two tone carpet. - Floor system consists of 72 nos. floor panels of 18mm marine ply with springs positioned precisely to achieve best performance. - Connected by connector panels for Joint flexibility and velcro strapping to secure the floor - Covered with 50mm thick HD-XPE Foam rolls. Carpet rolled over. - Side PVC strip to close the complete system.	
8002	Tumbling Strip:	
	- High Density Cross Link XPE Foam with heavy anti-static and anti-skid carpet. 17m (L) x 2m (W) - Sprung Floor with 100mm springs and nylon caps. 18mm heavy marine ply with metal connector panels, strapped together. - Optional sizes: 10m, 12m, 14m, 17m, 20m	


FLOOR EXERCISE:

8003-IS	Competition Rhythmic Floor: <i>Conforming to FIG Specifications</i>	
	- Complete Imported System - Size: 14.5m x 14.5m, - Performance area of 13m x 13m. - Imported FIG Approved RG Carpet: 14.5m x 14.5m. 3 strips of 14.5m x 4m & 1 strip of 14.5m x 2m - Performance area marked by adhesive velcro - Floor system consists of dynamic floor panels of 9mm + 9mm marine ply with imported EVA foam blocks of 70mm x 70mm x 70mm (H) laminated to the ply. - Dynamic ply with interconnecting brackets have a perfect stable floor. - Covered with 10mm thick laminated cushion. - Carpet joint with velcro beneath the surface.	
8004	Competition Tumbling Track: <i>Conforming to FIG Specifications</i>	
	- Tumbling Track Size: 2m (W) x 25m (L) x 30cm (H) - Made from 50mm x 50mm Lazer slotted frame. 2m(L) fiber glass rods slotted into the frame. 64mm + 39mm thick HD-XLPE multi-laminated crosslink foam with heavy duty acrylic carpet top. - Skirting on complete frame. - Landing zone of 6m (L) x 3m (W) x 30cm (H) with 4m x 2m x 10cm top soft mat; HR40D PU Foam Fillers. - Runup track of 10.50m (L) x 1m (W) x 30cm (H); 25mm XLPE foam with laminated carpet top.	

AIR MODULES:

PHY-AF	AirFloor:	
	- Available Size: 8m x 8m / 10m x 10m / 12m x 12m & 14m x 14m - Bonded and sealed Seams. - Air compressors & Repair Kit included. - One Year Warranty - FIG Standard Training Equipment - Good elasticity with Non-Slip Surface. - Sizes can be customized.	
PHY-AT	AirTrack:	
	- Sizes: 2m (W) x 20cm (H) - Available Lengths: 8m / 12m / 10m / 15m / 20m (L) - Bonded and sealed Seams. - Air compressors & Repair Kit included. - One Year Warranty - FIG Standard Training Equipment - Good elasticity with Non-Slip Surface. - Deflate and carry.	

PHY-AS	AirSpots: (MOQ 4 nos.)	
	- Sizes: 70cm Ø to 140cm Ø x 20cm (T) - Bonded and sealed Seams. - Air compressors & Repair Kit included. - One Year Warranty - Good elasticity with Non-Slip Surface. - Deflate and carry.	
PHY-AR	AirRolls: (MOQ 4 nos.)	
	- Sizes: 60cm Ø – 90cm Ø - Lengths: 100cm – 120cm - Bonded and sealed Seams. - Air compressors & Repair Kit included. - One Year Warranty - Good elasticity with Non-Slip Surface. - Deflate and carry.	
PHY-AB	AirBlocks:	
	- Sizes: 1m x 2.1m x 20cm (T) 1m x 2.8m x 33cm (T) 15cm wide soft velcro all around the top 15cm wide hard velcro small ends on the bottom - D-rings on corners - Air compressors & Repair Kit included. - One Year Warranty - Good elasticity with Non-Slip Surface. - Stackable blocks	
PHY-ABP	AirBoard PRO: (MOQ 4 nos.)	
	- Size: 1.2m x 60cm x 20cm (T) - The AirBoard is a rectangular air-filled training pad designed to work perfectly with vaulting sets and smaller Airtrack's to create methodical landscapes. - Equipped with D-Rings and straps to fit on spring boards	
PHY-ASP	AirSquare PRO: (MOQ 4 nos.)	
	- Size: 95cm x 95cm x 20cm for Vault - Size: 1m x 1m x 20cm for MiniTrampoline. - The AirSquare are designed to work on various equipment like the Vault Table and MiniTramp to add extra bounce or reduce stress when performing multiple repetitions. - Equipped with D-Rings and straps to fit on Vault table or trampoline.	
PHY-AB	AirBeam: (MOQ 4 nos.)	
	- Sizes: 3m and 5m - Bonded and sealed Seams. - Air compressors & Repair Kit included. - One Year Warranty - Good elasticity with Non-Slip Surface. - Deflate and carry.	

10001-IS	Competition Trampoline: <i>Conforming to FIG Specifications</i>	
	• Frame Size: 5.20m x 3.05m x 1.15m, • Safety Platform: 1.85 m x 2.65m x 1.15m x 2 nos., • Springs: 110 springs with 08 nos. corner springs (118 pcs) • Jumping Bed Size: 4.26m x 2.13m • Webbed: 4mm x 4mm nylon webbed. • Includes roller stands	
10002-IS	Ground Mats for Competition Trampoline: <i>Conforming to FIG Specifications</i>	
	• Size: 13.20m x 6.9m x 30cm (H) • 3m x 2m x 30cm x 8 nos. • 2m x 2m x 30cm x 4 nos.	
10003-IS	MiniTramp:	
	• Frame Size: 130 x 130cm, • overall height: 45 to 65cm adjustable, • Jumping Bed Size: 70cm x 70cm • Webbed: 8mm x 8mm nylon webbed.	
10004-IS	Vault Trampoline:	
	• Frame Size: 137 x 100cm, • overall height: 27 to 34cm adjustable, • Jumping Bed Size: 93cm x 57cm • Webbed: 8mm x 8mm nylon webbed	
10005-IS	OpenEnd MiniTramp:	
	• Frame Size: 123 x 126cm • Height Adjustments: 3206cm – 38.50cm Low side; 63.5cm – 72.10cm High side • Jumping Bed Size: 60cm x 70cm • Webbed: 8mm x 8mm nylon webbed	
10006-IS	Cross over Training Tramp	
	• Lightweight and easy to move from station to station. • Top surface is made with a tramp bed material covered with a layer of vinyl. • The 3' x 4' Vault Base Blocks work perfectly with the Trainer to give it a boost in height. • Measures 3' x 4', the same as a vault table.	
10007-IS	Trampoline Track:	
	• Length 2000 cm, length of each section 200cm. • width 200cm, height 59cm, • width of jumping bed 140cm • 6x6mm nylon jumping bed • Sizes: 8m, 10m, 12m, 14m, 16m, 18m.	

TRAMPOLINES:


10008-IS	In-Ground Trampoline:	
	- Suitable for pits. - Frame Size: 5.20m x 3.05m x 1.15m, - Springs: 110 springs with 08 nos. corner springs (118 pcs) - Jumping Bed Size: 4.26m x 2.13m - Webbed: 4mm x 4mm nylon webbed. - Trampoline is directly mounted onto the wall of the pit	
10009-IS	Throw mat: <i>Conforming to FIG Specifications</i>	
	- Size 100 x 150 x 10cm - Throw mat for trampoline - With carry handles - FIG spec vinyl cover with HR40D PU foam filler	

MATS:

9001	Gym Mats:	
	9001A: 6' x 4' x 10cm Soft Mat / 9001A-IS: Imported cover 9001B: 6' x 4' x 20cm Soft Mat / 9001B-IS: Imported cover 9001C: 6' x 4' x 20cm Firm Mat / 9001C-IS: Imported cover 9001D: 6' x 4' x 5cm Gym Mat - Soft Mats made of HR40D PU Foam. - Firm Mats made with a combination of HD-XLPE and HR40D PU foam in sandwich format.	
10100	Gymnastic Crash Mats:	
	10100A-IS: 3m x 2m x 20cm; <i>Conforming to FIG Specifications</i> 10100B-IS: 3m x 2m x 30cm. 10100C-IS: Foldable Crash Mat; 6m x 2m x 10cm > 3m x 2m x 20cm - Mats are made of HR40D PU foam fillers with FIG spec vinyl covers. - Foam layout in log format to give more softness with ample airflow. - Air vents on sides to ensure mats softness and foam recovery.	
11100	10cm Supplementary Mats: <i>Conforming to FIG Specification.</i>	
	11100A: 2m x 2m x 10cm 11100B: 2m x 3m x 10cm 11100C: 2m x 4m x 10cm 11100D: 2m x 5m x 10cm 11100E: 2m x 6m x 10cm - Mats are made of HR40D PU foam fillers. - Air vents on sides to ensure mats softness and foam recovery. - FIG spec vinyl covers.	
12100-IS	Roll-Up Mats: (Imported)	
	- Size: 1.8m (W) x 30mm & 50mm (T) - Acrylic Anti-Skid and Anti-Static Carpet heat bonded onto HD-XLPE Foam of 36kg³ density - Multiple mats can be used to make a seamless Gymnastics Floor.	

13110	Spotting Blocks / Methodical Blocks:	
	13110A: 50cm (L) x 50cm (W) x 50 cm (H) 13110B: 80cm (L) x 80cm (W) x 80cm (H) 13110C: 100cm (L) x 100cm (W) x 100cm (H) 13110D: 80cm (L) x 40cm (W) x 50cm (H) 13110E: 160cm (L) x 80cm (W) x 100cm (H) - Made with a combination of HD-EPE and HD-XLPE foam. - Heavy duty imported PVC Vinyl covers	
13120	Hand Stand Bouncer:	
	- High Bar Height: 95 – 130cm; Adjustable - Low Bar Height: 30cm; Adjustable - Bar Length: 180cm - Bar Ø: 4 cm Fiber Glass Bar - Quick height and width adjustments with T-bolts, spring loaded plungers with height markings. - Bungee cord provides ideal rebound. 50cm x 4" Ø EVA foam rollers. - Floor levelers incorporated into the base.	
13130	Double Rebounder	
	- High Bar Height: 95 – 130cm; Adjustable - Low Bar Height: 30cm; Adjustable - Bar Length: 180cm - Bar Ø: 4 cm Fiber Glass Bar - Quick height and width adjustments with T-bolts, spring loaded plungers with height markings. - Bungee cord provides ideal rebound. 50cm x 4" Ø EVA foam rollers. - Floor levelers incorporated into the base.	
13140	Wall Bars:	
	- Size: 8' x 3' sections 16 nos. Oval Rings - Made of Imported Beechwood. - PU Finish - Wall mounted.	
13150	Wall Bar Bend:	
	- Size: 90cm (L) x 50cm (W) x 42cm (H). - Tear drop shape. - Velcro strapping to mount on wall bars. - Made with a combination of HD-EPE and HD-XLPE foam. - Heavy duty double coated nylon PVC covers of 1680 GSM; non-tearing and washable.	
13160	Hand Stand Rocker:	
	- Great tool for training handstand skills and strength that transfer not only to Rings but also Parallel Bars, and Beam. - Rocking motion helps focus on stabilizer muscles. - Stoppers for controlling rocking motion.	

13170	Parallettes:	
	- Size: 40cm (L) x 4cm Ø x 1 pr. - Made from imported beechwood. - PU Finish. - The wooden Parallettes are lightweight, portable and great from gym use. - These bars can be used for various number of parallel bar and handstand drills, skills and conditioning.	
13180	Single floor rail:	
	- Size: 90cm (L) x 4cm Ø - Made from imported beechwood. - PU Finish. - The wooden Parallettes are lightweight, - These bars can be used for various number of Horizontal bar and handstand drills, skills and conditioning.	
13190	Gymnastic Bench	
	10' (L) x 1' (H) - Made of Beech Wood. - Includes wall bar attachments.	
13200	Floor Anchors	
	- Floor anchors machined out of high tensile steel. - Easy to install - Set of 4 nos. anchors including the anchoring chemical.	
13210	Powder Stand	
	- Powder Stand: - Light weight and sturdy. - Stainless steel bowl - Steel Uprights with floor levelers.	
13220	Open Shoulder Trainer	
	- The Open Shoulder Trainer is a light, padded device that fits around a gymnast shoulders and neck in order to maintain open shoulders needed for skills that move through a handstand. - It serves as a gentle reminder for tumblers to keep the proper shoulder position while training.	

A	Rhythmic Ball:		
	M20-C: Child Ball: 15cm Ø	M20-B: Middle Ball 17cmØ	
			
	M20A-F: 18.5cmØ FIG Approved:	M207M-F: 18.5cmØ FIG Approved:	
			
B	Rhythmic Clubs:		
	MJ-38H: Junior Rubber Clubs 36cm:	M-34JKH-F: Junior Clubs 40.5cm FIG Approved:	M-34GH-F: Gradation Clubs 44cm FIG Approved:
			
C	Rhythmic Ropes:		
	MJ240: Junior Rope 2.5m:	M-280-F: Nylon Rope 3m FIG Approved:	M-242-F: Polyester Rope 3m FIG Approved:
			

D	Rhythmic Ribbon:			
	MJ760S: Ribbon + Stick 3m 		M-781HJK-F: Ribbon Stick 57cm FIG Approved: 	
			M700G-F: Ribbon Stick 60cm - FIG Approved 	
	MJ-82: Junior Ribbon Stick 50cm 		M7781T-F: Tri colour Ribbon Stick 60cm FIG Approved: 	
	MJ714: Rayon Ribbon 4m: 	M715-F: Ribbon 5m FIG Approved: 	M71-F: Ribbon 6m FIG Approved: 	
E	Rhythmic Hoop:			
	M-16: Hoop FIG Approved: 	HT-1: Holographic Tape 	HT-3: Miracle Tape 	HT-8: Aurora Tape 
F	Grips: Sizes available: 000 / 00 / 0 / 1 / 2 / 3 / 4			
	Bailie UB Dowel 302W: 	Bailie UB Dowel 302SS: 	Bailie VR502 Rings: 	Bailie VH501 HB: 

Exclusive Representatives in India for:

AAI[®]

EUROTRAMP[®]

GAOFEI

