

Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 13

Pure Light Microencaps Lightener

Revision: 31.10.2018 printing date: 31.10.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Pure Light Microencaps Lightener

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Bleaching

1.3. Details of the supplier of the safety data sheet

Nattura Laboratorios, S.A. de C.V.

Guadalajara, Jalisco. Mexico.

Pedro Martinez Rivas #746

Zapopan, Jalisco. Mexico.

Phone: (+52) 38-36-38-50

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

Further information is available at Poison Control Centers.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Oxidizing solids Category 3

May intensify fire; oxidizer.

Corrosive to metals Category 1

May be corrosive to metals.

Acute toxicity Category 4

Harmful if swallowed.

Skin corrosion Category 1A

Causes severe skin burns and eye damage.

Respiratory sensitizer Category 1

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitizer Category 1

May cause an allergic skin reaction.

Specific target organ toxicity - Category 3

single exposure

May cause respiratory irritation.

2.2. Label elements (CLP)

Hazard pictogram:



Signal word: Danger

Hazard statement: H272 May intensify fire; oxidizer.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H318 Causes serious eye damage

H332 Harmful if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statement: P210 Keep away from heat/open flames/hot surfaces. - No smoking. **Prevention**

P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

Precautionary statement:

Response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304+P340+P310 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Immediately call a POISON CENTER or physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor. P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Ammonium Persulfate 7727-54-0	231-786-5	01-2119495973-19	>= 15- < 25 %	H302 Acute toxicity 4; Oral H319 Serious eye irritation 2 H335

				Specific target organ toxicity - single exposure 3 H315 Skin irritation 2 H334 Respiratory sensitizer 1 H317 Skin sensitizer 1 H272 Oxidizing solids 3
Potassium Persulfate 7727-21-1	231-781-8	01-2119495676-19	>= 30- < 50 %	H272 Oxidizing solids 3 H335 Specific target organ toxicity - single exposure 3 H315 Skin irritation 2 H334 Respiratory sensitizer 1 H317 Skin sensitizer 1 H302 Acute toxicity 4; Oral H319 Serious eye irritation 2
Sodium Metasilicate 6834-92-0	229-912-9	01-2119449811-37	>= 10- < 20 %	H314 Skin corrosion 1B H290 Corrosive to metals 1 H335 Specific target organ toxicity - single exposure 3
Tetrasodium EDTA 64-02-8	200-573-9		>= 1- < 10 %	H332 Acute toxicity 4; Inhalation H318 Causes serious eye damage 1 H302 Acute toxicity 4; Oral

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Remove casualty immediately from danger zone. Take off immediately all contaminated clothing.

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse immediately with plenty of running water (for 10 minutes). Remove all contaminated clothing and apply bandage. Seek medical advice.

Eye contact:

Immediately flush eyes with water (for 10 minutes), put on a bandage with sterile gauze, see an oculist.

Ingestion:

Rinse the mouth. Drink plenty of water. Immediate medical advice necessary.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

None known

5.2. Special hazards arising from the substance or mixture

The release of following substances is possible in case of fire:

Nitrous gases Carbon dioxide Generation of oxygen Sulphur oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

Additional information:

The product intensifies fire.

Remove product from danger zone.

Extend fire extinguishing measures to the surroundings.

Dispose of combustion residues and contaminated fire-fighting water in accordance with statutory regulations.

Collect contaminated fire-fighting water separately. It must not enter drains.

In case of fire, keep containers cool with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

Avoid contact with skin and eyes.

Depending on workplace dust concentration, wear dust filter mask with particle filter P1, P2 or P3.

6.2. Environmental precautions

Do not empty into drains/surface water/ground water.

Inform authorities in the event of product spillage to water courses or sewage systems.

6.3. Methods and material for containment and cleaning up

Remove mechanically.

Avoid dust formation.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling advice:

Ensure good ventilation/suction at the workplace.

Avoid skin and eye contact.

Keep dust formation and -deposit to a minimum.

Avoid dust formation, vacuum.

Fire and explosion protection information:

Avoid the formation and build-up of dust - danger of dust explosion.

Keep away from combustible material.

Hygiene measures:

Do not eat, drink or smoke while working.

Immediately remove soiled or soaked clothing.

Wash hands before work breaks and after finishing work.

Keep away from food, beverages and animal feed.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container protected against moisture.

Store far from foodstuffs.

7.3. Specific end use(s)

Bleaching

SECTION 8: Exposure controls/personal protection

Only relevant for professional/industrial use

8.1. Control parameters

Valid for

Germany

Ingredient [Regulated substance]	ppm	mg/m ³	Value type	Short term exposure limit category / Remarks	Remarks
Paraffinum Liquidum / Mineral Oil / Huile Minérale 8042-47-5			Short Term Exposure Classification:	Category II: substances with a resorptive effect.	TRGS 900
Paraffinum Liquidum / Mineral Oil / Huile Minérale 8042-47-5		5	Exposure limit(s):	If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).	TRGS 900
Silica 7631-86-9		4	Exposure limit(s):	If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).	TRGS 900

8.2. Exposure controls

Engineering controls:

Ensure good ventilation/suction at the workplace.

Respiratory protection:

Suitable breathing mask when there is inadequate ventilation.

Dust mask, P2 particle filter.

Hand protection:

Protective gloves from natural India rubber are to be worn when handling the product. The product is a dry powder, a penetration of the intact glove is not expected even during longer periods of wearing. It is possible though that when wearing the gloves for several hours uncomfortable sensations can occur caused by body heat and humidity.

Eye protection: Protective goggles

Skin protection:

Suitable protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture:

Appearance Powder Fine Violet
Odor Characteristic

pH (20 °C (68 °F)) 10,20 - 10,80 Not applicable Initial boiling point Not applicable Flash point Not applicable Decomposition temperature Not applicable Vapour pressure Density (20 °C (68 °F)) Not applicable Not applicable Bulk density Viscosity Not applicable Viscosity (kinematic) Not applicable Explosive properties Not applicable Solubility (qualitative) (20 °C (68 °F); Solvent: Water) Not available Solidification temperature Not applicable Not applicable Melting point Not applicable Flammability Auto-ignition temperature Not applicable Not applicable Explosive limits Partition coefficient: n-octanol/water Not applicable Not applicable Evaporation rate Not applicable Vapor density Oxidising properties Not applicable Not applicable Container pressure

SECTION 10: Stability and reactivity

10.1. Reactivity

Accelerators.

Contaminants (e.g. rust, dust, ash).

Combustible materials.

Reaction with heavy metalls.

Reaction with strong acids.

Reaction with strong bases

10.2. Chemical stability

None known.

10.3. Possibility of hazardous reactions

See section reactivity None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

General toxicological information:

The present product is a chemical preparation within the meaning of the chemicals act. The following evaluation has been made on the basis of the toxicological data and content by weight of the individual ingredients.

11.1. Information on toxicological effects

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Ammonium Persulfate 7727-54-0	LD50	495 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
Tetrasodium EDTA 64-02-8	LD50	> 1,780 - 2,000 mg/kg	rat	

Acute dermal toxicity:

No data available.

Hazardous substances			Method	
CAS-No.	type			
sodium metasilicate	LD50	> 5.000 mg/kg	rat	EPA OPPTS 870.1200 (Acute Dermal Toxicity)
6834-92-0				
Ammonium Persulfate	LD50	> 2.000 mg/kg	rat	EPA OPP 81-2 (Acute Dermal Toxicity)
7727-54-0				•

Acute inhalative toxicity:

Hazardous substances	Value type	Value	Test	Exposure time	Species	Method
CAS-No.			atmosphere			
Ammonium Persulfate 7727-54-0	Acute toxicity estimate (ATE)	5,1 mg/l	aerosol			Expert judgement
Ammonium Persulfate 7727-54-0	LC0	2,95 mg/l		4 h	rat	OECD Guideline 403 (Acute Inhalation Toxicity)
Tetrasodium EDTA 64-02-08	CL50	1 mg/l	aerosol		rat	

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
sodium metasilicate 6834-92-0	corrosive	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Ammonium Persulfate	Category 2	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
7727-54-0	(irritant)			

Serious eye damage/irritation:

Primary eye irritation: irritating

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Ammonium Persulfate	slightly		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
7727-54-0	irritating			

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result	Test type	Species	Method
CAS-No.				
sodium metasilicate	not sensitising	Mouse local lymphnode	mouse	OECD Guideline 429 (Skin Sensitisation:
6834-92-0		assay (LLNA)		Local Lymph Node Assay)
Ammonium Persulfate	sensitising	Freund's complete adjuvant	guinea pig	OECD Guideline 406 (Skin Sensitisation)
7727-54-0		test		

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
sodium metasilicate 6834-92-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
sodium metasilicate 6834-92-0	negative	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
sodium metasilicate 6834-92-0	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Ammonium Persulfate7727-54-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		not specified

Carcinogenicity

No data available

Reproductive toxicity:

No data available

STO	T-single	exposure:

No data available.

STOT-repeated exposure::

No data available.

Aspiration hazard:

No data available.

SECTION 12: Ecological information

General ecological information:

The ecological evaluation of the product is based on data from the raw material and/or comparable substances.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Potassium Persulfate 7727-21-1	LC50	771 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
sodium metasilicate 6834-92-0	LC50	210 mg/l	96 h	Brachydanio rerio (new name: Danio rerio)	not specified
Ammonium Persulfate	LC50	76,3 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Potassium Persulfate 7727-21-1	EC50	133 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
sodium metasilicate 6834-92-0	EC50	1.700 mg/l	48 h	Daphnia magna	not specified
Ammonium Persulfate 7727-54-0	EC50	120 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

	Value	Value	Exposure time	Species	Method
CAS-No.	type				
N/A	N/A	N/A	N/A	N/A	N/A

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
sodium metasilicate 6834-92-0	EC0	36 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	DIN 38412-09
sodium metasilicate 6834-92-0	EC50	213 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	DIN 38412-09
Ammonium Persulfate 7727-54-0	EC50	> 33 mg/l	96 h	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)
Ammonium Persulfate 7727-54-0	EC10	33 mg/l	96 h	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Potassium Persulfate 7727-21-1	EC 50	116 mg/l			OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
sodium metasilicate 6834-92-0	EC0	1.000 mg/l	30 min		not specified
Ammonium Persulfate 7727-54-0	EC10	36 mg/l	18 h		not specified
Tetrasodium EDTA 64-02-8	EC10	500 mg/l	0.5 h		OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Hazardous substances	PBT / vPvB
CAS-No.	
Potassium Persulfate	Not fulfilling PBT (persistent/bioaccummulative/toxic) criteria
7727-21-1	

sodium metasilicate 6834-92-0	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Ammonium Persulfate 7727-54-0	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Tetrasodium EDTA 64-02-8	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Consider national regulations.

Special waste incineration or special disposal with the approval of the responsible local authority.

SECTION 14: Transport information

14.1. UN number

ADR 3085 RID 3085 3085 ADN **IMDG** 3085 IATA 3085

14.2. UN proper shipping name

ADR	OXIDIZING SOLID, CORROSIVE, N.O.S. (Potassium persulfate, Sodium metasilicate)
RID	OXIDIZING SOLID, CORROSIVE, N.O.S. (Potassium persulfate, Sodium metasilicate)
ADN	OXIDIZING SOLID, CORROSIVE, N.O.S. (Potassium persulfate, Sodium metasilicate)
IMDG	OXIDIZING SOLID, CORROSIVE, N.O.S. (Potassium persulfate, Sodium metasilicate)
ΙΔΤΔ	Oxidizing solid corrosive nos (Potassium persulfate Sodium metasilicate)

Oxidizing solid, corrosive, n.o.s. (Potassium persulfate, Sodium metasilicate)

14.3. Transport hazard class(es)

ADR 5.1 (8) RID 5.1(8) ADN 5.1 (8) **IMDG** 5.1(8) 5.1 (8) IATA

14.4. Packing group

ADR Ш RID III ADN III**IMDG** Ш IATA Ш

14.5. **Environmental hazards**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.6. Special precautions for user

ADR not applicable Tunnelcode: (E) RID not applicable ADN not applicable

IMDG IMDG-Code: Segregation group 16- Peroxides; Segregation group 18- Alkalis

IATA not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations/information (Germany):

WGK: 2, water-endangering product. (German VwVwS of May 17, 1999)

Classification in conformity with the calculation method

Storage class according to TRGS 510: 10

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H272 May intensify fire; oxidizer.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Further information:

This information is not related to the use of the product, it is based on our current level of knowledge.