

# SAFETY DATA SHEET

Issue Date 31-May-2017	Revision Date 31-May-2017	Version 1	
1. IDENTIFICATION			
Product identifier Product Name	FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT - BRIGHT BASE	CREME COLOR FOR DARK HAIR	
Other means of identification Product Code	AA82010002		
Recommended use of the chemic Recommended Use Uses advised against	al and restrictions on use Personal Care Product. For professional use only. All other uses. Not for personal use in this form or conce	entration.	
Details of the supplier of the safet Supplier Address The Estée Lauder Companies Inc. 125 Pinelawn Road Melville, NY 11747	y data sheet		
Emergency telephone number Company Phone Number Emergency Telephone	1-877-311-3883 Chemtrec 1-800-424-9300 Chemtrec International +1 703-741-5970		
E-mail address	SDS@ESTEE.COM		
	2. HAZARDS IDENTIFICATION		

## **Classification**

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

## Label elements

#### Warning

Hazard statements Causes skin irritation Causes serious eye irritation



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

# AA82010002 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT CREME COLOR FOR DARK HAIR -BRIGHT BASE

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

## Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

Unknown acute toxicity

12.6% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### <u>Mixture</u>

Chemical Name	CAS No.	Weight-%
GLYCERYL STEARATE	31566-31-1	5 - 10*
AMMONIUM HYDROXIDE	1336-21-6	1 - 5*
GLYCERIN	56-81-5	1 - 5*
AMINOMETHYL PROPANOL	124-68-5	1 - 5*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

## Description of first aid measures

General advice	No hazards which require special first aid measures.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	Wash with soap and water. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Not an expected route of exposure. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.
Self-protection of the first aider	Use personal protective equipment as required.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Small Fire** 

Use water. Do not use dry chemicals or foams. CO<sub>2</sub> or Halon may provide limited control.

#### Large Fire

Flood fire area with water from a distance.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Sealed containers may rupture when heated.

#### Explosion data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Enact facility's spill response plan. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Wear protective gloves/protective clothing and eye/face protection.	
Environmental precautions		
Environmental precautions	Prevent product from entering drains. Dispose of contents/container to an approved waste disposal plant.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Collect spillage.	
Methods for cleaning up	Clean contaminated surface thoroughly.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. All equipment used when handling the product must be grounded. Use personal protective equipment as required. Take precautionary measures against static discharges. Handle in accordance	

Conditions for safe storage, including any incompatibilities

# Storage ConditionsKeep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep<br/>containers upright and tighly closed when not in use.

#### Incompatible materials Acids. Bases. Alcohols. Combustible material.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure

with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in

confined areas. Do not eat, drink or smoke when using this product.

# AA82010002 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT CREME COLOR FOR DARK HAIR -BRIGHT BASE

limits from the sources listed here.				
Chemical Name	ACGIH TLV	ACGIH TLV OSHA PEL		
GLYCERYL STEARATE 31566-31-1	TWA: 10 mg/m <sup>3</sup> except stearates of toxic metals	-	-	
GLYCERIN 56-81-5	-	- TWA: 15 mg/m <sup>3</sup> mist, total - particulate TWA: 5 mg/m <sup>3</sup> mist, respirable fraction		
Appropriate engineering controls				
Engineering Controls Eyewash stations. Showers. Ventilation systems.				
Individual protection measures, such as personal protective equipment				
Eye/face protection	Wear safety glasses with side shields (or goggles).			
Skin and body protection	Wear protective gloves and	Wear protective gloves and protective clothing.		
Respiratory protection	In case of insufficient venti	In case of insufficient ventilation, wear suitable respiratory equipment.		
General Hygiene Consideration		Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state	Liquid
Appearance	smooth, shiny, viscous emulsion (not grainy)
Odor	ammonia, with a hint of lavender
Color	pearly white to yellowish tan
Property pH Melting point/freezing point Boiling point / boiling range Flash point Burn rate Burn time Evaporation rate Flammability (solid, gas) Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	Values11.25No information availableNo information available94 °C / 201 °FNot applicableNot applicableNo information availableNo information available
Other Information	
Softening point	No information available
Molecular weight	No information available

VOC Content (%) Density Bulk density No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

 Reactivity

 No data available

 Chemical stability

 Stable under recommended storage conditions.

 Possibility of Hazardous Reactions

 None under normal processing.

 Conditions to avoid

 Extremes of temperature and direct sunlight.

 Incompatible materials

 Acids. Bases. Alcohols. Combustible material.

 Hazardous Decomposition Products

 None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

## Component Information

Data within this section obtained from international chemical toxicological profiles.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
AMMONIUM HYDROXIDE 1336-21-6	= 350 mg/kg (Rat)	-	-
GLYCERIN 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³(Rat)1 h
AMINOMETHYL PROPANOL 124-68-5	= 2900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

## Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Eyes, Respiratory system, kidney, Skin.
Aspiration hazard	No information available.

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

**12. ECOLOGICAL INFORMATION Ecotoxicity** None known Persistence and degradability No information available. **Bioaccumulation** No information available. No information available Other adverse effects **13. DISPOSAL CONSIDERATIONS** Waste treatment methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR **Disposal of wastes** 261). **Contaminated packaging** Do not reuse container. **14. TRANSPORT INFORMATION** DOT UN/ID no. UN1760 Proper shipping name Corrosive liquid, n.o.s. **Hazard Class** 8 **Packing Group** Ш **Special Provisions** B2, IB2, TII, TP2, TP27 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II, Description **Emergency Response Guide** 154 Number TD<u>G</u> UN1760

UN/ID no. Proper shipping name Hazard Class Packing Group Description

 MEX
 UN/ID no.
 UN1760

 Proper shipping name
 Corrosive liquid, n.o.s.

 Hazard Class
 8

 Packing Group
 II

 Description
 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II,

Corrosive liquid, n.o.s.

Corrosive liquid, n.o.s.

8

Ш

UN1760

ICAO (air) UN/ID no. Proper shipping name

Hazard Class	8
Packing Group	II
Special Provisions	A3
Description	UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II
IATA UN/ID no. Proper shipping name Hazard Class Packing Group ERG Code Special Provisions	UN1760 Corrosive liquid, n.o.s. 8 II 8L A3, A803
IMDG	UN1760
UN/ID no.	Corrosive liquid, n.o.s.
Proper shipping name	8
Hazard Class	II
Packing Group	F-A, S-B
EmS-No.	274
Special Provisions	UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II,
Description	Marine Pollutant
<u>RID</u> UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Description Labels	UN1760 Corrosive liquid, n.o.s. 8 II C9 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II 8
ADR	UN1760
UN/ID no.	Corrosive liquid, n.o.s.
Proper shipping name	8
Hazard Class	II
Packing Group	C9
Classification code	(E)
Tunnel restriction code	274
Special Provisions	UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II,
Description	(E)
Labels	8
ADN UN/ID no. Proper shipping name Hazard Class Packing Group Classification code Special Provisions Description Hazard label(s) Limited quantity (LQ)	UN1760 Corrosive liquid, n.o.s. 8 II C9 274 UN1760, Corrosive liquid, n.o.s. (AMMONIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II 8 1 L

# **15. REGULATORY INFORMATION**

# US Federal Regulations

# <u>SARA 313</u>

# AA82010002 - FULL SPECTRUM DEEP EXTRA LIFT AND DEPOSIT CREME COLOR FOR DARK HAIR -BRIGHT BASE

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	-	Х
SODIUM HYDROXIDE 1310-73-2	1000 lb	-	-	Х

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
SODIUM HYDROXIDE 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
SAFROLE 94-59-7	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

# US State Regulations

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
AMMONIUM HYDROXIDE 1336-21-6	Х	X	Х
GLYCERIN 56-81-5	Х	X	Х
AMINOMETHYL PROPANOL 124-68-5	Х	X	Х
SODIUM HYDROXIDE 1310-73-2	Х	X	Х

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

**Revision Date** 

31-May-2017

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **End of Safety Data Sheet**