



STONE-COATED METAL ROOF TILES

COLLECTION OF COLORS


Stone-coated metal roof tiles by TECHNONICOL

Over the centuries, people have been improving the ways to protect their homes from rain and sun, wind and heat. Roofing tiles have become one of the most popular coverings for pitched roofs. However, throughout the time, new, improved materials have appeared while the essence – the classic appearance – remained unchanged. Stone-coated metal roof tiles by TECHNONICOL is an incredible unity of esteemed traditions and innovative technologies.

The collection of colors of stone-coated metal roof tiles by TECHNONICOL was created with respect to natural shades. Each individual color or their combination provides the opportunity to complement the style that will become the hallmark of your home.



Structure




COMPONENTS:

1. Transparent acrylic varnish – contributes to self-cleaning from dust during rain
2. Colored stone granules – protects from mechanical damage and creates an outstanding appearance
3. Acrylic primer – provides adhesion of stone granules
4. Protective coating – serves as an additional anti-corrosion protection
5. Aluzinc (AZ – 120 gsm) layer – preserves the steel layer from corrosion
6. High-quality steel sheet (0.5 mm) – being the base of the material provides strength and rigidity
7. Aluzinc (AZ – 120 gsm) layer – preserves the steel layer from corrosion
8. Protective coating – serves as an additional anti-corrosion protection


Systems

System without thermal insulation




1. Stone-coated metal roof tiles by TECHNOMICOL
2. Counter battens
3. Ventilation space battens
4. Diffusion membrane TECHNOMICOL ALPHA TOP
5. Rafters

System with thermal insulation




1. Stone-coated metal roof tiles by TECHNOMICOL
2. Counter battens
3. Ventilation space battens
4. Diffusion membrane TECHNOMICOL ALPHA TOP
5. Stone wool slabs TECHNOLITE
6. Rafters
7. Vapor barrier film TECHNOMICOL ALPHA BARRIER 4.0
8. Attic ceiling

Advantages



PICTURESQUE ROOFING

The true beauty of natural stone and noble colors embodied in a time-honoured form will definitely distinguish your home among all others.



LIGHTWEIGHT

The weight of stone-coated metal roof tiles by TECHNOMICOL is only about 6 kg/m², which is seven times lighter than clay tiles. It results in the lower load and greater safety.



DURABILITY

Metal and stone grant strength and durability. The metal alloy acts as a reliable base for the tiles, while the bright colored stone granules protect their surface for many decades.



WIND RESISTANCE

Interlocking panel system offers extraordinary resistance to wind uplift of up to 230 km/h. Be sure of your roof in any storm!



PERFECT FOR ANY ARCHITECTURAL STYLE

The variety of types and colors of stone-coated metal roof tiles by TECHNOMICOL allow adorning the facade of any luxurious mansion, the elegant architecture of any villa.



KEEPS YOUR HOME QUIET

The special structure of the material and the properties of its components effectively resist the noise of rain and wind, keeping the home quiet and protecting your peace of mind.



ALL-WEATHER


The material is resistant to sudden changes in temperature and suitable for use in any climate. Neither ice hail nor the scorching sun will harm your roof.




FIRE SAFETY

Stone-coated metal roof tiles by TECHNOMICOL neither burn nor spread the fire being the safe roofing material.


Collection ROMAN

	PROPERTIES	ROMAN	ROMAN PLUS
	Panel size	1340×420 mm	1322×450 mm
	Effective size	1290×370 mm	1253×400 mm
	Panels per sqm	2.10 pcs/m²	1.96 pcs/m²
	Weight per panels	3 - 3.15 kg	3 - 3.15 kg


Collection TILE

	PROPERTIES	TILE
	Panel size	1340×420 mm
	Effective size	1290×370 mm
	Panels per sqm	2.10 pcs/m²
	Weight per panels	3 - 3.15 kg


Collection SHINGLE

	PROPERTIES	SHINGLE
	Panel size	1340×420 mm
	Effective size	1290×370 mm
	Panels per sqm	2.10 pcs/m²
	Weight per panels	3 - 3.15 kg

Collection SLATE

	PROPERTIES	SLATE
	Panel size	1320×420 mm
	Effective size	1250×370 mm
	Panels per sqm	2.10 pcs/m²
	Weight per panels	3 - 3.15 kg


Collection SHAKE

	PROPERTIES	SHAKE
	Panel size	1340×420 mm
	Effective size	1290×370 mm
	Panels per sqm	2.10 pcs/m²
	Weight per panels	3 - 3.15 kg

Collection of colors

NOTE: product colors may vary slightly from the colors shown in the catalogue. If color hue is critical for you, please request full-size samples before making your final choice.

Basic colors




Dual colors




Accessories


Barge board flashing




Side flashing




Flat sheet




Fascia flashing




Valley




Wall flashing




Ridge board flashing




Barrel cap




Angle trim




Ridge cap 105




Ridge cap 150



Top course



Bird stop



Touch up kit



Gallery



About TECHNONICOL Corporation

TECHNONICOL Corporation is the leading international manufacturer and supplier of roofing, waterproofing, thermal insulation and sound absorption materials. The company was founded in 1992 and since then has accumulated considerable experience in the building materials market. We are proud to offer up-to-date materials and technologies that combine global expertise and elaboration of our own R&D centers.



TECHNONICOL India Private Limited

Head Office in Mumbai

101 & 102, Joy Villa, Plot No. 58,
Jawahar Nagar Road No. 4, Goregaon (W),
Mumbai 400 104
Ph: +91 22 3520 6466
info@technonicol.in

Office in New Delhi

Unit No. G-31, ground floor,
TDI Centre, Jasola District Centre,
New Delhi 110 025
Ph: +91 11 4372 1455
info@technonicol.in

WWW.TECHNONICOL.IN

