

| <b>AUDI (奧迪)</b>      |                  |             |                  |                |                 |
|-----------------------|------------------|-------------|------------------|----------------|-----------------|
| 此充填冷媒量僅供參考,正確請以原廠標示為準 |                  |             |                  |                |                 |
| 車型 / Car model        | 資訊 / Information | 年份 / Year   | 冷媒 / Refrigerant | 冷媒量 / Amount   | 冷凍油量 / OIL (cc) |
| 80/90/COUPE           |                  | 1986 - 1991 | R12>R134a        | 1050 ± 50      | 300 ± 20        |
| 80/COUPE/CABRIO       |                  | 1991 - 1992 | R12>R134a        | 700 ± 50       | 300 ± 20        |
| 80/COUPE/CABRIO 2.3   |                  | 1991 - 1992 | R12>R134a        | 900 ± 50       | 300 ± 20        |
| 80                    |                  | 1992 - 1995 | R134a            | 675 ± 25       | 275 ± 25        |
| 80 2.3                |                  | 1992 - 1994 | R134a            | 775 ± 25       | 275 ± 25        |
| 100/200               |                  | 1983 - 1991 | R12>R134a        | 1100 ± 50      | 300 ± 20        |
| 100/A6/S4/S6          |                  | 1991 - 1992 | R12>R134a        | 1100 ± 50      | 300 ± 20        |
| 100/A6/S4/S6          | Zexel            | 1992 - 1997 | R134a            | 775 ± 25       | 275 ± 25        |
| 100/A6/S4/S6          | Denso            | 1992 - 1997 | R134a            | 775 ± 25       | 275 ± 25        |
| A1 (8X1)              | Sanden           | 2010 -      | R134a            | 500 ± 15       | 110 ± 10        |
| A1 (8X1)              | Delphi           | 2010 -      | R134a            | 500 ± 15       | 110 ± 10        |
| A1 8X1/8XA/8XF/8XK    |                  | 2010 - 2018 | R134a/R1234yf    | 500 / 450 ± 20 | 100 ± 10        |
| A1 GBA                |                  | 2018 -      | R1234yf          | 450 ± 20       | 100 ± 10        |
| A2                    |                  | 2000 - 2001 | R134a            | 525 ± 25       | 180 ± 15        |
| A2                    |                  | 2001 - 2006 | R134a            | 505 ± 25       | 180 ± 15        |
| A2 8X0                |                  | 2000 - 2007 | R134a            | 520 ± 20       | 110 ± 10        |
| A2                    |                  | 2007 -      | R134a            | 460 ± 20       | 90 ± 10         |
| A3                    | Zexel            | 2003 -      | R134a            | 525 ± 25       | 180 ± 10        |
| A3                    | Denso            | 2003 -      | R134a            | 525 ± 25       | 180 ± 10        |
| A3/S3 8L1             |                  | 1996 - 2003 | R134a            | 740 ± 30       | 130 ± 10        |
| A3/S3 8P1/8P&/8PA     |                  | 2003 - 2013 | R134a            | 530 ± 20       | 110 ± 10        |
| A3/S3 8V1/8V7/8V      |                  | 2012 - 2018 | R134a/R1234yf    | 500 / 460 ± 20 | 110 ± 10        |
| A3 e-tron 8VA/8V      |                  | 2014 -      | R134a/R1234yf    | 500 / 450 ± 20 | 110 ± 10        |
| A4/S4                 | Zexel            | 1994 - 1997 | R134a            | 675 ± 25       | 275 ± 25        |
| A4/S4                 | Denso            | 1994 - 1997 | R134a            | 675 ± 25       | 275 ± 25        |
| A4/S4                 | Zexel / Showa    | 1997 - 2001 | R134a            | 725 ± 25       | 275 ± 25        |
| A4/S4                 | Denso / Showa    | 1997 - 2001 | R134a            | 725 ± 25       | 275 ± 25        |
| A4/S4                 | Zexel / AWG      | 1998 -      | R134a            | 575 ± 25       | 275 ± 25        |
| A4/S4                 | Denso / AWG      | 1998 -      | R134a            | 575 ± 25       | 275 ± 25        |
| A4/S4                 |                  | 1994 - 1997 | R134a            | 670 ± 20       | 130 ± 10        |
| A4/S4                 |                  | 1997 - 2000 | R134a            | 730 ± 30       | 140 ± 10        |
| A4/S4                 |                  | 1998 - 2000 | R134a            | 580 ± 20       | 110 ± 10        |
| A4                    | Zexel            | 2000 - 2004 | R134a            | 505 ± 25       | 180 ± 10        |
| A4                    | Denso            | 2000 - 2004 | R134a            | 505 ± 25       | 180 ± 10        |
| A4 Petrol             |                  | 2000 - 2004 | R134a            | 500 ± 20       | 100 ± 10        |
| A4 Diesel             |                  | 2000 - 2004 | R134a            | 500 ± 20       | 100 ± 10        |
| A4 8EC/8ED            |                  | 2004 -      | R134a            | 500 ± 20       | 120 ± 10        |
| A4/S4/RS4 8K          |                  | 2007 - 2012 | R134a            | 600 ± 20       | 120 ± 10        |
| A4/S4/RS4             |                  | 2015 -      | R134a/R1234yf    | 590 / 520 ± 20 | 110 ± 10        |
| A5/S/RS5/Cabrio       |                  | 2007 - 2012 | R134a            | 580 ± 20       | 120 ± 10        |
| A5/S/RS5              |                  | 2012 - 2017 | R134a/R1234yf    | 550 / 520 ± 20 | 120 ± 10        |
| A5/S5/RS5             |                  | 2017 -      | R134a/R1234yf    | 570 / 520 ± 20 | 120 ± 10        |
| A6                    | Zexel            | 1997 -      | R134a            | 825 ± 25       | 275 ± 25        |
| A6                    | Denso            | 1997-       | R134a            | 825 ± 25       | 275 ± 25        |
| A6                    | Zexel            | 1997 - 1998 | R134a            | 825 ± 25       | 275 ± 25        |
| A6                    | Denso            | 1997 - 1998 | R134a            | 825 ± 25       | 275 ± 25        |
| A6                    | Zexel / 20mm     | 1998 - 1999 | R134a            | 775 ± 25       | 275 ± 25        |
| A6                    | Denso / 20mm     | 1998 - 1999 | R134a            | 775 ± 25       | 275 ± 25        |
| A6                    | Zexel / 16mm     | 1998 -      | R134a            | 575 ± 25       | 275 ± 25        |
| A6                    | Denso / 16mm     | 1998 -      | R134a            | 575 ± 25       | 275 ± 25        |
| A6                    | Zexel / 18mm     | 1999 - 2001 | R134a            | 675 ± 25       | 275 ± 25        |
| A6                    | Denso / 18mm     | 1999 - 2001 | R134a            | 675 ± 25       | 275 ± 25        |
| A6                    | Zexel / 18mm     | 2001 - 2005 | R134a            | 675 ± 25       | 275 ± 25        |
| A6                    | Denso / 18mm     | 2001 - 2005 | R134a            | 675 ± 25       | 275 ± 25        |
| A6                    | Denso            | 2001 - 2005 | R134a            | 575 ± 25       | 275 ± 25        |
| A6                    | Zexel            | 2005 - 2011 | R134a            | 530 ± 20       | 130 ± 10        |

|                       |              |             |               |                 |          |
|-----------------------|--------------|-------------|---------------|-----------------|----------|
| A6                    | Denso        | 2005 - 2011 | R134a         | 530 ± 20        | 130 ± 10 |
| A6 2.0l               | Zexel        | 2001 - 2005 | R134a         | 575 ± 25        | 275 ± 25 |
| A6 2.0l 3.0l          | Zexel        | 2005 - 2011 | R134a         | 500 ± 20        | 120 ± 10 |
| A6 2.0l 3.0l          | Denso        | 2005 - 2011 | R134a         | 500 ± 20        | 120 ± 10 |
| A6                    |              | 2011 -      | R134a         | 570 ± 20        | 120 ± 10 |
| A6 V8                 | Zexel        | 1998 - 1999 | R134a         | 575 ± 25        | 275 ± 25 |
| A6 V8                 | Denso        | 1998 - 1999 | R134a         | 575 ± 25        | 275 ± 25 |
| A6 V8                 | Zexel        | 1999 - 2001 | R134a         | 675 ± 25        | 275 ± 25 |
| A6 V8                 | Denso        | 1999 - 2001 | R134a         | 675 ± 25        | 275 ± 25 |
| A6 V8                 | Zexel        | 2001 - 2005 | R134a         | 675 ± 25        | 275 ± 25 |
| A6 V8                 | Denso        | 2001 - 2005 | R134a         | 675 ± 25        | 275 ± 25 |
| A6 V8                 | Zexel        | 2004 - 2006 | R134a         | 530 ± 20        | 130 ± 10 |
| A6 V8                 | Denso        | 2004 - 2006 | R134a         | 530 ± 20        | 130 ± 10 |
| A6/S6/RS6 4B          |              | 1997 - 1999 | R134a         | 800 ± 30        | 150 ± 10 |
| A6/S6/RS6 4B          |              | 1999 - 2005 | R134a         | 700 ± 30        | 150 ± 10 |
| A6/S6/RS6 4F          |              | 2004 - 2011 | R134a         | 770 ± 30        | 150 ± 10 |
| A6/S6/RS6 4G          |              | 2001 - 2018 | R134a/R1234yf | 570 / 530 ± 20  | 100 ± 10 |
| A6/S6/RS6 4A2         |              | 2018 -      | R1234yf       | 520 ± 20        | 130 ± 10 |
| A7 SPORTBACK          |              | 2010 -      | R134a         | 570 ± 20        | 120 ± 10 |
| A7 4GA/4GF            |              | 2010 - 2018 | R134a/R1234yf | 570 / 530 ± 20  | 120 ± 10 |
| A7 4KA                |              | 2018 -      | R1234yf       | 520 ± 20        | See Spec |
| A8                    | Zexel        | 1994 - 1997 | R134a         | 775 ± 25        | 275 ± 25 |
| A8                    | Denso        | 1994 - 1997 | R134a         | 775 ± 25        | 275 ± 25 |
| A8                    | Zexel        | 2002 - 2004 | R134a         | 620 ± 20        | 200 ± 10 |
| A8                    | Denso        | 2002 - 2004 | R134a         | 620 ± 20        | 200 ± 10 |
| A8 / S8               | Zexel        | 1997 - 2003 | R134a         | 825 ± 25        | 275 ± 25 |
| A8 / S8               | Denso        | 1997 - 2003 | R134a         | 825 ± 25        | 275 ± 25 |
| A8 (4E)               |              | 2004 - 2009 | R134a         | 620 ± 20        | 150 ± 10 |
| A8 (4E) 3.7l 4.2l     | without FSI  | 2004 - 2009 | R134a         | 620 ± 20        | 200 ± 10 |
| A8 (4H)               |              | 2009 -      | R134a         | 780 ± 20        | 130 ± 10 |
| A8 (4H)               | with rear AC | 2009 -      | R134a         | 930 ± 20        | 130 ± 10 |
| A8 (4H) 4.0l 4.2l TDI |              | 2009 -      | R134a         | 740 ± 15        | 180 ± 10 |
| A8 (4H) 4.0l 4.2l TDI | with rear AC | 2009 -      | R134a         | 915 ± 15        | 180 ± 10 |
| A8/S8 4D              |              | 1994 - 2002 | R134a         | 770 ± 30        | 130 ± 10 |
| A8/S8 4E              |              | 2002 - 2010 | R134a         | 620 ± 30        | 120 ± 10 |
| A8/S8 4E              |              | 2009 - 2014 | R134a         | 720 / 910 ± 30  | 160 ± 10 |
| A8/S8 4H              |              | 2013 - 2018 | R1234yf       | 700 / 890 ± 30  | 160 ± 10 |
| A8/S8 4N              |              | 2018 -      | R1234yf       | See Spec        | See Spec |
| AllRoad 4BH           |              | 2000 - 2005 | R134a         | R134a           | 110 ± 10 |
| AVANT RS2             |              | 1994 - 1995 | R134a         | 775 ± 25        | 275 ± 25 |
| CABRIO                |              | 1992 - 2000 | R134a         | 675 ± 25        | 275 ± 25 |
| CABRIO 2.3            |              | 1992 - 1994 | R134a         | 775 ± 25        | 275 ± 25 |
| COUPE S2              |              | 1992 -      | R12>R134a     | 900 ± 50        | 300 ± 20 |
| COUPE S2              | Zexel        | 1992 - 1996 | R134a         | 775 ± 25        | 275 ± 25 |
| COUPE S2              | Denso        | 1992 - 1996 | R134a         | 775 ± 25        | 275 ± 25 |
| Q2 GAB                |              | 2016 -      | R134a         | 440 ± 20        | 80 ± 10  |
| Q3                    | Sanden       | 2011 -      | R134a         | 520 ± 20        | 110 ± 10 |
| Q3                    | Delphi       | 2011 -      | R134a         | 520 ± 20        | 110 ± 10 |
| Q3                    | Denso        | 2011 -      | R134a         | 520 ± 20        | 90 ± 10  |
| Q3 8UB                |              | 2011 -      | R134a/R1234yf | 520 / 530 ± 20  | 100 ± 10 |
| Q5                    |              | 2008 -      | R134a         | 600 ± 20        | 150 ± 10 |
| Q5                    |              | 2011 -      | R134a         | 600 ± 20        | 80 ± 10  |
| Q5 8RB                |              | 2008 - 2012 | R134a         | 580 ± 20        | 110 ± 10 |
| Q5 8RB                |              | 2012 - 2016 | R134a/R1234yf | 550 / 520 ± 20  | 110 ± 10 |
| Q5 Hybrid             |              | 2011 - 2012 | R134a         | 840 ± 20        | 150 ± 10 |
| Q5 FYB                |              | 2016 -      | R134a/R1234yf | 580 / 520 ± 20  | 110 ± 10 |
| Q7 4.2FSI / 3.0TDI    |              | 2006 -      | R134a         | 700 ± 50        | 145 ± 15 |
| Q7 4.2FSI / 3.0TDI    | with rear AC | 2006 -      | R134a         | 1050 ± 50       | 245 ± 15 |
| Q7 1Blower/2Blower    |              | 2006 - 2015 | R134a         | 700 / 1050 ± 30 | 180 ± 10 |
| Q7 1Blower/2Blower    |              | 2015 -      | R134a         | 700 / 950 ± 30  | 180 ± 10 |

|                   |        |             |                       |                       |          |
|-------------------|--------|-------------|-----------------------|-----------------------|----------|
| Q7 Hybrid         |        | 2015 -      | R134a/ <b>R1234yf</b> | 890 / <b>830</b> ± 20 | 160 ± 10 |
| Q8 4MN            |        | 2018 -      | R134a                 | See Spec              | See Spec |
| R8                |        | 2007 -      | R134a                 | 650 ± 20              | 150 ± 10 |
| R8 422/423        |        | 2007 - 2015 | R134a                 | 650 ± 20              | 130 ± 10 |
| R8 4S3/4SP        |        | 2015 -      | R134a/ <b>R1234yf</b> | 820 / <b>740</b> ± 20 | 150 ± 10 |
| TT/TTS Cond.      |        | 1998 - 2006 | R134a                 | 750 / 650 ± 20        | 130 ± 10 |
| TT/TTRS           |        | 2006 - 2014 | R134a                 | 520 ± 20              | 110 ± 10 |
| TT/TTS/TTRS       |        | 2016 -      | R134a                 | 500 ± 20              | 110 ± 10 |
| TT 1.8l 2.0l 3.2l | Denso  | 2006 -      | R134a                 | 525 ± 25              | 90 ± 10  |
| TT 1.8l 2.0l 3.2l | Sanden | 2006 -      | R134a                 | 525 ± 25              | 110 ± 10 |
| TT 1.8l 2.0l 3.2l | Delphi | 2006 -      | R134a                 | 525 ± 25              | 110 ± 10 |
| TT 2.5l           | Denso  | 2006 -      | R134a                 | 500 ± 25              | 90 ± 10  |