



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M3D0827

Project Description

CB-05944

For:

LeAnne Atwell

New Hampshire Department of Environmental Services

29 Hazen Drive

Concord, NH 03301

Project Manager

Alicia Walker

Thursday, April 27, 2023

Please find enclosed the analytical results for the samples you submitted to Microbac Laboratories. Review and compilation of your report was completed by Microbac Laboratories Inc., - Marietta, OH. If you have any questions, comments, or require further assistance regarding this report, please contact your service representative listed above.

I certify that all test results meet all of the requirements of the accrediting authority listed within this report. Analytical results are reported on a 'as received' basis unless specified otherwise. Analytical results for solids with units ending in (dry) are reported on a dry weight basis. A statement of uncertainty for each analysis is available upon request. This laboratory report shall not be reproduced, except in full, without the written approval of Microbac Laboratories. The reported results are related only to the samples analyzed as received.

Microbac Laboratories, Inc.

158 Starlite Drive | Marietta, OH 45750 | 800.373.4071 p | www.microbac.com



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M3D0827

New Hampshire Department of Environmental Services

Project Name: CB-05944

LeAnne Atwell
29 Hazen Drive
Concord, NH 03301

Project / PO Number: CB-05944
Received: 04/17/2023
Reported: 04/27/2023

Sample Summary Report

<u>Sample Name</u>	<u>Laboratory ID</u>	<u>Client Matrix</u>	<u>Sample Type</u>	<u>Sample Begin</u>	<u>Sample Taken</u>	<u>Lab Received</u>
1	M3D0827-01	Drinking Water	Grab		04/12/23 06:15	04/17/23 09:40
2	M3D0827-02	Drinking Water	Grab		04/12/23 06:15	04/17/23 09:40
3	M3D0827-03	Drinking Water	Grab		04/12/23 06:16	04/17/23 09:40
4	M3D0827-04	Drinking Water	Grab		04/12/23 06:16	04/17/23 09:40
5	M3D0827-05	Drinking Water	Grab		04/12/23 06:17	04/17/23 09:40
6	M3D0827-06	Drinking Water	Grab		04/12/23 06:17	04/17/23 09:40
7	M3D0827-07	Drinking Water	Grab		04/12/23 06:17	04/17/23 09:40
8	M3D0827-08	Drinking Water	Grab		04/12/23 06:20	04/17/23 09:40
9	M3D0827-09	Drinking Water	Grab		04/12/23 06:20	04/17/23 09:40
10	M3D0827-10	Drinking Water	Grab		04/12/23 06:21	04/17/23 09:40
11	M3D0827-11	Drinking Water	Grab		04/12/23 06:22	04/17/23 09:40
12	M3D0827-12	Drinking Water	Grab		04/12/23 06:23	04/17/23 09:40
13	M3D0827-13	Drinking Water	Grab		04/12/23 06:24	04/17/23 09:40
14	M3D0827-14	Drinking Water	Grab		04/12/23 06:24	04/17/23 09:40



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M3D0827

Analytical Testing Parameters

Client Sample ID: 1									
Sample Matrix: Drinking Water						Collected By: Lisa Shroder			
Lab Sample ID: M3D0827-01						Collection Date: 04/12/2023 6:15			

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1232	JYH

Client Sample ID: 2									
Sample Matrix: Drinking Water						Collected By: Lisa Shroder			
Lab Sample ID: M3D0827-02						Collection Date: 04/12/2023 6:15			

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1234	JYH

Client Sample ID: 3									
Sample Matrix: Drinking Water						Collected By: Lisa Shroder			
Lab Sample ID: M3D0827-03						Collection Date: 04/12/2023 6:16			

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1236	JYH

Client Sample ID: 4									
Sample Matrix: Drinking Water						Collected By: Lisa Shroder			
Lab Sample ID: M3D0827-04						Collection Date: 04/12/2023 6:16			

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1238	JYH

Client Sample ID: 5									
Sample Matrix: Drinking Water						Collected By: Lisa Shroder			
Lab Sample ID: M3D0827-05						Collection Date: 04/12/2023 6:17			

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1241	JYH



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M3D0827

Client Sample ID: 6	Sample Matrix: Drinking Water	Collected By: Lisa Shroder
Lab Sample ID: M3D0827-06		Collection Date: 04/12/2023 6:17

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	10.3	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1243	JYH

Client Sample ID: 7	Sample Matrix: Drinking Water	Collected By: Lisa Shroder
Lab Sample ID: M3D0827-07		Collection Date: 04/12/2023 6:17

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1245	JYH

Client Sample ID: 8	Sample Matrix: Drinking Water	Collected By: Lisa Shroder
Lab Sample ID: M3D0827-08		Collection Date: 04/12/2023 6:20

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1247	JYH

Client Sample ID: 9	Sample Matrix: Drinking Water	Collected By: Lisa Shroder
Lab Sample ID: M3D0827-09		Collection Date: 04/12/2023 6:20

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1250	JYH

Client Sample ID: 10	Sample Matrix: Drinking Water	Collected By: Lisa Shroder
Lab Sample ID: M3D0827-10		Collection Date: 04/12/2023 6:21

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1252	JYH



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M3D0827

Client Sample ID: 11	Sample Matrix: Drinking Water	Collected By: Lisa Shroder
Lab Sample ID: M3D0827-11		Collection Date: 04/12/2023 6:22

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1259	JYH

Client Sample ID: 12	Sample Matrix: Drinking Water	Collected By: Lisa Shroder
Lab Sample ID: M3D0827-12		Collection Date: 04/12/2023 6:23

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1056	04/26/23 1301	JYH

Client Sample ID: 13	Sample Matrix: Drinking Water	Collected By: Lisa Shroder
Lab Sample ID: M3D0827-13		Collection Date: 04/12/2023 6:24

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1057	04/26/23 1106	JYH

Client Sample ID: 14	Sample Matrix: Drinking Water	Collected By: Lisa Shroder
Lab Sample ID: M3D0827-14		Collection Date: 04/12/2023 6:24

Metals Total by ICPMS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8/EPA 200.8, Rv. 5.4 (1994)								
Lead	<0.400	5.00 AL	0.400	ug/L		04/25/23 1057	04/26/23 1112	JYH

Results in **bold** have exceeded a limit defined for this project. Limits are provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.

Definitions

- AL:** US EPA Action Level
- RL:** Reporting Limit
- ug/L:** Micrograms per Liter

Cooler Receipt Log

Cooler ID: Default Cooler **Temp:** 15.2°C



Microbac Laboratories Inc., - Marietta, OH

CERTIFICATE OF ANALYSIS

M3D0827

Cooler Inspection Checklist

Ice Present or not required?	Yes	Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes	Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes	Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes	Sample type identified on COC?	Yes
Correct type of Containers Received	Yes	Correct number of containers listed on COC?	Yes
Containers Intact?	Yes	COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes	Sample labels match COC (Name, Date & Time?)	Yes
Samples arrived within hold time?	Yes	Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes	Preservation checks meet method requirements?	No
VOA vials have zero headspace, or not recd.?	Yes		

Project Requested Certification(s)

Microbac Laboratories Inc., - Marietta, OH
283922

NH Environmental Laboratory Accreditation Program

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. **The services were provided under and subject to Microbac's standard terms and conditions which can be located and reviewed at <<https://www.microbac.com/standard-terms-conditions>>.***

Reviewed and Approved By:

Alicia Walker
Project Manager
Reported: 04/27/2023 16:33

