

EZ SPOT UR

ATTACHMENTS



**HEAVY DUTY
POLE SETTER
EZ-HD08**
page 5



**HEAVY DUTY
Pole Setter
EZ-HD08**
Page 8



**POLE SETTER
EZ-0008**
page 3



**Rock Handler
EZ-2010**
page 13



**Rotating Forks
EZ-0015**
page 9

Make it EZ!



PRODUCT CATALOG

1 877 433 5733

www.ezspotur.com

Spring Mount Hose Kit EZ-K013



Make it EZ!

www.ezspotur.com
1-877-433-5733



**Prevents Pinched Hoses
and Oil Loss**



**Why drag your expensive hydraulic
hoses through the dirt?**



Cost Effective!

Designed to Fit All Types of Attachments

LOADER RATED OPERATING CAPACITY		EZ SPOT UR RATINGS	
LBS.	Kg.	LBS.	Kg.
950	432	380	173
1200	545	625	284
1300	591	725	330
1500	682	910	414
1700	773	1230	559
2100	955	1340	609
2300	1045	1440	655
2500	1136	1510	689
3000	1364	1680	764

Chart of Ratings

Rated at 36 inches from the base plate
Rated at 910 MM from the base plate



**EZ-K013
Hose Kit**



ATTACHMENTS

www.ezspotur.com

1-877-433-5733

Rotating Pole Setter EZ-0008

Make it EZ!



IVANPAH
SOLAR PROJECT
CALIFORNIA



IvanPah
Solar
Project
- California -

Rotates
360°



SUN EDISON
MCLELLAN, CA



SUN EDISON
MCLELLAN, CA



WEIGHT
181 lbs.

MAX OPENING
14"

MIN. CLOSING
3"

OPERATING CAPACITY
32 ft. poles with operating
capacity. Consult chart.

Base Unit EZ-001D: 410 lbs. Up to 140 poles installed per day.
**Inserts can be purchased to make unit close down to 0".

**EZ Unit
Capacity
Chart**

Rotating Pole Setter EZ-0008

Make it EZ!



www.ezspotur.com
1-877-433-5733



**RICK ELECTRIC,
FARGO, ND**



**RICK ELECTRIC,
FARGO, ND**

**Designed
for Poles
to
32 feet**



**FM FENCE
FARGO, ND**



EZ Unit Capacity Chart

WEIGHT
181 lbs.

MAX OPENING
14"

MIN. CLOSING
3"

OPERATING CAPACITY
32 ft. poles with operating
capacity. Consult chart.

Base Unit EZ-001D: 410 lbs.

**Inserts can be purchased to make unit close down to 0"



ATTACHMENTS

www.ezspotur.com

1-877-433-5733

HD Pole Setter EZ-HD08

Make it EZ!



HEAVY DUTY



EAST RIVER ELECTRIC
MADISON, SD



SIoux VALLEY ELECTRIC
MADISON, SD



THOLL FENCE
SPARKS, NV

Load & Unload Poles Up To 90 Feet Long

WEIGHT
1300 lbs.

MAX OPENING
21"

MIN. CLOSING
5"

OPERATING CAPACITY
45 ft. poles with operating
capacity. Consult chart.

Comes standard with rotating base.

**Inserts can be purchased to make unit close down to 0"

**EZ Unit
Capacity
Chart**

Page 5 Loads Poles Faster and Safer Than A Digger Derrick

HD Pole Setter EZ-HD08


Make it EZ!



www.ezspotur.com
1-877-433-5733

**Place
Poles
up to
45 feet**

**COAL CREK
CONSTRUCTION
UNDERWOOD, ND**



**HEAVY
DUTY**



**THOLL FENCE
SPARKS, NV**



**GRIFFITH
EXCAVATING
BAKER, MT**



**P&L ELECTRIC
CLEARWATER, FL**

EZ Unit Capacity Chart

WEIGHT
1300 lbs.

MAX OPENING
21"

MIN. CLOSING
5"

OPERATING CAPACITY
45 ft. poles with operating
capacity. Consult chart.

Comes standard with rotating base.

**Inserts can be purchased to make unit close down to 0"

Out Performs A Digger Derrick and Goes Where a Digger Can't

Page 6



ATTACHMENTS

www.ezspotur.com

1-877-433-5733


HD Pole Setter EZ-HD08



Make it EZ!

**HEAVY
DUTY**

**38 Poles Set
in 8 Hours**



FALLS ELECTRIC
THIEF RIVER
FALLS, MN



FALLS ELECTRIC
THIEF RIVER
FALLS, MN



**45' Light
Poles are
No Problem**

**Maneuver with precision in
TIGHT SPACES
WITH EASE!**



WEIGHT
1300 lbs.

MAX OPENING
21"

MIN. CLOSING
5"

OPERATING CAPACITY
45 ft. poles with operating
capacity. Consult chart.

Comes standard with rotating base. Set Poles in High Traffic Situations.

**Inserts can be purchased to make unit close down to 0"

**EZ Unit
Capacity
Chart**

Page 7 Full Control of Light Poles and Works Well in High Traffic Areas

HD Pole Setter EZ-HD08

Make it EZ!



www.ezspotur.com
1-877-433-5733




**HEAVY
DUTY**

580 CASE
MATADOR, ND



ROCKVILLE CENTRE, NY

**Used to manipulate Drill String
International Coastal Foundations**



YORK ELECTRIC
YORK, SC



EZ Unit Capacity Chart

WEIGHT
1300 lbs.

MAX OPENING
21"

MIN. CLOSING
5"

OPERATING CAPACITY
45 ft. poles with operating
capacity. Consult chart.

Comes standard with rotating base. Can be adapted to ALL types of equipment
**Inserts can be purchased to make unit close down to 0"

Can Be Adapted To All Types Of Equipment

Page 8



ATTACHMENTS

www.ezspotur.com

1-877-433-5733

Rotating Forks EZ-0015



Make it EZ!



**Stackable Containers
Made to Order**

**Forks
Rotate
127°**



**Stackable
Containers**



WEIGHT	MAX OPENING	MIN. CLOSING	OPERATING CAPACITY
345 lbs.	N/A	N/A	Consult chart.

Base Unit EZ-001D: 410 lbs. Rotating fork tool with EZ Spot UR Containers.

**EZ Unit
Capacity
Chart**

Page 9 Place Container Close To The Clean Up Site

Clamping Fork Tool EZ-1015

Make it EZ!



www.ezspotur.com
1-877-433-5733



**Waste
Management**

**Rotates
360°** **Clamping
Fork Tool**



EZ Unit Capacity Chart

WEIGHT
850 lbs.

MAX OPENING
52"

MIN. CLOSING
24"

OPERATING CAPACITY
Consult chart.

Rotates 180° In Either Direction. Safely Secures Container When Dumping **Page 10**



ATTACHMENTS

www.ezspotur.com

1-877-433-5733

Rotating Grapple EZ-0009

Make it EZ!



TIME MILLER
CONSTRUCTION
CHRISTINE, ND

**EZ-0009
Rotating
Grapple**

WEIGHT
195 lbs.

MAX OPENING
33"

MIN. CLOSING
0.0"

OPERATING CAPACITY
Consult chart.

Base Unit EZ-001D: 410 lbs.

**EZ Unit
Capacity
Chart**

Speed Bagger EZ-0013

Make it EZ!



www.ezspotur.com
1-877-433-5733

EZ-0013 Speed Bagger

Unmatched Performance
4 Men + 4 Hours =
1,000 Bags



DETROIT LAKES, MN

EZ Unit Capacity Chart

WEIGHT
600 lbs.

MAX OPENING
N/A

MIN. CLOSING
N/A

OPERATING CAPACITY
Consult chart.

Fill Bags At Point Of Use. Makes Dike Building EZ.

Page 12



ATTACHMENTS

www.ezspotur.com

1-877-433-5733

Rock and Tree Handler EZ-2010

Make it EZ!



SOUTHERN COMPANIES
BIRMINGHAM, AL



RON HOLLAND
HOUSE MOVING
FOREST CITY, IA



SOUTHERN COMPANIES
BIRMINGHAM, AL

Tool pictured with rock tips. Rubber tips available for trees.



Rock Tips
EZ-R010



WEIGHT
320 lbs.

MAX OPENING
46.5"

MIN. CLOSING
5.5"

OPERATING CAPACITY
Consult chart.

Base Unit EZ-001D: 410 lbs.

**EZ Unit
Capacity
Chart**

Rock and Tree Handler EZ-2010

Make it EZ!



www.ezspotur.com
1-877-433-5733



EZ Unit Capacity Chart

WEIGHT
320 lbs.

MAX OPENING
46.5"

MIN. CLOSING
5.5"

OPERATING CAPACITY
Consult chart.

Base Unit EZ-001D: 410 lbs.

EZ For Moving and Setting Trees

Page 14



ATTACHMENTS

www.ezspotur.com

1-877-433-5733

Compact Equipment

Make it EZ!

EZ-0010 Multi Purpose Excavator Claw



WEIGHT
105 lbs.

MAX OPENING
39.5"

MIN. CLOSING
21"

OPERATING CAPACITY
Consult chart.

Base Unit EZ-001D: 410 lbs. Base Unit EZ-001C: 470 lbs.

**EZ Unit
Capacity
Chart**

Page 15 Can Be Made To Fit All Types of Small Units

Barrel Handler EZ-0002

Make it EZ!



www.ezspotur.com
1-877-433-5733



GULF OIL SPILL



**Handles 55 gal., 30 gal.,
and Plastic Barrels Securely**




**Barrel Handler Shoe
EZ-P002**



**30 gal.
Insert
EZ-P002**

**Can be modified
for barrels
to 100 gallons.**



**G. A. SADOWSKY
& SONS
DICKINSON, ND**

EZ Unit Capacity Chart

WEIGHT
105 lbs.

MAX OPENING
39.5"

MIN. CLOSING
21"

OPERATING CAPACITY
Consult chart.

Base Unit EZ-001D: 410 lbs. Base Unit EZ-001C: 470 lbs.

Can Be Made For 85 and 100 Gallon Barrels



ATTACHMENTS

www.ezspotur.com

1-877-433-5733

Excavator Rotator EZ-001X

Make it EZ!



**EZ-001X
Excavator Rotator**



Box Blade EZ-0060



WEIGHT
371 lbs.

MAX OPENING
N/A

MIN. CLOSING
N/A

OPERATING CAPACITY
Consult chart.

**EZ Unit
Capacity
Chart**

EZ Spot UR Tactical Tools

Make it EZ!



www.ezspotur.com
1-877-433-5733



**Mine Sweeper
& Fire Brush**



SAN BERNADINO SHERIFF'S
DEPT. & BOMB SQUAD
SAN BERNADINO, CA



**EZ Forced
Entry**

SAN BERNADINO SHERIFF'S
DEPT. & BOMB SQUAD
SAN BERNADINO, CA



EZ Unit Capacity Chart

WEIGHT	MAX OPENING	MIN. CLOSING	OPERATING CAPACITY
Various lbs.	N/A	N/A	Consult chart.



Double Pot Handler Tool EZ-2002

www.ezspotur.com
1-877-433-5733

Make it EZ!



BAILEY NURSERY
HASTING, MN



WEIGHT
105 lbs.

MAX OPENING
39.5"

MIN. CLOSING
21"

OPERATING CAPACITY
Consult chart.

Base Unit EZ-001D: 410 lbs. Base Unit EZ-001C: 470 lbs.

EZ, Safer and Quicker to Load Containers with One Man Operation

**EZ Unit
Capacity
Chart**

Page 19 Designed To Fit Skidsteer or Forklifts

Pot Handler EZ-0020


Make it EZ!



www.ezspotur.com
1-877-433-5733



**Load and
Unload
Easily.**



BECKER TREE FARM
& NURSERY
HOBE SOUND, FL



**EZ to lay down trees
for hurricanes.**



SUMTER GARDENS
SUMTERVILLE, FL



EZ Unit Capacity Chart

WEIGHT
320 lbs.

MAX OPENING
72"

MIN. CLOSING
0.0"

OPERATING CAPACITY
Consult chart.

Base Unit EZ-001D: 410 lbs.
Handles 200 gallon nursery pots.

Complete Control of Pots or Grow Rings

Page 20



ATTACHMENTS

www.ezspotur.com

1-877-433-5733

Rail Tools



Make it EZ!



**EZ-0016
EZ-HD10
Rail Tool**

**BLED SOE RAIL SERVICES
FARGO, ND**



**MIDWEST TRACK REPAIR
COUNCIL BLUFFS, IA**



**EZ to Remove and
Replace Cross Ties**

Rock/Root Pick



**BUDDY SERVICE & SUPPLY, INC
MILNOR, ND**



**EZ-0012
Rock &
Root Pick**

**BUDDY SERVICE & SUPPLY, INC
MILNOR, ND**

WEIGHT
89 lbs.

OPERATING CAPACITY
Consult chart.

Base Unit EZ-001D: 410 lbs.

**EZ Unit
Capacity
Chart**

Pole Jack EZ-PJ01

Make it EZ!



www.ezspotur.com
1-877-433-5733



ITC
AMES, IA



**EXTRACT POLES
up to 90' with
One man operation**



EZ Unit Capacity Chart

WEIGHT
1,300 lbs.

MAX OPENING
31"

MIN. CLOSING
9"

OPERATING CAPACITY
90 ft. poles with operating
capacity. Consult chart.

Base Unit EZ-001D: 410 lbs.

**Inserts can be purchased to make unit close down to 0"



**POLE JACK
EZ-PJ201
page 2**



**DOUBLE POT
HANDLER TOOL
EZ-2002
page 19**

EZ SPOT UR

ATTACHMENTS NEW PRODUCTS



**POLE SETTER
EZ-0008
page 3-4**

360° Rotation

Make it EZ!



**CLAMPING FORK TOOL
EZ-1015
page 10**

EZ Spot Ur Inc.
5932 53rd Ave. S.
Fargo, ND 58104

Toll Free 1 877 433 5733

Phone: 701 282 2732

Fax: 701 277 4625

sales@ezspotur.com / www.ezspotur.com



**Owned and Operated by a
Disabled Vietnam Veteran**